

Comments and suggestions regarding the planned implementation of the 'Advanced Therapies' Regulation (EC) No 1394/2007

The RNA Therapeutics Stakeholder Group

ElixinPharma

universität
sität
mainz
III. Medical
Department

GANYMED
Pharmaceuticals AG

Hautklinik
Universitätsklinikum
Erlangen



CIMT
CANCERIMMUNOTHERAPY

SANTARIS PHARMA

DC THERA
Dendritic Cells & New Immunotherapies

UREVAC
the RNA people®

immatics

Argos
THERAPEUTICS

Department of
Immunology

University Tübingen

INSTITUTE FOR
IMMUNOLOGY
MAINZ

Table of Contents

	page
1. Appraisal and summary of concerns	1
2. Summary of suggestions for changes	2
3. Expression of Support	2
Annex 1. Detailed Statements	3
Annex 2. List of Stakeholders	9

1 Appraisal and summary of concerns

The present comments and suggestions are drafted by a considerable number of stakeholders from academia, scientific consortia as well as small and medium-sized enterprises devoted to various aspects of development of advanced therapies (detailed list in **Annex 2**). Although the stakeholders greatly appreciate the European Commissions efforts to improve regulation of authorization, supervision and pharmacovigilance of advanced therapy medicinal products they are concerned that the Regulation will seriously compromise the further development of several classes of highly promising medicinal products.

- According to Definitions 2.2.1 RNA-based medicinal products are classified as gene therapy medicinal products. Regulatory rules for gene-therapeutic medicinal products were primarily developed to improve safety of viral gene transfer, which is associated with integration into the host genome and carries the risk of vertical transmission. Accordingly, regulatory requirements include the evaluation of oncogenic and tumorigenic potential in relevant *in vivo* models, reproductive and developmental toxicity studies, integration site studies, clinical data regarding biodistribution into gonads as well as a range of safety studies including neoplastic proliferation due to insertional mutagenicity. As detailed in Annex 1 none of these risks applies to RNA-based medicinal products. RNA does not integrate into the host genome and is neither oncogenic.
- Application of requirements developed for viral gene transfer will multiply the costs for RNA-based medicinal products and will put the future of SMEs in the field in jeopardy. The clinical development of DNA-based gene transfer owing to the difficulties to finance increased expenditures has almost come to halt in the last years. We are alarmed that application of the Regulation to RNA-based medicinal products will retard or even prevent their development while not providing any significant advantage for the safety of the treated patients. Moreover, we are concerned about differences in regulatory requirements between the EU and other countries. If the EU increases regulatory hurdles not based on strong scientific arguments this will compromise the European habitat conditions for development of innovative products.

2 Summary of suggestions for changes

Based on the detailed comments in the **Scientific Annex** we ask for following changes:

- a) RNA based medicinal product classes including but not limited to non-viral RNA vaccines, adjuvants, siRNA and aptamers, shall be explicitly excluded from the "Gene therapy" classification of the regulation.
- b) Such RNA based medicinal product classes, which are synthetically or enzymatically produced in vitro, are designated for direct in vivo application and do not apply to the definition of somatic cell therapy should be further on regarded as Chemical Entities as exemplified by previous approvals for representatives of this class (**Vitravene™** **Macugen™**) and should not be a subject of the advanced therapy Regulation.
- c) RNA based medicinal product classes shall explicitly be excluded from regulatory requirements outlined in chapter 2.4.2 of the regulation, such as genotoxicity, carcinogenicity, reproductive and developmental toxicity studies as well as genome integration studies as these address specific features of classical gene therapy but do not apply to RNA.
- d) Analogously, RNA based medicinal product classes shall explicitly be excluded from clinical data requirements listed in chapter 2.5.2, such as analysis of biodistribution into the gonads and safety studies. Also these refer to peculiar risks associated with classical gene therapy, but not with RNA administration.
- e) Rather, we believe that a risk analysis approach as already suggested in chapter 2.1 of the Regulation combined with mode of action based risk identification strategies outlined in chapter 4.1. of the "Guideline On Strategies To Identify And Mitigate Risks For First-In Human Clinical Trials With Investigational Medicinal Products" (EMA/CHMP/SWP/28367/07) may comply best with the peculiarities of such RNA based novel therapies

3. Expression of support

The stakeholders support an opinion featured in a commentary submitted independently to the Commission that the definition "Gene therapy" and specific regulatory requirements for gene therapy should not apply for plasmid based recombinant vaccines.

Annex 1 Detailed statements

In the regulation (EC) No 1394/2007 on advanced therapy medicinal products ("the Regulation") specific rules are defined, that concern the authorisation, supervision and pharmacovigilance of advanced therapy medicinal products (gene therapy, somatic cell therapy and tissue engineering). This regulation will apply from 30 December 2008. As part of the implementation of regulation No 1394/2007, the European Commission intends to revise and adapt Part IV, Annex I to the Directive 2001/83/EC.

The following comments and suggestions originate from a considerable number of different stakeholders (listed in Annex I) comprising academic experts in the field, small and medium sized enterprises as well as prominent non-profit research organizations dealing with different aspects of advanced therapies ("The Stakeholders"). Whereas the Stakeholders highly appreciate several aspects of the regulation, such as the establishment of a Committee for Advanced Therapies (CAT) within the EMEA, there are major concerns regarding some other aspects of the Regulation.

A central concern of the Stakeholders is the definition of gene therapy medicinal product which is outlined in chapter 2.2.1 of the Regulation, which is linked to specific requirements concerning the extent of clinical and non-clinical data.

According to the Regulation a Gene therapy medicinal product is defined as a medicinal product

- *that contains or consists of a nucleic acid sequence used in or administered to human beings, in vivo or ex vivo, with a view to regulating, repairing or replacing a targeted genetic sequence; and*
- *whose therapeutic, prophylactic or diagnostic effect relates directly to the nucleic acid sequence it contains, or to the product of genetic expression of this sequence.*

A number of specific requirements regarding non-clinical and clinical data are listed in chapter 2.4.2 or chapter 2.5.2 of the Regulation, respectively. for medicinal products, that fulfil this definition.

Requirements include among others

- **evaluation of oncogenic and tumorigenic potential in relevant models,**
- **reproductive and developmental toxicity studies,**
- **integration site studies,**

- **clinical data regarding biodistribution into gonads as well as a range of safety studies including data about neoplastic proliferation due to insertional mutagenicity.**

The Stakeholders are concerned that the definition of gene therapy medicinal products within the regulation is extremely broad, comprising a heterogeneous collectivity of different medicinal product classes with distinct individual safety and mode of action profiles and peculiarities. Whereas the studies listed in chapter 2.4.2 and 2.5.2 are without doubt meaningful for a number of classical gene therapy approaches e.g. addressing gene transfer with retroviral, lentiviral or adenoviral vectors, they are clearly neither scientifically nor clinically justified for other medicinal approaches such as transfer of non-replicating polynucleotide RNA or siRNA, which are most likely non-intentionally also covered by the definition.

A particular criticism is that RNA based medicinal product classes are not explicitly excluded from the gene therapy definition.

An important feature crucial for clinical safety issues is that RNA based medicinal products bear no significant risk for integration into the genome. This is in contrast to some recombinant viral medicinal products that have the risk of drug accumulation due to a sustained expression of encoded gene products and the risk of integration into the host genome, thereby promoting malignant transformation by activating proto-oncogenes or inactivating onco-suppressors¹. Furthermore DNA, when integrated into the chromosomal DNA of germ line cells could lead to vertical transmission. Importantly, all known mechanisms by which foreign nucleic acids can integrate into the genome of an animal cell (e.g. recombination) do not apply for RNA based molecules². Due to the lack of capacity to integrate into genomes there is also no risk for long-term persistence of RNA based medicinal product classes. It is well established that medicinal products based on RNA are of transient nature and are cleared from the organism mainly by degradation by nucleases that are abundant in the extra- and intracellular space³.

The Stakeholders are concerned that the Regulation would enhance regulatory requirements for a number of highly promising, emerging clinical applications of RNA⁴ while not providing any significant advantage for the safety of the treated patients. This would slow down or even prevent clinical translation of such substances and unnecessarily discriminate against European researchers and companies as RNA based approaches are not considered as gene therapy in competing countries and regions of the world including the USA.

RNA molecules can be applied as medicinal products

- to transiently silence genes of interest (RNA interference),
- to modify gene specific splicing events (RNA repair),
- to induce antigen specific immune responses (RNA vaccines)
- to augment immunity (RNA adjuvants e.g. Poly I:C)
- to bind receptors or ligands involved in disease mechanisms (Aptamers)

In the past years, a large amount of non-clinical data and a considerable number of clinical studies have been performed demonstrating an excellent safety profile of RNA-based therapeutic strategies. These include published clinical trials as well as hitherto unpublished data generated by some of the Stakeholders. RNA based vaccines, for example, which entered clinical testing nearly one decade ago were shown to be very well tolerated⁵⁻¹⁰. RNA vaccine based medicinal products are either used for ex vivo transfection of dendritic cells or directly injected as naked RNA vaccines in vivo. Taken together published clinical trials, so far 131 patients have been treated in vaccination protocols using RNA-based medicinal products. Only one patient developed a toxicity > grade I (flu like symptoms, grade II). Generally, the side effects were restricted to grade I local erythema at the injection site and grade I flu like symptoms. A transient increase in anti-nuclear-antibodies was seen in three patient. Otherwise no signs of autoimmunity have been observed so far. Similarly, a number of clinical trials with Aptamers as well as a wide range of preclinical studies and first clinical trials with siRNA therapeutics indicate an excellent safety profile also for other RNA-based medicinal product classes¹¹⁻¹⁵. Many of these approaches are based on synthetic oligonucleotides. In fact, there is historic precedence for the regulation of oligonucleotides as chemical entities in Europe with the approval of VitraveneTM, an antisense oligonucleotide for treatment of cytoMegalovirus retinitis (CMV), and MacugenTM, a pegylated aptamer approved for treatment of age-related macular degeneration (AMD). We believe that RNA-based therapeutics have a great potential to provide solutions in different disease areas with high medical need including infectious, metabolic and cardiovascular diseases as well as cancer. RNA based medicinal products can be rapidly produced and easily purified. Production costs are considerably lower than for polypeptide based medicinal products. This, together with their nucleotide sequence based target specificity provides an excellent basis for future individualized therapies. A number of young biotechnology companies mainly funded by venture and public capital are devoted to develop and implement such innovative treatment modalities. However, the field of RNA based medicinal products is young and highly vulnerable. It is important that investments in this field are neither endangered by high development hurdles nor by a misleading public perception. Due to the fatal events associated with adenoviral and retroviral gene transfer the term "Gene therapy" is burdened with a negative public perception¹⁶⁻¹⁸. The broad

classification of different nucleic acids based medicinal products as gene therapy endangers their public acceptance and will compromise investments necessary for the development of the field.

We propose that the definition “Gene therapy” should be limited to nucleic acids based medicinal products, which are able to integrate into the human genome thereby generating unique safety concerns.

RNA based medicinal product classes neither integrate into the genome, nor induce genome sequence alterations *eo ipso*. The fact that RNA based therapeutic approaches such as RNA interference is able to specifically modulate gene transcription and translation is not a characteristic feature of gene therapy as the vast majority of medicinal products affect gene transcription and gene expression in a very defined manner (e.g. hormones, antibodies, kinase inhibitors etc.). In this context, it is important to realize and accept, that a medicinal product based on a viral vector encoding a sh-RNA for gene silencing has a profoundly different risk profile as compared to the corresponding non-viral, siRNA based medicinal product^{19;20}.

Moreover, it is critical that the progress of clinical translation in the field is not slowed down by unsubstantiated regulatory mechanisms. Most of the requirements listed in the chapters 2.4.2. and 2.5.2 of the Regulation (i.e. analysis of oncogenic and tumorigenic potential in relevant models, reproductive and developmental toxicity studies, integration site studies, clinical data regarding biodistribution into gonads as well as a range of safety studies including data on neoplastic proliferation due to insertional mutagenicity) are scientifically and clinically not justified, but are time consuming and cost intensive. Application of these requirements would multiply the costs for RNA-based medicinal products while not providing any significant advantage for the safety of the treated patients. During the last years clinical development of DNA-based gene transfer due to the difficulties to finance came to a halt. We are alarmed that application of the proposed regulation to RNA-based medicinal products will severely compromise the development of these highly promising drugs. We are also concerned about different regulatory hurdles between the EU and the US. If only the EU increases the requirements and if this is not based on strong scientific arguments these rules will compromise the habitat conditions of the EU for development of innovative products.

For the reasons discussed above we appeal that therapeutic strategies based on non-replicating RNA medicinal products are neither defined nor considered as gene therapy. Accordingly, we appeal that advanced therapeutic strategies based on application of RNA transfected or RNA loaded cells should also not be regarded as gene therapy.

Rather, we believe that a risk analysis approach as already suggested in chapter 2.1. of the Regulation combined with mode of action based risk identification strategies, which are described in chapter 4.1. of the "Guideline On Strategies To Identify And Mitigate Risks For First-In Human Clinical Trials With Investigational Medicinal Products" (EMA/CHMP/SWP/28367/07) may be appropriate and sufficient to deal with the individual characteristics of these novel therapies.

Reference List

1. Woods, N.B., V. Bottero, M. Schmidt, C. Von Kalle, and I.M. Verma. 2006. Therapeutic gene causing lymphoma. *Nature* 440:1123.
2. Coffin, J.M. 1990. Molecular mechanisms of nucleic acid integration. *J. Med. Virol.* 31:43-49.
3. Holtkamp, S., S. Kreiter, A. Selmi, P. Simon, M. Koslowski, C. Huber, O. Tureci, and U. Sahin. 2006. Modification of antigen-encoding RNA increases stability, translational efficacy, and T-cell stimulatory capacity of dendritic cells. *Blood* 108:4009-4017.
4. Sullenger, B.A. and E. Gilboa. 2002. Emerging clinical applications of RNA. *Nature* 418:252-258.
5. Boczkowski, D., S.K. Nair, D. Snyder, and E. Gilboa. 1996. Dendritic cells pulsed with RNA are potent antigen-presenting cells in vitro and in vivo. *J. Exp. Med.* 184:465-472.
6. Heiser, A., D. Coleman, J. Dannull, D. Yancey, M.A. Maurice, C.D. Lallas, P. Dahm, D. Niedzwiecki, E. Gilboa, and J. Vieweg. 2002. Autologous dendritic cells transfected with prostate-specific antigen RNA stimulate CTL responses against metastatic prostate tumors. *J. Clin. Invest* 109:409-417.
7. Nair, S.K., S. Hull, D. Coleman, E. Gilboa, H.K. Lyster, and M.A. Morse. 1999. Induction of carcinoembryonic antigen (CEA)-specific cytotoxic T-lymphocyte responses in vitro using autologous dendritic cells loaded with CEA peptide or CEA RNA in patients with metastatic malignancies expressing CEA. *Int. J. Cancer* 82:121-124.
8. Pascolo, S. 2008. Vaccination with messenger RNA (mRNA). *Handb. Exp. Pharmacol.* 221-235.
9. Schaft, N., J. Dorrie, P. Thumann, V.E. Beck, I. Muller, E.S. Schultz, E. Kampgen, D. Dieckmann, and G. Schuler. 2005. Generation of an optimized polyvalent monocyte-derived dendritic cell vaccine by transfecting defined RNAs after rather than before maturation. *J. Immunol.* 174:3087-3097.
10. Kyte, J.A., L. Mu, S. Aamdal, G. Kvalheim, S. Dueland, M. Hauser, H.P. Gullestad, T. Ryder, K. Listerud, H. Hammerstad, and G. Gaudernack. 2006. Phase I/II trial of melanoma therapy with dendritic cells transfected with autologous tumor-mRNA. *Cancer Gene Ther.* 13:905-918.
11. Ng, E.W. and A.P. Adamis. 2006. Anti-VEGF aptamer (pegaptanib) therapy for ocular vascular diseases. *Ann. N. Y. Acad. Sci.* 1082:151-171.

12. Dyke,C.K., S.R.Steinhubl, N.S.Kleiman, R.O.Cannon, L.G.Aberle, M.Lin, S.K.Myles, C.Melloni, R.A.Harrington, J.H.Alexander, R.C.Becker, and C.P.Rusconi. 2006. First-in-human experience of an antidote-controlled anticoagulant using RNA aptamer technology: a phase 1a pharmacodynamic evaluation of a drug-antidote pair for the controlled regulation of factor IXa activity. *Circulation* 114:2490-2497.
13. Mayer,G. and M.Famulok. 2007. [Nucleic acids in the drug discovery process: aptamers as therapeutic and as active ingredients for drugs]. *Pharm. Unserer Zeit* 36:432-436.
14. Novobrantseva,T.I., A.Akinc, A.Borodovsky, and F.A.de. 2008. Delivering silence: advancements in developing siRNA therapeutics. *Curr. Opin. Drug Discov. Devel.* 11:217-224.
15. Durcan,N., C.Murphy, and S.A.Cryan. 2008. Inhalable siRNA: Potential as a Therapeutic Agent in the Lungs. *Mol. Pharm.*
16. Lehrman,S. 1999. Virus treatment questioned after gene therapy death. *Nature* 401:517-518.
17. Marshall,E. 1999. Gene therapy death prompts review of adenovirus vector. *Science* 286:2244-2245.
18. Woods,N.B., V.Bottero, M.Schmidt, K.C.von, and I.M.Verma. 2006. Gene therapy: therapeutic gene causing lymphoma. *Nature* 440:1123.
19. Grimm,D., K.L.Streetz, C.L.Jopling, T.A.Storm, K.Pandey, C.R.Davis, P.Marion, F.Salazar, and M.A.Kay. 2006. Fatality in mice due to oversaturation of cellular microRNA/short hairpin RNA pathways. *Nature* 441:537-541.
20. John,M., R.Constien, A.Akinc, M.Goldberg, Y.A.Moon, M.Spranger, P.Hadwiger, J.Soutschek, H.P.Vornlocher, M.Manoharan, M.Stoffel, R.Langer, D.G.Anderson, J.D.Horton, V.Koteliansky, and D.Bumcrot. 2007. Effective RNAi-mediated gene silencing without interruption of the endogenous microRNA pathway. *Nature* 449:745-747.

Annex 2 List of Stakeholders

Academic Partners

	Name	Institute	Country
1.	Prof. Jonathan Austyn	University of Oxford	UK
2.	Dr. Cedrik Britten	Department for Immunhematology and Blood Transfusion, Leiden University	NL
3.	Prof. Pierre Coulie	Christian de Duve Institute	BE
4.	Dr. Thomas Felzmann	CCRI-Austria	AT
5.	Prof. Dr. Gustav Gaudernack	Rikshospitalet-Radiumhospitalet Medical Center, Oslo, Norway	NO
6.	Prof. Dr. Eckhart Kämpgen	Department of Dermatology University Hospital Erlangen	DE
7.	Prof. Rolf Kiessling	Karolinska Institutet	SE
8.	Dr. Sebastian Kreiter	Experimental & Translational Oncology, Dpt. Medicine Johannes Gutenberg-University Mainz	DE
9.	Prof. Olivier Lantz	Laboratoire d'Immunologie et Unité Inserm 653, Institut Curie	FR
10.	Dr. Art Levin	Biotech and Pharmaceutical Consulting Santa Fe, California	US
11.	Prof. Dr. Kees Melief	Leiden University Medical Center	NL
12.	Prof. Ignacio Melero	University of Navarra/Pamplona	ES
13.	Prof. Dr. Bart Neyns	Dpt. of Medical Oncology Oncology Centre of the University Hospital Brussel	BE
14.	Prof. Dr. Jaap Oostendorp	Clinical Pharmacy & Toxicology, Leiden University Medical Center	NL
15.	Prof. Dr. Giorgio Parmiani	San Raffaele Scientific and University Institute	IT
16.	Dr. Steve Pascolo	Department of Oncology, University Hospital of Zurich	CH
17.	Prof. Dr. Maria Pia Protti	Scientific Istituto San Raffaele	IT
18.	Prof. Dr. Elena Ranieri	University of Foggia	IT
19.	Dr. Angela Riccobon	Istituto Scientifico Romagnolo per lo studio e la cura dei Tumori (IRST)	IT
20.	Dr. Ruggero Ridolfi	Istituto Scientifico Romagnolo per lo studio e la cura dei Tumori (IRST)	IT
21.	Prof. Dr. Ugur Sahin	Experimental & Translational Oncology, Dpt. Medicine Johannes Gutenberg-University Mainz	DE
22.	Dr. Antonio Sica	Istituto Clinico Humanitas	IT
23.	Prof. Dr. Rik Scheper	VU University Medical Center/Amsterdam	NL
24.	Prof. Dr. Freda Stevenson	Dpt. Medicine, University of Southampton	GB
25.	Dr. Inge Marie Svane	Herlev University Hospital	DK
26.	Prof. Dr. Viggo van Tendeloo	Center for Cell Therapy and Regenerative Medicine Antwerp University Hospital	BE
27.	Prof. Dr. Kris Thielemans	Physiology-Immunology, Medical School of the Vrije Universiteit Brussel (VUB)	BE
28.	Prof. Dr. Thomas Wölfel	Dpt. Medicine, Johannes Gutenberg University Mainz	DE
29.	Dr. Andreas Thiel	Deutsches Rheuma-Forschungszentrum Berlin	DE

List of responding Stakeholders – Companies



30.	G. Susan Srivatsa	President, ELIXIN Pharma, Encinita, USA	US
-----	-------------------	---	----



31.	Dr. Harpreet Singh	CSO Immatics Biotechnologies GmbH, Tübingen	DE
-----	--------------------	---	----



32.	PD Dr. Özlem Türeci	CSO Ganymed Pharmaceuticals AG Mainz	DE
-----	---------------------	--------------------------------------	----



33.	Joan Drejer	Santaris Pharma Hørsholm, www.santaris.com	SE
-----	-------------	--	----



34.	Dr. Jochen Probst	CSO,, CureVAC GmbH Tübingen, www.curevac.com	DE
-----	-------------------	---	----



35.	Dr. Lothar Finke	Argos Therapeutics, USA	DE
-----	------------------	-------------------------	----

List of responding Stakeholders – Scientific Organisations



III. Medizinische Klinik und Poliklinik Hämatologie, Onkologie und Pneumologie

36.	Prof. Dr. Dr. hc. Christoph Huber	Head of III. Dpt. Medicine Johannes Gutenberg- University Mainz	DE
-----	-----------------------------------	---	----

Hautklinik

Direktor: Prof. Dr. med. univ. G. Schuler

Universitätsklinikum Erlangen



37.	Prof. Dr. Gerold Schuler	Head of Dpt. of Dermatology University Hospital Erlangen	DE
-----	--------------------------	--	----



38.	Prof. Dr. Hans Georg Rammensee	Head of Dpt. of Immunology, University Tübingen	DE
-----	--------------------------------	---	----



39.	Prof. Dr. Hansjörg Schild	Head of Dpt. of Immunology, Johannes Gutenberg University Mainz	DE
-----	---------------------------	---	----

List of responding Stakeholders – Scientific Organisations



Prof. Jonathan Austyn, Coordinator of “**DC-THERA FP6 Network of Excellence in Dendritic Cell Translational Immunology**” (<http://www.dc-thera.org/>), declares that the network is pleased to formally support the commentaries on the new EC/EMA regulations (No 1394/2007) concerning the authorization, supervision, and pharmacovigilance of advanced therapy medicinal products.

The names and affiliations of the members the networks are listed below.

	Name	Institute / Company	Country
40.	COORDINATOR Jonathan Austyn Gordon G MacPherson Vincenzo Cerundolo	University of Oxford	UK
41.	Carl G. Figdor Gosse Adema	Stichting Katholieke Universiteit University Medical Centre Nijmegen	NL
42.	Muriel Moser	Universite Libre de Bruxelles	BE
43.	Anne O'Garra	Medical Research Council	UK
44.	Francesca Granucci	University of Milano-Bicocca	IT
45.	Gerold Schuler Alexander Steinkasserer	Friedrich Alexander Universität Erlangen- Nürnberg	DE
46.	Robert Coffin	Biovex	UK
47.	Catherine.De.Greef	Bruxelles	BE
48.	Ugo D'Oro	Chiron	IT
49.	Andrea Splendiani	Leaf Biosciences	IT
50.	Charles Nicolette	Argos Therapeutics, Inc	DE/USA
51.	Filippo Petralia	SEKMED	IT
52.	Sebastian Amigorena	Institut Curie	FR
53.	Thierry Boon, Pierre Coulie	Christian de Duve Institute	BE
54.	Duccio Cavalieri	University of Florence	IT
55.	Sandra Gessani	Istituto Superiore di Sanità	IT
56.	Nicolas Glaichenhaus	Université de Nice-Sophia Antipolis Institut Universitaire de France	FR
57.	Rolf Kiessling, Pavel Pisa, Hakan Mellstedt	Karolinska Institutet	SE
58.	Philippe Pierre	Centre d'Immunologie de Marseille-Luminy CNRS-INSERM-Univ. Med.	FR
59.	Maria Pia Protti	Scientific Instituto San Raffaele	IT
60.	Alexander Scheffold Andreas Radbruch Andreas Thiel	Deutsches Rheuma-Forschungszentrum Berlin	DE
61.	Caetano Reis e Sousa	Cancer Research UK	UK
62.	Benedita Rocha	INSERM U591 Institut Necker	FR
63.	Federica Sallusto, Antonio Lanzavechia, Markus Manz, Mariagrazia Uguccioni	Institute for Research in Biomedicine, Bellinzona	CH
64.	Mark Suter	University of Zurich	CH
65.	Hermann Wagner	Technische Universität München	DE
66.	Laurence Zitvogel	Institut Gustave Roussy	FR
67.	Paola Ricciardi-Castagnoli	GENOPOLIS	IT

68.	Matthias Mann	Max-Planck-Institut für Biochemie	DE
69.	Alberto Mantovani	Istituto Clinico Humanitas	IT
70.	Benny Chain	Windeyer Institute of Medical Sciences/University College London	UK
71.	Frank Nestle	King's College London School of Medicine	UK
72.	Marc Gregoire	INSERM 892 /NANTES	FR
73.	Regis Josien	INSERM U643/Nantes	FR
74.	Jacques Bartholeyns	IDM/SME in Paris	FR
75.	Annika Scheynius	Karolinska University Hospital/Stockholm	SE
76.	Maria Rescigno	European Institute of Oncology/Milano	IT
77.	Ignacio Melero	University of Navarra/Pamplona	ES
78.	Rik Scheper	VU University Medical Center/Amsterdam	NL
79.	Éva Rajnavölgyi	University of Debrecen/Debrecen	HU
80.	Suzanne Watts	National Blood Service	UK
81.	Luis Graca	Universidade de Lisboa Faculdade de Medicina	PT
82.	Juri Rappsilber	Wellcome Trust Centre for Cell Biology University of Edinburgh	UK
83.	Edwin Lasonder	University of Nijmegen	NL
84.	Janet Fernihough	Ribostem	UK
85.	Meredith O'Keefe	Bavarian-Nordic	DE
86.	Walter Reith	University of Geneva	CH
87.	Jirina Bartunková	Institute of Immunology 2nd Medical School, Charles University	CZ
88.	Mai-Britt Zocca	Dandrit Biotech A/S	DK
89.	Thomas Felzmann	CCRI-Austria	AT
90.	Thomas Bocker	Ludwig-Maximilians-Universität München	DE
91.	Mark Aloysius	Nottingham University	UK
92.	Elena Ranieri	University of Foggia	IT
93.	A. A. van de Loosdrecht	VU Medical Center/Amsterdam	NL
94.	Henri de la Salle	INSERM, U725, Etablissement Francais du Sang-Alsace	FR
95.	Guido Vanham	Inst of Tropical Medicine, Antwerp.	BE
96.	Inge Marie Svane/Ozcan Met	Herlev University Hospital	DK
97.	Gerard Bos	Academic Hospital,Maastricht	NL
98.	Silvia della Bella	University of Milan	IT
99.	Luis Ferreira Moita	Institute of Molecular Medicine/ University of Lisbon	PT
100.	Tina Zavasnik Bergant	University in Slovenia	SI
101.	Miodrag Colic	Institute of Medical Research	YU
102.	Casamassima Addolorata	IRCCS-Oncology/Bari	IT
103.	Ihsan Gursel	Molecular Biology & Genetics / Bilkent University	TR
104.	S. Jung	Weizmann Institute	IL
105.	Manfred Lutz	University of Wuerzburg	DE
106.	Shalin Naik	The Netherlands Cancer Institute	NL

List of responding Stakeholders – Scientific Organisations



Prof. Dr. Dr. h.c. Ch. Huber, board chairman of the “**Cancer Immunotherapy**” consortium (CIMT, www.c-imt.org), declares that CIMT supports the commentaries on the new EC/EMA regulations (No 1394/2007) concerning the authorization, supervision, and pharmacovigilance of advanced therapy medicinal products.

The names and affiliations of the members of the consortium are provided below.

	Name	Institute / Company	Country
107.	Prof. Dr. Hinrich Abken	Klinikum der Universität zu Köln Klinik I für Innere Medizin Tumorgenetik	DE
108.	Prof. Dr. Reinhold Andreesen	Klinikum der Universität Regensburg Abt. für Hämatologie und internistische Onkologie	DE
109.	Prof. Dr. Jürgen C. Becker	Universitäts-Hautklinik Würzburg	DE
110.	Dr. Cedrik M. Britten	Tumorimmunology group Immunohematology and Bloodtransfusion Leiden University Medical Center	NL
111.	Prof. Dr. Eva-B. Bröcker	Universitäts-Hautklinik Würzburg	DE
112.	PD Dr Peter Brossart	Universität Tübingen Onkologie und Immunologie Medizinische Klinik II Abt. für Hämatologie	DE
113.	Dr. Wolfgang Dietrich	Hoffmann-La Roche AG Geschäftsbereich Hämatologie/Onkologie	DE
114.	Prof. Dr. Bernd Dörken	Med. Klinik SP Hämatologie und Onkologie Charité Campus – Virchow-Klinikum	DE
115.	Dr. E. Enghofer	Medac Schering Onkologie	DE
116.	Prof Dr. rer. nat. Frank Entschladen	Universität Witten/Herdecke Institut für Immunologie	DE
117.	Soldano Ferrone (M.D., Ph.D.)	Department of Immunology Roswell Park Cancer Institute	USA
118.	Prof. Dr. Irmgard Förster	Heinrich-Heine Universität Düsseldorf Institut für umweltmedizinische Forschung	DE
119.	Dr. Krzysztof Giannopoulos	Universitätsklinik Ulm	DE
120.	Dr. Cécile Gouttefangeas	Universität Tübingen Department of Immunology	DE
121.	PD Dr. med. Tim Greten	Medizinische Hochschule Hannover Abt. für Gastroenterologie, Hepatologie	DE
122.	Prof. Dr. Günter J. Hämmerling	Deutsches Krebsforschungszentrum DKFZ Heidelberg, Molekulare Immunologie	DE
123.	PD Dr. med. Wolfgang Herr	Johannes-Gutenberg-Universität Mainz III. Med. Klinik	DE
124.	Prof. Dr. Ernst Holler	Klinikum der Universität Regensburg Abt. für Hämatologie und internistische Onkologie	DE
125.	Prof. Dr. med. Christoph Huber	Johannes-Gutenberg-Universität Mainz III. Med. Klinik	DE
126.	Prof. Dr. Th Hünig	Universität Würzburg Institut für Virologie und Immunbiologie	DE

127.	Univ.-Prof. Dr. med. Elke Jäger	Krankenhaus Nordwest III. Med. Klinik / Onkologische Klinik	DE
128.	Dr. med. Anna-K. Kaskel	Universitätsklinikum Freiburg, Medizinische Klinik und Poliklinik, Abteilung Innere Medizin I	DE
129.	Prof. Dr. Rolf Kiessling	Immune- and gene therapy laboratory (IGT), Cancer Center Karolinska (CCK)	SE
130.	Prof. Dr. med. Alexander Knuth	UniversitätsSpital Zürich Klinik und Poliklinik für Onkologie	CH
131.	Dr. med. Michael Koslowski	Johannes Gutenberg-Universität Mainz III. Medizinische Klinik	DE
132.	Prof. Dr. med. Peter H. Krammer	Deutsches Krebsforschungszentrum (DKFZ) Abteilung Immungenetik	DE
133.	Dr. med. Sebastian Kreiter	Johannes-Gutenberg-Universität Mainz III. Med. Klinik	DE
134.	Prof. Dr. Peter J. K. Kuppen	Senior Research Associate Dept. of Surgery, K6-R LUMC	NL
135.	PD Dr. rer. nat. Kerstin Lang	Universität Witten/Herdecke Institut für Immunologie	DE
136.	Prof. Dr. Andreas Mackensen	Klinikum der Universität Regensburg Abt. für Hämatologie und internistische Onkologie	DE
137.	Andrzej Mackiewicz (M.D., Ph.D.)	University of Medical Sciences Great Poland Cancer Center Dept. of Cancer Immunology, Chair of Oncology	PL
138.	Prof. Dr. M. Maeurer	Immune- and gene therapy laboratory (IGT), Cancer Center Karolinska (CCK)	SE
139.	Dr. Ann Mander	Somers Cancer Sciences Building Southampton University	UK
140.	PD Dr. Angela Märten	Chirurgische Klinik Otto-Meyerhof-Zentrum	DE
141.	Prof. Dr. C. J. M. Melief	Department of Immuno-hematology and Blood Transfusion	NL
142.	Prof. Dr. S. Meuer	Institut für Immunologie	DE
143.	Prof. Dr. Detlef Meyer	Leopoldina Krankenhaus Chirurgische Klinik I	DE
144.	Dr. med. Ralf G. Meyer	Johannes-Gutenberg-Universität Mainz III. Med. Klinik und Poliklinik	DE
145.	Dr. med. habil. Markus Möhler	Johannes-Gutenberg-Universität Mainz I. Med. Klinik und Poliklinik	DE
146.	Prof Dr. med. Markus Neurath	Johannes-Gutenberg-Universität Mainz I. Med. Klinik und Poliklinik	DE
147.	Michael I. Nishimura (Ph.D.)	Medical University of South Carolina	USA
148.	Dr. Christian Ottensmeier (M.D. Ph.D.)	CRUK Senior Reserach Fellow Consultant in Medical Oncology Cancer Sciences Devision Somers Cancer Sciences Building Southampton University	UK
149.	Prof. Dr. Graham Pawelec	Universität Tübingen Tübingen Ageing and Tumour Immunology Group (TATI) Section for Transplantation Immunology and Immunohaematology Zentrum für Medizinische Forschung	DE
150.	Prof. Dr. C. Peschel	III. Med. Klinik und Poliklinik des Klinikums rechts der Isar der TU München	DE
151.	PD Dr. Malte Peters	Micromet AG	DE
152.	Dr. med. Markus Radsak	Johannes-Gutenberg-Universität Mainz III. Med. Klinik	DE
153.	Prof. Dr. H.-G. Rammensee	Institut für Zellbiologie Abteilung Immunologie	DE
154.	Prof. Dr. Ulf Rapp	Universität Würzburg Institut für Medizinische Strahlenkunde	DE
155.	Ruggero Ridolfi (M.D.)	Pierantoni Hospital Dept. of Medical Oncology	IT

156.	Prof. Dr. E. P. Rieber	TU Dresden Medizinische Fakultät Carl Gustav Carus Medizinisch-Theoretisches Zentrum	DE
157.	Dr. Ute Riedel	Hoffmann-La Roche AG Geschäftsbereich Hämatologie/Onkologie	DE
158.	PD Dr. med. Dagmar Riemann	Martin-Luther-Universität Halle- Wittenberg Klinikum der Medizinischen Fakultät Institut für Medizinische Immunologie	DE
159.	Dr. C. Rössig	Universitätsklinikum Münster Klinik und Poliklinik für Kinderheilkunde Knochenmarktransplantationszentrum	DE
160.	Dr. med. Dominik Rüttinger	Ludwig-Maximilians-Universität München Klinikum der Universität München Chirurgische Klinik und Poliklinik Großhadern	DE
161.	Prof. Dr. Ugur Sahin	Johannes-Gutenberg-Universität Mainz III. Med. Klinik	DE
162.	Prof. Dr. Dirk Schadendorf	Deutsches Krebsforschungszentrum (DKFZ), Klinische Kooperationseinheit, Dermato-Onkologie des Universitätsklinikums Mannheim	DE
163.	Prof. Dr. Hansjörg Schild	Johannes Gutenberg-Universität Mainz Institut für Immunologie	DE
164.	Prof. Dr. med. Dr. h.c. P. M. Schlag	Charité – Universitätsmedizin Berlin, Robert-Rössle-Klinik am, Max-Delbrück- Centrum für Molekulare Medizin, Klinik für Chirurgie und Chirurgische Onkologie	DE
165.	Dr. Norbert Schleucher	Marienkrankenhaus Hamburg Hämatologie / intern. Onkologie	DE
166.	Prof. Dr. Ingo Schmidt-Wolf	Universitätsklinik Bonn Medizinische Klinik und Poliklinik I	DE
167.	PD Dr. Michael Schmitt	Universitätsklinikum Ulm Innere Medizin III	DE
168.	Dr. Marij J. P. Schoenmaekers- Welters	Tumour Immunology Group , Immunohematology and Blood Transfusion, Leiden University Medical Center	NL
169.	Dr. Roland Schroers	Georg-August Universität Göttingen, Hämatologie und Onkologie	DE
170.	Prod. Dr. Gerold Schuler	Universitätsklinikum Erlangen Dermatologische Klinik mit Poliklinik	DE
171.	Dr. Beatrice Schuler-Thurner	Universitätsklinikum Erlangen Dermatologische Klinik mit Poliklinik	DE
172.	Prof. Dr. Erwin Schultz	Universitätsklinikum Gießen Stellvertretender Klinikdirektor Klinik für Dermatologie und Allergologie	DE
173.	Prof. Dr. Joachim L. Schultze	Universität zu Köln Klinik für Innere Medizin I Hämatologie & Onkologie	DE
174.	Prof. Dr. K. Schumacher	Facharzt für Innere Medizin und internistische Onkologie	DE
175.	Prof. Dr. Barbara Seliger	Martin-Luther-Universität Halle- Wittenberg Institut für Medizinische Immunologie	DE
176.	Dr. Harpreet Singh	immatics biotechnologies GmbH	DE
177.	Prof. Dr. A. Steinkasserer	Dermatologische Universitätsklinik	DE
178.	Prof. Dr. Wolfram Sterry	Klinik für Dermatologie Campus Charité Mitte	DE
179.	PD Dr. Stefan Stevanovic	Universität Tübingen Institut für Zellbiologie Abt. Immunologie	DE
180.	Dr. habil. Susanne Strand	Johannes Gutenberg-Universität Mainz I. Medizinische Klinik Verfügungsgebäude	DE
181.	Prof. Dr. med. Matthias Theobald	Director of the Department of Hematology and Van Creveld Clinic University Medical Center Utrecht	NL
182.	Prof. Dr. Arnulf Thiede	Direktor der chirurgischen Universitätsklinik Würzburg	DE

183.	Prof. Dr. med. Eckhard Thiel	Charité – Universitätsmedizin Berlin Direktor der medizinischen Klinik III Campus Benjamin Franklin	DE
184.	Dr. Uwe Trefzer	Klinik für Dermatologie Campus Charité Mitte	DE
185.	PD Dr. med. Özlem Türeci	Johannes-Gutenberg-Universität Mainz III. Med. Klinik	DE
186.	Prof. Dr. med. Thomas Tüting	Universitätsklinik Bonn Klinik und Poliklinik für Dermatologie	DE
187.	Prof. Dr. Lutz Uharek	Charité – Universitätsmedizin Berlin III. Medizinische Klinik Campus Benjamin Franklin	DE
188.	Dr. Sjoerd H. van der Burg	Leiden University Medical Centre Head Laboratory of Clinical Oncology Postzone K1-P Room D-05-017	NL
189.	Prof. Dr. Hendrik Veelken	Universitätsklinikum Freiburg Medizinische Klinik und Poliklinik Abteilung Innere Medizin I	DE
190.	Dr. med. Dr. rer. nat. Michael von Bergwelt-Baildon	Universität zu Köln Klinik I für Innere Medizin Molekulare Tumorbologie und Tumorimmunologie	DE
191.	Univ.-Doz. Stephan N. Wagner	Universitätsklinik für Dermatologie, AKH Wien Abteilung für Immundermatologie und infektiöse Hautkrankheiten	DE
192.	Prof. Dr. Peter Walden	Klinik für Dermatologie Campus Charité Mitte	DE
193.	Prof. Dr. Winfried S. Wels	Chemotherapeutisches Forschungsinstitut Georg-Speyer-Haus	DE
194.	Prof. Dr. med. Otmar D. Wiestler	Stiftungsvorstand Deutsches Krebsforschungszentrum (DKFZ)	DE
195.	PD Dr. med. Mathias Witzens-Harig	Universitätsklinikum Heidelberg, Medizinische Klinik, Abteilung Innere Medizin V, Hämatologie, Onkologie und Rheumatologie	DE
196.	Prof. Dr. med. Thomas Wölfel	Johannes-Gutenberg-Universität Mainz III. Med. Klinik	DE
197.	Prof. Dr. Margot Zöller	Deutsches Krebsforschungszentrum (DKFZ) Heidelberg	DE
198.	Dr. Sylvia Janetzki	ZellNet Consulting, Inc., New York	USA