

Notification of a Body pursuant to article 10 of the Construction Products Directive 89/106/EEC

From : Ministry of Transport,
Construction and Regional
Development of the Slovak
Republic
Námestie slobody 6 P.O. Box 100
810 05 Bratislava
Slovakia

To : **European Commission**
Enterprise Directorate-General
-
B 1049 Brussels
Other Member States

Reference :

Legislation : 89/106/EEC Construction products

Body name, address, telephone, fax, email, website :

FIRES, S.R.O.
Osloboditeľ'ov 282
059 35 BATIZOVCE
Slovakia
Phone : +421:52:7752298
Fax : +421:52:7881412
Email : rastocky@fires.sk
Website : www.fires.sk

Body :

NB 1396

Created : Unknown (Notifications pre-dating 2006 are not available in these lists) | **Last update :** 25/10/2011

Period of validity of the notification :

Valid until : Unlimited

The body is formally accredited against :

n.o.

Name of National Accreditation Body (NAB) :

**Authorised contact person(s) in Body
Name, direct telephone, and personal email**

Stefan Rastocky - +421:905:259936 - rastocky@fires.sk

Tasks performed by the Body :

Created : 30/11/2005 | Last update : 12/09/2006

Decision	Product family, product/Intended use	AoC and body function	Technical specification
95/467/EC	Gypsum products (1/4) : - Plasterboards and ceiling elements with thin laminations, fibrous gypsum boards, fibrous gypsum plaster casts, and composite panels (laminates), in which the incorporated material is placed on a face susceptible to be exposed to fire, including relevant ancillary products (in walls, partitions or ceilings (or lining thereof) subject to reaction to fire requirements).	Testing Laboratory (System 3)	EN 12859:2001 EN 12860:2001
95/467/EC	Gypsum products (2/4) : - Plasterboards, blocks, ceiling elements and gypsum plasters, fibrous gypsum plasters casts, including relevant ancillary products (in walls, partitions or ceilings, as relevant, intended for fire protection of structural elements and/or fire compartmentation in buildings).	Testing Laboratory (System 3)	EN 12859:2001 EN 12860:2001
96/577/EC	Fire alarm/detection, fixed fire-fighting, fire and smoke control and explosion suppression products (1/1) : - Smoke and heat exhaust ventilation systems-kits (fire safety).	Product Certification Body Inspection Body Testing Laboratory (System 1)	EN 12101-2:2003 EN 12101-3:2002
96/580/EC	Curtain wallings (1/1) : - Curtain wall kits (as external walls subject to reaction to fire requirements).	Product Certification Body Inspection Body Testing Laboratory (System 1)	EN 13830:2003
96/580/EC	Curtain wallings (1/1) : - Curtain wall kits (as external walls subject to reaction to fire requirements), Curtain wall kits (as external walls not subject to reaction to fire requirements).	Testing Laboratory (System 3)	EN 13830:2003
96/582/EC	Structural sealant glazing kits of types (curtain walling) : - Structural sealant glazing kits, Types II and IV (for external walls and roofs).	Product Certification Body Inspection Body Testing Laboratory (System 1)	ETAG 002 - 1 ETAG 002 - 2 ETAG 002 - 3
97/462/EC	Wood-based panels (1/2) : - Unfaced overlaid and veneered or coated wood-based panels (for structural elements in internal or external application).	Testing Laboratory (System 1)	EN 13986:2002
97/462/EC	Wood-based panels (2/2) : - Unfaced, overlaid and veneered or coated wood-based panels (for non structural elements in internal or external applications).	Testing Laboratory (System 1)	EN 13986:2002
97/462/EC	Wood-based panels (2/2) : - Unfaced, overlaid and veneered or coated wood-based panels (for non structural elements in internal or external applications).	Testing Laboratory (System 3)	EN 13986:2002
97/556/EC	External thermal insulation composite systems/kits with rendering (ETICS)(1/1) : - External thermal insulation composite systems/kits with rendering (ETICS) (in external wall subject to fire regulations).	Testing Laboratory (System 1)	ETAG 004
97/808/EC	Floorings (2/2) : - Resilient and textile floorings - homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic	Testing Laboratory (System 3)	EN 14041:2004

Decision	Product family, product/Intended use	AoC and body function	Technical specification
	thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings) (for internal uses).		
97/808/EC	Floorings (2/2) : - Resilient and textile floorings - homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings) (for internal uses).	Testing Laboratory (System 1)	EN 14041:2004
97/808/EC	Floorings (2/2) : - Floor screed materials (for internal uses).	Testing Laboratory (System 3)	EN 13813:2002
97/808/EC	Floorings (2/2) : - Floor screed materials (for internal uses).	Testing Laboratory (System 1)	EN 13813:2002
98/213/EC	Internal partition kits (1/5) : - Internal partition kits (for uses subject to reaction to fire requirements).	Inspection Body Testing Laboratory Product Certification Body (System 1)	ETAG 003
98/213/EC	Internal partition kits (1/5) : - Internal partition kits (for uses subject to reaction to fire requirements).	Testing Laboratory (System 3)	ETAG 003
98/213/EC	Internal partition kits (2/5) : - Internal partition kits (for fire compartmentation).	Testing Laboratory (System 3)	ETAG 003
98/213/EC	Internal partition kits (4/5) : - Internal partition kits (for uses liable to present "safety-in-use" risks and subject to such regulations).	Testing Laboratory (System 3)	ETAG 003
98/279/EC	Non load bearing permanent shutterings: kits/systems based on hollow blocks or panels of insulating materials and, sometimes, concrete (1/1) : - Non load-bearing permanent shuttering kits/systems, to be filled with normal concrete and, where relevant, with reinforcement, based on either: hollow blocks made of an insulating material (or a combination of an insulating material and other materials) (for the construction of external and internal walls subject to fire regulations, in buildings).	Testing Laboratory (System 1)	ETAG 009
98/437/EC	Internal and external wall and ceiling finishes (1/5) : - Suspended ceilings (kits) (as internal or external finishes used for fire protection of ceilings).	Testing Laboratory (System 3)	EN 13964:2004
98/437/EC	Internal and external wall and ceiling finishes (2/5) : - Suspended ceilings (kits) (as internal or external finish in ceilings subject to safety in use requirements).	Testing Laboratory (System 3)	EN 13964:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Coverings in roll form (as internal finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 14716:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Coverings in roll form (as internal finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 14716:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Suspended ceilings (kits) (as internal or external finishes in ceilings subject to reaction to fire regulations).	Product Certification Body Inspection Body Testing Laboratory (System 1)	EN 13964:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Suspended ceilings (kits) (as internal or external finishes in ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13964:2004
98/437/EC	Internal and external wall and ceiling finishes (4/5) : - Suspended ceilings (kits) (as internal or external finishes in walls or ceilings subject to regulations on dangerous substances).	Testing Laboratory (System 3)	EN 13964:2004

Decision	Product family, product/Intended use	AoC and body function	Technical specification
98/599/EC	Liquid applied roof waterproofing kits (1/3) : - Liquid applied roof waterproofing kits (for all roof waterproofing uses).	Testing Laboratory (System 3)	ETAG 005
98/599/EC	Liquid applied roof waterproofing kits (2/3) : - Liquid applied roof waterproofing kits (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	ETAG 005
98/599/EC	Liquid applied roof waterproofing kits (3/3) : - Liquid applied roof waterproofing kits (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	ETAG 005
98/599/EC	Liquid applied roof waterproofing kits (3/3) : - Liquid applied roof waterproofing kits (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	ETAG 005
98/600/EC	Self-supporting translucent roof kits (except glass-based kits) (1/3) : - Self-supporting translucent roof kits (except glass-based kits) (for use in roofs and roof finishes).	Testing Laboratory (System 3)	ETAG 010
98/600/EC	Self-supporting translucent roof kits (except glass-based kits) (2/3) : - Self-supporting translucent roof kits (except glass-based kits) (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	ETAG 010
98/600/EC	Self-supporting translucent roof kits (except glass-based kits) (3/3) : - Self-supporting translucent roof kits (except glass-based kits) (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	ETAG 010
98/600/EC	Self-supporting translucent roof kits (except glass-based kits) (3/3) : - Self-supporting translucent roof kits (except glass-based kits) (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	ETAG 010
99/89/EC	Prefabricated stair kits (2/2) : - Prefabricated stair kits (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	ETAG 008
99/89/EC	Prefabricated stair kits (2/2) : - Prefabricated stair kits (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	ETAG 008
99/90/EC	Membranes (2/3) : - Damp proofing sheets (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 13967:2004 EN 13969:2004
99/90/EC	Membranes (2/3) : - Damp proofing sheets (for uses subject to reaction to fire regulations).		EN 13967:2004 EN 13969:2004
99/90/EC	Membranes (2/3) : - Damp proofing sheets (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13967:2004 EN 13969:2004
99/90/EC	Membranes (2/3) : - Roof sheets (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 13707:2004
99/90/EC	Membranes (2/3) : - Roof sheets (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13707:2004
99/90/EC	Membranes (2/3) : - Water vapour control layers (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 13859-2:2004 EN 13970:2004 EN 13984:2004
99/90/EC	Membranes (2/3) : - Water vapour control layers (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13859-2:2004 EN 13970:2004 EN 13984:2004
99/91/EC	Thermal insulating products (2/2) : - Thermal insulating products (factory-made products and products intended to be formed in-situ) (for uses subject to regulations on reaction to fire).	Testing Laboratory (System 3)	EN 13162:2001 EN 13163:2001 EN 13164:2001 EN 13164:2001/ A1:2004 EN 13165:2001 EN 13165:2001/ A1:2004 EN 13166:2001

Decision	Product family, product/Intended use	AoC and body function	Technical specification
			EN 13166:2001/ A1:2004 EN 13167:2001 EN 13167:2001/ A1:2004 EN 13168:2001 EN 13168:2001/ A1:2004 EN 13169:2001 EN 13169:2001/ A1:2004 EN 13170:2001 EN 13171:2001 EN 13171:2001/ A1:2004
99/91/EC	Thermal insulating products (2/2) : - Thermal insulating products (factory-made products and products intended to be formed in-situ) (for uses subject to regulations on reaction to fire).	Testing Laboratory (System 1)	EN 13162:2001 EN 13163:2001 EN 13164:2001 EN 13164:2001/ A1:2004 EN 13165:2001 EN 13165:2001/ A1:2004 EN 13166:2001 EN 13166:2001/ A1:2004 EN 13167:2001 EN 13167:2001/ A1:2004 EN 13168:2001 EN 13168:2001/ A1:2004 EN 13169:2001 EN 13169:2001/ A1:2004 EN 13170:2001 EN 13171:2001 EN 13171:2001/ A1:2004
99/92/EC	Light composite wood-based beams and columns (1/1) : - Light composite wood-based beams and columns (including T-beams, i.e. beam/slab combinations) (in buildings).	Testing Laboratory (System 1)	ETAG 011
99/93/EC	Doors, windows, shutters, blinds, gates and related building hardware (1/1) : - Doors and gates (with or without related hardware) (other declared specific uses and/or uses subject to other specific requirements, in particular noise, energy, tightness and safety-in-use (i.e. NOT for fire/smoke compartmentation, NOT for escape routes)).	Testing Laboratory (System 3)	EN 13241-1:2003
99/454/EC	Fire stopping, fire sealing and fire protective products (2/2) : - Fire stopping and fire sealing products (for uses subject to reaction to fire regulations), Fire protective products (including coatings) (for uses subject to reaction to fire regulations).	Product Certification Body Inspection Body Testing Laboratory (System 1)	ETAG 018 - 1 ETAG 018 - 4
99/454/EC	Fire stopping, fire sealing and fire protective products (2/2) : - Fire stopping and fire sealing products (for uses subject to reaction to fire regulations), Fire protective products (including coatings) (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	ETAG 018 - 1 ETAG 018 - 4
99/455/EC	Timber frame and log prefabricated building kits (1/1) : - Timber frame and log prefabricated building kits (as defined in Annex I) (in building works).	Testing Laboratory (System 1)	ETAG 007 ETAG 012
99/470/EC	Construction adhesives (1/2) : - Adhesives for tiles (for internal and external uses in buildings and other civil engineering works).	Testing Laboratory (System 3)	EN 12004:2001/A1:2002

Decision	Product family, product/Intended use	AoC and body function	Technical specification
99/472/EC	Pipes, tanks and ancillaries not in contact with water intended for human consumption (1/5) : - Fittings, adhesives, joints, joint sealings and gaskets (in installations for the transport/distribution/ storage of gas/fuel intended for the supply of building heating/cooling systems, from the external storage reservoir or the last pressure reduction unit of the network to the inlet of the heating/cooling systems of the building).	Testing Laboratory (System 3)	EN 682:2002