

Notification of a Body pursuant to article 10 of the Construction Products Directive 89/106/EEC

From : Ministry of the Interior and
Kingdom Relations - Directorate
Housing, Building and Integration
Office - Cluster Bouwkwaliiteit
Rijnstraat 8 P.O. Box 30941
2500 GX Den Haag
Netherlands

To : **European Commission**
Enterprise Directorate-General
-
B 1049 Brussels
Other Member States

Reference :

Legislation : 89/106/EEC Construction products

Body name, address, telephone, fax, email, website :

Efectis Nederland BV/Centrum voor Brandveiligheid
Lange Kleiweg 5 Postbus 1090 2280 CB
Rijswijk
Netherlands
Phone : 0031 88 347 37 23
Fax : 0031 88 377 37 24
Email : nederland@efectis.com
Website : www.efectis.nl

Body :

NB 1234

Created : Unknown (Notifications pre-dating 2006 are not available in these lists) | **Last update :** 10/05/2012

Period of validity of the notification :

Valid until : 31/12/2090

The body is formally accredited against :

EN 45001

Name of National Accreditation Body (NAB) :

**Authorised contact person(s) in Body
Name, direct telephone, and personal email**

P. A. Ram - 0031 88 347 37 50 - piet.ram@efectis.com

Tasks performed by the Body :

Created : 19/10/2006 | Last update : 18/01/2007

Decision	Product family, product/Intended use	AoC and body function	Technical specification
95/467/EC	Gypsum products (2/4) : - Plasterboards, blocks, ceiling elements and gypsum plasters, fibrous gypsum plasters casts, including relevant ancillary products (in walls, partitions or ceilings, as relevant, intended for fire protection of structural elements and/or fire compartmentation in buildings).	Testing Laboratory (System 3)	EN 12859:2001 EN 12859:2001/A1:2004 EN 12860:2001 EN 520:2004
96/577/EC	Fire alarm/detection, fixed fire-fighting, fire and smoke control and explosion suppression products (1/1) : - Smoke and heat exhaust ventilation systems-kits (fire safety).	Testing Laboratory (System 1)	EN 12101-2:2003
96/582/EC	Structural sealant glazing kits of types (curtain walling) : - Structural sealant glazing kits, Types II and IV (for external walls and roofs).	Testing Laboratory (System 1)	ETAG 002 - 1 ETAG 002 - 2 ETAG 002 - 3
97/462/EC	Wood-based panels (1/2) : - Unfaced overlaid and veneered or coated wood-based panels (for structural elements in internal or external application).	Testing Laboratory (System 1)	EN 13986:2004
97/462/EC	Wood-based panels (2/2) : - Unfaced, overlaid and veneered or coated wood-based panels (for non structural elements in internal or external applications).	Testing Laboratory (System 3)	EN 13986:2004
97/462/EC	Wood-based panels (2/2) : - Unfaced, overlaid and veneered or coated wood-based panels (for non structural elements in internal or external applications).	Testing Laboratory (System 1)	EN 13986:2004
97/556/EC	External thermal insulation composite systems/kits with rendering (ETICS)(1/1) : - External thermal insulation composite systems/kits with rendering (ETICS) (in external wall subject to fire regulations).	Testing Laboratory (System 1)	ETAG 004
97/740/EC	Masonry and related products (2/3) : - Joist hangers (in walls and partitions), Brackets (in walls and partitions), Ties (in walls and partitions), Tension straps (in walls and partitions).	Testing Laboratory (System 3)	EN 845-1:2003
97/740/EC	Masonry and related products (2/3) : - Bed joint reinforcement (in walls and partitions).	Testing Laboratory (System 3)	EN 845-3:2003
97/740/EC	Masonry and related products (2/3) : - Lintels (in walls and partitions).	Testing Laboratory (System 3)	EN 845-2:2003
97/808/EC	Floorings (2/2) : - Rigid flooring products (a) Components: paving units, tiles, mosaics, parquet, decking of mesh or sheet, floor gratings, rigid laminated floorings, wood based products (for internal uses including enclosed public transport premises).	Testing Laboratory (System 3)	EN 14342:2005
97/808/EC	Floorings (2/2) : - Resilient and textile floorings - homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings) (for internal uses).	Testing Laboratory (System 3)	EN 14041:2004 EN 14041:2004/AC:2006
97/808/EC	Floorings (2/2) : - Resilient and textile floorings - homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet;	Testing Laboratory (System 1)	EN 14041:2004 EN 14041:2004/AC:2006

Decision	Product family, product/Intended use	AoC and body function	Technical specification
	floor loose laid tiles; resilient laminated floorings) (for internal uses).		
98/213/EC	Internal partition kits (1/5) : - Internal partition kits (for uses subject to reaction to fire requirements).	Testing Laboratory (System 1)	ETAG 003
98/213/EC	Internal partition kits (1/5) : - Internal partition kits (for uses subject to reaction to fire requirements).	Testing Laboratory (System 3)	ETAG 003
98/213/EC	Internal partition kits (2/5) : - Internal partition kits (for fire compartmentation).	Testing Laboratory (System 3)	ETAG 003
98/213/EC	Internal partition kits (3/5) : - Internal partition kits (for uses subject to regulations on dangerous substances).	Testing Laboratory (System 3)	ETAG 003
98/213/EC	Internal partition kits (4/5) : - Internal partition kits (for uses liable to present "safety-in-use" risks and subject to such regulations).	Testing Laboratory (System 3)	ETAG 003
98/279/EC	Non load bearing permanent shutterings: kits/systems based on hollow blocks or panels of insulating materials and, sometimes, concrete (1/1) : - Non load-bearing permanent shuttering kits/systems, to be filled with normal concrete and, where relevant, with reinforcement, based on either: hollow blocks made of an insulating material (or a combination of an insulating material and other materials) (for the construction of external and internal walls subject to fire regulations, in buildings).	Testing Laboratory (System 1)	ETAG 009
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Coverings in roll form (as internal finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 14716:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Coverings in roll form (as internal finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 14716:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Suspended ceilings (kits) (as internal or external finishes in ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13964:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Suspended ceilings (kits) (as internal or external finishes in ceilings subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 13964:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Panels (as internal or external finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 438-7:2005
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Panels (as internal or external finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 438-7:2005
98/600/EC	Self-supporting translucent roof kits (except glass-based kits) (1/3) : - Self-supporting translucent roof kits (except glass-based kits) (for use in roofs and roof finishes).	Testing Laboratory (System 3)	ETAG 010
98/600/EC	Self-supporting translucent roof kits (except glass-based kits) (2/3) : - Self-supporting translucent roof kits (except glass-based kits) (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	ETAG 010
98/600/EC	Self-supporting translucent roof kits (except glass-based kits) (3/3) : - Self-supporting translucent roof kits (except glass-based kits) (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	ETAG 010
98/600/EC	Self-supporting translucent roof kits (except glass-based kits) (3/3) : - Self-supporting translucent roof kits (except glass-based kits) (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	ETAG 010
99/91/EC	Thermal insulating products (2/2) : - Thermal insulating products (factory-made products and products intended to be formed in-situ) (for uses subject to regulations on reaction to fire).	Testing Laboratory (System 1)	EN 13162:2001 EN 13163:2001 EN 13164:2001 EN 13165:2001

Decision	Product family, product/Intended use	AoC and body function	Technical specification
			EN 13166:2001 EN 13167:2001 EN 13168:2001 EN 13169:2001 EN 13170:2001 EN 13171:2001
99/91/EC	Thermal insulating products (2/2) : - Thermal insulating products (factory-made products and products intended to be formed in-situ) (for uses subject to regulations on reaction to fire).	Testing Laboratory (System 3)	EN 13162:2001 EN 13163:2001 EN 13164:2001 EN 13165:2001 EN 13166:2001 EN 13167:2001 EN 13168:2001 EN 13169:2001 EN 13170:2001 EN 13171:2001
99/92/EC	Light composite wood-based beams and columns (1/1) : - Light composite wood-based beams and columns (including T-beams, i.e. beam/slab combinations) (in buildings).	Testing Laboratory (System 1)	ETAG 011
99/93/EC	Doors, windows, shutters, blinds, gates and related building hardware (1/1) : - Building hardware related to doors, gates and windows (fire/smoke compartmentation and on escape routes).	Testing Laboratory (System 1)	EN 1125:1997/A1:2001 EN 1154:1996/A1:2002 EN 1155:1997/A1:2002 EN 1158:1997/A1:2002 EN 179:1997/A1:2001 EN 1935:2002
99/454/EC	Fire stopping, fire sealing and fire protection products (1/2) : - Fire stopping, fire sealing products (for fire compartmentation and/or fire protection or fire performance), Fire protective products (including coatings) (for fire compartmentation and/or fire protection or fire performance).	Testing Laboratory (System 1)	ETAG 018 - 1 ETAG 018 - 4
99/455/EC	Timber frame and log prefabricated building kits (1/1) : - Timber frame and log prefabricated building kits (as defined in Annex I) (in building works).	Testing Laboratory (System 1)	ETAG 007 ETAG 012
2000/245/EC	Flat glass, profiled glass and glass-block products (1/6) : - Flat or curved glass panels (for use in a glazed assembly intended specifically to provide fire resistance).	Testing Laboratory (System 1)	EN 1096-4:2004 EN 12150-2:2004 EN 12337-2:2004 EN 13024-2:2004 EN 14178-2:2004 EN 1748-1-2:2004 EN 1748-2-2:2004 EN 1863-2:2004 EN 572-9:2004
2000/245/EC	Flat glass, profiled glass and glass-block products (2/6) : - Flat or curved glass panels (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 1096-4:2004 EN 12150-2:2004 EN 12337-2:2004 EN 13024-2:2004 EN 14178-2:2004 EN 1748-1-2:2004 EN 1748-2-2:2004

Decision	Product family, product/Intended use	AoC and body function	Technical specification
			EN 1863-2:2004 EN 572-9:2004
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (3/6) : - Self-supporting composite lightweight panels (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	ETAG 016 - 1 ETAG 016 - 2 ETAG 016 - 3 ETAG 016 - 4
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (3/6) : - Self-supporting composite lightweight panels (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	ETAG 016 - 1 ETAG 016 - 2 ETAG 016 - 3 ETAG 016 - 4