

Notification of a Body pursuant to article 10 of the Construction Products Directive 89/106/EEC

From : REPRESENTACION
PERMANENTE DE ESPANA
ANTES LA UNION EUROPEA
1000 BRUXELLES

To : **European Commission**
Enterprise Directorate-General
-
B 1049 Brussels
Other Member States

Reference :

Legislation : 89/106/EEC Construction products

Body name, address, telephone, fax, email, website :

ASOCIACION PARA EL FOMENTO DE LA INVESTIGACIÓN Y LA TECNOLOGIA DE LA SEGURIDAD CONTRA INCENDIOS (AFITI-LICOF)
C/ Río Estenilla, s/n Pol. Ind. Santa María de Benquerencia
45007 Toledo
Spain
Phone : +34:902112942
Fax : +34:901706587
Email : afiti@afiti.com
Website : <http://www.afiti.com>

Body :

NB 1168

Created : Unknown (Notifications pre-dating 2006 are not available in these lists) | **Last update :** 24/04/2012

Period of validity of the notification :

Valid until : Unlimited

The body is formally accredited against :

Name of National Accreditation Body (NAB) :

**Authorised contact person(s) in Body
Name, direct telephone, and personal email**

No contact

Tasks performed by the Body :

Created : 10/12/2008 | Last update : 18/02/2009

Decision	Product family, product/Intended use	AoC and body function	Technical specification
95/467/EC	Gypsum products (2/4) : - Plasterboards, blocks, ceiling elements and gypsum plasters, fibrous gypsum plasters casts, including relevant ancillary products (in walls, partitions or ceilings, as relevant, intended for fire protection of structural elements and/or fire compartmentation in buildings).	Testing Laboratory (System 3)	EN 12859:2001 EN 12859:2001/A1:2004 EN 12860:2001 EN 520:2004
95/467/EC	Gypsum products (3/4) : - Plasterboards, including relevant ancillary products (for stiffening timber-framed windload bearing walls or timber roof struss structures).	Testing Laboratory (System 3)	EN 520:2004
96/580/EC	Curtain wallings (1/1) : - Curtain wall kits (as external walls subject to reaction to fire requirements).	Testing Laboratory (System 1)	EN 13830:2003
96/580/EC	Curtain wallings (1/1) : - Curtain wall kits (as external walls subject to reaction to fire requirements), Curtain wall kits (as external walls not subject to reaction to fire requirements).	Testing Laboratory (System 3)	EN 13830:2003
97/462/EC	Wood-based panels (2/2) : - Unfaced, overlaid and veneered or coated wood-based panels (for non structural elements in internal or external applications).	Testing Laboratory (System 3)	EN 13986:2004
97/808/EC	Floorings (2/2) : - Floor screed materials (for internal uses).	Testing Laboratory (System 3)	EN 13454-1:2004
97/808/EC	Floorings (2/2) : - Floor screed materials (for internal uses).	Testing Laboratory (System 1)	EN 13454-1:2004
97/808/EC	Floorings (2/2) : - Resilient and textile floorings - homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings) (for internal uses).	Testing Laboratory (System 3)	EN 14041:2004 EN 14041:2004/AC:2006
97/808/EC	Floorings (2/2) : - Resilient and textile floorings - homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings) (for internal uses).	Testing Laboratory (System 1)	EN 14041:2004 EN 14041:2004/AC:2006
98/213/EC	Internal partition kits (1/5) : - Internal partition kits (for uses subject to reaction to fire requirements).	Testing Laboratory (System 1)	ETAG 003
98/213/EC	Internal partition kits (1/5) : - Internal partition kits (for uses subject to reaction to fire requirements).	Testing Laboratory (System 3)	ETAG 003
98/213/EC	Internal partition kits (2/5) : - Internal partition kits (for fire compartmentation).	Testing Laboratory (System 3)	ETAG 003
98/213/EC	Internal partition kits (3/5) : - Internal partition kits (for uses subject to regulations on dangerous substances).	Testing Laboratory (System 3)	ETAG 003
98/213/EC	Internal partition kits (4/5) : - Internal partition kits (for uses liable to present "safety-in-use" risks and subject to such regulations).	Testing Laboratory (System 3)	ETAG 003
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Roofing tiles, slates, stones and shingles (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 490:2004 EN 490:2004/A1:2006

Decision	Product family, product/Intended use	AoC and body function	Technical specification
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (3/6) : - Roofing tiles, slates, stones and shingles (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 490:2004 EN 490:2004/A1:2006
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (5/6) : - All roof coverings, rooflights, roof windows and ancillary products (for uses subject to regulations on dangerous substances).	Testing Laboratory (System 3)	EN 490:2004 EN 490:2004/A1:2006
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (6/6) : - Roof access systems, walkways and footholds (for uses other than those specified in families (1/6), (2/6), (3/6), (4/6), (5/6)).	Testing Laboratory (System 3)	EN 12951:2004
98/437/EC	Internal and external wall and ceiling finishes (1/5) : - Panels (as internal or external finishes, as complete elements, used for fire protection of walls or ceilings).	Testing Laboratory (System 3)	EN 438-7:2005
98/437/EC	Internal and external wall and ceiling finishes (1/5) : - Suspended ceilings (kits) (as internal or external finishes used for fire protection of ceilings).	Testing Laboratory (System 3)	EN 13964:2004 EN 13964:2004/A1:2006
98/437/EC	Internal and external wall and ceiling finishes (2/5) : - Panels (in internal or external suspended ceilings subject to safety in use requirements).	Testing Laboratory (System 3)	EN 438-7:2005
98/437/EC	Internal and external wall and ceiling finishes (2/5) : - Suspended ceilings (kits) (as internal or external finish in ceilings subject to safety in use requirements).	Testing Laboratory (System 3)	EN 13964:2004 EN 13964:2004/A1:2006
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Coverings in roll form (as internal finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 14716:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Coverings in roll form (as internal finishes in walls or ceilings subject to reaction to fire regulations).		EN 14716:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Coverings in roll form (as internal finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 14716:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Cladding slabs (as external finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 1469:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Cladding slabs (as external finishes in walls or ceilings subject to reaction to fire regulations).		EN 1469:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Cladding slabs (as external finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 1469:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Panels (as internal or external finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 438-7:2005
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Panels (as internal or external finishes in walls or ceilings subject to reaction to fire regulations).		EN 438-7:2005
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Panels (as internal or external finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 438-7:2005
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Suspended ceilings (kits) (as internal or external finishes in ceilings subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 13964:2004 EN 13964:2004/A1:2006
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Suspended ceilings (kits) (as internal or external finishes in ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13964:2004 EN 13964:2004/A1:2006
98/437/EC	Internal and external wall and ceiling finishes (4/5) : - Cladding slabs (as internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances).	Testing Laboratory (System 3)	EN 1469:2004

Decision	Product family, product/Intended use	AoC and body function	Technical specification
98/437/EC	Internal and external wall and ceiling finishes (4/5) : - Panels (as internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances).	Testing Laboratory (System 3)	EN 438-7:2005
98/437/EC	Internal and external wall and ceiling finishes (4/5) : - Suspended ceilings (kits) (as internal or external finishes in walls or ceilings subject to regulations on dangerous substances).	Testing Laboratory (System 3)	EN 13964:2004 EN 13964:2004/A1:2006
98/599/EC	Liquid applied roof waterproofing kits (1/3) : - Liquid applied roof waterproofing kits (for all roof waterproofing uses).	Testing Laboratory (System 3)	ETAG 005
98/599/EC	Liquid applied roof waterproofing kits (2/3) : - Liquid applied roof waterproofing kits (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	ETAG 005
98/599/EC	Liquid applied roof waterproofing kits (3/3) : - Liquid applied roof waterproofing kits (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	ETAG 005
98/599/EC	Liquid applied roof waterproofing kits (3/3) : - Liquid applied roof waterproofing kits (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	ETAG 005
99/90/EC	Membranes (1/3) : - Roof underlays (in buildings).	Testing Laboratory (System 3)	EN 13859-2:2004
99/90/EC	Membranes (1/3) : - Water vapour control layers (in buildings).	Testing Laboratory (System 3)	EN 13970:2004 EN 13970:2004/A1:2006 EN 13984:2004 EN 13984:2004/A1:2006
99/90/EC	Membranes (2/3) : - Damp proofing sheets (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 13967:2004 EN 13967:2004/A1:2006 EN 13969:2004 EN 13969:2004/A1:2006
99/90/EC	Membranes (2/3) : - Damp proofing sheets (for uses subject to reaction to fire regulations).		EN 13967:2004 EN 13967:2004/A1:2006 EN 13969:2004 EN 13969:2004/A1:2006
99/90/EC	Membranes (2/3) : - Damp proofing sheets (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13967:2004 EN 13967:2004/A1:2006 EN 13969:2004 EN 13969:2004/A1:2006
99/90/EC	Membranes (2/3) : - Roof underlays (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 13859-2:2004
99/90/EC	Membranes (2/3) : - Roof underlays (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13859-2:2004
99/90/EC	Membranes (2/3) : - Water vapour control layers (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 13970:2004 EN 13970:2004/A1:2006 EN 13984:2004 EN 13984:2004/A1:2006
99/90/EC	Membranes (2/3) : - Water vapour control layers (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13970:2004 EN 13970:2004/A1:2006 EN 13984:2004 EN 13984:2004/A1:2006
99/90/EC	Membranes (3/3) : - Roof sheets (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 13707:2004 EN 13707:2004/A1:2006

Decision	Product family, product/Intended use	AoC and body function	Technical specification
99/91/EC	Thermal insulating products (1/2) : - Thermal insulating products (factory-made products and products intended to be formed in-situ) (any).	Testing Laboratory (System 3)	EN 13162:2001 EN 13162:2001/AC:2005 EN 13163:2001 EN 13163:2001/AC:2005 EN 13164:2001 EN 13164:2001/ A1:2004 EN 13164:2001/AC:2005 EN 13165:2001 EN 13165:2001/ A1:2004 EN 13165:2001/A2:2004 EN 13165:2001/AC:2005 EN 13166:2001 EN 13166:2001/ A1:2004 EN 13166:2001/AC:2005 EN 13167:2001 EN 13167:2001/ A1:2004 EN 13167:2001/AC:2005 EN 13168:2001 EN 13168:2001/ A1:2004 EN 13168:2001/AC:2005 EN 13169:2001 EN 13169:2001/ A1:2004 EN 13169:2001/AC:2005 EN 13170:2001 EN 13170:2001/AC:2005 EN 13171:2001 EN 13171:2001/ A1:2004 EN 13171:2001/AC:2005 EN 14063-1:2004 EN 14063-1:2004/AC:2006 EN 14316-1:2004 EN 14317-1:2004
99/91/EC	Thermal insulating products (2/2) : - Thermal insulating products (factory-made products and products intended to be formed in-situ) (for uses subject to regulations on reaction to fire).	Testing Laboratory (System 1)	EN 13162:2001 EN 13162:2001/AC:2005 EN 13163:2001 EN 13163:2001/AC:2005 EN 13164:2001 EN 13164:2001/ A1:2004 EN 13164:2001/AC:2005 EN 13165:2001 EN 13165:2001/ A1:2004 EN 13165:2001/A2:2004 EN 13165:2001/AC:2005 EN 13166:2001 EN 13166:2001/ A1:2004

Decision	Product family, product/Intended use	AoC and body function	Technical specification
			EN 13166:2001/AC:2005 EN 13167:2001 EN 13167:2001/ A1:2004 EN 13167:2001/AC:2005 EN 13168:2001 EN 13168:2001/ A1:2004 EN 13168:2001/AC:2005 EN 13169:2001 EN 13169:2001/ A1:2004 EN 13169:2001/AC:2005 EN 13170:2001 EN 13170:2001/AC:2005 EN 13171:2001 EN 13171:2001/ A1:2004 EN 13171:2001/AC:2005 EN 14063-1:2004 EN 14063-1:2004/AC:2006 EN 14316-1:2004 EN 14317-1:2004
99/91/EC	Thermal insulating products (2/2) : - Thermal insulating products (factory-made products and products intended to be formed in-situ) (for uses subject to regulations on reaction to fire).	Testing Laboratory (System 3)	EN 13162:2001 EN 13162:2001/AC:2005 EN 13163:2001 EN 13163:2001/AC:2005 EN 13164:2001 EN 13164:2001/ A1:2004 EN 13164:2001/AC:2005 EN 13165:2001 EN 13165:2001/ A1:2004 EN 13165:2001/A2:2004 EN 13165:2001/AC:2005 EN 13166:2001 EN 13166:2001/ A1:2004 EN 13166:2001/AC:2005 EN 13167:2001 EN 13167:2001/ A1:2004 EN 13167:2001/AC:2005 EN 13168:2001 EN 13168:2001/ A1:2004 EN 13168:2001/AC:2005 EN 13169:2001 EN 13169:2001/ A1:2004 EN 13169:2001/AC:2005 EN 13170:2001 EN 13170:2001/AC:2005 EN 13171:2001

Decision	Product family, product/Intended use	AoC and body function	Technical specification
			EN 13171:2001/ A1:2004 EN 13171:2001/AC:2005 EN 14063-1:2004 EN 14063-1:2004/AC:2006 EN 14316-1:2004 EN 14317-1:2004
99/454/EC	Fire stopping, fire sealing and fire protection products (1/2) : - Fire stopping, fire sealing products (for fire compartmentation and/or fire protection or fire performance).	Testing Laboratory (System 1)	ETAG 018 - 1 ETAG 018 - 4
99/454/EC	Fire stopping, fire sealing and fire protective products (2/2) : - Fire stopping and fire sealing products (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	ETAG 018 - 1 ETAG 018 - 4
99/454/EC	Fire stopping, fire sealing and fire protective products (2/2) : - Fire stopping and fire sealing products (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	ETAG 018 - 1 ETAG 018 - 4
99/455/EC	Timber frame and log prefabricated building kits (1/1) : - Timber frame and log prefabricated building kits (as defined in Annex I) (in building works).	Product Certification Body (System 1)	ETAG 007
2000/245/EC	Flat glass, profiled glass and glass-block products (2/6) : - Flat or curved glass panels (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 1096-4:2004 EN 12150-2:2004 EN 12337-2:2004 EN 13024-2:2004 EN 14178-2:2004 EN 1748-1-2:2004 EN 1748-2-2:2004 EN 1863-2:2004 EN 572-9:2004
2000/245/EC	Flat glass, profiled glass and glass-block products (3/6) : - Flat or curved glass panels (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 1096-4:2004 EN 12150-2:2004 EN 12337-2:2004 EN 13024-2:2004 EN 14178-2:2004 EN 1748-1-2:2004 EN 1748-2-2:2004 EN 1863-2:2004 EN 572-9:2004
2000/245/EC	Flat glass, profiled glass and glass-block products (4/6) : - Flat or curved glass panels (for use as anti-bullet, or anti-explosion glazing).	Testing Laboratory (System 1)	EN 1096-4:2004 EN 12150-2:2004 EN 12337-2:2004 EN 13024-2:2004 EN 14178-2:2004 EN 1748-1-2:2004 EN 1748-2-2:2004 EN 1863-2:2004 EN 572-9:2004
2000/245/EC	Flat glass, profiled glass and glass-block products (4/6) : - Flat or curved glass panels (for other uses liable to present "safety-in-use" risks and subject to such regulations).	Testing Laboratory (System 3)	EN 1096-4:2004 EN 12150-2:2004 EN 12337-2:2004

Decision	Product family, product/Intended use	AoC and body function	Technical specification
			EN 13024-2:2004 EN 14178-2:2004 EN 1748-1-2:2004 EN 1748-2-2:2004 EN 1863-2:2004 EN 572-9:2004
2000/245/EC	Flat glass, profiled glass and glass-block products (5/6) : - Flat or curved glass panels (specially treated) (for uses relating to energy conservation and/or noise reduction).	Testing Laboratory (System 3)	EN 1096-4:2004 EN 12150-2:2004 EN 12337-2:2004 EN 13024-2:2004 EN 14178-2:2004 EN 1748-1-2:2004 EN 1748-2-2:2004 EN 1863-2:2004 EN 572-9:2004
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (1/6) : - Prefabricated wood-based load-bearing stressed skin panels (for uses contributing to the load-bearing capacity of the structure).	Product Certification Body (System 1)	ETAG 019
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (1/6) : - Self-supporting composite lightweight panels (for uses contributing to stiffening the structure).	Testing Laboratory (System 3)	ETAG 016 - 1 ETAG 016 - 2 ETAG 016 - 3 ETAG 016 - 4
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (2/6) : - Self-supporting composite lightweight panels (for uses subject to resistance to fire regulations (eg fire compartmentation)).	Testing Laboratory (System 3)	ETAG 016 - 1 ETAG 016 - 2 ETAG 016 - 3 ETAG 016 - 4
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (3/6) : - Self-supporting composite lightweight panels (for uses subject to reaction to fire regulations).		ETAG 016 - 1 ETAG 016 - 2 ETAG 016 - 3 ETAG 016 - 4
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (3/6) : - Prefabricated wood-based load-bearing stressed skin panels (for uses subject to reaction to fire regulations).	Product Certification Body (System 1)	ETAG 019
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (3/6) : - Self-supporting composite lightweight panels (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	ETAG 016 - 1 ETAG 016 - 2 ETAG 016 - 3 ETAG 016 - 4
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (3/6) : - Self-supporting composite lightweight panels (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	ETAG 016 - 1 ETAG 016 - 2 ETAG 016 - 3 ETAG 016 - 4
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (4/6) : - Self-supporting composite lightweight panels (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	ETAG 016 - 1 ETAG 016 - 2 ETAG 016 - 3 ETAG 016 - 4