

Notification of a Body pursuant to article 10 of the Construction Products Directive 89/106/EEC

From : Department for Communities and
Local Government
Eland House, Bressenden Place,
London SW1E 5DU
United Kingdom

To : **European Commission**
Enterprise Directorate-General
-
B 1049 Brussels
Other Member States

Reference :

Legislation : 89/106/EEC Construction products

Body name, address, telephone, fax, email, website :

EXOVA WARRINGTONFIRE
Holmesfield Road
WA1 2DS WARRINGTON
United Kingdom
Phone : +44 (0) 1925 655116
Fax : +44 (0) 1925 655419
Email : info@warringtonfire.net
Website : www.warringtonfire.net

Body :

NB 0833

Created : Unknown (Notifications pre-dating 2006 are not available in these lists) | **Last update :** 01/02/2010

Period of validity of the notification :

Valid until : 30/06/2013(Expired)

The body is formally accredited against :

Name of National Accreditation Body (NAB) : United Kingdom Accreditation Service (UKAS)

**Authorised contact person(s) in Body
Name, direct telephone, and personal email**

Andy Kearns (Technical Manager) - +44 (0) 1925 646 603 - andy.kearns@exova.com

David Brown (Quality Manager) - +44 (0) 1925 646 600 - dave.brown@exova.com

Tasks performed by the Body :

Created : 18/02/2009 | Last update : 02/09/2009

Decision	Product family, product/Intended use	AoC and body function	Technical specification
95/467/EC	Gypsum products (1/4) : - Plasterboards and ceiling elements with thin laminations, fibrous gypsum boards, fibrous gypsum plaster casts, and composite panels (laminates), in which the incorporated material is placed on a face susceptible to be exposed to fire, including relevant ancillary products (in walls, partitions or ceilings (or lining thereof) subject to reaction to fire requirements).	Testing Laboratory (System 3)	EN 13950:2005 EN 14190:2005 EN 14209:2005 EN 14496:2005 EN 520:2004+A1:2009
95/467/EC	Gypsum products (2/4) : - Plasterboards, blocks, ceiling elements and gypsum plasters, fibrous gypsum plasters casts, including relevant ancillary products (in walls, partitions or ceilings, as relevant, intended for fire protection of structural elements and/or fire compartmentation in buildings).	Testing Laboratory (System 3)	EN 12859:2011 EN 12860:2001 EN 12860:2001/AC:2002 EN 13279-1:2008 EN 14195:2005 EN 14195:2005/AC:2006 EN 520:2004+A1:2009
96/577/EC	Fire alarm/detection, fixed fire-fighting, fire and smoke control and explosion suppression products (1/1) : - Smoke and heat exhaust ventilation systems-kits (fire safety).	Testing Laboratory (System 1)	EN 12101-2:2003
96/577/EC	Fire alarm/detection, fixed fire-fighting, fire and smoke control and explosion suppression products (1/1) : - Smoke curtains (fire safety).	Testing Laboratory (System 1)	EN 12101-1:2005 EN 12101-1:2005/A1:2006
96/580/EC	Curtain wallings (1/1) : - Curtain wall kits (as external walls subject to reaction to fire requirements).	Testing Laboratory (System 1)	EN 13830:2003
96/580/EC	Curtain wallings (1/1) : - Curtain wall kits (as external walls subject to reaction to fire requirements).	Testing Laboratory (System 3)	EN 13830:2003
96/582/EC	Structural sealant glazing kits of types (curtain walling) : - Structural sealant glazing kits, Types II and IV (for external walls and roofs).	Testing Laboratory (System 1)	ETAG 002 - 1 ETAG 002 - 2 ETAG 002 - 3
97/176/EC	Structural timber products (1/3) : - Solid structural timber products: Elements (bridge elements, truss elements, sleepers, floor elements, wall elements, roof elements such as beams, arches, joists, rafters, columns, poles, piles) (bridges, railtracks and buildings), Solid structural timber products; Kits (trusses, floors, walls, roofs, frames) (bridges, railtracks and buildings).	Testing Laboratory (System 1)	EN 14374:2004
97/176/EC	Structural timber products (2/3) : - Structural glued laminated products and other glued timber products: Kits (trusses, floors, walls, roofs, frames) (for bridges and buildings).	Testing Laboratory (System 1)	EN 14080:2005
97/176/EC	Structural timber products (2/3) : - Structural glued laminated products and other glued timber products: Elements (bridge elements, truss elements, floor elements, wall elements, roof elements such as beams, arches, joists, rafters, columns, poles, piles) (for bridges and buildings).	Testing Laboratory (System 1)	EN 14080:2005 EN 14374:2004
97/462/EC	Wood-based panels (1/2) : - Unfaced overlaid and veneered or coated wood-based panels (for structural elements in	Testing Laboratory (System 1)	EN 13986:2004

Decision	Product family, product/Intended use	AoC and body function	Technical specification
	internal or external application).		
97/464/EC	Waste water engineering products inside buildings (2/2) : - Kits for waste water pumping station and effluent lifting plants (for use inside building).	Testing Laboratory (System 3)	EN 12050-1:2001 EN 12050-2:2000 EN 12050-3:2000 EN 12050-4:2000
97/464/EC	Waste water engineering products outside buildings (1/3) : - Kits and elements for waste water treatment plants and on-site treatment equipment -Septic tanks (to be used outside buildings, for rain water, faecal and organic effluents).	Testing Laboratory (System 3)	EN 13101:2002
97/464/EC	Waste water engineering products outside buildings (2/3) : - Prefabricated drainage channel (to be used outside buildings, for waste water from buildings and civil engineering works including roads).	Testing Laboratory (System 3)	EN 1433:2002 EN 1433:2002/A1:2005
97/556/EC	External thermal insulation composite systems/kits with rendering (ETICS)(1/1) : - External thermal insulation composite systems/kits with rendering (ETICS) (in external wall subject to fire regulations).	Testing Laboratory (System 1)	ETAG 004 Version 08/2011
97/740/EC	Masonry and related products (2/3) : - Lintels (in walls and partitions).	Testing Laboratory (System 3)	EN 845-2:2003
97/808/EC	Floorings (2/2) : - Rigid flooring products (a) Components: paving units, tiles, mosaics, parquet, decking of mesh or sheet, floor gratings, rigid laminated floorings, wood based products (for internal uses including enclosed public transport premises).	Testing Laboratory (System 3)	EN 12057:2004 EN 12058:2004 EN 14342:2005+A1:2008
97/808/EC	Floorings (2/2) : - Resilient and textile floorings - homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings) (for internal uses).	Testing Laboratory (System 3)	EN 14041:2004 EN 14041:2004/AC:2006
97/808/EC	Floorings (2/2) : - Resilient and textile floorings - homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings) (for internal uses).	Testing Laboratory (System 1)	EN 14041:2004 EN 14041:2004/AC:2006
97/808/EC	Floorings (2/2) : - Floor screed materials (for internal uses).	Testing Laboratory (System 3)	EN 13454-1:2004 EN 13813:2002 EN 14016-1:2004
97/808/EC	Floorings (2/2) : - Floor screed materials (for internal uses).	Testing Laboratory (System 1)	EN 13454-1:2004 EN 13813:2002
98/213/EC	Internal partition kits (1/5) : - Internal partition kits (for uses subject to reaction to fire requirements).	Testing Laboratory (System 1)	ETAG 003
98/213/EC	Internal partition kits (1/5) : - Internal partition kits (for uses subject to reaction to fire requirements).	Testing Laboratory (System 3)	ETAG 003
98/213/EC	Internal partition kits (2/5) : - Internal partition kits (for fire compartmentation).	Testing Laboratory (System 3)	ETAG 003
98/279/EC	Non load bearing permanent shutterings: kits/systems based on hollow blocks or panels of insulating materials and, sometimes, concrete (1/1) : - Non load-bearing permanent shuttering kits/systems, to be filled with normal concrete and, where relevant, with reinforcement, based on either: hollow blocks made of an insulating material (or a combination of an insulating material and other materials) (for the construction of external and internal walls subject to fire regulations, in buildings).	Testing Laboratory (System 1)	ETAG 009

Decision	Product family, product/Intended use	AoC and body function	Technical specification
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (1/6) : - Rooflights (for uses subject to resistance to fire regulations (e.g. fire compartmentation)).	Testing Laboratory (System 3)	EN 1873:2005
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Roofing tiles, slates, stones and shingles (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 1304:2005 EN 490: 2011 EN 490:2004/A1:2006 EN 492:2004 EN 492:2004/A1:2005 EN 492:2004/A2:2006 EN 544:2011
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Rooflights (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 1873:2005
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Rooflights (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 1873:2005
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Flat and profiled sheets (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 494:2004+A3:2007
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (3/6) : - Roofing tiles, slates, stones and shingles (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 1304:2005 EN 490: 2011 EN 490:2004/A1:2006 EN 492:2004 EN 492:2004/A1:2005 EN 492:2004/A2:2006 EN 544:2011
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (3/6) : - Rooflights (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 1873:2005
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (3/6) : - Flat and profiled sheets (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 494:2004+A3:2007
98/437/EC	Internal and external wall and ceiling finishes (1/5) : - Panels (as internal or external finishes, as complete elements, used for fire protection of walls or ceilings).	Testing Laboratory (System 3)	EN 438-7:2005
98/437/EC	Internal and external wall and ceiling finishes (1/5) : - Suspended ceilings (kits) (as internal or external finishes used for fire protection of ceilings).	Testing Laboratory (System 3)	EN 13964:2004 EN 13964:2004/A1:2006
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Coverings in roll form (as internal finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 14716:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Coverings in roll form (as internal finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 14716:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Suspended ceilings (kits) (as internal or external finishes in ceilings subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 13964:2004 EN 13964:2004/A1:2006
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Suspended ceilings (kits) (as internal or external finishes in ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13964:2004 EN 13964:2004/A1:2006
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Panels (as internal or external finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 438-7:2005
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Panels (as internal or external finishes in walls or ceilings subject to	Testing Laboratory (System 3)	EN 438-7:2005

Decision	Product family, product/Intended use	AoC and body function	Technical specification
	reaction to fire regulations).		
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Cladding slabs (as external finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 1469:2004
98/599/EC	Liquid applied roof waterproofing kits (2/3) : - Liquid applied roof waterproofing kits (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	ETAG 005
98/599/EC	Liquid applied roof waterproofing kits (3/3) : - Liquid applied roof waterproofing kits (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	ETAG 005
98/599/EC	Liquid applied roof waterproofing kits (3/3) : - Liquid applied roof waterproofing kits (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	ETAG 005
98/600/EC	Self-supporting translucent roof kits (except glass-based kits) (2/3) : - Self-supporting translucent roof kits (except glass-based kits) (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	ETAG 010
98/600/EC	Self-supporting translucent roof kits (except glass-based kits) (3/3) : - Self-supporting translucent roof kits (except glass-based kits) (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	ETAG 010
98/600/EC	Self-supporting translucent roof kits (except glass-based kits) (3/3) : - Self-supporting translucent roof kits (except glass-based kits) (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	ETAG 010
99/89/EC	Prefabricated stair kits (2/2) : - Prefabricated stair kits (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	ETAG 008
99/89/EC	Prefabricated stair kits (2/2) : - Prefabricated stair kits (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	ETAG 008
99/90/EC	Membranes (2/3) : - Damp proofing sheets (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 13967:2004 EN 13967:2004/A1:2006 EN 13969:2004 EN 13969:2004/A1:2006
99/90/EC	Membranes (2/3) : - Roof underlays (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 13859-1:2005+A1:2008
99/90/EC	Membranes (2/3) : - Roof underlays (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13859-1:2005+A1:2008
99/90/EC	Membranes (2/3) : - Roof sheets (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 13707:2004+A2:2009 EN 13956:2005 EN 13956:2005/AC:2006 EN 13956:2012
99/90/EC	Membranes (2/3) : - Roof sheets (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13707:2004+A2:2009 EN 13956:2005 EN 13956:2005/AC:2006 EN 13956:2012
99/90/EC	Membranes (2/3) : - Water vapour control layers (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 13859-1:2005+A1:2008 EN 13859-2:2010 EN 13970:2004 EN 13970:2004/A1:2006 EN 13984:2004 EN 13984:2004/A1:2006 EN 13984:2013

Decision	Product family, product/Intended use	AoC and body function	Technical specification
99/90/EC	Membranes (2/3) : - Water vapour control layers (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13859-1:2005+A1:2008 EN 13859-2:2010 EN 13970:2004 EN 13970:2004/A1:2006 EN 13984:2004 EN 13984:2004/A1:2006 EN 13984:2013
99/90/EC	Membranes (2/3) : - Damp proofing sheets (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13967:2004 EN 13967:2004/A1:2006 EN 13969:2004 EN 13969:2004/A1:2006
99/90/EC	Membranes (3/3) : - Roof sheets (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 13707:2004+A2:2009 EN 13956:2005 EN 13956:2005/AC:2006 EN 13956:2012
99/90/EC	Membranes (3/3) : - Roof underlays (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 13859-1:2005+A1:2008
99/91/EC	Thermal insulating products (2/2) : - Thermal insulating products (factory-made products and products intended to be formed in-situ) (for uses subject to regulations on reaction to fire).	Testing Laboratory (System 3)	EN 13162:2008 EN 13163:2008 EN 13164:2008 EN 13165:2008 EN 13166:2008 EN 13167:2008 EN 13168:2008 EN 13169:2008 EN 13170:2008 EN 13171:2008
99/91/EC	Thermal insulating products (2/2) : - Thermal insulating products (factory-made products and products intended to be formed in-situ) (for uses subject to regulations on reaction to fire).	Testing Laboratory (System 1)	EN 13162:2008 EN 13163:2008 EN 13164:2008 EN 13165:2008 EN 13166:2008 EN 13167:2008 EN 13168:2008 EN 13169:2008 EN 13170:2008 EN 13171:2008
99/92/EC	Light composite wood-based beams and columns (1/1) : - Light composite wood-based beams and columns (including T-beams, i.e. beam/slab combinations) (in buildings).	Testing Laboratory (System 1)	ETAG 011
99/93/EC	Doors, windows, shutters, blinds, gates and related building hardware (1/1) : - Building hardware related to doors, gates and windows (fire/smoke compartmentation and on escape routes).	Testing Laboratory (System 1)	EN 1125:2008 EN 1154:1996/A1:2002 EN 1154:1996/A1:2002/AC:2006 EN 1155:1996/A1:2002/AC:2006 EN 1155:1997/A1:2002

Decision	Product family, product/Intended use	AoC and body function	Technical specification
			EN 1158:1997/A1:2002 EN 1158:1997/A1:2002/AC:2006 EN 12209:2003 EN 12209:2003/AC:2005 EN 179:2008 EN 1935:2002 EN 1935:2002/AC:2003
99/454/EC	Fire stopping, fire sealing and fire protection products (1/2) : - Fire stopping, fire sealing products (for fire compartmentation and/or fire protection or fire performance), Fire protective products (including coatings) (for fire compartmentation and/or fire protection or fire performance).	Testing Laboratory (System 1)	ETAG 018 - 1 ETAG 018 - 2 ETAG 018 - 3 ETAG 018 - 4 ETAG 018 - 4 Amendment
99/454/EC	Fire stopping, fire sealing and fire protective products (2/2) : - Fire stopping and fire sealing products (for uses subject to reaction to fire regulations), Fire protective products (including coatings) (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	ETAG 018 - 1 ETAG 018 - 2 ETAG 018 - 3 ETAG 018 - 4 ETAG 018 - 4 Amendment
99/454/EC	Fire stopping, fire sealing and fire protective products (2/2) : - Fire protective products (including coatings) (for uses subject to reaction to fire regulations), Fire stopping and fire sealing products (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	ETAG 018 - 1 ETAG 018 - 2 ETAG 018 - 3 ETAG 018 - 4 ETAG 018 - 4 Amendment
99/455/EC	Timber frame and log prefabricated building kits (1/1) : - Timber frame and log prefabricated building kits (as defined in Annex I) (in building works).	Testing Laboratory (System 1)	ETAG 007 ETAG 012
99/469/EC	Products related to concrete, mortar and grout (2/2) : - Concrete protection and repair products (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 1504-2:2004 EN 1504-3:2005 EN 1504-4:2004
99/469/EC	Products related to concrete, mortar and grout (2/2) : - Concrete protection and repair products (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 1504-2:2004 EN 1504-3:2005 EN 1504-4:2004
99/471/EC	Space heating appliances (2/2) : - Space heating appliances without internal energy source (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	EN 442-1:1995/ A1:2003
99/471/EC	Space heating appliances (2/2) : - Space heating appliances without internal energy source (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 442-1:1995/ A1:2003
2000/245/EC	Flat glass, profiled glass and glass-block products (1/6) : - Insulating glass units (for use in a glazed assembly intended specifically to provide fire resistance).	Testing Laboratory (System 1)	EN 1279-5:2005+A2:2010
2000/245/EC	Flat glass, profiled glass and glass-block products (1/6) : - Flat or curved glass panels (for use in a glazed assembly intended specifically to provide fire resistance).	Testing Laboratory (System 1)	EN 1096-4:2004 EN 12150-2:2004 EN 12337-2:2004 EN 1279-5:2005+A2:2010 EN 13024-2:2004 EN 14178-2:2004

Decision	Product family, product/Intended use	AoC and body function	Technical specification
			EN 14179-2:2005 EN 14321-2:2005 EN 14449:2005 EN 14449:2005/AC:2005 EN 1748-1-2:2004 EN 1748-2-2:2004 EN 1863-2:2004 EN 572-9:2004
2000/245/EC	Flat glass, profiled glass and glass-block products (2/6) : - Insulating glass units (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 1279-5:2005+A2:2010
2000/245/EC	Flat glass, profiled glass and glass-block products (2/6) : - Flat or curved glass panels (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 1096-4:2004 EN 12150-2:2004 EN 12337-2:2004 EN 1279-5:2005+A2:2010 EN 13024-2:2004 EN 14178-2:2004 EN 14179-2:2005 EN 14321-2:2005 EN 14449:2005 EN 14449:2005/AC:2005 EN 1748-1-2:2004 EN 1748-2-2:2004 EN 1863-2:2004 EN 572-9:2004
2000/245/EC	Flat glass, profiled glass and glass-block products (3/6) : - Flat or curved glass panels (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 1096-4:2004 EN 12150-2:2004 EN 12337-2:2004 EN 13024-2:2004 EN 14178-2:2004 EN 1748-1-2:2004 EN 1748-2-2:2004 EN 1863-2:2004 EN 572-9:2004
2000/245/EC	Flat glass, profiled glass and glass-block products (3/6) : - Insulating glass units (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 1279-5:2005+A2:2010
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (2/6) : - Prefabricated wood-based load-bearing stressed skin panels (for uses subject to resistance to fire regulations (eg fire compartmentation)).	Testing Laboratory (System 3)	ETAG 019
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (2/6) : - Self-supporting composite lightweight panels (for uses subject to resistance to fire regulations (eg fire compartmentation)).	Testing Laboratory (System 3)	ETAG 016 - 1 ETAG 016 - 2 ETAG 016 - 3 ETAG 016 - 4
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (3/6) : - Prefabricated wood-based load-bearing stressed skin panels (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	ETAG 019

Decision	Product family, product/Intended use	AoC and body function	Technical specification
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (3/6) : - Prefabricated wood-based load-bearing stressed skin panels (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	ETAG 019
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (3/6) : - Self-supporting composite lightweight panels (for uses subject to reaction to fire regulations).	Testing Laboratory (System 1)	ETAG 016 - 1 ETAG 016 - 2 ETAG 016 - 3 ETAG 016 - 4
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (3/6) : - Self-supporting composite lightweight panels (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	ETAG 016 - 1 ETAG 016 - 2 ETAG 016 - 3 ETAG 016 - 4
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (4/6) : - Prefabricated wood-based load-bearing stressed skin panels (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	ETAG 019
2000/447/EC	Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (4/6) : - Self-supporting composite lightweight panels (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	ETAG 016 - 1 ETAG 016 - 2 ETAG 016 - 3 ETAG 016 - 4