

Notification of a Body pursuant to article 10 of the Construction Products Directive 89/106/EEC

From : Deutsches Institut für Bautechnik
(DIBt)
Kolonnenstraße 30 L
D-10829 Berlin
Germany

To : **European Commission**
Enterprise Directorate-General
-
B 1049 Brussels
Other Member States

Reference :

Legislation : 89/106/EEC Construction products

Body name, address, telephone, fax, email, website :

MPA Dresden GmbH
Fuchsmühlenweg 6F
09599 Freiberg
Germany
Phone : +49 (0) 3731 20393 0
Fax : +49 (0) 3731 20393-110
Email : info@mpa-dresden.de
Website : www.mpa-dresden.de

Body :

NB 0767

Created : Unknown (Notifications pre-dating 2006 are not available in these lists) | **Last update :** 04/12/2014

Period of validity of the notification :

Valid until : 30/06/2013(Expired)

The body is assessed according to :

§ 11 Bauproduktengesetz in Verbindung mit der Verordnung über die Anerkennung als Prüf-, Überwachungs- und Zertifizierungsstelle nach dem Bauproduktengesetz (Grundlage: Leitpapier A-Benennung von zugelassenen Stellen im Rahmen der Bauproduktenrichtlinie)

The competence of the body was assessed by : Deutsches Institut für Bautechnik - DIBt

**Authorised contact person(s) in Body
Name, direct telephone, and personal email**

Dr.-Ing. Andreas Meißner - +49 (0) 3731 20393 160 - a.meiszner@mpa.dresden.de

Tasks performed by the Body :

Created : 04/06/2013 | Last update : 04/06/2013

| Decision | Product family, product/Intended use | AoC and body function | Technical specification |
|-----------|---|-------------------------------|--|
| 95/467/EC | Gypsum products (1/4) : - Plasterboards and ceiling elements with thin laminations, fibrous gypsum boards, fibrous gypsum plaster casts, and composite panels (laminates), in which the incorporated material is placed on a face susceptible to be exposed to fire, including relevant ancillary products (in walls, partitions or ceilings (or lining thereof) subject to reaction to fire requirements). | Testing Laboratory (System 1) | EN 13815:2006 |
| 95/467/EC | Gypsum products (1/4) : - Plasterboards and ceiling elements with thin laminations, fibrous gypsum boards, fibrous gypsum plaster casts, and composite panels (laminates), in which the incorporated material is placed on a face susceptible to be exposed to fire, including relevant ancillary products (in walls, partitions or ceilings (or lining thereof) subject to reaction to fire requirements). | Testing Laboratory (System 3) | EN 13658-1:2005 EN 13658-2:2005 EN 13815:2006 EN 13950:2005 EN 13963:2005 EN 13963:2005/AC:2006 EN 14190:2005 EN 14209:2005 EN 14496:2005 EN 520:2004+A1:2009 |
| 95/467/EC | Gypsum products (2/4) : - Plasterboards, blocks, ceiling elements and gypsum plasters, fibrous gypsum plasters casts, including relevant ancillary products (in walls, partitions or ceilings, as relevant, intended for fire protection of structural elements and/or fire compartmentation in buildings). | Testing Laboratory (System 3) | EN 12859:2011 EN 12860:2001 EN 12860:2001/AC:2002 EN 13279-1:2008 EN 14195:2005 EN 14195:2005/AC:2006 EN 14246:2006 EN 14246:2006/AC:2007 |
| 96/580/EC | Curtain wallings (1/1) : - Curtain wall kits (as external walls not subject to reaction to fire requirements), Curtain wall kits (as external walls subject to reaction to fire requirements). | Testing Laboratory (System 3) | EN 13830:2003 |
| 96/580/EC | Curtain wallings (1/1) : - Curtain wall kits (as external walls subject to reaction to fire requirements). | Testing Laboratory (System 1) | EN 13830:2003 |
| 97/176/EC | Structural timber products (1/3) : - Solid structural timber products; Kits (trusses, floors, walls, roofs, frames) (bridges, railtracks and buildings), Solid structural timber products: Elements (bridge elements, truss elements, sleepers, floor elements, wall elements, roof elements such as beams, arches, joists, rafters, columns, poles, piles) (bridges, railtracks and buildings). | Testing Laboratory (System 1) | EN 14374:2004 |
| 97/462/EC | Wood-based panels (1/2) : - Unfaced overlaid and veneered or coated wood-based panels (for structural elements in internal or external application). | Testing Laboratory (System 1) | EN 13986:2004 |
| 97/462/EC | Wood-based panels (2/2) : - Unfaced, overlaid and veneered or coated wood-based panels (for non structural elements in internal or external applications). | Testing Laboratory (System 1) | EN 13986:2004 |
| 97/462/EC | Wood-based panels (2/2) : - Unfaced, overlaid and veneered | Testing Laboratory | EN 13986:2004 |

| Decision | Product family, product/Intended use | AoC and body function | Technical specification |
|-----------|--|--|--|
| | or coated wood-based panels (for non structural elements in internal or external applications). | (System 3) | |
| 97/556/EC | External thermal insulation composite systems/kits with rendering (ETICS)(1/1) : - External thermal insulation composite systems/kits with rendering (ETICS) (in external wall subject to fire regulations). | Testing Laboratory (System 1) | ETAG 004 Version 08/2011 |
| 97/808/EC | Floorings (2/2) : - Resilient and textile floorings - homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings) (for internal uses). | Testing Laboratory (System 3) | EN 14041:2004 EN 14041:2004/AC:2006 EN 14904:2006 |
| 97/808/EC | Floorings (2/2) : - Resilient and textile floorings - homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings) (for internal uses). | Testing Laboratory (System 1) | EN 14041:2004 EN 14041:2004/AC:2006 EN 14904:2006 |
| 97/808/EC | Floorings (2/2) : - Floor screed materials (for internal uses). | Testing Laboratory (System 3) | EN 13454-1:2004 EN 13813:2002 EN 14016-1:2004 |
| 97/808/EC | Floorings (2/2) : - Floor screed materials (for internal uses). | Testing Laboratory (System 1) | EN 13454-1:2004 EN 13813:2002 |
| 97/808/EC | Floorings (2/2) : - Rigid flooring products (a) Components: paving units, tiles, mosaics, parquet, decking of mesh or sheet, floor gratings, rigid laminated floorings, wood based products (for internal uses including enclosed public transport premises). | Testing Laboratory (System 1) | EN 14342:2005+A1:2008 |
| 98/213/EC | Internal partition kits (1/5) : - Internal partition kits (for uses subject to reaction to fire requirements). | FPC Certification Body Inspection Body Testing Laboratory (System 1) | ETAG 003 |
| 98/213/EC | Internal partition kits (1/5) : - Internal partition kits (for uses subject to reaction to fire requirements). | Testing Laboratory (System 3) | ETAG 003 |
| 98/213/EC | Internal partition kits (2/5) : - Internal partition kits (for fire compartmentation). | Testing Laboratory (System 3) | ETAG 003 |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Rooflights (for uses subject to reaction to fire regulations). | Testing Laboratory (System 1) | EN 1873:2005 |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Factory-bonded composite or sandwich panels (for uses subject to reaction to fire regulations). | Testing Laboratory (System 1) | EN 14509:2006 EN 14509:2006/AC:2008 |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Flat and profiled sheets (for uses subject to reaction to fire regulations). | Testing Laboratory (System 1) | EN 534:2006+A1:2010 |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Rooflights (for uses subject to reaction to fire regulations). | Testing Laboratory (System 3) | EN 14963:2006 EN 1873:2005 |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Roofing tiles, slates, stones and shingles (for uses subject to reaction to fire regulations). | Testing Laboratory (System 3) | EN 1304:2005 EN 490: 2011 EN 490:2004/A1:2006 EN 492:2004 EN 492:2004/A1:2005 EN 492:2004/A2:2006 |

| Decision | Product family, product/Intended use | AoC and body function | Technical specification |
|-----------|--|-------------------------------|---|
| | | | EN 494:2004+A3:2007 EN 544:2011 |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Factory-bonded composite or sandwich panels (for uses subject to reaction to fire regulations). | Testing Laboratory (System 3) | EN 14509:2006 EN 14509:2006/AC:2008 |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Flat and profiled sheets (for uses subject to reaction to fire regulations). | Testing Laboratory (System 3) | EN 494:2004+A3:2007 EN 534:2006+A1:2010 |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (3/6) : - Flat and profiled sheets (for uses subject to external fire performance regulations). | Testing Laboratory (System 3) | EN 14782:2006 EN 14783:2006 EN 494:2012 EN 534:2006+A1:2010 |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (3/6) : - Factory-bonded composite or sandwich panels (for uses subject to external fire performance regulations). | Testing Laboratory (System 3) | EN 14509:2006 EN 14509:2006/AC:2008 |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (3/6) : - Roofing tiles, slates, stones and shingles (for uses subject to external fire performance regulations). | Testing Laboratory (System 3) | EN 1304:2005 EN 490: 2011 EN 492:2004 EN 492:2004/A1:2005 EN 492:2004/A2:2006 EN 492:2012 EN 494:2004+A3:2007 EN 494:2012 EN 544:2011 |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (3/6) : - Roof windows (for uses subject to external fire performance regulations). | Testing Laboratory (System 3) | EN 14351-1:2006+A1:2010 |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (3/6) : - Rooflights (for uses subject to external fire performance regulations). | Testing Laboratory (System 3) | EN 14963:2006 EN 1873:2005 |
| 98/437/EC | Internal and external wall and ceiling finishes (1/5) : - Suspended ceilings (kits) (as internal or external finishes used for fire protection of ceilings). | Testing Laboratory (System 3) | EN 13964:2004 EN 13964:2004/A1:2006 |
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Coverings in roll form (as internal finishes in walls or ceilings subject to reaction to fire regulations). | Testing Laboratory (System 1) | EN 14716:2004 EN 15102:2007+A1:2011 |
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Coverings in roll form (as internal finishes in walls or ceilings subject to reaction to fire regulations). | Testing Laboratory (System 3) | EN 14716:2004 EN 15102:2007+A1:2011 |
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Suspended ceilings (kits) (as internal or external finishes in ceilings subject to reaction to fire regulations). | Testing Laboratory (System 1) | EN 13964:2004 EN 13964:2004/A1:2006 |
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Suspended ceilings (kits) (as internal or external finishes in ceilings subject to reaction to fire regulations). | Testing Laboratory (System 3) | EN 13964:2004 EN 13964:2004/A1:2006 |
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Panels (as internal or external finishes in walls or ceilings subject to reaction to fire regulations). | Testing Laboratory (System 1) | EN 14509:2006 EN 14509:2006/AC:2008 EN 15102:2007+A1:2011 EN 438-7:2005 |
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Sidings (as internal or external finishes in walls or ceilings subject to reaction to fire regulations). | Testing Laboratory (System 1) | EN 14915:2006 EN 14915:2006/AC:2007 EN 534:2006+A1:2010 |

| Decision | Product family, product/Intended use | AoC and body function | Technical specification |
|-----------|--|--|--|
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Shingles (as external finishes in walls or ceilings subject to reaction to fire regulations). | Testing Laboratory (System 3) | EN 12467:2004 EN 12467:2004/A1:2005 EN 12467:2004/A2:2006 |
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Panels (as internal or external finishes in walls or ceilings subject to reaction to fire regulations). | Testing Laboratory (System 3) | EN 14509:2006 EN 14509:2006/AC:2008 EN 15102:2007+A1:2011 EN 438-7:2005 |
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Sidings (as internal or external finishes in walls or ceilings subject to reaction to fire regulations). | Testing Laboratory (System 3) | EN 14915:2006 EN 14915:2006/AC:2007 EN 534:2006+A1:2010 |
| 98/599/EC | Liquid applied roof waterproofing kits (2/3) : - Liquid applied roof waterproofing kits (for uses subject to external fire performance regulations). | Testing Laboratory (System 3) | ETAG 005 |
| 98/599/EC | Liquid applied roof waterproofing kits (3/3) : - Liquid applied roof waterproofing kits (for uses subject to reaction to fire regulations). | Testing Laboratory (System 3) | ETAG 005 |
| 98/600/EC | Self-supporting translucent roof kits (except glass-based kits) (1/3) : - Self-supporting translucent roof kits (except glass-based kits) (for use in roofs and roof finishes). | Testing Laboratory (System 3) | ETAG 010 |
| 98/600/EC | Self-supporting translucent roof kits (except glass-based kits) (2/3) : - Self-supporting translucent roof kits (except glass-based kits) (for uses subject to external fire performance regulations). | Testing Laboratory (System 3) | ETAG 010 |
| 98/600/EC | Self-supporting translucent roof kits (except glass-based kits) (3/3) : - Self-supporting translucent roof kits (except glass-based kits) (for uses subject to reaction to fire regulations). | Testing Laboratory (System 1) | ETAG 010 |
| 98/600/EC | Self-supporting translucent roof kits (except glass-based kits) (3/3) : - Self-supporting translucent roof kits (except glass-based kits) (for uses subject to reaction to fire regulations). | Testing Laboratory (System 3) | ETAG 010 |
| 99/90/EC | Membranes (1/3) : - Water vapour control layers (in buildings). | Testing Laboratory (System 3) | EN 13970:2004 EN 13970:2004/A1:2006 |
| 99/90/EC | Membranes (2/3) : - Damp proofing sheets (for uses subject to reaction to fire regulations). | FPC Certification Body Inspection Body Testing Laboratory (System 1) | EN 13967:2004 EN 13967:2004/A1:2006 EN 13969:2004 EN 13969:2004/A1:2006 |
| 99/90/EC | Membranes (2/3) : - Damp proofing sheets (for uses subject to reaction to fire regulations). | Testing Laboratory (System 3) | EN 13967:2004 EN 13967:2004/A1:2006 EN 13969:2004 EN 13969:2004/A1:2006 |
| 99/90/EC | Membranes (2/3) : - Roof sheets (for uses subject to reaction to fire regulations). | FPC Certification Body Inspection Body Testing Laboratory (System 1) | EN 13707:2004+A2:2009 EN 13956:2005 EN 13956:2005/AC:2006 EN 13956:2012 |
| 99/90/EC | Membranes (2/3) : - Roof sheets (for uses subject to reaction to fire regulations). | Testing Laboratory (System 3) | EN 13707:2004+A2:2009 EN 13956:2005 EN 13956:2005/AC:2006 EN 13956:2012 |
| 99/90/EC | Membranes (2/3) : - Water vapour control layers (for uses | FPC Certification | EN |

| Decision | Product family, product/Intended use | AoC and body function | Technical specification |
|----------|---|--|--|
| | subject to reaction to fire regulations). | Body Inspection Body Testing Laboratory (System 1) | 13859-1:2005+A1:2008 EN 13859-2:2010 EN 13970:2004 EN 13970:2004/A1:2006 EN 13984:2004 EN 13984:2004/A1:2006 EN 13984:2013 |
| 99/90/EC | Membranes (2/3) : - Water vapour control layers (for uses subject to reaction to fire regulations). | Testing Laboratory (System 3) | EN 13859-1:2005+A1:2008 EN 13859-2:2010 EN 13970:2004 EN 13970:2004/A1:2006 EN 13984:2004 EN 13984:2004/A1:2006 EN 13984:2013 |
| 99/90/EC | Membranes (2/3) : - Roof underlays (for uses subject to reaction to fire regulations). | Testing Laboratory (System 1) | EN 13859-1:2005+A1:2008 |
| 99/90/EC | Membranes (2/3) : - Damp proof courses (for uses subject to reaction to fire regulations). | Testing Laboratory (System 1) | EN 14909:2006 EN 14967:2006 |
| 99/90/EC | Membranes (2/3) : - Roof underlays (for uses subject to reaction to fire regulations). | Testing Laboratory (System 3) | EN 13859-1:2005+A1:2008 |
| 99/90/EC | Membranes (2/3) : - Damp proof courses (for uses subject to reaction to fire regulations). | Testing Laboratory (System 3) | EN 14909:2006 EN 14967:2006 |
| 99/90/EC | Membranes (3/3) : - Roof sheets (for uses subject to external fire performance regulations). | Testing Laboratory (System 3) | EN 13707:2004+A2:2009 EN 13956:2005 EN 13956:2005/AC:2006 EN 13956:2012 |
| 99/91/EC | Thermal insulating products (1/2) : - Thermal insulating products (factory-made products and products intended to be formed in-situ) (any). | Testing Laboratory (System 3) | EN 13162:2008 EN 13163:2008 EN 13164:2008 EN 13165:2008 EN 13166:2008 EN 13167:2008 EN 13168:2008 EN 13169:2008 EN 13170:2008 EN 13171:2008 |
| 99/91/EC | Thermal insulating products (2/2) : - Thermal insulating products (factory-made products and products intended to be formed in-situ) (for uses subject to regulations on reaction to fire). | Product Certification Body Inspection Body Testing Laboratory (System 1) | EN 13162:2008 EN 13163:2008 EN 13164:2008 EN 13165:2008 EN 13166:2008 EN 13167:2008 EN 13168:2008 EN 13169:2008 EN 13170:2008 EN 13171:2008 |

| Decision | Product family, product/Intended use | AoC and body function | Technical specification |
|----------|---|-------------------------------|---|
| | | | EN 14063-1:2004 EN 14063-1:2004/AC:2006 EN 14303:2009 EN 14303:2009+A1:2013 EN 14304:2009 EN 14304:2009+A1:2013 EN 14305:2009 EN 14305:2009+A1:2013 EN 14306:2009 EN 14306:2009+A1:2013 EN 14307:2009 EN 14307:2009+A1:2013 EN 14308:2009 EN 14308:2009+A1:2013 EN 14309:2009 EN 14309:2009+A1:2013 EN 14313:2009 EN 14313:2009+A1:2013 EN 14314:2009 EN 14314:2009+A1:2013 EN 14316-1:2004 EN 14317-1:2004 EN 14933:2007 |
| 99/91/EC | Thermal insulating products (2/2) : - Thermal insulating products (factory-made products and products intended to be formed in-situ) (for uses subject to regulations on reaction to fire). | Testing Laboratory (System 3) | EN 13162:2008 EN 13163:2008 EN 13164:2008 EN 13165:2008 EN 13166:2008 EN 13167:2008 EN 13168:2008 EN 13169:2008 EN 13170:2008 EN 13171:2008 EN 14063-1:2004 EN 14063-1:2004/AC:2006 EN 14303:2009 EN 14303:2009+A1:2013 EN 14304:2009 EN 14304:2009+A1:2013 EN 14305:2009 EN 14305:2009+A1:2013 EN 14306:2009 EN 14306:2009+A1:2013 EN 14307:2009 EN 14307:2009+A1:2013 |

| Decision | Product family, product/Intended use | AoC and body function | Technical specification |
|-----------|---|--|--|
| | | | EN 14308:2009 EN 14308:2009+A1:2013 EN 14309:2009 EN 14309:2009+A1:2013 EN 14313:2009 EN 14313:2009+A1:2013 EN 14314:2009 EN 14314:2009+A1:2013 EN 14317-1:2004 EN 14933:2007 |
| 99/92/EC | Light composite wood-based beams and columns (1/1) : - Light composite wood-based beams and columns (including T-beams, i.e. beam/slab combinations) (in buildings). | FPC Certification Body Inspection Body Testing Laboratory (System 1) | ETAG 011 |
| 99/454/EC | Fire stopping, fire sealing and fire protective products (2/2) : - Fire stopping and fire sealing products (for uses subject to reaction to fire regulations). | Testing Laboratory (System 3) | ETAG 018 - 1 ETAG 018 - 4 ETAG 018 - 4 Amendment ETAG 026 - 1 ETAG 026 - 2 Version 08/2011 ETAG 026 - 3 Version 08/2011 |
| 99/454/EC | Fire stopping, fire sealing and fire protective products (2/2) : - Fire stopping and fire sealing products (for uses subject to reaction to fire regulations). | Testing Laboratory (System 1) | ETAG 018 - 1 ETAG 018 - 4 ETAG 018 - 4 Amendment ETAG 026 - 1 ETAG 026 - 2 Version 08/2011 ETAG 026 - 3 Version 08/2011 |
| 99/454/EC | Fire stopping, fire sealing and fire protective products (2/2) : - Fire protective products (including coatings) (for uses subject to reaction to fire regulations). | Testing Laboratory (System 3) | ETAG 018 - 1 ETAG 018 - 4 ETAG 018 - 4 Amendment |
| 99/454/EC | Fire stopping, fire sealing and fire protective products (2/2) : - Fire protective products (including coatings) (for uses subject to reaction to fire regulations). | Testing Laboratory (System 1) | ETAG 018 - 1 ETAG 018 - 4 ETAG 018 - 4 Amendment |
| 99/455/EC | Timber frame and log prefabricated building kits (1/1) : - Timber frame and log prefabricated building kits (as defined in Annex I) (in building works). | Inspection Body Testing Laboratory FPC Certification Body (System 1) | ETAG 007 ETAG 012 |
| 99/469/EC | Products related to concrete, mortar and grout (2/2) : - Concrete protection and repair products (for uses subject to reaction to fire regulations). | Testing Laboratory (System 1) | EN 1504-2:2004 EN 1504-3:2005 EN 1504-4:2004 EN 1504-6:2006 |
| 99/469/EC | Products related to concrete, mortar and grout (2/2) : - | Testing Laboratory | EN 1504-2:2004 |

| Decision | Product family, product/Intended use | AoC and body function | Technical specification |
|-------------|--|-------------------------------|--|
| | Concrete protection and repair products (for uses subject to reaction to fire regulations). | (System 3) | EN 1504-3:2005 EN 1504-4:2004 EN 1504-6:2006 |
| 99/470/EC | Construction adhesives (1/2) : - Adhesives for tiles (for internal and external uses in buildings and other civil engineering works). | Testing Laboratory (System 3) | EN 12004:2007 |
| 99/472/EC | Pipes, tanks and ancillaries not in contact with water intended for human consumption (4/5) : - Pipes (in installations in areas subject to reaction to fire regulations, used for the transport/ distribution/storage of gas/fuel intended for the supply of building heating/cooling systems, from the external storage reservoir or the last pressure reduction unit of the network to the inlet of the heating/cooling systems of the building), Pipes (in installations in areas subject to reaction to fire regulations, used for the transport/disposal/storage of water not intended for human consumption). | Testing Laboratory (System 1) | EN 14800:2007 |
| 2000/447/EC | Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (2/6) : - Self-supporting composite lightweight panels (for uses subject to resistance to fire regulations (eg fire compartmentation)). | Testing Laboratory (System 3) | ETAG 016 - 1 ETAG 016 - 2 ETAG 016 - 3 ETAG 016 - 4 |
| 2000/447/EC | Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (3/6) : - Self-supporting composite lightweight panels (for uses subject to reaction to fire regulations). | Testing Laboratory (System 1) | ETAG 016 - 1 ETAG 016 - 2 ETAG 016 - 3 ETAG 016 - 4 |
| 2000/447/EC | Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (3/6) : - Self-supporting composite lightweight panels (for uses subject to reaction to fire regulations). | Testing Laboratory (System 3) | ETAG 016 - 1 ETAG 016 - 2 ETAG 016 - 3 ETAG 016 - 4 |
| 2000/447/EC | Prefabricated wood-based load-bearing stressed skin panels and self-supporting composite lightweight panels (4/6) : - Self-supporting composite lightweight panels (for uses subject to external fire performance regulations). | Testing Laboratory (System 3) | ETAG 016 - 1 ETAG 016 - 2 ETAG 016 - 3 ETAG 016 - 4 |