

## 8. REFERENCES

- Abbadie, L. and M. Lepage (1989). "The Role of Subterranean Fungus Comb Chambers (Isoptera, Macrotermitinae) in Soil-Nitrogen Cycling in a Preforest Savanna (Cote-Divoire)." Soil Biology & Biochemistry **21**(8): 1067-1071.
- Abdul Rida, A. M. M. and M. B. Bouché (1995). "Earthworm contribution to ecotoxicological assessments." Acta Zool. Fennica **196**: 307-310.
- Abe, T., Bignell, D.E., Higashi, M. (2000). Termites: evolution, sociality, symbiosis, ecology, Kuwler Academic Publisher.
- Aeschht, E. and W. Foissner (1991). "Bioindikation mit mikroskopisch kleinen Bodentieren." VDI-Berichte **901**: 985-1002.
- Altieri, A. and D. K. Letourneau (1982). "Vegetation managment and biological control in agorecosystems." Crop Protection **1**: 405-430.
- Altieri, M. A. (1994). Biodiversity and Pest Management in Agroecosystems. . New York, Haworth Press.
- Altieri, M. A. (1999). "The ecological role of biodiversity in agroecosystems." Agriculture Ecosystems & Environment **74**(1-3): 19-31.
- Anderson, R. V., D. C. Coleman, et al. (1981). "Effect of the Nematodes Acrobeloides Sp and Mesodiplogaster-Lheritieri on Substrate Utilization and Nitrogen and Phosphorus Mineralization in Soil." Ecology **62**(3): 549-555.
- Andres, P. and X. Domene (2005). "Ecotoxicological and fertilizing effects dewatered, composted and dry sewage sludge on soil mesofauna: A TME experiment." Ecotoxicology **14**(5): 545-557.
- Bakken, L. R., Frostegård, A. (2006). Nucleic acid extraction from soil. Nucleic Acids and Proteins in Soil. P. Nannipieri, Smalla, K. . Berlin, Heidelberg, New York, Springer: 49–73.
- Bardgett, R. and D. Leemans (1996). "Soil microbial activity on exposed mountain ridges in Snowdonia (Eryri), North Wales." Soil Biology & Biochemistry **28**(10-11): 1533-1536.
- Bardgett, R. D. (2002). "Causes and consequences of biological diversity in soil." Zoology **105**(4): 367-374.
- Bardgett, R. D. (2005). The Biology of Soil: A Community and Ecosystem Approach. Oxford, UK, Oxford University Press.
- Bardgett, R. D., J. M. Anderson, et al. (2001). "The influence of soil biodiversity on hydrological pathways and the transfer of materials between terrestrial and aquatic ecosystems." Ecosystems **4**(5): 421-429.
- Bardgett, R. D., W. D. Bowman, et al. (2005). "A temporal approach to linking aboveground and belowground ecology." Trends In Ecology & Evolution **20**(11): 634-641.
- Bardgett, R. D. and K. F. Chan (1999). "Experimental evidence that soil fauna enhance nutrient mineralization and plant nutrient uptake in montane grassland ecosystems." Soil Biology & Biochemistry **31**(7): 1007-1014.

- Bardgett, R. D. and R. Cook (1998). "Functional aspects of soil animal diversity in agricultural grasslands." Applied Soil Ecology **10**(3): 263-276.
- Bardgett, R. D., J. C. Frankland, et al. (1993). "The Effects Of Agricultural Management On The Soil Biota Of Some Upland Grasslands." Agriculture Ecosystems & Environment **45**(1-2): 25-45.
- Bardgett, R. D., Usher, M.B., Hopkins, D.W, (2005). Biological diversity and function in soils, Cambridge Univ Press.
- Bardgett, R. D. and D. A. Wardle (2003). "Herbivore-mediated linkages between aboveground and belowground communities." Ecology **84**(9): 2258-2268.
- Bardy, S. L., S. Y. M. Ng, et al. (2003). "Prokaryotic motility structures." Microbiology-Sgm **149**: 295-304.
- Barot, S., J. P. Rossi, et al. (2007). "Self-organization in a simple consumer-resource system, the example of earthworms." Soil Biology & Biochemistry **39**(9): 2230-2240.
- Barrett, J. E., R. A. Virginia, et al. (2004). "Variation in biogeochemistry and soil biodiversity across spatial scales in a polar desert ecosystem." Ecology **85**(11): 3105-3118.
- Barrios, E. (2007). "Soil biota, ecosystem services and land productivity." Ecological Economics **64**(2): 269-285.
- Barrow, C. J. (1991). Land Degradation. Cambridge, Cambridge Univ.Press.
- Beare, M. H., D. C. Coleman, et al. (1995). "A Hierarchical Approach to Evaluating the Significance of Soil Biodiversity to Biogeochemical Cycling." Plant and Soil **170**(1): 5-22.
- Beare, M. H., C. L. Neely, et al. (1990). "A substrate-induced respiration (SIR) method for measurement of fungal and bacterial biomass on plant residues." Soil Biology and Biochemistry **22**(5): 585-594.
- Beck, L., S. WOAS, et al. (1997). "Taxonomische Ebenen als Basis der Bioindikation-Fallbeispiele aus der Gruppe der Oribatiden (Acari)." Abh. Ber. Naturkundemuseum Görlitz **69**: 67-85.
- Bedano, J. C., M. P. Cantu, et al. (2005). "Abundance of soil mites (Arachnida : Acari) in a natural soil of central Argentina." Zoological Studies **44**(4): 505-512.
- Behan-Pelletier, V. M. (1999). "Oribatid mites biodiversity in agroecosystems : role for bioindikation." Agriculture, Ecosystems and Environment **74**: 411-423.
- Bengtsson, J., J. Ahnstrom, et al. (2005). "The effects of organic agriculture on biodiversity and abundance: a meta-analysis." Journal of Applied Ecology **42**(2): 261-269.
- Bengtsson, J., Ahnstrom, J., Weibull, A.C. (2005). "The effects of organic agriculture on biodiversity and abundance: a meta-analysis " Journal of Applied Ecology **42**: 261-269.
- Bennett, P. C., F. K. Hiebert, et al. (2000). "Microbial control of mineral-groundwater equilibria: Macroscale to microscale." Hydrogeology Journal **8**(1): 47-62.
- Berner, A., Hildermann, I., Fließbach, A., Pfiffner, L., Niggli, U. and Mäder P. (2008). "Crop yield and soil fertility response to reduced tillage under organic management " Soil and Tillage Research **101**(1-2): 89-96.
- Bernier, N. and J.-F. Ponge (1994). "Humus form dynamics during the silvigenetic cycle in a mountain spruce forest." Soil Biology and Biochemistry **26**(2): 183-220.

- Bernier, N. and J. F. Ponge (1994). "Humus form dynamics during the sylvogenetic cycle in a mountain spruce forest." Soil Biol. Biochem. **26**(2): 183-220.
- Berntson, G. M. and F. A. Bazzaz (1997). "Nitrogen cycling in microcosms of yellow birch exposed to elevated CO<sub>2</sub>: Simultaneous positive and negative below-ground feedbacks." Global Change Biology **3**(3): 247-258.
- Bever, J. D. (2003). "Soil community feedback and the coexistence of competitors: conceptual frameworks and empirical tests." New Phytologist **157**(3): 465-473.
- Beylich, A. and U. Graefe (2002). Anellid coenoses of wetlands representing different decomposer communities. Wetlands in Central Europe. Soil Organisms, Soil Ecological Processes and Trace Gas Emissions. G. Broll, Merbach, W., Pfeifer, E.-M. Berlin, Springer: 1-10.
- Bezemer, T. M., G. B. De Deyn, et al. (2005). "Soil community composition drives aboveground plant-herbivore-parasitoid interactions." Ecology Letters **8**(6): 652-661.
- Bezemer, T. M., C. S. Lawson, et al. (2006). "Plant species and functional group effects on abiotic and microbial soil properties and plant-soil feedback responses in two grasslands." Journal of Ecology **94**(5): 893-904.
- Bezemer, T. M. and N. M. van Dam (2005). "Linking aboveground and belowground interactions via induced plant defenses." Trends in Ecology & Evolution **20**(11): 617.
- Bhattacharyya, R., V. Prakash, et al. (2009). "Soil aggregation and organic matter in a sandy clay loam soil of the Indian Himalayas under different tillage and crop regimes." Agriculture, Ecosystems and Environment **132**(1-2): 126–134.
- Birkhofer, K., T. M. Bezemer, et al. (2008). "Long-term organic farming fosters below and aboveground biota: Implications for soil quality, biological control and productivity." Soil Biology & Biochemistry **40**(9): 2297-2308.
- Birkhofer, K., D. H. Wise, et al. (2008). "Subsidy from the detrital food web, but not microhabitat complexity, affects the role of generalist predators in an aboveground herbivore food web." Oikos **117**(4): 494-500.
- Bispo, A., D Cluzeau, R Creamer, M Dombos, I U Graefe, PH Krogh, JP Sousa, G Peres, M Rutgers, A Winding, and J Rombke (2009). "Indicators for monitoring soil biodiversity." Integr Environ Assess Manag **5**: 717 – 719.
- Bispo, A., Peres G, Cluzeau D, Graefe U, Rombke J, Rutgers M, Fuchs M, Sousa JP, Schulte R, Dombos M, Simon B, Cortet J, Chaussod R, Ritz K, Creamer R, Winding A, English M, Boixadera J. Rubio JL. (2007). ENVASSO (Environmental assessment of soil for monitoring) WP 5 – Decline in soil biodiversity: 22.
- Blanchart, E., A. Albrecht, et al. (1999). Effects of earthworms on soil structure and physical properties. Earthworms Management in Tropical Agro-Ecosystems. P. Lavelle, L. Brussaard and P. F. Hendrix. Wallingford, CAB-I. **149-172**.
- Blanchart, E., A. Albrecht, et al. (2004). "Effects of tropical endogeic earthworms on soil erosion." Agriculture Ecosystems & Environment **104**(2): 303-315.
- Blanchart, E., P. Lavelle, et al. (1997). "Regulation of soil structure by geophagous earthworm activities in humid savannas of Cote d'Ivoire." Soil Biol. Biochem. **29**(3/4): 431-439.

- Blanchart, E., P. Lavelle, et al. (1997). "Regulation of soil structure by geophagous earthworm activities in humid savannas of Cote d'Ivoire." Soil Biology & Biochemistry **29**(3-4): 431-439.
- Bloem, J., T. Schouten, et al. (2003). Measuring soil biodiversity: experiences, impediments and research needs. OECD expert meeting on soil erosion and soil biodiversity indicators. Rome, Italy.
- Blomqvist, M. M., H. Olf, et al. (2000). "Interactions between above- and belowground biota: importance for small-scale vegetation mosaics in a grassland ecosystem." Oikos **90**(3): 582-598.
- Blossey, B. and T. R. Hunt-Joshi (2003). "Belowground herbivory by insects: Influence on plants and aboveground herbivores." Annual Review of Entomology **48**: 521-547.
- Blouin, M., S. Barot, et al. (2006). "Earthworms (*Millsonia anomala*, Megascolecidae) do not increase rice growthy through enhanced nitrogen mineralisation." Soil Biol. Biochem. **38**: 2063-2068.
- Blouin, M., Y. Zuily-Fodil, et al. (2005). "Belowground organism activities affect plant aboveground phenotype, inducing plant tolerance to parasites." Ecology Letters **8**(2): 202-208.
- Boag, B., L. F. Palmer, et al. (1997). "Distribution, prevalence and intensity of earthworm populations in arable land and grassland in Scotland." Annals of Applied Biology **130**(1): 153-165.
- Boag, B., G. W. Yeates, et al. (1998). Limitations to the distribution and spread of terrestrial flatworms with special reference to the New Zealand flatworm (*Artioposthia triangulata*).
- Boatman, N. (1994). Field Margins: Integrating Agriculture and Conservation. Surrey, England.
- Bobrov, A. A., D. J. Charman, et al. (1999). "Ecology of t state amoebae (Protozoa: Rhizopoda) on peatlands in western Russia with special attention to niche separation in closely related taxa." Protist **150**: 125-136.
- Bockstaller, C. and P. Girardin (2003). "How to validate environmental indicators." Agricultural Systems **76**(2): 639-653.
- Boellstorff, D. L. (2008). "Estimated soil organic carbon change due to agricultural land management modifications in a semiarid cereal-growing region in Central Spain. ." Journal of Arid Environments. **73**(3): 389-392.
- Bohlen, P. J., P. M. Groffman, et al. (2004). "Ecosystem consequences of exotic earthworm invasion of north temperate forests." Ecosystems **7**(1): 1-12.
- Bollag, J. M., Stotzky, G. (1993). Soil Biochemistry.
- Bolton, P. J. and J. Phillipson (1976). "Burrowing, Feeding, Egestion and Energy Budgets of *Allolobophora-Rosea* (Savigny) (Lumbricidae)." Oecologia **23**(3): 225-245.
- Bongers, T. (1990). "The maturity index : an ecological measure of environmental disturbance based on nematode species composition." Oecologia **83**: 14-19.
- Bongers, T. and M. Bongers (1998). "Functional diversity of nematodes." Applied Soil Ecology **10**(3): 239-251.

- Bonkowski, M., Brandt, F. (2002). "Do soil protozoa enhance plant growth by hormonal effects? ." Soil Biology and Biochemistry **34**(11): 1709-1715
- Booth, L. H., V. Heppelthwaite, et al. (2000). "The effect of environmental parameters on growth, cholinesterase activity and glutathione S-transferase activity in the earthworm (*Apporectodea caliginosa*). " Biomarkers **5**(1): 46-55.
- Borneman, J. and R. J. Hartin (2000). "PCR primers that amplify fungal rRNA genes from environmental samples." Applied and Environmental Microbiology **66**(10): 4356-4360.
- Bossuyt, H., J. Six, et al. (2004). "Rapid incorporation of carbon from fresh residues into newly formed stable microaggregates within earthworm casts." European Journal of Soil Science **55**(2): 393-399.
- Bossuyt, H., J. Six, et al. (2005). "Protection of soil carbon by microaggregates within earthworm casts." Soil Biology & Biochemistry **37**(2): 251-258.
- Bouche, M. B. (1984). "Earthworm Ecotoxicity .2. Monitoring of Pollutants." Acta Oecologica-Oecologia Applicata **5**(4): 291-301.
- Braat, L., ten Brink, P (2008). The Cost of Policy Inaction: the case of not meeting the 2010 biodiversity target.
- Bragg, J. R., Prince, R. C., Harner, E. J. and Atlas, R. M. (1994). "Effectiveness of bioremediation for the Exxon Valdez oil spill." Nature **368**: 413-418.
- Brauman, K. A., G. C. Daily, et al. (2007). "The nature and value of ecosystem services: An overview highlighting hydrologic services." Annual Review Of Environment And Resources **32**: 67-98.
- Brethes, A., J. J. Brun, et al. (1995). "Classification of Forest Humus Forms - a French Proposal." Annales Des Sciences Forestieres **52**(6): 535-546.
- Breure, A. M. (2004). Soil biodiversity: Measurements, indicators, threats and soil functions. International Conference Soil and Compost Eco-biology. Spain.
- Breure, A. M., C. Mulder, et al. (2005). "Ecological classification and assessment concepts in soil protection." Ecotoxicology and Environmental Safety **62**(2): 211-229.
- Breure, A. M., C. Mulder, et al. (2005). "Ecological classification and assessment concepts in soil protection." Ecotoxicology and Environment Safety **62**: 211-229.
- Brown, G. G., I. Barois, et al. (2000). "Regulation of soil organic matter dynamics and microbial activity in the drilosphere and the role of interactions with other edaphic functional domains." European Journal Of Soil Biology **36**(3-4): 177-198.
- Bruinsma, M., G. A. Kowalchuk, et al. (2003). "Effects of genetically modified plants on microbial communities and processes in soil." Biology and Fertility of Soils **37**(6): 329-337.
- Brussaard, L., de Rooter, P.C., Brown, G.G. (2007). "Soil biodiversity for agricultural sustainability " Agriculture ecosystems & environment **121**(3): 233-244.
- Bullock, C., Kretch, C., Candon, E. (2008). The Economic and Social Aspects of Biodiversity. Benefits and Costs of Biodiversity in Ireland, Government of Ireland.
- Bush-Brown, J. (1996). America's garden book.
- Bustos-Obregon, E. and R. I. Goicochea (2002). "Pesticide soil contamination mainly affects earthworm male reproductive parameters." Asian Journal of Andrology **4**(3): 195-199.

- Callaway, R. M., T. H. DeLuca, et al. (1999). "Biological-control herbivores may increase competitive ability of the noxious weed *Centaurea maculosa*." *Ecology* **80**(4): 1196-1201.
- Campbell, B. D., J. P. Grime, et al. (1991). "A Trade-Off between Scale and Precision in Resource Foraging." *Oecologia* **87**(4): 532-538.
- Cannon, R. J. C. (1998). "The implications of predicted climate change for insect pests in the UK, with emphasis on non-indigenous species." *Global Change Biology* **4**(7): 785-796.
- Cardinale, B. J., Harvey, C.T., Gross, K., Ives, A.R. (2003). "Biodiversity and biocontrol: emergent impacts of a multi-enemy assemblage on pest suppression and crop yield in an agroecosystem." *Ecol. Lett.* **6**: 857-865.
- Cassagne, N., C. Gers, et al. (2003). "Relationships between Collembola, soil chemistry and humus types in forest stands (France)." *Biology and Fertility of Soils* **37**(6): 355-361.
- Cerda, A. and M. F. Jurgensen (2008). "The influence of ants on soil and water losses from an orange orchard in eastern Spain." *Journal of Applied Entomology* **132**(4): 306-314.
- Chauvat, M., A. S. Zaitsev, et al. (2003). "Successional changes of Collembola and soil microbiota during forest rotation." *Oecologia* **137**(2): 269-276.
- Chauvel, A., M. Grimaldi, et al. (1999). "Pasture damage by an Amazonian earthworm." *Nature* **398**(6722): 32-33.
- Chen, G., Qin, J., Shi D., Zhang, Y., Ji, W. (2009). "Diversity of Soil Nematodes in Areas Polluted with Heavy Metals and Polycyclic Aromatic Hydrocarbons (PAHs) in Lanzhou, China " *Environmental Management*.
- Chevassus-au-Louis, B., Salles, J.M., Bielsa, S., Richard, D., Martin, G., Pujol, J.L. (2009). Approche économique de la biodiversité et des services liés aux écosystèmes, Centre d'analyse stratégique.
- Choi, W. I. and M. I. Ryoo (2003). "A matrix model for predicting seasonal fluctuations in field populations of *Paronychiurus kimi* (Collembola : Onychiruidae)." *Ecological Modelling* **162**(3): 259-265.
- Choudhuri, D. K. (1963). " Temperature and its effect on the three species of the genus *Onychiurus* Collembola." *Proc. Zool. Soc.* **16**: 97-117.
- Chown, S., Nicolson, S. (2004). *Insect physiological ecology*. New York, Oxford University Press, Inc.
- Christensen, S., B. S. Griffiths, et al. (1992). "Huge Increase in Bacterivores on Freshly Killed Barley Roots." *Fems Microbiology Ecology* **86**(4): 303-309.
- Christiansen, K. (1964). "Bionomics of Collembola." *Annual Review of Entomology* **9**: 147-178
- Chua, K. B., K. J. Goh, et al. (1999). "Fatal encephalitis due to Nipah virus among pig-farmers in Malaysia." *Lancet* **354**(9186): 1257-1259.
- Ciosi, M., N. J. Miller, et al. (2008). "Invasion of Europe by the western corn rootworm, *Diabrotica virgifera virgifera*: multiple transatlantic introductions with various reductions of genetic diversity." *Molecular Ecology* **17**(16): 3614-3627.
- Citeau, L., Bispo, A., Bardy, M., King, D. (2008). *Gestion durable des sols*. Versailles, France, Editions Quae.
- Clarholm, M. (1985). "Interactions of Bacteria, Protozoa and Plants Leading to Mineralization of Soil-Nitrogen." *Soil Biology & Biochemistry* **17**(2): 181-187.

- Clark, D. A., S. Brown, et al. (2001). "Measuring net primary production in forests: Concepts and field methods." Ecological Applications **11**(2): 356-370.
- Clark, D. A., S. Brown, et al. (2001). "Net primary production in tropical forests: An evaluation and synthesis of existing field data." Ecological Applications **11**(2): 371-384.
- Clements, R. O. (1982). Some consequences of large and frequent pesticide applications to grassland. Third Australian Conference on Grassland Invertebrate Ecology, Adelaide: South Australia Government, Printer. P
- Cluzeau, D., G. Pérès, M. Guernion, R. Chaussod, J. Cortet, M. Fargette, F. Martin-Laurent, T. Maitelle, C. Pernin, J-F. Ponge, N. Ruiz-Camacho, C. Villenave, L. Rougé, V. Mercier, A. Bellido, M. Cannavacciuolo, D. Arrouays, L. Boulonne, C. Jolivet, P. Lavelle, E. Velasquez, O. Plantard, C. Walter, B. Foucaud-Lemercier, S. Tico, J-L. Giteau, et A. Bispo. 2009. (2009). Intégration de la biodiversité des sols dans les réseaux de surveillance de la qualité des sols : exemple du programme-pilote à l'échelle régionale, le RMQS BioDiv. Etude et Gestion des Sols. .
- Cole, D. N. (1996). "Wilderness recreation use trends, 1965 through 1994 (12 References),." USDA For Serv Int Res Pap(488): 1.
- Cole, L. a. B., R.D. (2002). Soil animals, microbial activity, and nutrient cycling. . Encyclopedia of soil science, Marcel Dekker Inc, New York: . 72-75.
- Coleman, D. C., Anderson, R.V., Cole, C.V., McClellan, J.F, Woods, L.E.; Trofymow, J.A., Elliott, E.T. (1984). Roles of protozoa and nematodes in nutrient cycling American society of Agronomy: 17-28.
- Coleman, D. C. and D. A. Crossley (1996). Fundamentals of Soil Ecology.
- Corbara, B., Dejean A., Orivel J. (1999). "Ant gardens, a unique epiphyte-ant association " l'Annee Biologique **38**(2): 73-89.
- Costanza, R., Arge, R., Groot, R., Farber, S., Grasso, M., Hannon, B., Limburg, K., Naeem, S., O'Neill, R.V., Paruelo, J., Raskin, R.G., Sutton, P., Belt, M. (1997). "The value of the world's ecosystem services and natural capital." Nature **387**(6630): 253-260.
- Courtright, E. M., D. H. Wall, et al. (2001). "Determining habitat suitability for soil invertebrates in an extreme environment: the McMurdo Dry Valleys, Antarctica." Antarctic Science **13**(1): 9-17.
- Couteaux, M. M., M. Mousseau, et al. (1991). "Increased Atmospheric Co2 and Litter Quality - Decomposition of Sweet Chestnut Leaf Litter with Animal Food Webs of Different Complexities." Oikos **61**(1): 54-64.
- Craswell, E. T. and R. D. B. Lefroy (2001). "The role and function of organic matter in tropical soils." Nutrient Cycling in Agroecosystems **61**(1-2): 7-18.
- Crommentuijn, T., C. Doodeman, et al. (1994). "Lethal Body Concentrations and Accumulation Patterns Determine Time-Dependent Toxicity of Cadmium in Soil Arthropods." Environmental Toxicology and Chemistry **13**(11): 1781-1789.
- Cycon, M., Z. Piotrowska-Seget, et al. (2006). "Microbiological characteristics of a sandy loam soil exposed to tebuconazole and lambda-cyhalothrin under laboratory conditions." Ecotoxicology **15**(8): 639-646.

- Daniel, O. (1991). "Leaf-Litter Consumption and Assimilation by Juveniles of *Lumbricus-Terrestris* L (Oligochaeta, Lumbricidae) under Different Environmental-Conditions." Biology and Fertility of Soils **12**(3): 202-208.
- Dauber, J. and V. Wolters (2000). "Microbial activity and functional diversity in the mounds of three different ant species." Soil Biology & Biochemistry **32**(1): 93-99.
- David, C., Viaux, Ph., Meynard, J.-M. (2004). "Les enjeux de la production e blé tendre biologique en France." Le Courrier de l'environnement de l'INRA n°51: 43.
- de Boer, W., Wagenaar, A.M., Gunnewiek, P., van Veen, J.A. (2007). "In vitro suppression of fungi caused by combinations of apparently non-antagonistic soil bacteria." FEMS Microbiology Ecology **59**(1): 177-185.
- De Deyn, G. B., C. E. Raaijmakers, et al. (2004). "Plant species identity and diversity effects on different trophic levels of nematodes in the soil food web." Oikos **106**(3): 576-586.
- De Deyn, G. B., C. E. Raaijmakers, et al. (2003). "Soil invertebrate fauna enhances grassland succession and diversity." Nature **422**(6933): 711-713.
- De Deyn, G. B. and W. H. Van der Putten (2005). "Linking aboveground and belowground diversity." Trends In Ecology & Evolution **20**(11): 625-633.
- De Rooij-van der Goes, P. C. E. M. (1995). "The role of plant-parasitic nematodes and soil-borne fungi in the decline of *Ammophila arenaria* (L.) Link." New Phytologist **129**(4): 661-669.
- de Ruiter, P. C., V. Wolters, et al. (2005). "Food web ecology: Playing Jenga and beyond." Science **309**(5731): 68-+.
- de Sadeleer, N. (2006). EC Law and Biodiversity. Reflections on 30 Years of EU Environmental Law – A High Level of Protection? Amsterdam, NL, Europa Law Publishing: 349-369.
- de Vries, F. T., E. Hoffland, et al. (2006). "Fungal/bacterial ratios in grasslands with contrasting nitrogen management." Soil Biology & Biochemistry **38**(8): 2092-2103.
- Decaens, T., J. J. Jimenez, et al. (2004). "Soil macrofaunal communities in permanent pastures derived from tropical forest or savanna." Agriculture Ecosystems & Environment **103**(2): 301-312.
- Decaens, T., J. J. Jimenez, et al. (2006). "The values of soil animals for conservation biology." European Journal Of Soil Biology **42**: S23-S38.
- Decaens, T., J. J. Jimenez, et al. (1999). "Effect of exclusion of the anecic earthworm *Martiodrilus carimaguensis* Jimenez and Moreno on soil properties and plant growth in grasslands of the eastern plains of Colombia." Pedobiologia **43**(6): 835-841.
- Decaens, T., J. J. Jimenez, et al. (1999). "Effect of exclusion of the anecic earthworm *Martiodrilus carimaguensis* Jimenez and Moreno on soil properties and plant growth in grasslands of the eastern plains of Colombia." Pedobiologia **43**: 835-841.
- Demaneche, S., H. Sanguin, et al. (2008). "Antibiotic-resistant. soil bacteria in transgenic plant fields." Proceedings of the National Academy of Sciences of the United States of America **105**(10): 3957-3962.
- Desanto, A. V., B. Berg, et al. (1993). "Factors Regulating Early-Stage Decomposition of Needle Litters in 5 Different Coniferous Forests." Soil Biology & Biochemistry **25**(10): 1423-1433.
- Di Giovanni, G. D., L. S. Watrud, et al. (1999). "Comparison of parental and transgenic alfalfa rhizosphere bacterial communities using Biolog GN metabolic fingerprinting and

- enterobacterial repetitive intergenic consensus sequence-PCR (ERIC-PCR)." Microbial Ecology **37**(2): 129-139.
- Dickinson, N., Baker, A., Doronila, A., Laidlaw, S., Reeves, R. (2009). "Phytoremediation of inorganics: realism and synergies." International Journal of Phytoremediation **11**(2): 97-114.
- Didden, W. A. M. (1987). "Reactions of Onychiurus-Fimatus (Collembola) to Loose and Compact Soil - Methods and 1st Results." Pedobiologia **30**(2): 93-100.
- Didden, W. A. M. (2001). "Earthworm communities in grasslands and horticultural soils." Biology and Fertility of Soils **33**(2): 111-117.
- Diekkruger, B. and H. Roske (1995). "Modeling the Population-Dynamics of Isotoma-Notabilis (Collembola) on Sites of Different Agricultural Usage." Pedobiologia **39**(1): 58-73.
- Dijkstra, F. A. and W. X. Cheng (2007). "Moisture modulates rhizosphere effects on C decomposition in two different soil types." Soil Biology & Biochemistry **39**(9): 2264-2274.
- Donegan, K. K., R. J. Seidler, et al. (1997). "Decomposition of genetically engineered tobacco under field conditions: Persistence of the proteinase inhibitor I product and effects on soil microbial respiration and protozoa, nematode and microarthropod populations." Journal of Applied Ecology **34**(3): 767-777.
- Donlan, R., M. (2002). "Biofilms: Microbial Life on Surfaces." Emerging Infectious Diseases **8**: 881-890.
- Doran, J. W. and M. R. Zeiss (2000). "Soil health and sustainability: managing the biotic component of soil quality." Applied Soil Ecology **15**(1): 3-11.
- Dufrene, M. and P. Legendre (1997). "Species assemblages and indicator species: The need for a flexible asymmetrical approach." Ecological Monographs **67**(3): 345-366.
- Eagon, R. (1962). "Pseudomonas natriegens, a marine bacterium with a generation time of less than 10 minutes." Journal of Bacteriology **83**(4): 736-737.
- Eastham, K., and Sweet, J. (2002). Genetically modified organisms (GMOs): The significance of gene flow through pollen transfer., EEA.
- Ebi, K. L., R. S. Kovats, et al. (2006). "An approach for assessing human health vulnerability and public health interventions to adapt to climate change." Environmental Health Perspectives **114**(12): 1930-1934.
- Edwards, C. A. (1999). Soil Invertebrate Controls and Microbial Interactions in Nutrient and Organic Matter Dynamics in Natural and Agroecosystems. Webmaster Functions in Agroecosystems: Invertebrates Climate and Substrate Quality. P. H. D.C. Coleman. **chapter 7**: 141-159.
- Edwards, C. A. (2002). "Assessing the effects of environmental pollutants on soil organisms, communities, processes and ecosystems." European Journal of Soil Biology **38**(3-4): 225-231.
- Edwards, C. A., P. J. Bohlen, et al. (1996). "Biology and ecology of earthworms. Third edition." Biology and ecology of earthworms. Third edition.: i-xii, 1-426.
- Edwards, C. A., Bohlen, P. J. (1996). Biology and Ecology of earthworms. London, Chapman and Hall.

- EEA (2000). Down to Earth: soil degradation and sustainable development in Europe, European Environment Agency: 32.
- EEA (2005). EEA core set of indicators - Guide. EEA Technical Report No 1/2005 - ISSN 1725-2237, European Environment Agency: 38 pp.
- EEA (2006). Urban sprawl in Europe: the ignored challenge.
- EEA (2007). Land-use scenarios for Europe: qualitative and quantitative analysis on a European scale, European Environmental Agency.
- Eeva, T., J. Sorvari, et al. (2004). "Effects of heavy metal pollution on red wood ant (*Formica* s. str.) populations." Environmental Pollution **132**(3): 533-539.
- EFSA (2009). "The usefulness of total concentrations and pore water concentrations of pesticides in soil as metrics for the assessment of ecotoxicological effects." (922): 37-90.
- Ehrenfeld, J. G., B. Ravit, et al. (2005). "Feedback in the plant-soil system." Annual Review of Environment and Resources **30**: 75-115.
- Eisenhauer, N., M. Klier, et al. (2009). "No interactive effects of pesticides and plant diversity on soil microbial biomass and respiration." Applied Soil Ecology **42**(1): 31-36.
- Ekelund, F. and R. Ronn (1994). "Notes on Protozoa in Agricultural Soil with Emphasis on Heterotrophic Flagellates and Naked Amebas and Their Ecology." Fems Microbiology Reviews **15**(4): 321-353.
- Elton, C. (1958). The ecology of invasions by animals and plants University of Chicago press.
- Emmerling, C., M. Schloter, et al. (2002). "Functional diversity of soil organisms - a review of recent research activities in Germany." Journal of Plant Nutrition and Soil Science-Zeitschrift Fur Pflanzenernahrung Und Bodenkunde **165**(4): 408-420.
- Engelkes, T., E. Morrien, et al. (2008). "Successful range-expanding plants experience less above-ground and below-ground enemy impact." Nature **456**(7224): 946-948.
- ENVASSO (2008). "Final Report of ENVASSO Project – Environmental Assessment of Soil for Monitoring." 80.
- Ernst, G. and C. Emmerling (2009). "Impact of five different tillage systems on soil organic carbon content and the density, biomass and community composition of earthworms after a ten-year period." European Journal of soil Biology **45**(3): 247-251.
- Ettema, C. H. and T. Bongers (1993). "Characterization of Nematode Colonization and Succession in Disturbed Soil Using the Maturity Index." Biology and Fertility of Soils **16**(2): 79-85.
- Ettema, C. H., S. L. Rathbun, et al. (2000). "On spatiotemporal patchiness and the coexistence of five species of *Chronogaster* (Nematoda : *Chronogasteridae*) in a riparian wetland." Oecologia **125**(3): 444-452.
- Ettema, C. H. and D. A. Wardle (2002). "Spatial soil ecology." Trends In Ecology & Evolution **17**(4): 177-183.
- European Commission (2001). Communication from the Commission to the Council and the European Parliament biodiversity action plan for the conservation of natural resources. E. Commission. **COM(2001) 162**.
- European Commission (2001). A Sustainable Europe for a Better World: A European Union Strategy for Sustainable Development, European Commission.

- European Commission (2006). Communication from the Commission to the Council, the European Parliament, the European Economic and Social Committee and the Committee of the Regions. E. Commission. **COM(2006)231 final**.
- European Commission (2006). Communication on a Thematic Strategy on the Sustainable Use of Pesticides.
- European Commission (2006). Directive of the European Parliament and of the Council establishing a framework for the protection of soil and amending Directive 2004/35/EC. E. Commission. **COM(2006) 232 final**.
- European Commission (2008). Communication from the Commission to the Council, the European Parliament, the European Economic and Social Committee and the Committee of the Regions. A mid-term assessment of implementing the EC Biodiversity Action Plan.
- Felske, A. and A. D. L. Akkermans (1998). "Spatial homogeneity of abundant bacterial 16S rRNA molecules in grassland soils." Microbial Ecology **36**(1): 31-36.
- Filser, J., K.-H. Mebes, et al. (2002). "Long-term dynamics and interrelationships of soil Collembola and micro-organisms in an arable landscape following land use change." Geoderma **105**: 201-221.
- Filser, J., R. Wittmann, et al. (2000). "Response types in collembolan towards copper in the microenvironment." Environ. Pollut. **107**: 71-78.
- Fox, C., Jarvis, I., Joschko, M., Lentzsch, P. (2004). Framework for developing indicators of soil biological resources. Eurosoil 2004, Freiburg, Germany, Albert-Ludwigs-University.
- Fragoso, C., J. Kanyonyo ka Kajondo, et al. (1999). A survey of tropical earthworms: Taxonomy, Biogeography and Environmental Plasticity. Earthworm management in tropical agroecosystems. P. Lavelle, L. Brussaard and P. Hendrix. Wallingford, UK, CAB International: 1-27.
- Freckman, D. W. (1988). "Bacterivorous nematodes and organic-matter decomposition." Agric. Ecosys. Environ. **24**: 195-217.
- Freckman, D. W., D. A. Duncan, et al. (1979). "NEMATODE DENSITY AND BIOMASS IN AN ANNUAL GRASSLAND ECOSYSTEM." Journal of Range Management **32**(6): 418-422.
- Freckman, D. W. and R. A. Virginia (1997). "Low-diversity Antarctic soil nematode communities: Distribution and response to disturbance." Ecology **78**(2): 363-369.
- Fromm, H. (1998). ""Standortparameter" von Collembolen in Agrarökosystemen." Verh. Ges. Ökol. **26**: 663-670.
- Fromm, H., K. Winter, et al. (1993). "The Influence of Soil Type and Cultivation System on the Spatial Distributions of the Soil Fauna and Microorganisms and Their Interactions." Geoderma **60**(1-4): 109-118.
- Frostegard, A., E. Baath, et al. (1993). "Shifts in the structure of soil microbial communities in limed forests as revealed by phospholipid fatty acid analysis." Soil Biol. Biochem. **25**(723-730).
- Fukami, T., D. A. Wardle, et al. (2006). "Above- and below-ground impacts of introduced predators in seabird-dominated island ecosystems." Ecology Letters **9**(12): 1299-1307.
- Garbeva, P., van Veen, J.A., van Elsas, J.D. (2004). "Assessment of the diversity, and antagonism towards *Rhizoctonia solani* AG3, of *Pseudomonas* species in soil from different agricultural regimes." FEMS MICROBIOLOGY ECOLOGY **47**(1): 51-64

- Gardi, C., Jeffrey, S. (2009). Soil Biodiversity. Luxembourg, Joint Research Center, European Commission: 27.
- Gardi, C., M. Tomaselli, et al. (2002). "Soil quality indicators and biodiversity in northern Italian permanent grasslands." European Journal of Soil Biology **38**(1): 103-110.
- Garrett, K. A., Dendy, S. P., Frank, E. E., Rouse, M. N., and S. E. Travers (2006). "Climate Change Effects on Plant Disease: Genomes to Ecosystems." Annu. Rev. Phytopathol. **44**: 489-509.
- Germaine, S. S., S. S. Rosenstock, et al. (1998). "Relationships among breeding birds, habitat, and residential development in Greater Tucson, Arizona." Ecological Applications **8**(3): 680-691.
- Giardina, C. P. and M. G. Ryan (2000). "Evidence that decomposition rates of organic carbon in mineral soil do not vary with temperature." Nature **404**(6780): 858-861.
- Giller, P. S. (1996). "The diversity of soil communities, the 'poor man's tropical rainforest'." Biodiversity And Conservation **5**(2): 135-168.
- Gonzalez-Chavez, M. C., Carrillo-Gonzalez, R., Gutierrez-Castorena, M.C. (2009). "Natural attenuation in a slag heap contaminated with cadmium: The role of plants and arbuscular mycorrhizal fungi." Journal of hazardous materials **161**(2-3): 1288-1298.
- Gonzalez, G. (2006). "Earthworms as invasive species in Latin America - the 2nd Latin American meeting on Oligochaeta (Earthworm) ecology and taxonomy." Caribbean Journal of Science **42**(3): 281-284.
- Gordon, H., Haygarth, P.M., Bardgett, R.D. (2008). "Drying and rewetting effects on soil microbial community composition and nutrient leaching." Soil Biology and Biochemistry **40**(2): 302-311.
- Graefe, U. and R. Schmelz (1999). "Tabellarische Zusammenstellung der ökologischen Ansprüche und Lebensformtypen terrestrischer Enchytraeenarten." Newslett. Enchytraeidae **6**: 59-68.
- Grandy, A. S., M. S. Strickland, et al. (2009). "The influence of microbial communities, management, and soil texture on soil organic matter chemistry." Geoderma **150**(3-4): 278-286.
- Grayston, S. J., S. Q. Wang, et al. (1998). "Selective influence of plant species on microbial diversity in the rhizosphere." Soil Biology & Biochemistry **30**(3): 369-378.
- Griffiths, B. S., K. Ritz, et al. (2000). "Ecosystem response of pasture soil communities to fumigation-induced microbial diversity reductions: an examination of the biodiversity-ecosystem function relationship." Oikos **90**(2): 279-294.
- Griffiths, B. S., K. Ritz, et al. (1994). "Nematodes as Indicators of Enhanced Microbiological Activity in a Scottish Organic Farming System." Soil Use and Management **10**(1): 20-24.
- Griffiths, B. S. and I. M. Young (1994). "The Effects of Soil-Structure on Protozoa in a Clay-Loam Soil." European Journal of Soil Science **45**(3): 285-292.
- Grundmann, G. L. and D. Debouzie (2000). "Geostatistical analysis of the distribution of NH<sub>4</sub><sup>+</sup> and NO<sub>2</sub><sup>-</sup>-oxidizing bacteria and serotypes at the millimeter scale along a soil transect." Fems Microbiology Ecology **34**(1): 57-62.

- Guggenberger, G., R. J. Thomas, et al. (1996). "Soil organic matter within earthworm casts of an anecic-endogeic tropical pasture community, Colombia." Applied Soil Ecology **3**(3): 263-274.
- Gunderson, L. H., C. S. Holling, et al. (1997). Resilience of large-scale resource systems. 3rd Workshop on Resilience and the Behavior of Large-Scale Systems, Stockholm, Sweden.
- Hagvar, S. (1998). "The relevance of the Rio-Convention on biodiversity to conserving the biodiversity of soils." Applied Soil Ecology(9): 1-7.
- Halberg, N. (1999). "Indicators of resource use and environmental impact for use in a decision aid for Danish livestock farmers." Agriculture Ecosystems and Environment **76**: 17-30.
- Hannam, I. and B. Boer (2004). Drafting Legislation for Sustainable Soils: A Guide: 52.
- Hansen, A. J., R. L. Knight, et al. (2002). Effects of exurban development on biodiversity: Patterns, mechanisms, and research needs. 87th Annual Meeting of the Ecological-Society-of-America, Tuscon, AZ.
- Harris, R. F. (1980). "Effect of water potential on microbial growth and activity." Water potential relations in soil microbiology Special publication no 9. Soil Society of America, Madison, Wisconsin: 23-95.
- Hassink, J. (1992). "Effects of Soil Texture and Structure on Carbon and Nitrogen Mineralization in Grassland Soils." Biology and Fertility of Soils **14**(2): 126-134.
- Hassink, J., L. A. Bouwman, et al. (1993). "Relationships between Habitable Pore-Space, Soil Biota and Mineralization Rates in Grassland Soils." Soil Biology & Biochemistry **25**(1): 47-55.
- Hawksworth, D. L. (1991). "The Fungal Dimension of Biodiversity - Magnitude, Significance, and Conservation." Mycological Research **95**: 641-655.
- Heckmann, L. H., B. S. Griffiths, et al. (2006). "Consequences for Protaphorura armata (Collembola : Onychiuridae) following exposure to genetically modified Bacillus thuringiensis (Bt) maize and non-Bt maize." Environmental Pollution **142**(2): 212-216.
- Hedde, M., M. Aubert, et al. (2007). "Soil detritivore macro-invertebrate assemblages throughout a managed beech rotation." Annals of Forest Science **64**(2): 219-228.
- Hedde, M., P. Lavelle, et al. (2005). "Specific functional signature in soil macro-invertebrate biostructures." Functional Ecology **19**: 783-795.
- Hedlund, K., I. S. Regina, et al. (2003). "Plant species diversity, plant biomass and responses of the soil community on abandoned land across Europe: idiosyncrasy or above-belowground time lags." Oikos **103**(1): 45-58.
- Heine, O. and O. Larink (1993). "Food and Cast Analyses as a Parameter of Turn-over of Materials by Earthworms (Lumbricus-Terrestris L)." Pedobiologia **37**(4): 245-256.
- Heisler, C. (1991). "Influence of Texture Damage by Mechanical Loads on Species-Diversity of Springtails in Conventional Tillaged Arable Land (Collembola)." Entomologia Generalis **16**(1): 39-52.
- Heisler, C. and E. A. Kaiser (1995). "Influence of Agricultural Traffic and Crop Management on Collembola and Microbial Biomass in Arable Soil." Biology and Fertility of Soils **19**(2-3): 159-165.
- Heisler, C., H. Rogasik, et al. (1998). "Conservation tillage and biological activity." Landbauforschung Volkenrode **48**(4): 199-212.

- Helgason, T., T. J. Daniell, et al. (1998). "Ploughing up the wood-wide web?" *Nature* **394**(6692): 431-431.
- Hendrix, P. F. and R. W. Parmelee (1985). "Decomposition, Nutrient Loss and Microarthropod Densities in Herbicide-Treated Grass Litter in a Georgia Piedmont Agroecosystem." *Soil Biology & Biochemistry* **17**(4): 421-428.
- Hendrix, P. F., A. C. Peterson, et al. (1998). "Long-term effects of earthworms on microbial biomass nitrogen in coarse and fine textured soils." *Applied Soil Ecology* **9**(1-3): 375-380.
- Heywood, V. H., Baste, I. (1995). Introduction. *Global Biodiversity Assessment*. V. H. H. (Ed.). Cambridge, UK, Cambridge University Press: 1–19.
- Hobbs, R. J. and H. A. Mooney (1985). "Community and Population-Dynamics of Serpentine Grassland Annuals in Relation to Gopher Disturbance." *Oecologia* **67**(3): 342-351.
- Hodda, M. and F. R. Wanless (1994). "Nematodes from an English Chalk Grassland - Species Distributions." *Nematologica* **40**(1): 116-132.
- Hoelldobler, B. and E. O. Wilson (1990). "Host Tree Selection by the Neotropical Ant *Paraponera clavata* Hymenoptera Formicidae." *Biotropica* **22**(2): 213-214.
- Holmstrup, M. (2001). "Sensitivity of life history parameters in the earthworm *Aporrectodea caliginosa* to small changes in soil water potential." *Soil Biology & Biochemistry* **33**(9): 1217-1223.
- Holtkamp, R., P. Kardol, et al. (2008). "Soil food web structure during ecosystem development after land abandonment." *Applied Soil Ecology* **39**(1): 23-34.
- Hopkin, S. P. (1997). *Biology of the Springtails*, Oxford, University Press.
- Hopkins, D. W., E. A. Webster, et al. (2001). "Decomposition in soil of tobacco plants with genetic modifications to lignin biosynthesis." *Soil Biology & Biochemistry* **33**(11): 1455-1462.
- Hoppener-Ogawa, S., J. H. J. Leveau, et al. (2009). "Impact of *Collimonas* bacteria on community composition of soil fungi." *Environmental Microbiology* **11**(6): 1444-1452.
- Horz, H. P., A. Barbrook, et al. (2004). "Ammonia-oxidizing bacteria respond to multifactorial global change." *Proceedings of the National Academy of Sciences of the United States of America* **101**(42): 15136-15141.
- Hoschitz, M. and R. Kaufmann (2004). "Soil nematode communities of Alpine summits-site differentiation and microclimatic influences." *Pedobiologia* **48**(4): 313-320.
- Hu, F., H. Li, et al. (1998). "Effect of soil nematode exclusion on wheat growth and its N and P uptake." *Yingyong Shengtai Xuebao* **9**(4): 419-424.
- Hu, S. J., M. K. Firestone, et al. (1999). "Soil microbial feedbacks to atmospheric CO<sub>2</sub> enrichment." *Trends In Ecology & Evolution* **14**(11): 433-437.
- Huber, S., Prokop, G., Arrouays, D., Banko, G., Bispo, A., Jones, R.J.A., Kibblewhite, M.G., Lexer, W., Möller, A., Rickson, R.J., Shishkov, T., Stephens, M., Toth, G. Van den Akker, J.J.H. (2008). *Environmental Assessment of Soil for Monitoring: Volume I, Indicators & Criteria*. Luxembourg, Office for the Official Publications of the European Communities: 339.
- Hudec, B., Kaufmann, C., Landgrebe-Trinkunaite, R. and Naumann, S. (2007). *Evaluation of soil protection aspects in certain programmes of measures adopted by Member States -Final Report*. Study commissioned by the European Commission. , European Commission.

- Hugo, E. A., S. L. Chown, et al. (2006). "The microarthropods of sub-Antarctic Prince Edward Island: a quantitative assessment." *Polar Biology* **30**(1): 109-119.
- Hunt, H. W., D. C. Coleman, et al. (1987). "The Detrital Food Web in a Shortgrass Prairie." *Biology and Fertility of Soils* **3**(1-2): 57-68.
- Hunt, H. W. and D. H. Wall. (2002). "Modelling the effects of loss of soil biodiversity on ecosystem function." *Global Change Biology* **8**: 33-50.
- Huntingford, C., Cox, P.M., Lenton, T.M. (2000). "Contrasting responses of a simple terrestrial ecosystem model to global change" *Ecological Modelling* **134**(1): 41-58.
- Hutchings, M. J., De Kroon, H. (1994). "Foraging in Plants - the Role of Morphological Plasticity in Resource Acquisition." *Advances in Ecological Research, Vol 25* **25**: 159-238.
- Icoz, I. and G. Stotzky (2008). "Fate and effects of insect-resistant Bt crops in soil ecosystems." *Soil Biology & Biochemistry* **40**(3): 559-586.
- IFEN (2005). "Les changements d'occupation des sols de 1990 à 2000 : plus d'artificiel, moins de prairies et de bocages." *Les données de l'environnement*(101): 4.
- Ingham, E. R., D. C. Coleman, et al. (1989). "An analysis of food-web structure and function in a shortgrass prairie, a mountain meadow, and a lodgepole pine forest." *Biol. Fertil. Soils* **8**: 29-37.
- Ingham, R. E. and J. K. Detling (1984). "PLANT-HERBIVORE INTERACTIONS IN A NORTH-AMERICAN MIXED-GRASS PRAIRIE .3. SOIL NEMATODE POPULATIONS AND ROOT BIOMASS ON CYNOMYS-LUDOVICIANUS COLONIES AND ADJACENT UNCOLONIZED AREAS." *Oecologia* **63**(3): 307-313.
- Ingham, R. E., J. A. Trofymow, et al. (1985). "Interactions of Bacteria, Fungi, and Their Nematode Grazers - Effects on Nutrient Cycling and Plant-Growth." *Ecological Monographs* **55**(1): 119-140.
- IPCC (2007). Climate Change 2007: Synthesis Report, IPCC: 52.
- ISO (1997). Soil quality: Determination of soil microbial biomass. Part 2: Fumigation-extraction method, ISO (International Organisation for Standardisation).
- Jaeger, C. H., R. K. Monson, et al. (1999). "Seasonal partitioning of nitrogen by plants and soil microorganisms in an alpine ecosystem." *Ecology* **80**(6): 1883-1891.
- James, C. (2003). "Global review of commercialized transgenic crops." *CURRENT SCIENCE* **84**(3): 303-309.
- Jenkins, M. (2003). "Prospects for biodiversity." *Science* **302**: 1175-1177.
- Jenkinson, D. S., Adams, D. E., Wild, A. (1991). "Model estimates of CO2 emission from soil in response to global warming." *Nature* **351**: 304-306.
- Jimenez, J. J., J. P. Rossi, et al. (2001). "Spatial distribution of earthworms in acid-soil savannas of the eastern plains of Colombia." *Applied Soil Ecology* **17**(3): 267-278.
- Jones, C. G., J. H. Lawton, et al. (1994). "Organisms as Ecosystem Engineers." *Oikos* **69**(3): 373-386.
- Jones, C. V., Lawton, J.H., Shachak, M. (1997). "Positive and negative effects of organisms as physical ecosystem engineers." *Ecology* **78**(7): 1946-1957.

- Jones, R. J. A., Houskova, B., Montanarella, L., and Bullock, P., (2005). *Soil Resources of Europe: second edition.* , European Soil Bureau Montanarella & Bullock (eds)
- Jones, R. J. A., G. Spoor, et al. (2003). "Vulnerability of subsoils in Europe to compaction: a preliminary analysis." *Soil & Tillage Research* **73**(1-2): 131-143.
- Joschko, M., R. Gebbers, et al. (2009). "Location-dependency of earthworm response to reduced tillage on sandy soil." *Soil & Tillage Research* **102**(1): 55-66.
- Jurgensen, M. F., L. Finer, et al. (2008). "Organic mound-building ants: their impact on soil properties in temperate and boreal forests." *Journal of Applied Entomology* **132**(4): 266-275.
- Kainz, M., Auerswald, K., Philipp, C. (1991). Effect of top soil properties on earthworm abundance in representative arable soils. Tagung der Deutschen Bodenkundlichen Gesellschaft, Bayreuth (Germany).
- Kaiser, E. A., T. Müller, et al. (1992). "Evaluation of methods for soil microbial biomass estimation and their relation to soil texture and soil organic matter." *Soil Biol Biochem* **24**: 675-683.
- Kennette, D., W. Hendershot, et al. (2002). "Uptake of trace metals by the earthworm *Lumbricus terrestris* L. in urban contaminated soils." *Applied Soil Ecology* **19**(2): 191-198.
- Kerry, B. R. (2000). "Rhizosphere interactions and the exploitation of microbial agents for the biological control of plant-parasitic nematodes." *Annual Review of Phytopathology* **38**: 423-441.
- Kerry, B. R., and Crump, D. H. (1998). "The dynamics of the decline of the cereal cyst nematode, *Heterodera avenae*, in four soils under intensive cereal production." *Fund. Appl. Nematol* **21**: 617-625.
- Khanna, M. and G. Stotzky (1992). "Transformation Of *Bacillus-Subtilis* By Dna Bound On Montmorillonite And Effect Of Dnase On The Transforming Ability Of Bound Dna." *Applied And Environmental Microbiology* **58**(6): 1930-1939.
- Kibblewhite, M. G., Ritz, K. and Swift, M.J . (2008). "Soil health in agricultural systems." *Phil. Trans. R. Soc. B* (363): 685-701.
- Killham, K. (1994). *Soil Ecology*. Cambridge, UK, Cambridge University Press.
- King, A. W. (1991). Translating models across scales in the landscape. *Quantitative Methods in Landscape Ecology: The Analysis and Interpretation of Landscape Heterogeneity*. M. G. T. a. R. H. Gardner. New York, Springer-Verlag: 479-517.
- Klironomos, J. N. (2002). "Feedback to the soil community contributes to plant rarity and invasiveness in communities." *Nature* **417**: 67-70.
- Klironomos, J. N. (2002). "Feedback with soil biota contributes to plant rarity and invasiveness in communities." *Nature* **417**(6884): 67-70.
- Klok, C., J. Faber, et al. (2007). "Influence of clay content and acidity of soil on development of the earthworm *Lumbricus rubellus* and its population level consequences." *Biology and Fertility of Soils* **43**(5): 549-556.
- Knevel, I. C., T. Lans, et al. (2004). "Release from native root herbivores and biotic resistance by soil pathogens in a new habitat both affect the alien *Ammophila arenaria* in South Africa." *Oecologia* **141**(3): 502-510.

- Koenning, S. R., Walters, S. A., Barker, K. R. (1996). "Impact of Soil Texture on the Reproductive and Damage Potentials of *Rotylenchulus reniformis* and *Meloidogyne incognita* on Cotton." J Nematol. **28**(4): 527-536.
- Konaté, S. (1998). Structure, dynamique et rôle des buttes termitiques dans le fonctionnement d'une savane pre-forestière (Lamto, Côte d'Ivoire). Le termite *Odontotermes* comme ingénieur de l'écosystème. Biology. Paris, University of Paris VI: 245.
- Koopmans, G. F., Chardona, W. J. , Ehlerta, P. A. I., Dolfinga, J., Suursa, R. A. A, Oenemaa O. and van Riemsdijk, W. H. (2004). "Phosphorus Availability for Plant Uptake in a Phosphorus-Enriched Noncalcareous Sandy Soil " J. Environ. Qual. **33**: 965-975.
- Koppenhofer, A. M., H. K. Kaya, et al. (1995). "Infectivity of Entomopathogenic Nematodes (*Rhabditida*, *Steinernematidae*) at Different Soil Depths and Moistures." Journal of Invertebrate Pathology **65**(2): 193-199.
- Korschens, M., A. Weigel, et al. (1998). "Turnover of soil organic matter (SOM) and long-term balances - Tools for evaluating sustainable productivity of soils." Zeitschrift Fur Pflanzenernahrung Und Bodenkunde **161**(4): 409-424.
- Korthals, G. W., P. Smilauer, et al. (2001). "Linking above- and below-ground biodiversity: abundance and trophic complexity in soil as a response to experimental plant communities on abandoned arable land." Functional Ecology **15**(4): 506-514.
- Korthals, G. W., P. Smilauer, et al. (2001). "Linking above- and belowground diversity: abundance and trophic complexity in soil as a response to experimental plant communities on abandoned arable land." Functional Ecology **16**: 506–514.
- Kostel-Hughes, F. (1995). The role of soil seed banks and leaf litter in the regeneration of native and exotic tree species in urban forests. Bronx, New York., Fordham University.
- Kowalchuk, G. A., M. Bruinsma, et al. (2003). "Assessing responses of soil microorganisms to GM plants." Trends in Ecology & Evolution **18**(8): 403-410.
- Kowalchuk, G. A., D. S. Buma, et al. (2002). "Effects of above-ground plant species composition and diversity on the diversity of soil-borne microorganisms." Antonie Van Leeuwenhoek International Journal of General and Molecular Microbiology **81**(1-4): 509-520.
- Krogh, P. H. and B. Griffiths (2007). "ECOGEN - Soil ecological and economic evaluation of genetically modified crops." Pedobiologia **51**(3): 171-173.
- Lal, R. (2004). "Soil carbon sequestration impacts on global climate change and food security." Science **304**(5677): 1623-1627.
- Lal, R. (2005). "Forest soils and carbon sequestration." Forest Ecology and Management **220**: 242–258.
- Lal, R. and J. M. Kimble (1997). "Conservation tillage for carbon sequestration." Nutrient Cycling in Agroecosystems **49**(1-3): 243-253.
- Lattaud, C., P. Mora, et al. (1999). "Enzymatic digestive capabilities in geophagous earthworms - origin and activities of cellulolytic enzymes." Pedobiologia **43**(6): 842-850.
- Lauber, C. L., M. S. Strickland, et al. (2008). "The influence of soil properties on the structure of bacterial and fungal communities across land-use types." Soil Biology & Biochemistry **40**(9): 2407-2415.
- Laura, R. D. (1973). "Effects of Sodium Carbonate on Carbon and Nitrogen Mineralization of Organic-Matter Added to Soil." Geoderma **9**(1): 15-26.

- Laura, R. D. (1976). "Effects of Alkali Salts on Carbon and Nitrogen Mineralization of Organic-Matter in Soil." Plant and Soil **44**(3): 587-596.
- Lavelle, P. (1978). *Les Vers de Terre de la savane de Lamto (Côte d'Ivoire): peuplements, populations et fonctions dans l'écosystème*, Paris VI, Publication du Laboratoire de Zoologie de l'ENS.
- Lavelle, P. (1997). "Faunal activities and soil processes : adaptive strategies that determine ecosystem function." Advances in Ecological Research **27**: 93-132.
- Lavelle, P. (1997). Faunal activities and soil processes: Adaptive strategies that determine ecosystem function. Advances In Ecological Research, Vol 27. **27**: 93-132.
- Lavelle, P. (2002). "Functional domains in soils." Ecological Research **17**(4): 441-450.
- Lavelle, P., D. Bignell, et al. (2004). Vulnerability of ecosystem services at different scales: role of biodiversity and implications for management. . Sustaining Biodiversity and functioning in soils and sediments. D. Wall. New York, Island Press.
- Lavelle, P., D. Bignell, et al. (1997). "Soil function in a changing world: the role of invertebrate ecosystem engineers." European Journal of Soil Biology **33**(4): 159-193.
- Lavelle, P., D. Bignell, et al. (1997). "Soil function in a changing world: the role of invertebrate ecosystem engineers." European Journal of Soil Biology **33**(4): 159-193.
- Lavelle, P., E. Blanchart, et al. (1993). "A Hierarchical Model For Decomposition In Terrestrial Ecosystems - Application To Soils Of The Humid Tropics." Biotropica **25**(2): 130-150.
- Lavelle, P., R. Dugdale, et al. (2005). Nutrient Cycling and Fertility. Millennium Ecosystem Assessment.
- Lavelle, P., C. Lattaud, et al. (1995). "Mutualism And Biodiversity In Soils." Plant And Soil **170**(1): 23-33.
- Lavelle, P., C. Lattaud, et al. (1995). Mutualism and biodiversity in soils. The significance and regulation of soil biodiversity. H. P. Collins, G. P. Robertson and M. J. Klug. Dordrecht, Kluwer Academic Publishers. **63**: 23 - 33.
- Lavelle, P. and A. V. Spain (2001). Soil Ecology. Amsterdam, NL, Kluwer Scientific Publications.
- Le Bayon, R. C. and F. Binet (1999). "Rainfall effects on erosion of earthworm casts and phosphorus transfers by water runoff." Biology and Fertility of Soils **30**(1-2): 7-13.
- Lee, K. E. and R. C. Foster (1991). "Soil fauna and soil structure." Aust. J. Soil Res. **29**: 745-775.
- Leininger, S., Urich, T., Schloter, M., Schwark, L., Qi, J., Nicol, G.W., Prosser, J.I., Schuster, S.C., Schleper, C. (2006). "Archaea predominate among ammonia-oxidizing prokaryotes in soils " Nature **442**(7104): 806-809.
- Levine, J. M., M. Vila, et al. (2003). "Mechanisms underlying the impacts of exotic plant invasions." Proceedings of the Royal Society of London Series B-Biological Sciences **270**(1517): 775-781.
- Liao, C. Z., R. H. Peng, et al. (2008). "Altered ecosystem carbon and nitrogen cycles by plant invasion: a meta-analysis." New Phytologist **177**(3): 706-714.
- Lindenmayer, D. B., Hobbs, R.J. (2004). "Fauna conservation in Australian plantation forests – a review." Biological Conservation(119): 151-168.

- Lipson, D. A. and S. K. Schmidt (2004). "Seasonal changes in an alpine soil bacterial community in the Colorado Rocky Mountains." Applied and Environmental Microbiology **70**(5): 2867-2879.
- Ljungström, P. O. (1972). " Introduced earthworms of South Africa. On their taxonomy, distribution, history of introduction and on the extermination of endemic earthworms." Zool. Jb. Syst., **99**: 1-81.
- Loranger, G. (2001). "Particular humus forms in a tropical semi-evergreen forest of Guadeloupe." Comptes Rendus De L Academie Des Sciences Serie Iii-Sciences De La Vie-Life Sciences **324**(8): 725-732.
- Loranger, G., J. F. Ponge, et al. (1998). "Impact of earthworms on the diversity of microarthropods in a vertisol (Martinique)." Biology And Fertility Of Soils **27**(1): 21-26.
- Loranger, G., J. F. Ponge, et al. (1998). "Influence of agricultural practices on arthropod communities in a vertisol (Martinique)." European Journal Of Soil Biology **34**(4): 157-165.
- Louisier, J. D. and D. Parkinson (1981). "The disappearance of empty tests of litter and soil testate amoebae (Testacea, Rhizopoda, Protozoa)." Arch. Protistenkunde **124**: 312-336.
- Loutan, L., D. B. de Haan, et al. (1997). "The health of asylum seekers: from screening for communicable diseases to post-traumatic disorders." Bulletin De La Societe De Pathologie Exotique **90**(4): 233-237.
- Lovell, R. D., S. C. Jarvis, et al. (1995). "Soil Microbial Biomass And Activity In Long-Term Grassland - Effects Of Management Changes." Soil Biology & Biochemistry **27**(7): 969-975.
- Luck, G. W., Daily G. C. and Ehrlich, P. R. (2003). "Population diversity and ecosystem services." Trends in Ecology and Evolution **18**: 331-336.
- Lukow, T., P. F. Dunfield, et al. (2000). "Use of the T-RFLP technique to assess spatial and temporal changes in the bacterial community structure within an agricultural soil planted with transgenic and non-transgenic potato plants." Fems Microbiology Ecology **32**(3): 241-247.
- Luo, Y., Wan, S., Hui, D., Wallace, L. (2001). "Acclimatization of soil respiration to warming in a tall grass prairie." Nature **413**(622).
- Lynch, J. M., A. Benedetti, et al. (2004). "Microbial diversity in soil: ecological theories, the contribution of molecular techniques and the impact of transgenic plants and transgenic microorganisms." Biology And Fertility Of Soils **40**(6): 363-385.
- Mader, P., A. Fliebbach, et al. (2002). "Soil Fertility and Biodiversity in Organic Farming." Science **296**: 1694.
- Manzoni, S., Porporato, A., Schimel, J.P. (2008). "Soil heterogeneity in lumped mineralization-immobilization models." Soil Biology & Biochemistry **40**: 1137-1148.
- Marchante, E., A. Kjoller, et al. (2008). "invasive *Acacia longifolia* induce changes in the microbial catabolic diversity of sand dunes." Soil Biology & Biochemistry **40**(10): 2563-2568.
- Marchante, E., A. Kjoller, et al. (2008). "Short- and long-term impacts of *Acacia longifolia* invasion on the belowground processes of a Mediterranean coastal dune ecosystem." Applied Soil Ecology **40**(2): 210-217.
- Marinissen, J. C. Y. and J. Bok (1988). "Earthworm-Amended Soil Structure - Its Influence on Collembola Populations in Grassland." Pedobiologia **32**(3-4): 243-252.

- Martin, A. (1991). "Short-Term and Long-Term Effects of the Endogeic Earthworm *Millsonia-Animala* (Omodeo) (Megascolecidae, Oligochaeta) of Tropical Savannas, on Soil Organic-Matter." Biology and Fertility of Soils **11**(3): 234-238.
- McDonnell, M. J., S. T. A. Pickett, et al. (1993). The application of the ecological gradient paradigm to the study of urban effects. 4th Cary Conference on Humans as Components of Ecosystems - The Ecology of Subtle Human Effects and Populated Areas, Millbrook, Ny.
- McGrath, D. A. and M. A. Binkley (2009). "Microstegium vimineum Invasion Changes Soil Chemistry and Microarthropod Communities in Cumberland Plateau Forests." Southeastern Naturalist **8**(1): 141-156.
- McSorley, R. (2003). "Adaptations of nematodes to environmental extremes." Florida Entomologist **86**(2): 138-142.
- MEA (2005). Millenium Ecosystem Assessment: Ecosystems and human well-being: Biodiversity synthesis. Washington, D.C., World Resources Institute.
- MEA, M. E. A. (2005). Ecosystems and Human Well-Being: Policy Responses, Island Press.
- Melillo, J. M., P. A. Steudler, et al. (2002). "Soil warming and carbon-cycle feedbacks to the climate system." Science **298**(5601): 2173-2176.
- Metzke, M., M. Potthoff, et al. (2007). "Effect of reduced tillage systems on earthworm communities in a 6-year organic rotation." European Journal of Soil Biology **43**: S209-S215.
- Miethling, R., G. Wieland, et al. (2000). "Variation of microbial rhizosphere communities in response to crop species, soil origin, and inoculation with *Sinorhizobium meliloti* L33." Microbial Ecology **40**(1): 43-56.
- Migge-Kleian, S., M. A. McLean, et al. (2006). "The influence of invasive earthworms on indigenous fauna in ecosystems previously uninhabited by earthworms." Biological Invasions **8**(6): 1275-1285.
- Mora, P., E. Miambi, et al. (2005). "Functional complement of biogenic structures produced by earthworms, termites and ants in the neotropical savannas." Soil Biology and Biochemistry **37**(6): 1043-1048.
- Moral, R., C. Paredesa, et al. (2009). "Utilisation of manure composts by high-value crops: Safety and environmental challenges." Bioresource Technology.
- Morgan, J. E. and A. J. Morgan (1999). "The accumulation of metals (Cd, Cu, Pb, Zn and Ca) by two ecologically contrasting earthworm species (*Lumbricus rubellus* and *Aporrectodea caliginosa*): implications for ecotoxicological testing." Applied Soil Ecology **13**(1): 9-20.
- Mulder, C., J. E. Cohen, et al. (2005). "Bacterial traits, animals' body mass and numerical abundance in the detrital soil food web of Dutch agricultural grasslands." Ecol. Lett. **8**: 80-90.
- Mulder, C., D. De Zwart, et al. (2003). "Observational and simulated evidence of ecological shifts within the soil nematode community of agroecosystems under conventional and organic farming." Funct. Ecol. **17**: 516-525.
- Mulder, C., J. B. Dijkstra, et al. (2005). "Nonparasitic Nematoda provide evidence for a linear response of functionally important soil biota to increasing livestock density." Naturwissenschaften **92**: 314-318.

- Mulligan, C. N. and M. Kamali (2003). "Bioleaching of copper and other metals from low-grade oxidized mining ores by *Aspergillus niger*." Journal of Chemical Technology and Biotechnology **78**(5): 497-503.
- Murase, J. and P. Frenzel (2008). "Selective grazing of methanotrophs by protozoa in a rice field soil." Fems Microbiology Ecology **65**(3): 408-414.
- Myers, N. (1993). Gaia: An Atlas of Planet Management. New York, Garden City.
- Naeem, S., L. J. Thompson, et al. (1995). "Empirical-Evidence That Declining Species-Diversity May Alter the Performance of Terrestrial Ecosystems." Philosophical Transactions of the Royal Society of London Series B-Biological Sciences **347**(1321): 249-262.
- Nannipieri, P., and Paul, EA (2009). "The chemical and functional characterization of organic N and its biotic components. ." Soil Biol Biochem **in press**.
- Nannipieri, P., J. Ascher, et al. (2003). "Microbial diversity and soil functions." European Journal Of Soil Science **54**(4): 655-670.
- Nannipieri, P. and L. Badalucco (2003). Biological processes. Processes in the Soil "Plant System: Modelling Concepts and Applications
- Nannipieri, P., Kandeler E and Ruggiero P. (2002). Enzyme activities and microbiological and biochemical processes in soil. Enzymes in the Environment. Activity, ecology and Applications. R. G. B. a. R. P. Dick, Marcel Dekker: 1-33.
- Nannipieri, P., Kandeler, E. & Ruggiero, P. (2002). Enzyme activities and microbiological and biochemical processes in soil. . Enzymes in the Environment R. G. B. R. Dick. New York, Marcel Dekker: 1–33.
- Neiryneck, J., S. Mirtcheva, et al. (2000). "Impact of *Tilia platyphyllos* Scop., *Fraxinus excelsior* L., *Acer pseudoplatanus* L., *Quercus robur* L. and *Fagus sylvatica* L. on earthworm biomass and physico-chemical properties of a loamy topsoil." Forest Ecology and Management **133**(3): 275-286.
- Nelson, P. N., J. N. Ladd, et al. (1996). "Decomposition of C-14-labelled plant material in a salt-affected soil." Soil Biology & Biochemistry **28**(4-5): 433-441.
- Neutel, A. M., Heesterbeek, J. A. P., van de Koppel, J., Hoenderboom, G. ,Vos, A. ,Kaldeway, C., Berendse, F., de Ruiter, P. C. (2007). "Reconciling complexity with stability in naturally assembling food webs." Nature **449**(7162): 599-U11.
- Nooren, C. A. M., N. Vanbreemen, et al. (1995). "The Role of Earthworms in the Formation of Sandy Surface Soils in a Tropical Forest in Ivory-Coast." Geoderma **65**(1-2): 135-148.
- Noss, R. (2000). "High-risk ecosystems as foci for considering biodiversity and ecological integrity in ecological risk assessments." Environmental Science & Policy **3**: 321–332.
- Noss, R. F. I. (1990). "Indicators for monitoring biodiversity: a hierarchical approach." Conservation Biology **4**: 355-364.
- Nunan, N., K. Wu, et al. (2002). "In situ spatial patterns of soil bacterial populations, mapped at multiple scales, in an arable soil." Microbial Ecology **44**(4): 296-305.
- Nuutinen, V., J. Pitkanen, et al. (1998). "Spatial variation of an earthworm community related to soil properties and yield in a grass-clover field." Applied Soil Ecology **8**(1-3): 85-94.
- Oger, P., A. Petit, et al. (1997). "Genetically engineered plants producing opines alter their biological environment." Nature Biotechnology **15**(4): 369-372.

- Ogle, S. M., F. J. Breidt, et al. (2002). "Uncertainty in estimating land use and management impacts on soil organic carbon storage for US agricultural lands between 1982 and 1997." Global Change Biology **9**(11): 1521 – 1542.
- Oloff, H., B. Hoorens, et al. (2000). "Small-scale shifting mosaics of two dominant grassland species: the possible role of soil-borne pathogens." Oecologia **125**(1): 45-54.
- Owojori, O. J., Reinecke, A.J., Voua-Otomoa P., Reinecke S.A. (2009). "Comparative study of the effects of salinity on life-cycle parameters of four soil-dwelling species (*Folsomia candida*, *Enchytraeus doerjesi*, *Eisenia fetida* and *Aporrectodea caliginosa*) -Article in press." Pedobiologia.
- Packer, A. and K. Clay (2000). "Soil pathogens and spatial patterns of seedling mortality in a temperate tree." Nature **404**(6775): 278-281.
- Paoletti, M. G. (1999). "The role of earthworms for assessment of sustainability and as bioindicators." Agriculture, Ecosystems and Environment **74**: 137-155.
- Papatheodorou, E. M., M. D. Argyropoulou, et al. (2004). "The effects of large- and small-scale differences in soil temperature and moisture on bacterial functional diversity and the community of bacterivorous nematodes." Applied Soil Ecology **25**(1): 37-49.
- Parisi, V. (2001). "The biological soil quality, a method based on microarthropods." Acta Naturalia de L'Ateneo Parmense **37**: 97–106.
- Parisi, V., C. Menta, et al. (2005). "Microarthropod communities as a tool to assess soil quality and biodiversity: a new approach in Italy." Agriculture Ecosystems & Environment **105**(1-2): 323-333.
- Patz, J. A., P. Daszak, et al. (2004). "Unhealthy landscapes: Policy recommendations on land use change and infectious disease emergence." Environmental Health Perspectives **112**(10): 1092-1098.
- Pavao-Zuckerman, M. A. and D. C. Coleman (2007). "Urbanization alters the functional composition, but not taxonomic diversity, of the soil nematode community." Applied Soil Ecology **35**(2): 329-339.
- Peigne, J., Cannavaciolo, M., Gautronneau, Y., Aveline, A., Giteau, J.L., Cluzeau, D. (2009). "Earthworm populations under different tillage systems in organic farming." Soil & Tillage Research(104): 207-214.
- Pelosi, C., M. Bertrand, et al. (2009). "Earthworm community in conventional, organic and direct seeding with living mulch cropping systems." Agronomy for Sustainable Development **29**(2): 287-295.
- Perotto, S., E. ActisPerino, et al. (1996). "Molecular diversity of fungi from ericoid mycorrhizal roots." Molecular Ecology **5**(1): 123-131.
- Petal, J., K. Chmielewski, et al. (2003). "Biological and chemical properties of fen soils affected by anthills of *Myrmica* spp." Polish Journal of Ecology **51**(1): 67-78.
- Petersen H and M. Luxton (1982). "A comparative analysis of soil fauna populations and their role in decomposition processes." Oikos **39**(3): 287-388.
- Pfiffner, L. and P. Mader (1997). "Effects of biodynamic, organic and conventional production systems on earthworm populations." Biological Agriculture & Horticulture **15**(1-4): 3-10.
- Philipson, J., R. Abel, et al. (1976). "Earthworms and the factors governing their distribution in an English beechwood." Pedobiology **16**: 258-285.

- Pietramellara, G., Ascher, J., Borgogni, F., Ceccherini, M. T., Guerri, G. , Nannipieri, P. (2009). "Extracellular DNA in soil and sediment: fate and ecological relevance " Biology and Fertility of Soils **45**(3).
- Pimentel, D. (2005). "Environmental and economic costs of the application of pesticides primarily in the United States." Environment Development and Sustainability **7**(2): 229-252.
- Pimentel, D., C. Harvey, et al. (1995). "Environmental and Economic Costs of Soil Erosion and Conservation Benefits." Science (Washington D C) **267**(5201): 1117-1123.
- Pimentel, D., Wilson, C., McCullum, C., Huang, R., Dwen, P., Flack, J., Tran, Q., Saltman, T. and Cliff, B.: 1997, 'Economic and environmental benefits of biodiversity', Bioscience **47**(11), 747–757.
- Pimentel, D. and N. Kounang (1998). "Ecology of soil erosion in ecosystems." Ecosystems **1**(5): 416-426.
- Pouyat, R. V., M. J. McDonnell, et al. (1995). "Soil characteristics in oak stands along an urban-rural land use gradient." Journal of Environmental Quality **24**: 516–526.
- Poveda, K., I. Steffan-Dewenter, et al. (2003). "Effects of below- and above-ground herbivores on plant growth, flower visitation and seed set." Oecologia **135**(4): 601-605.
- Powell , J. R., Levy-Booth, D.J., Gulden, R.H., Asbil, W.L., Campbell, R.G., Dunfield, K.E., Hamill, A.S., Hart, M.M., Lerat, S., Nurse R.E., Pauls, K.P., Sikkema, P.H., Swanton, C.J., Trevors, J.T. and Klironomos, J.N. (2009). "Effects of genetically modified, herbicide-tolerant crops and their management on soil food web properties and crop litter decomposition." Journal of Applied Ecology **46**(2): 388 - 396.
- Prado, A., Airoldi, C. (1999). "The influence of moisture on microbial activity of soils " Thermochimica Acta **332**(1): 71-74.
- Pritekel, C., A. Whittemore-Olson, et al. (2006). "Impacts from invasive plant species and their control on the plant community and belowground ecosystem at Rocky Mountain National Park, USA." Applied Soil Ecology **32**(1): 132-141.
- Pulleman, M. M., J. Six, et al. (2005). "Soil organic matter distribution and microaggregate characteristics as affected by agricultural management and earthworm activity." European Journal of Soil Science **56**(4): 453-467.
- Purin, S., Rillig, M.C. (2007). "The arbuscular mycorrhizal fungal protein glomalin: Limitations, progress, and a new hypothesis for its function." Pedobiologia **51**(2): 123-130.
- Rantalainen, M. L., J. Haimi, et al. (2008). "Soil decomposer community as a model system in studying the effects of habitat fragmentation and habitat corridors." Soil Biology & Biochemistry **40**(4): 853-863.
- Ratsak, C. H., K. A. Maarsen, et al. (1996). "Effects of protozoa on carbon mineralization in activated sludge." Water Research **30**(1): 1-12.
- Reinhart, M. and N. Dollahon (2003). "Responses of coelomocytes from Lumbricus terrestris to native and non-native eukaryotic parasites." Pedobiologia **47**(5-6): 710-716.
- Reus, J., P. Leenderste, et al. (1999). Comparing Environmental Risk Indicators for Pesticides. Results of the European CAPER project. Utrecht, Centre for Agriculture and Environment.

- Rietz, D. N. and R. J. Haynes (2003). "Effects of irrigation-induced salinity and sodicity on soil microbial activity." Soil Biology & Biochemistry **35**(6): 845-854.
- Rillig, M. C. (2004). "Arbuscular mycorrhizae, glomalin, and soil aggregation." Canadian Journal of Soil Science **84**(4): 355-363.
- Ritz, K., B. S. Griffiths, et al. (1997). "Analysis of soil and bacterioplankton community DNA by melting profiles and reassociation kinetics." Fems Microbiology Letters **149**(2): 151-156.
- Robertson, G. P. and D. W. Freckman (1995). "The Spatial-Distribution of Nematode Trophic Groups across a Cultivated Ecosystem." Ecology **76**(5): 1425-1432.
- Robertson, G. P., K. M. Klingensmith, et al. (1997). "Soil resources, microbial activity, and primary production across an agricultural ecosystem." Ecological Applications **7**(1): 158-170.
- Robidoux, P. Y. and C. E. Delisle (2001). "Ecotoxicological evaluation of three deicers (NaCl, NaFo, CMA) - Effect on terrestrial organisms." Ecotoxicology and Environmental Safety **48**(2): 128-139.
- Robinson, A. F., C. C. Orr, et al. (1979). "Behavioral response of *Nothanguina phyllobia* to selected plant species." Journal of Nematology **11**(1): 73-77.
- Rodriguez-Echeverria, S., J. A. Crisostomo, et al. (2009). "Belowground mutualists and the invasive ability of *Acacia longifolia* in coastal dunes of Portugal." Biological Invasions **11**(3): 651-661.
- Rombke, J., A. M. Breure, et al. (2005). "Legislation and ecological quality assessment of soil: implementation of ecological indication systems in Europe." Ecotoxicology and Environmental Safety **62**(2): 201-210.
- Römbke, v. J. (1997). "Taxonomische Probleme in der terrestrischen Okotoxikologie (Laborebene)." Abh.Ber.Naturkundemus Görlitz **69**(2): 33-44.
- Rose, C. J. and A. W. Woods (1980). "Some environmental factors affecting earthworm populations and sweet potato production in the Tari Basin, Papua New Guinea." Papua New Guinea Agricultural Journal(31): 1-13.
- Rose, J. B., P. R. Epstein, et al. (2001). "Climate variability and change in the United States: Potential impacts on water- and foodborne diseases caused by microbiologic agents." Environmental Health Perspectives **109**: 211-221.
- Rossi, J. P., P. Lavelle, et al. (1997). "Relationships between spatial pattern of the endogeic earthworm *Polypheretima elongata* and soil heterogeneity." Soil Biology & Biochemistry **29**(3-4): 485-488.
- Rowntree, P. R., Callander, B.A., Cochrane J. (1991). "Modelling climate change and some potential effects on agriculture in the UK." Journal of the Royal Agricultural Society of England(152): 153-170.
- Roy, S. and M. M. Roy (2006). "Spatial distribution and seasonal abundance of soil mites and collembola in grassland and *Leucaena* plantation in a semi-arid region." Tropical Ecology **47**(1): 57-62.
- Ruess, L., A. Michelsen, et al. (1999). "Simulated climate change affecting microorganisms, nematode density and biodiversity in subarctic soils." Plant and Soil **212**(1): 63-73.
- Ruf, A., L. Beck, et al. (2003). "A biological classification concept for the assessment of soil quality: "biological soil classification scheme (BBSK)"." Agriculture, Ecosystems & Environment **98**: 263-271.

- Ruiz Camacho, N. (2004). "Mise au point d'un système de bio-indication de la qualité du sol basé sur l'étude des peuplements de macro-invertébrés." Ecology: 270.
- Rutgers, M., A. J. Schouten, et al. (2009). "Biological measurements in a nationwide soil monitoring network." European Journal of Soil Science: 1-13.
- Saby, N. P. A., P. H. Bellamy, et al. (2008). "Will European soil-monitoring networks be able to detect changes in topsoil organic carbon content?" Global Change Biology **14**(10): 2432-2442.
- Saetre, P. and E. Baath (2000). "Spatial variation and patterns of soil microbial community structure in a mixed spruce-birch stand." Soil Biology & Biochemistry **32**(7): 909-917.
- Sarig, S., E. B. Roberson, et al. (1993). "Microbial Activity Soil-Structure - Response to Saline Water Irrigation." Soil Biology & Biochemistry **25**(6): 693-697.
- Schadt, C. W., A. P. Martin, et al. (2003). "Seasonal dynamics of previously unknown fungal lineages in tundra soils." Science **301**(5638): 1359-1361.
- Schaefer, M. and J. Schauermaun (1990). "The soil fauna of beech forests: comparison between a mull and a moder soil." Pedobiologia **34**: 299-314.
- Scheu, S. (1987). "Microbial Activity and Nutrient Dynamics in Earthworm Casts (Lumbricidae)." Biology and Fertility of Soils **5**(3): 230-234.
- Scheu, S. (1992). "Automated Measurement of the Respiratory Response of Soil Microcompartments - Active Microbial Biomass in Earthworm Feces." Soil Biology & Biochemistry **24**(11): 1113-1118.
- Scheu, S. (2001). "Plants and generalist predators as links between the below-ground and above-ground system." Basic and Applied Ecology **2**(1): 3-13.
- Schils, R., Kuikman, P., Liski, J. (2008). Review of existing information on the interrelations between soil and climate change: 205.
- Schimel, J. P., Bennett, J. (2004). "Nitrogen mineralization: challenges of a changing paradigm. ." Ecology **85**: 591-602.
- Scholes, R. J. and R. Biggs (2005). "A biodiversity intactness index." Nature **434**: 45-49.
- Scholte, K., Veenbaasrijs, J.W., Labruyere, R.E. (1985). "Potato growing in short rotations and the effect of streptomyces spp.colletotrichum-coccodes, fusarium-tabacinum and verticillium-dahliae on plant-growth and tuber yield " Potato research **28**(3): 331-348.
- Schouten, A. J., L. Brussaard, et al. (1997). An indicator system for life support functions of the soil related to biodiversity. RIVM, Bilthoven.
- Seifert, E. K., J. D. Bever, et al. (2009). "Evidence for the evolution of reduced mycorrhizal dependence during plant invasion." Ecology **90**(4): 1055-1062.
- Semenzin, E., A. Critto, et al. (2009). "Ecosystem Impairment Evaluation on Biodiversity and Functional Diversity for Contaminated Soil Assessment." Integrated Environmental Assessment and Management **5**(3): ISSN 1551-3777(print)|1551-3793(electronic).
- Senapati, B. K., Lavelle, P., Panigrahi, P.K., Giri, S., Brown, G.G. (2000). Case Studies and Practices for Improved Soil Biological Management: Case 1 - Restoring soil fertility and enhancing productivity in Indian tea plantations with earthworms and organic fertilizers. L. a. W. d.-S. B. P. FAO. Roma.

- Setälä, H. (1990). Effects of soil fauna on decomposition and nutrient dynamics in coniferous forest soil. Jyväskylä, Finland, University of Jyväskylä.
- Setälä H, Haimi J, et al. (1988). "A microcosm study on the respiration and weight loss in birch litter and raw humus as influenced by soil fauna." Biol. Fertil. Soils **5**: 282-287.
- Setälä, H., J. Haimi, et al. (1988). "A microcosm study on the respiration and weight-loss in birch litter and raw humus as influenced by soil fauna." Biology and Fertility of Soils **5**(4): 282-287.
- Setälä, H. and V. Huhta (1991). "Soil fauna increase betula-pendula growth - laboratory experiments with coniferous forest floor." Ecology **72**(2): 665-671.
- Setälä, H., E. Martikainen, et al. (1990). "Effects of soil fauna on leaching of nitrogen and phosphorus from experimental systems simulating coniferous forest floor." Biology and Fertility of Soils **10**(3): 170-177.
- Setälä, H., M. Tynnismäa, et al. (1991). "Mineralization of C, N and P in Relation to Decomposer Community Structure in Coniferous Forest Soil." Pedobiologia **35**(5): 285-296.
- Shipitalo M J and Protz R (1989). "Chemistry and micromorphology of aggregation in earthworm casts." Geoderma **45**: 357-374.
- Siegrist, S., D. Schaub, et al. (1998). "Does organic agriculture reduce soil erodibility? The results of a long-term field study on loess in Switzerland." Agriculture Ecosystems & Environment **69**(3): 253-264.
- Siepel, H. (1996). "Biodiversity of soil microarthropods: The filtering of species." Biodiversity and Conservation **5**(2): 251-260.
- Sinclair, B. J., M. B. Scott, et al. (2006). "Determinants of terrestrial arthropod community composition at Cape Hallett, Antarctica." Antarctic Science **18**(3): 303-312.
- Singer, A. C., Jurya, W., Luepromchaia, E., Yahng, C.-S., Crowley, D.E. (2001). "Contribution of earthworms to PCB bioremediation." Soil Biology & Biochemistry **33**: 765-776.
- Six, J., H. Bossuyt, et al. (2004). "A history of research on the link between (micro)aggregates, soil biota, and soil organic matter dynamics." Soil & Tillage Research **79**(1): 7-31.
- Sjursen, H. and M. Holmstrup (2004). "Cold and drought stress in combination with pyrene exposure: studies with *Protaphorura armata* (Collembola : Onychiuridae)." Ecotoxicology and Environmental Safety **57**(2): 145-152.
- Smith, J., S. Potts, et al. (2008). "The value of sown grass margins for enhancing soil macrofaunal biodiversity in arable systems." Agriculture Ecosystems & Environment **127**(1-2): 119-125.
- Smith, J. L., J. J. Halvorson, et al. (2002). "Soil properties and microbial activity across a 500 m elevation gradient in a semi-arid environment." Soil Biology & Biochemistry **34**(11): 1749-1757.
- Smith, R. S., Shiel, R. S., Bardgett, R. D., Millward, D., Corkhill, P., Evans, P., Quirk, H., Hobbs, P. J., Kometa, S. T. (2008). "Long-term change in vegetation and soil microbial communities during the phased restoration of traditional meadow grassland." J. Appl. Ecol. **45**(2): 670-679.
- Sochová, I., Hofman, J., Holoubek, I. (2007). "Effects of seven organic pollutants on soil nematode *Caenorhabditis elegans*." Environment International **33**: 798-804.

- SoCo (2009). Final Report of the Project 'Sustainable Agriculture and Soil Conservation'.
- Song, Y., Zhu, L.S., Wang, J., Wang, J.H., Liu, W. Xie, H. (2009). "DNA damage and effects on antioxidative enzymes in earthworm (*Eisenia foetida*) induced by atrazine." Soil Biology and Biochemistry **41**(5).
- Sorvari, J., L. M. Rantala, et al. (2007). "Heavy metal pollution disturbs immune response in wild ant populations." Environmental Pollution **145**: 324-328.
- Sowerby, A., B. A. Emmett, et al. (2008). "Contrasting effects of repeated summer drought on soil carbon efflux in hydric and mesic heathland soils." Global Change Biology **14**(10): 2388-2404.
- Spain, A. V. and J. G. Mclvor (1988). "The Nature of Herbaceous Vegetation Associated with Termitaria in Northeastern Australia." Journal of Ecology **76**(1): 181-191.
- Sparling, G. P. (1997). Soil microbial biomass, activity and nutrient cycling as indicators of soil health Wallingford ; New York (USA), CAB International.
- Spurgeon, D. J. and S. P. Hopkin (1996). "The effects of metal contamination on earthworm populations around a smelting works: Quantifying species effects." Applied Soil Ecology **4**(2): 147-160.
- Spurgeon, D. J. and S. P. Hopkin (1999). "Comparisons of metal accumulation and excretion kinetics in earthworms (*Eisenia fetida*) exposed to contaminated field and laboratory soils." Applied Soil Ecology **11**(2-3): 227-243.
- Stanton, N. L. (1988). "The underground in grasslands." Annual Review of Ecology and Systematics **19**: 573-589.
- Stinson, K. A., S. A. Campbell, et al. (2006). "Invasive plant suppresses the growth of native tree seedlings by disrupting belowground mutualisms." Plos Biology **4**(5): 727-731.
- Stotzky, G. (1997). Soil as an environment for microbial life. Modern Soil Microbiology.
- Strong, D. T., H. De Wever, et al. (2004). "Spatial location of carbon decomposition in the soil pore system." European Journal of Soil Science **55**(4): 739-750.
- Sturz, A. V. and J. Kimpinski (1999). "Effects of fosthiazate and aldicarb on populations of plant-growth-promoting bacteria, root-lesion nematodes and bacteria feeding nematodes in the root zone of potatoes." Plant Pathology **48**(1): 26-32.
- Swift M J, Heal O W, et al. (1979). Decomposition in terrestrial ecosystems. Oxford, Blackwell Scientific.
- Swift, M. J., A. M. N. Izac, et al. (2004). "Biodiversity and ecosystem services in agricultural landscapes - are we asking the right questions?" Agriculture Ecosystems & Environment **104**(1): 113-134.
- Taubes, G. (2008). "The bacteria fight back." Science **321**(5887): 356-361.
- TGD (2003). Technical Guidance Document on Risk Assessment in support of Commission Directive 93/67/EEC on risk assessment of new notified substances, Commission Regulation (EC) No 1488/94 on risk assessment for existing substances and Directive 98/8/EC of the European Parliament and of the Council concerning the placing of biocidal products on the market. , European Commission Joint Research Centre.
- Thurston, G. S., Y. S. Ni, et al. (1994). "Influence of Salinity on Survival and Infectivity of Entomopathogenic Nematodes." Journal of Nematology **26**(3): 345-351.

- Tiessen, H., E. Cuevas, et al. (1994). "The role of soil organic matter in sustaining soil fertility." Nature **371**(6500): 783-785.
- Tilman, D. and J. A. Downing (1994). "Biodiversity and Stability in Grasslands." Nature **367**(6461): 363-365.
- Tilman, D., J. Fargione, et al. (2001). "Forecasting agriculturally driven global environmental change." Science **292**(5515): 281-284.
- Tiwari, S. C., Tiwari B. K. and Mishra R. R. (1987). "The influence of moisture regimes on the population and activity of soil microorganisms." Plant and Soil **101**(1): 133-136.
- Torsvik, V. and L. Ovreas (2002). "Microbial diversity and function in soil: from genes to ecosystems." Current Opinion In Microbiology **5**(3): 240-245.
- Torsvik, V., L. Ovreas, et al. (2002). "Prokaryotic diversity - Magnitude, dynamics, and controlling factors." Science **296**(5570): 1064-1066.
- Toutain, F., G. Villemin, et al. (1982). "Ultrastructural-Study of Processes of Biodegradation .2. Model Enchytraeids-Foliage Litter." Pedobiologia **23**(2): 145-156.
- Tsukamoto, J., Sabang, J. (2005). "Soil macro-fauna in an Acacia mangium plantation in comparison to that in a primary mixed dipterocarp forest in the lowlands of Sarawak, Malaysia." Pedobiologia(49): 69-80.
- Tugel, A., Lewandowski, A., Happe-vonArb, D. (2000). Soil Biology Primer. I. S. a. W. C. S. Rev. ed. Ankeny.
- Turrini, A., Sbrana, C., Giovannetti, M. (2008). Experimental Systems to Monitor the Impact of Transgenic Corn on Keystone Soil Microorganisms. 16th IFOAM Organic World Congress. Modena, Italy.
- UNEP/CBD (2007). In-depth review of the programme of work on agricultural biodiversity - Note by the Executive Secretary., UNEP.
- Van der Putten, W. H. (2003). "Plant defense belowground and spatiotemporal processes in natural vegetation." Ecology **84**(9): 2269-2280.
- van der Putten, W. H., R. Cook, et al. (2006). Nematode interactions in nature: Models for sustainable control of nematode pests of crop plants? Advances In Agronomy, Vol 89. San Diego, Elsevier Academic Press Inc. **89**: 227-260.
- van der Putten, W. H., J. N. Klironomos, et al. (2007). "Microbial ecology of biological invasions." Isme Journal **1**(1): 28-37.
- van der Putten, W. H., G. A. Kowalchuk, et al. (2007). "Soil feedback of exotic savanna grass relates to pathogen absence and mycorrhizal selectivity." Ecology **88**(4): 978-988.
- Van der Putten, W. H. and C. D. Van der Stoel (1998). "Plant parasitic nematodes and spatio-temporal variation in natural vegetation." Applied Soil Ecology **10**(3): 253-262.
- Van der Putten, W. H., C. Van Dijk, et al. (1993). "Plant-specific soil-borne diseases contribute to succession in foredune vegetation." Nature **362**(6415): 53-56.
- Van der Putten, W. H., L. E. M. Vet, et al. (2001). "Linking above- and belowground multitrophic interactions of plants, herbivores, pathogens and their antagonists." Trends in Ecology and Evolution **16**: 547-554.
- Van der Putten, W. H., G. W. Yeates, et al. (2005). "Invasive plants and their escape from root herbivory: a worldwide comparison of the root-feeding nematode communities of the

- dune grass *Ammophila arenaria* in natural and introduced ranges." Biological Invasions **7**(4): 733-746.
- Van der Stoel, C. D. and W. H. Van der Putten (2006). "Dispersal strategy of cyst nematodes (*Heterodera arenaria*) in the plant root zone of mobile dunes and consequences for emergence, survival and reproductive success." Applied Soil Ecology **34**(2-3): 176-183.
- van der Wal, A., J. A. van Veen, et al. (2006). "Fungal biomass development in a chronosequence of land abandonment." Soil Biology & Biochemistry **38**(1): 51-60.
- van Elsas, J. D., A. Speksnijder, et al. (2008). "A procedure for the metagenomics exploration of disease-suppressive soils." Journal of Microbiological Methods **75**(3): 515-522.
- Van Grunsven, R. H. A., W. H. Van der Putten, et al. (2009). "Plant-soil interactions change along a range expansion gradient." Global Change Biology (in press): 1050-1057.
- van Grunsven, R. H. A., W. H. van der Putten, et al. (2007). "Reduced plant-soil feedback of plant species expanding their range as compared to natives." Journal Of Ecology **95**(5): 1050-1057.
- van Straalen, N. M. (1998). "Evaluation of bioindicator systems derived from soil arthropod communities." Applied Soil Ecology **9**(1-3): 429-437.
- Van Straalen, N. M. and H. A. Verhoeff (1997). "The development of a bioindicator system for soil acidity based on arthropod pH preferences." J. Appl. Ecol. **34**: 217-232.
- Van Veen, J. A. and P. J. Kuikman (1990). "Soil Structural Aspects of Decomposition of Organic Matter by Microorganisms." Biogeochemistry (Dordrecht) **11**(3): 213-234.
- Vannier, G. (1994). "The Thermobiological Limits of Some Freezing Intolerant Insects - the Supercooling and Thermostupor Points." Acta Oecologica-International Journal of Ecology **15**(1): 31-42.
- Velasquez, E., P. Lavelle, et al. (2007). "GIQS: a multifunctional indicator of soil quality." Soil Biol. Biochem. **39**: 3066-3080.
- Vercesi, M. L., P. H. Krogh, et al. (2006). "Can *Bacillus thuringiensis* (Bt) corn residues and Bt-corn plants affect life-history traits in the earthworm *Aporrectodea caliginosa*?" Applied Soil Ecology **32**(2): 180-187.
- Virginia, R. A., W. M. Jarrell, et al. (1992). "Soil biota and soil properties in the surface rooting zone of mesquite (*Prosopis glandulosa*) in historical and recently desertified chihuahuan desert habitats." Biology and Fertility of Soils **14**(2): 90-98.
- Vogelsang, K. M. and J. D. Bever (2009). "Mycorrhizal densities decline in association with nonnative plants and contribute to plant invasion." Ecology **90**(2): 399-407.
- Volz, H. (1962). "Beiträge zu einer pedozoologischen Standortslehre." Pedobiology **1**: 242-290.
- Vos, P., Meelis, E., Terkeurs, W.J. (2000). "A framework for the design of ecological monitoring programs as a tool for environmental and nature management." Environmental Monitoring and Assessment **61**: 317-344.
- Waid, J. S. (1999). "Does soil biodiversity depend upon metabiotic activity and influences? ." Applied Soil Ecology **13**(2): 151-158.
- Waite, I. S., A. G. O'Donnell, et al. (2003). "Design and evaluation of nematode 18S rDNA primers for PCR and denaturing gradient gel electrophoresis (DGGE) of soil community DNA." Soil Biol. Biochem. **35**: 1165-1173.

- Wall, D. H. and R. A. Virginia (1999). "Controls on soil biodiversity: insights from extreme environments." Applied Soil Ecology **13**(2): 137-150.
- Wall, D. H., R. A. Virginia, et al. (2000). "The world beneath our feet: soil biodiversity and ecosystem functioning." Nature and human society: the quest for a sustainable world. Proceedings of the 1997 Forum on Biodiversity.: 225-241.
- Ward, N. L. and G. J. Masters (2007). "Linking climate change and species invasion: an illustration using insect herbivores." Global Change Biology **13**(8): 1605-1615.
- Wardle, D. A. (2002). Communities and ecosystems - Linking the aboveground and belowground components. Princeton university Press.
- Wardle, D. A. (2002). Communities and ecosystems: linking the aboveground and belowground components. Princeton, Princeton University Press.
- Wardle, D. A., R. D. Bardgett, et al. (2004). "Ecological linkages between aboveground and belowground biota." Science **304**(5677): 1629-1633.
- Wardle, D. A., K. I. Bonner, et al. (1999). "Plant removals in perennial grassland: Vegetation dynamics, decomposers, soil biodiversity, and ecosystem properties." Ecological Monographs **69**(4): 535-568.
- Wardle, D. A., G. W. Yeates, et al. (2001). "Impacts of ground vegetation management strategies in a kiwifruit orchard on the composition and functioning of the soil biota." Soil Biology & Biochemistry **33**(7-8): 893-905.
- Wasilewska, L. (1994). "The effect of age of meadows on succession and diversity in soil nematode communities." Pedobiologia **38**(1): 1-11.
- Watt, A., Fuller, R., Chamberlain, D., van Swaay, C., Scheidegger, C., Stofer, S., Fernandez-Gonzalez, F., Niemela, J., Lavelle, P., Dubs, F., Sousa, J.P., Koch, B., Ivits, E., Sanz, P.G., Bolger, T., Korsos, Z., Vanbergen, A. (2004). Biodiversity assessment—final report of the BioAssess project, Submitted to Research DG DI-2 Biodiversity and Global Change.
- Weinert, N., Meincke, R., Gottwald, C., Radl, V., Dong, X., Schloter, M., Berg, G. and Smalla K. (2009). "Effects of genetically modified potatoes with increased zeaxanthin content on the abundance and diversity of rhizobacteria with in vitro antagonistic activity do not exceed natural variability among cultivars " Plant and Soil.
- Weller, D. M., Thomashow, L.S. and Cook, R.J. (1995). Biological control of soil-borne pathogens of wheat: benefits, risks and current challenges. Biological Control: Benefits and Risks. H. M. a. L. Hokkanen, J.M. , Cambridge University Press,. **4**: 149-160.
- Whalley, W. R., E. Dumitru, et al. (1995). "Biological Effects of Soil Compaction." Soil & Tillage Research **35**(1-2): 53-68.
- White, J. D. and S. W. Running (1994). "Testing scale dependent assumptions in regional ecosystems simulations." Journal of Vegetation Science **5**: 687-702.
- Whitman, W. B., D. C. Coleman, et al. (1998). "Prokaryotes: The unseen majority." Proceedings of the National Academy of Sciences of the United States of America **95**(12): 6578-6583.
- Whittaker, J. B., Tribe N.P. (1996). "An altitudinal transect as an indicator of responses of a spittlebug (Auchenorrhyncha: Cercopidae) to climate change. ." European Journal of Entomology(93): 319-324.
- Williamson, M. (1996). Biological invasions. London, Chapman and Hall.

- Wilson, E. O. and B. Holldobler (2005). "The rise of the ants: A phylogenetic and ecological explanation." Proceedings of the National Academy of Sciences of the United States of America **102**(21): 7411-7414.
- Wolters, V. (2001). "Biodiversity of soil animals and its function." European Journal Of Soil Biology **37**(4): 221-227.
- Wong, V. N. L., R. C. Dalal, et al. (2008). "Salinity and sodicity effects on respiration and microbial biomass of soil." Biology and Fertility of Soils **44**(7): 943-953.
- Woodman, J. D., Baker, G.H., Evans, T.A., Colloff, M.J., and Andersen A.N. (2008). Soil biodiversity and ecology. Canberra, Natural Heritage Trust: 127.
- Woodward, F. I., Bardgett, R.D., Raven, J.A., Hetherington, A.M. (2009). "Biological Approaches to Global Environment Change Mitigation and Remediation." Current Biology **19**(14): R615-R623.
- Wurst, S., D. Dugassa-Gobena, et al. (2004). "Combined effects of earthworms and vesicular-arbuscular mycorrhizas on plant and aphid performance." New Phytologist **163**(1): 169-176.
- Wurst, S., R. Langel, et al. (2005). "Do endogeic earthworms change plant competition? A microcosm study." Plant and Soil **271**(1-2): 123-130.
- Yair, A. (1995). "Short and Long-Term Effects of Bioturbation on Soil-Erosion, Water-Resources and Soil Development in an Arid Environment." Geomorphology **13**(1-4): 87-99.
- Yang, X. E., Long, X.X., Ye, H.B., He, Z.L., Calvert, D.V., Stofella, P.J. (2004). "Cadmium tolerance and hyperaccumulation in a new Zn-hyperaccumulating plant species (*Sedum alfredii* Hance). ." Plant Soil(259): 181-189.
- Yeates, G. W. (1999). "Effects of plants on nematode community structure." Annual Review of Phytopathology **37**: 127-149.
- Yeates, G. W. (2003). "Nematodes as soil indicators: functional and biodiversity aspects." Biol. Fertil. Soils **37**: 199-210.
- Yeates, G. W. (2009). Plant nematodes: methodology, morphology, systematics, biology and ecology BRILL.
- Yeates, G. W., R. D. Bardgett, et al. (1997). "Faunal and microbial diversity in three Welsh grassland soils under conventional and organic management regimes." Journal Of Applied Ecology **34**(2): 453-470.
- Yeates, G. W., D. A. Wardle, et al. (1999). "Responses of soil nematode populations, community structure, diversity and temporal variability to agricultural intensification over a seven-year period." Soil Biology & Biochemistry **31**(12): 1721-1733.
- Young, I. M., E. Blanchart, et al. (1998). "The interaction of soil biota and soil structure under global change." Global Change Biology **4**(7): 703-712.
- Young, I. M. and J. W. Crawford (2004). "Interactions and self-organisation in the soil-microbe complex." Science **304**: 1634-1637.
- Zak, D. R., K. S. Pregitzer, et al. (2000). "Atmospheric CO<sub>2</sub> and the composition and function of soil microbial communities." Ecological Applications **10**(1): 47-59.

