

Notifications of the co-ordinated programme (specific exercise) to the European Commission for mandarin

Reporting country: EU+Norway

Year of sampling: 1997

	in %		in %
Number of samples analysed:	1037	With residues above MRL:	19 1,8
Without detectable residues:	305 29,4	With residues above EC-MRL:	18 1,7
With residues at or below MRL:	713 68,8	With residues above national MRL:	1 0,1

Product group:

Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1.0	2.0	5.0	10.0	20.0	50.0				
Acephate	880	878		0	0	0	1	0	1	0	0	0	0	0	0	0,50	0	1,00	E
Carbendazim(****)	576	531		0	0	4	7	11	14	4	3	2	0	0	0	2,14	0	5,00	E
Chlorothalonil	958	957		0	0	0	1	0	0	0	0	0	0	0	0	0,10	1	0,01	E
Chlorpyrifos	1005	771		12	22	43	90	47	19	1	0	0	0	0	0	0,68	10	0,30	E
DDT	876	876		0	0	0	0	0	0	0	0	0	0	0	0		0	0,05	E
Diazinon	957	939		0	4	6	3	3	2	0	0	0	0	0	0	0,43	0	0,50	E
Endosulfan	962	948		2	1	4	0	5	2	0	0	0	0	0	0	0,28	0	1,00	E
Iprodione	934	932		0	0	0	1	1	0	0	0	0	0	0	0	0,16	2	0,02	E
Metalaxyl	858	836		0	0	0	0	1	3	6	9	3	0	0	0	3,08	0		N
Methamidophos	883	882		0	1	0	0	0	0	0	0	0	0	0	0	0,02	0	0,20	E
Methidathion	993	667		4	12	32	62	63	100	46	7	0	0	0	0	1,68	0	2,00	E
Thiabendazole	944	642		0	0	4	10	28	44	59	70	74	13	0	0	5,50	4	6,00	E
Triazophos	859	858		0	1	0	0	0	0	0	0	0	0	0	0	0	0		N

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Notifications of the co-ordinated programme (specific exercise) to the European Commission for pears

Reporting country: EU+Norway

Year of sampling: 1997

	in %		in %
Number of samples analysed:	1354	With residues above MRL:	18 1,3
Without detectable residues:	954 70,5	With residues above EC-MRL:	0 0,0
With residues at or below MRL:	382 28,2	With residues above national MRL:	18 1,3
		With residues of pesticides for which no MRL established:	2

Product group:

Food item: Pears

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1.0	2.0	5.0	10.0	20.0	50.0				
Acephate	1091	1087		2	0	2	0	0	0	0	0	0	0	0	0	0,04	0		N
Carbendazim(****)	745	646		1	1	5	22	29	29	12	0	0	0	0	0	1,00	0	2,00	E
Chlorothalonil	1258	1257		0	0	1	0	0	0	0	0	0	0	0	0	0,03	0		N
Chlorpyrifos	1300	1274		8	2	7	3	3	3	0	0	0	0	0	0	0,30	0	0,50	E
DDT	1188	1188		0	0	0	0	0	0	0	0	0	0	0	0	0,00	0	0,05	E
Diazinon	1265	1254		4	2	3	1	1	0	0	0	0	0	0	0	0,16	0	0,50	E
Endosulfan	1286	1261		7	4	5	5	4	0	0	0	0	0	0	0	0,17	0	1,00	E
Iprodione	1318	1272		2	1	2	4	3	12	11	7	4	0	0	0	3,60	0	10,00	E
Metalaxyl	1102	1102		0	0	0	0	0	0	0	0	0	0	0	0		0	1,00	E
Methamidophos	1120	1119		1	0	0	0	0	0	0	0	0	0	0	0	0,00	0		N
Methidathion	1280	1276		2	0	0	2	0	0	0	0	0	0	0	0	0,10	0	0,30	E
Thiabendazole	936	873		1	0	2	4	10	15	18	10	3	0	0	0	3,80	0	5,00	E
Triazophos	1061	1061		0	0	0	0	0	0	0	0	0	0	0	0		0		N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Notifications of the co-ordinated programme (specific exercise) to the European Commission for bananas

Reporting country: EU + Norway

Year of sampling: 1997

	in %		in %
Number of samples analysed:	1193	With residues above MRL:	6 0,5
Without detectable residues:	576 48,3	With residues above EC-MRL:	3 0,3
With residues at or below MRL:	611 51,2	With residues above national MRL:	3 0,3
		With residues of pesticides for which no MRL established:	6

Product group:

Food item: Banana

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1.0	2.0	5.0	10.0	20.0	50.0				
Acephate	835	835		0	0	0	0	0	0	0	0	0	0	0	0	0,00	0	0,02	E
Carbendazim(****)	881	874		1	1	3	2	0	0	0	0	0	0	0	0	0,08	0	1,00	E
Chlorothalonil	959	958		0	0	1	0	0	0	0	0	0	0	0	0	0,04	1	0,01	E
Chlorpyrifos	1165	1053		34	40	21	12	5	0	0	0	0	0	0	0	0,20	3		N
DDT	875	875		0	0	0	0	0	0	0	0	0	0	0	0	0,00	0	0,05	E
Diazinon	1090	1090		0	0	0	0	0	0	0	0	0	0	0	0	0,00	0	0,50	E
Endosulfan	915	912		1	1	1	0	0	0	0	0	0	0	0	0	0,02	0	0,05	E
Iprodione	1064	1064		0	0	0	0	0	0	0	0	0	0	0	0	0,00	0		N
Metalaxyl	857	857		0	0	0	0	0	0	0	0	0	0	0	0	0,00	0	0,05	E
Methamidophos	836	836		0	0	0	0	0	0	0	0	0	0	0	0	0,00	0	0,01	E
Methidathion	946	946		0	0	0	0	0	0	0	0	0	0	0	0	0,00	0	0,02	E
Thiabendazole	1112	605		2	2	14	81	99	181	90	32	6	0	0	0	2,70	0	3,00	E
Triazophos	848	848		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,02	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Notifications of the co-ordinated programme (specific exercise) to the European Commission for beans

Reporting country: EU + Norway

Year of sampling: 1997

		in %		in %
Number of samples analysed:	779		With residues above MRL:	15 1,9
Without detectable residues:	601	77,2	With residues above EC-MRL:	0 0,0
With residues at or below MRL:	163	20,9	With residues above national MRL:	15 1,9
			With residues of pesticides for which no MRL established:	2

Product group:

Food item: Beans (fresh including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1.0	2.0	5.0	10.0	20.0	50.0				
Acephate	620	618		0	0	1	1	0	0	0	0	0	0	0	0	0,09	0		N
Carbendazim(****)	461	452		0	0	0	1	4	3	1	0	0	0	0	0,60	1		N	
Chlorothalonil	735	728		0	0	3	0	0	1	1	2	0	0	0	1,40	2		N	
Chlorpyrifos	697	694		1	0	1	0	0	1	0	0	0	0	0	0,27	1		N	
DDT	672	672		0	0	0	0	0	0	0	0	0	0	0		0	0,05	E	
Diazinon	717	716		0	1	0	0	0	0	0	0	0	0	0	0,02	0	0,50	E	
Endosulfan	712	687		1	3	3	7	6	4	1	0	0	0	0	0,78	0	1,00	E	
Iprodione	686	669		0	0	2	2	2	6	0	4	1	0	0	3,35	2		N	
Metalaxyl	667	667		0	0	0	0	0	0	0	0	0	0	0		0	0,05	E	
Methamidophos	591	569		1	2	5	3	7	3	1	0	0	0	0	0,70	9		N	
Methidathion	713	713		0	0	0	0	0	0	0	0	0	0	0	0,00	0	0,02	E	
Thiabendazole	590	589		0	0	0	0	0	0	1	0	0	0	0	0,51	0		N	
Triazophos	604	603		0	0	0	0	1	0	0	0	0	0	0	0,14	0		N	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Notifications of the co-ordinated programme (specific exercise) to the European Commission for potatoes

Reporting country: EU + Norway

Year of sampling: 1997

		in %		in %
Number of samples analysed:	1658		With residues above MRL:	8 0,5
Without detectable residues:	1496	90,2	With residues above EC-MRL:	7 0,4
With residues at or below MRL:	154	9,3	With residues above national MRL:	1 0,1

Product group:

Food item: Potatoes

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1.0	2.0	5.0	10.0	20.0	50.0					>50
Acephate	1541	1541		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,02	E
Carbendazim(****)	998	993		0	1	1	1	2	0	0	0	0	0	0	0	0,13	0		N	
Chlorothalonil	1618	1617		0	0	1	0	0	0	0	0	0	0	0	0	0,03	1	0,01	E	
Chlorpyrifos	1641	1636		2	1	2	0	0	0	0	0	0	0	0	0	0,04	0	0,05	E	
DDT	1529	1527		1	0	0	1	0	0	0	0	0	0	0	0	0,06	1	0,05	E	
Diazinon	1614	1613		0	1	0	0	0	0	0	0	0	0	0	0	0,02	0		N	
Endosulfan	1619	1617		1	0	1	0	0	0	0	0	0	0	0	0	0,03	0		N	
Iprodione	1565	1559		0	1	0	1	2	0	1	1	0	0	0	0	1,87	5	0,02	E	
Metalaxyl	1457	1457		0	0	0	0	0	0	0	0	0	0	0	0		0	0,05	E	
Methamidophos	1549	1549		0	0	0	0	0	0	0	0	0	0	0	0		0	0,01	E	
Methidathion	1626	1626		0	0	0	0	0	0	0	0	0	0	0	0		0	0,02	E	
Thiabendazole	1440	1422		0	0	1	0	2	5	5	4	1	0	0	0	2,03	0	5,00	E	
Triazophos	1436	1436		0	0	0	0	0	0	0	0	0	0	0	0		0		N	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission for all five products

Reporting country: EU + Norway

Year of sampling: 1997

		in %		in %
Number of samples analysed:	6021		With residues above MRL:	66 1,1
Without detectable residues:	3932	65,3	With residues above EC-MRL:	28 0,5
With residues at or below MRL:	2023	33,6	With residues above national MRL:	38 0,6

Product group:

Food item: All products

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	%	Number of samples with residues	%		
				0.01	0.02	0.05	0.1	0.2	0.5	1.0	2.0	5.0	10.0	20.0	50.0						>50	
Acephate	4967	4959		2	0	3	2	0	1	0	0	0	0	0	0	0	0	0,50 (man)	0	0,0000	8	0,16
Carbendazim(****)	3661	3496		2	3	13	33	46	46	17	3	2	0	0	0	0	0	2,14 (man)	1	0,0273	165	4,51
Chlorothalonil	5528	5517		0	0	6	1	0	1	1	2	0	0	0	0	0	0	1,40 (bea)	5	0,0904	11	0,20
Chlorpyrifos	5808	5428		57	65	74	105	55	23	1	0	0	0	0	0	0	0	0,68 (man)	14	0,2410	380	6,54
DDT	5140	5138		1	0	0	1	0	0	0	0	0	0	0	0	0	0	0,06 (pot)	1	0,0195	2	0,04
Diazinon	5643	5612		4	8	9	4	4	2	0	0	0	0	0	0	0	0	0,43 (man)	0	0,0000	31	0,55
Endosulfan	5494	5425		12	9	14	12	15	6	1	0	0	0	0	0	0	0	0,78 (bea)	0	0,0000	69	1,26
Iprodione	5567	5496		2	2	4	8	8	18	12	12	5	0	0	0	0	0	3,60 (pear)	9	0,1617	71	1,28
Metalaxyl	4941	4919		0	0	0	0	1	3	6	9	3	0	0	0	0	0	3,08 (man)	0	0,0000	22	0,45
Methamidophos	4979	4955		2	3	5	3	7	3	1	0	0	0	0	0	0	0	0,70 (bea)	9	0,1808	24	0,48
Methidathion	5558	5228		6	12	32	64	63	100	46	7	0	0	0	0	0	0	1,68 (man)	0	0,0000	330	5,94
Thiabendazole	5022	4131		3	2	21	95	139	245	173	116	84	13	0	0	0	0	5,50 (man)	4	0,0796	891	17,74
Triazophos	4808	4806		0	1	0	0	1	0	0	0	0	0	0	0	0	0	0,14 (bea)	0	0,0000	2	0,04

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Overview on the pesticide* sample combinations for the five products

Commodities	Total number of sample* pesticide combinations analysed	Number of samples without residues	Reporting level (mg/kg)	Number of pesticide*sample combinations, in which a residue was found with quantifiable residues in classes up to and including (in mg/kg) (*)																	Number of pesticide * sample combinations, in which residues exceed the MRL	%	Number of pesticide * sample combinations in which a particular residue was found	%
				0.01	0.02	0.05	0.1	0.2	0.5	1.0	2.0	5.0	10.0	20.0	50.0	>50	Maximum (mg/kg)							
Mandarins	11685	10717		18	41	93	175	159	185	116	89	79	13	0	0	0		17	0,15	968	8,28			
Pears	14950	14670		28	10	27	41	50	59	41	17	7	0	0	0	0		0	0,00	280	1,87			
Bananas	12383	11753		38	44	40	95	104	181	90	32	6	0	0	0	0		4	0,03	630	5,09			
Beans	8465	8377		3	6	15	14	20	18	5	6	1	0	0	0	0		15	0,18	88	1,04			
Potatoes	19633	19593		4	4	6	3	6	5	6	5	1	0	0	0	0		7	0,04	40	0,20			

Notifications of the co-ordinated programme (specific exercise) to the European Commission for mandarins

Country	Number of samples analysed	Without detectable residues	in %	With residues at or below MRL:	in %	With residues above MRL:	in %	With residues above EC-MRL:	in %	With residues above national MRL:	in %
Belgium	41	17	41,5	24	58,5	0	0,0	0	0,0	0	0,0
Denmark	48	32	66,7	16	33,3	0	0,0	0	0,0	0	0,0
Germany	151	34	22,5	112	74,2	5	3,3	4	2,6	1	0,7
Greece	30	26	86,7	4	13,3	0	0,0	0	0,0	0	0,0
Spain	50	13	26,0	36	72,0	1	2,0	1	2,0	0	0,0
France	58	15	25,9	43	74,1	0	0,0	0	0,0	0	0,0
Ireland	22	2	9,1	15	68,2	5	22,7	5	22,7	0	0,0
Italy	69	56	81,2	13	18,8	0	0,0	0	0,0	0	0,0
Luxembourg	10	4	40,0	5	50,0	1	10,0	1	10,0	0	0,0
The Netherlands	112	15	13,4	97	86,6	0	0,0	0	0,0	0	0,0
Austria	25	2	8,0	23	92,0	0	0,0	0	0,0	0	0,0
Portugal	46	34	73,9	12	26,1	0	0,0	0	0,0	0	0,0
Finland	135	4	3,0	128	94,8	3	2,2	3	2,2	0	0,0
Sweden	110	31	28,2	77	70,0	2	1,8	2	1,8	0	0,0
United Kingdom	34	0	0,0	34	100,0	0	0,0	0	0,0	0	0,0
Norway	96	20	20,8	74	77,1	2	2,1	2	2,1	0	0,0
EU + Norway	1037	305	29,4	713	68,8	19	1,8	18	1,7	1	0,1

Notifications of the co-ordinated programme (specific exercise) to the European Commission for pears

Country	Number of samples analysed	Without detectable residues	in %	With residues at or below MRL:	in %	With residues above MRL:	in %	With residues above EC-MRL:	in %	With residues above national MRL:	in %
	Belgium	58	46	79,3	12	20,7	0	0,0	0	0,0	0
Denmark	58	45	77,6	13	22,4	0	0,0	0	0,0	0	0,0
Germany	136	74	54,4	44	32,4	18	13,2	0	0,0	18	13,2
Greece	21	18	85,7	3	14,3	0	0,0	0	0,0	0	0,0
Spain	50	44	88,0	6	12,0	0	0,0	0	0,0	0	0,0
France	56	16	28,6	40	71,4	0	0,0	0	0,0	0	0,0
Ireland	24	8	33,3	16	66,7	0	0,0	0	0,0	0	0,0
Italy	324	289	89,2	35	10,8	0	0,0	0	0,0	0	0,0
Luxembourg	15	15	100,0	0	0,0	0	0,0	0	0,0	0	0,0
The Netherlands	92	34	37,0	58	63,0	0	0,0	0	0,0	0	0,0
Austria	27	17	63,0	10	37,0	0	0,0	0	0,0	0	0,0
Portugal	53	45	84,9	8	15,1	0	0,0	0	0,0		
Finland	75	23	30,7	52	69,3	0	0,0	0	0,0	0	0,0
Sweden	184	151	82,1	33	17,9	0	0,0	0	0,0	0	0,0
United Kingdom	54	10	18,5	44	81,5	0	0,0	0	0,0	0	0,0
Norway	127	119	93,7	8	6,3	0	0,0	0	0,0	0	0,0
EU + Norway	1354	954	70,5	382	28,2	18	1,3	0	0,0	18	1,3

Notifications of the co-ordinated programme (specific exercise) to the European Commission for bananas

Country	Number of samples analysed	Without detectable residues		With residues at or below MRL:		With residues above MRL:		With residues above EC-MRL:		With residues above national MRL:	
		in %	in %	in %	in %	in %	in %	in %	in %		
Belgium	75	51	68,0	23	30,7	1	1,3	0	0,0	1	1,3
Denmark	59	39	66,1	20	33,9	0	0,0	0	0,0	0	0,0
Germany	296	120	40,5	173	58,4	3	1,0	1	0,3	2	0,7
Greece	44	13	29,5	31	70,5	0	0,0	0	0,0	0	0,0
Spain	50	30	60,0	20	40,0	0	0,0	0	0,0	0	0,0
France	103	45	43,7	58	56,3	0	0,0	0	0,0	0	0,0
Ireland	18	13	72,2	5	27,8	0	0,0	0	0,0	0	0,0
Italy	100	55	55,0	45	45,0	0	0,0	0	0,0	0	0,0
Luxembourg	10	10	100,0	0	0,0	0	0,0	0	0,0	0	0,0
The Netherlands	38	26	68,4	12	31,6	0	0,0	0	0,0	0	0,0
Austria	24	1	4,2	23	95,8	0	0,0	0	0,0	0	0,0
Portugal	59	42	71,2	17	28,8	0	0,0	0	0,0	0	0,0
Finland	61	24	39,3	37	60,7	0	0,0	0	0,0	0	0,0
Sweden	183	88	48,1	95	51,9	0	0,0	0	0,0	0	0,0
United Kingdom	50	5	10,0	43	86,0	2	4,0	2	4,0	0	0,0
Norway	23	14	60,9	9	39,1	0	0,0	0	0,0	0	0,0
EU + Norway	1193	576	48,3	611	51,2	6	0,5	3	0,3	3	0,3

Notifications of the co-ordinated programme (specific exercise) to the European Commission for beans

Country	Number of samples analysed	Without detectable residues	in %	With residues at or below MRL:	in %	With residues above MRL:	in %	With residues above EC-MRL:	in %	With residues above national MRL:	in %
Belgium	47	44	93,6	3	6,4	0	0,0	0	0,0	0	0,0
Denmark	23	23	100,0	0	0,0	0	0,0	0	0,0	0	0,0
Germany	143	95	66,4	44	30,8	4	2,8	0	0,0	4	2,8
Greece	40	33	82,5	6	15,0	1	2,5	0	0,0	1	2,5
Spain	50	32	64,0	14	28,0	4	8,0	0	0,0	1	2,0
France	28	4	14,3	23	82,1	1	3,6	0	0,0	1	3,6
Ireland	15	11	73,3	4	26,7	0	0,0	0	0,0	0	0,0
Italy	44	43	97,7	1	2,3	0	0,0	0	0,0	0	0,0
Luxembourg	15	14	93,3	1	6,7	0	0,0	0	0,0	0	0,0
The Netherlands	161	119	73,9	42	26,1	0	0,0	0	0,0	0	0,0
Austria	25	22	88,0	2	8,0	1	4,0	0	0,0	1	4,0
Portugal	45	39	86,7	5	11,1	1	2,2	0	0,0	1	2,2
Finland	17	13	76,5	3	17,6	1	5,9	0	0,0	1	5,9
Sweden	50	44	88,0	4	8,0	2	4,0	0	0,0	2	4,0
United Kingdom	54	45	83,3	9	16,7	0	0,0	0	0,0	0	0,0
Norway	22	20	90,9	2	9,1	0	0,0	0	0,0	0	0,0
EU + Norway	779	601	77,2	163	20,9	15	1,9	0	0,0	12	1,5

Notifications of the co-ordinated programme (specific exercise) to the European Commission for potatoes

Country	Number of samples analysed	Without detectable residues	in %	With residues at or below MRL:	in %	With residues above MRL:	in %	With residues above EC-MRL:	in %	With residues above national MRL:	in %
Belgium	42	40	95,2	2	4,8	0	0,0	0	0,0	0	0,0
Denmark	83	81	97,6	1	1,2	1	1,2	1	1,2	0	0,0
Germany	173	161	93,1	9	5,2	3	1,7	2	1,2	1	0,6
Greece	42	42	100,0	0	0,0	0	0,0	0	0,0	0	0,0
Spain	50	50	100,0	0	0,0	0	0,0	0	0,0	0	0,0
France	330	329	99,7	1	0,3	0	0,0	0	0,0	0	0,0
Ireland	27	24	88,9	2	7,4	1	3,7	1	3,7	0	0,0
Italy	248	240	96,8	8	3,2	0	0,0	0	0,0	0	0,0
Luxembourg	15	14	93,3	1	6,7	0	0,0	0	0,0	0	0,0
The Netherlands	149	28	18,8	119	79,9	2	1,3	2	1,3	0	0,0
Austria	25	25	100,0	0	0,0	0	0,0	0	0,0	0	0,0
Portugal	49	49	100,0	0	0,0	0	0,0	0	0,0	0	0,0
Finland	119	118	99,2	0	0,0	1	0,8	1	0,8	0	0,0
Sweden	226	215	95,1	11	4,9	0	0,0	0	0,0	0	0,0
United Kingdom	0	0		0		0		0		0	
Norway	80	80	100,0	0	0,0	0	0,0	0	0,0	0	0,0
EU + Norway	1658	1496	90,2	154	9,3	8	0,5	7	0,4	1	0,1

Notifications of the co-ordinated programme (specific exercise) to the European Commission for all five products

Country	Number of samples analysed	Without detectable residues	in %	With residues at or below MRL:	in %	With residues above MRL:	in %	With residues above EC-MRL:	in %	With residues above national MRL:	in %
Belgium	263	198	75,3	64	24,3	1	0,4	0	0,0	1	0,4
Denmark	271	220	81,2	50	18,5	1	0,4	1	0,4	0	0,0
Germany	899	484	53,8	382	42,5	33	3,7	7	0,8	26	2,9
Greece	177	132	74,6	44	24,9	1	0,6	0	0,0	1	0,6
Spain	250	169	67,6	76	30,4	5	2,0	1	0,4	1	0,4
France	575	409	71,1	165	28,7	1	0,2	0	0,0	1	0,2
Ireland	106	58	54,7	42	39,6	6	5,7	6	5,7	0	0,0
Italy	785	683	87,0	102	13,0	0	0,0	0	0,0	0	0,0
Luxembourg	65	57	87,7	7	10,8	1	1,5	1	1,5	0	0,0
The Netherlands	552	222	40,2	328	59,4	2	0,4	2	0,4	0	0,0
Austria	126	67	53,2	58	46,0	1	0,8	0	0,0	1	0,8
Portugal	252	209	82,9	42	16,7	1	0,4	0	0,0	1	0,4
Finland	407	182	44,7	220	54,1	5	1,2	4	1,0	1	0,2
Sweden	753	529	70,3	220	29,2	4	0,5	2	0,3	2	0,3
United Kingdom	192	60	31,3	130	67,7	2	1,0	2	1,0	0	0,0
Norway	348	253	72,7	93	26,7	2	0,6	2	0,6	0	0,0
EU + Norway	6021	3932	65,3	2023	33,6	66	1,1	28	0,5	35	0,6

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: BELGIUM

Year of sampling: 1997

Number of samples analysed: 41 With residues above MRL: 0
 Without detectable residues: 17 With residues above EC-MRL: 0
 With residues at or below MRL: 24 With residues above national MRL: 0

Product group:

Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	17	17	0,10																1,00	E
Carbendazim(****)	41	37	0,10				1	3									0,12		5,00	E
Chlorothalonil	40	40	0,05																0,01*	E
Chlorpyrifos	40	33	0,05				6	1									0,14		0,30	E
DDT	40	40	0,05																0,05*	E
Diazinon	40	40	0,02																0,50	E
Endosulfan	40	40	0,05																1,00	E
Iprodione	40	40	0,10																0,02*	E
Metalaxyl	0	0																	5,00	N
Methamidophos	17	17	0,10																0,20	E
Methidathion	40	30	0,02			1	5	1	2	1							0,69		2,00	E
Thiabendazole	41	30	0,05						1	2	2	4	2				5,40		6,00	E
Triazophos	0																		0,10	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: BELGIUM

Year of sampling: 1997

Number of samples analysed: 58 With residues above MRL: 0
 Without detectable residues: 46 With residues above EC-MRL: 0
 With residues at or below MRL: 12 With residues above national MRL: 0

Product group:

Food item: F Pears

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1.0	2.0	5.0	10.0	20.0	50.0				
Acephate	0																	0.02*	N
Carbendazim(****)	58	48	0,10					5	4	1							0.51	2,00	E
Chlorothalonil	58	58	0.05															0.01*	N
Chlorpyrifos	58	58	0.05															0,50	E
DDT	58	58	0.05															0.05*	E
Diazinon	58	58	0.02															0,50	E
Endosulfan	58	57	0.05					1									0.14	1,00	E
Iprodione	58	57	0,10							1							0.76	10,00	E
Metalaxyl	36	36	0.05															1,00	E
Methamidophos	0																	0.01*	N
Methidathion	58	58	0.02															0,30	E
Thiabendazole	58	58	0.05															5,00	E
Triazophos	0																	0,10	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: BELGIUM

Year of sampling: 1997

Number of samples analysed: 75 With residues above MRL: 1
 Without detectable residues: 51 With residues above EC-MRL: 0
 With residues at or below MRL: 23 With residues above national MRL: 1

Product group:

Food item: Banana

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	35	35	0.10-0.20																0.02*	E
Carbendazim(****)	40	40	0.1-0.2																1,00	E
Chlorothalonil	75	75	0.05																0.01*	E
Chlorpyrifos	75	74	0.05				1										0.08	1	0.05*	N
DDT	75	75	0.05																0.05*	E
Diazinon	75	75	0.02-0.05																0,50	E
Endosulfan	75	75	0.05																0.05*	E
Iprodione	75	75	0.10-0.20																5,00	N
Metalaxyl	40	40	0.05																0.05*	E
Methamidophos	35	35	0.05-0.1																0.01*	E
Methidathion	75	75	0.02-0.05																0.02*	E
Thiabendazole	40	17	0.05-0.1				8	3	8	2	2						1,40		3,00	E
Triazophos	20	20	0.05																0.02*	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: BELGIUM

Year of sampling: 1997

Number of samples analysed: 47 With residues above MRL: 0
 Without detectable residues: 44 With residues above EC-MRL: 0
 With residues at or below MRL: 3 With residues above national MRL: 0

Product group:

Food item: Beans (fresh including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	0																		0.02*	N
Carbendazim(****)	44	44	0,10																2,00	N
Chlorothalonil	46	46	0.05																0.01*	N
Chlorpyrifos	46	46	0.05																0,20	N
DDT	46	46	0.05																0.05*	E
Diazinon	46	45	0.02		1												0.02		0,50	E
Endosulfan	46	45	0.05						1								0.48		1,00	E
Iprodione	46	45	0,10						1								0,40		5,00	N
Metalaxyl	39	39	0.05																0.05*	E
Methamidophos	0																		0.01*	N
Methidathion	46	46	0.02																0.02*	E
Thiabendazole	44	44	0.05																0.05*	N
Triazophos	0																		0.02*	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: BELGIUM

Year of sampling: 1997

Number of samples analysed: 42 With residues above MRL: 0
 Without detectable residues: 40 With residues above EC-MRL: 0
 With residues at or below MRL: 2 With residues above national MRL: 0

Product group:

Food item: Potatoes

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	42	42	0,20																0.02*	E
Carbendazim(****)	42	42	0,10																3,00	N
Chlorothalonil	42	42	0,05																0.01*	E
Chlorpyrifos	42	42	0,05																0.05*	E
DDT	42	42	0,05																0.05*	E
Diazinon	42	42	0,05																0.02*	N
Endosulfan	42	42	0,05																1,00	N
Iprodione	42	42	0,20																0.02*	E
Metalaxyl	42	42	0,05																0.05*	E
Methamidophos	42	42	0,05																0.01*	E
Methidathion	42	42	0,05																0.02*	E
Thiabendazole	42	40	0,10					1			1						1.86		5,00	E
Triazophos	0																		0.02*	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: DENMARK

Year of sampling: 1997

Number of samples analysed: 48 With residues above MRL: 0
 Without detectable residues: 32 With residues above EC-MRL: 0
 With residues at or below MRL: 16 With residues above national MRL: 0

Product group:

Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	48	48	0.05																	
Carbendazim(****)	48	42	0.05				1	1	2			2					2.14		5,00	E
Chlorothalonil	48	48	0.05																	
Chlorpyrifos	48	47	0.05				1										0.09		0,30	E
DDT	48	48	0.05																	
Diazinon	48	47	0.05				1										0.06		0,50	E
Endosulfan	48	47	0.02			1											0.04		1,00	E
Iprodione	48	48	0,20																	
Metalaxyl	48	48	0,10																	
Methamidophos	48	48	0,20																	
Methodathion	48	43	0.05				1		2	2							0.9		2,00	E
Thiabendazole	48	40	0.08				1	1	2	3		1					2.1		6,00	E
Triazophos	48	48	0.05																	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: DENMARK

Year of sampling: 1997

Number of samples analysed: 58 With residues above MRL: 0
 Without detectable residues: 45 With residues above EC-MRL: 0
 With residues at or below MRL: 13 With residues above national MRL: 0

Product group:

Food item: Pears

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	58	58	0.05																	
Carbendazim(****)	58	48	0.05				2	3	5								0.36		2,00	E
Chlorothalonil	58	58	0.05																	
Chlorpyrifos	58	58	0.05																	
DDT	58	58	0.05																	
Diazinon	58	58	0.05																	
Endosulfan	58	57	0.02		1												0.02		1,00	E
Iprodione	58	58	0,20																	
Metalaxyl	58	58	0,10																	
Methamidophos	58	58	0,20																	
Methidathion	58	58	0.05																	
Thiabendazole	58	56	0.08							2							0.92			
Triazophos	58	58	0.05																	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: DENMARK

Year of sampling: 1997

Number of samples analysed: 59 With residues above MRL: 0
 Without detectable residues: 39 With residues above EC-MRL: 0
 With residues at or below MRL: 20 With residues above national MRL: 0

Product group:

Food item: Banana

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	20	50	>50				
Acephate	59	59	0.05																
Carbendazim(****)	59	59	0.05																
Chlorothalonil	59	59	0.05																
Chlorpyrifos	59	58	0.05				1										0.06		
DDT	59	59	0.05																
Diazinon	59	59	0.05																
Endosulfan	59	59	0.02																
Iprodione	59	59	0,20																
Metalaxyl	59	59	0,10																
Methamidophos	59	59	0,20																
Methidathion	59	59	0.05																
Thiabendazole	59	40	0.08				1	3	11	3	1						1.36	3,00	E
Triazophos	59	59	0.05																

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: DENMARK

Year of sampling: 1997

Number of samples analysed: 23 With residues above MRL: 0
 Without detectable residues: 23 With residues above EC-MRL: 0
 With residues at or below MRL: 0 With residues above national MRL: 0

Product group:

Food item: Beans (fresh including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acephate	23	23	0.05																
Carbendazim(****)	23	23	0.05																
Chlorothalonil	23	23	0.05																
Chlorpyrifos	23	23	0.05																
DDT	23	23	0.05																
Diazinon	23	23	0.05																
Endosulfan	23	23	0.02																
Iprodione	23	23	0,20																
Metalaxyl	23	23	0,10																
Methamidophos	23	23	0,20																
Methidathion	23	23	0.05																
Thiabendazole	23	23	0.08																
Triazophos	23	23	0.05																

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: DENMARK

Year of sampling: 1997

Number of samples analysed: 83 With residues above MRL: 1
 Without detectable residues: 81 With residues above EC-MRL: 1
 With residues at or below MRL: 1 With residues above national MRL: 0

Product group:

Food item: Potatoes

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	83	83	0.05																	
Carbendazim(****)	83	82	0.05					1									0.2			
Chlorothalonil	83	83	0.05																	
Chlorpyrifos	83	83	0.05																	
DDT	83	82	0.05				1										0.06	1	0.05	E
Diazinon	83	83	0.05																	
Endosulfan	83	83	0.02																	
Iprodione	83	83	0,20																	
Metalaxyl	83	83	0,10																	
Methamidophos	83	83	0,20																	
Methidathion	83	83	0.05																	
Thiabendazole	83	83	0.08																	
Triazophos	83	83	0.05																	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: GERMANY

Year of sampling: 1997

Number of samples analysed: 151 With residues above MRL: 5
 Without detectable residues: 34 With residues above EC-MRL: 4
 With residues at or below MRL: 112 With residues above national MRL: 1

Product group:

Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	118	117	0.02				1										0.055		1,00	E
Carbendazim(****)	81	63				4	1	4	7		2						1,30		5,00	E
Chlorothalonil	118	118	0.01																0.01	E
Chlorpyrifos	130	86	0.01	5	6	10	16	5	2								0.47	1	0,30	E
DDT	75	75																	0.05	E
Diazinon	129	128	0.02			1											0.027		0,50	E
Endosulfan	117	113		1		1		2									0.19		1,00	E
Iprodione	116	115	0.01					1									0.16	1	0.02	E
Metalaxyl	119	117	0.05						2								0.39		2,00	N
Methamidophos	114	114	0.01																0,20	E
Methidathion	131	82	0.02	2	2	9	13	8	13	2							0.55		2,00	E
Thiabendazole	105	74	0.05			3	3	3	4	5	7	5	1				6.2	1	6,00	E
Triazophos	108	108	0.02																0.02	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: GERMANY

Year of sampling: 1997

Number of samples analysed:	136	With residues above MRL:	18
Without detectable residues:	74	With residues above EC-MRL:	0
With residues at or below MRL:	44	With residues above national MRL:	18

Product group:

Food item: Pears

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	107	106	0.02			1											0.022		1,00	N
Carbendazim(****)	62	56		1		1	2	1	1								0.22		2,00	E
Chlorothalonil	114	114	0.005																0.01	N
Chlorpyrifos	132	125	0.01	4	1	2											0.03		0,50	E
DDT	102	102																	0.05	E
Diazinon	129	126	0.02	2		1											0.038		0,50	E
Endosulfan	124	118		4	1		1										0.084		1,00	E
Iprodione	121	117	0.01		1				2	1							0,80		10,00	E
Metalaxyl	103	103	0.05																1,00	E
Methamidophos	96	96	0.01																0,20	N
Methidathion	134	133	0.02	1													0.009		0,30	E
Thiabendazole	59	53	0.05					1	2		1	2					3,80		5,00	E
Triazophos	105	105	0.02																0,20	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: GERMANY

Year of sampling: 1997

Number of samples analysed: 296 With residues above MRL: 3
 Without detectable residues: 120 With residues above EC-MRL: 1
 With residues at or below MRL: 173 With residues above national MRL: 2

Product group:

Food item: Banana

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	107	107	0.02																0,02	E
Carbendazim(****)	266	259		1	1	3	2										0.08		1,00	E
Chlorothalonil	117	116	0.005			1											0.04	1	0.01	E
Chlorpyrifos	268	207	0.01	26	24	9	2										0.097	2	0.05	N
DDT	79	79																	0.05	E
Diazinon	266	266	0.02																0,50	E
Endosulfan	108	105		1	1	1											0.022		0.05	E
Iprodione	260	260	0.02																0.02	N
Metalaxyl	97	97	0.05																0.05	E
Methamidophos	106	106	0.05																0.01	E
Methidathion	107	107	0.02																0.02	E
Thiabendazole	256	121	0.05	1	1	5	27	44	30	20	7						2,00		3,00	E
Triazophos	98	98	0.02																0.02	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: GERMANY

Year of sampling: 1997

Number of samples analysed:	143	With residues above MRL:	4
Without detectable residues:	95	With residues above EC-MRL:	0
With residues at or below MRL:	44	With residues above national MRL:	4

Product group:

Food item: Beans (fresh including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	110	110	0.02																	0,02	N
Carbendazim(****)	74	74																		1,00	N
Chlorothalonil	112	112	0.005																	0,01	N
Chlorpyrifos	116	115	0.01	1														0.002		0,05	N
DDT	104	104																		0.05	E
Diazinon	138	138	0.02																	0,50	E
Endosulfan	133	126		1	1	2	3											0.078		1,00	E
Iprodione	111	109	0.01			1		1										0.11	2	0,02	N
Metalaxyl	118	118	0.05																	0,05	E
Methamidophos	85	83	0.01					1	1									0.39	2	0,01	N
Methidathion	136	136	0.01																	0.02	E
Thiabendazole	39	39	0.05																	0,05	N
Triazophos	111	111	0.02																	0,20	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: GERMANY

Year of sampling: 1997

Number of samples analysed: 173 With residues above MRL: 3
 Without detectable residues: 161 With residues above EC-MRL: 2
 With residues at or below MRL: 9 With residues above national MRL: 1

Product group:

Food item: Potatoes

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	155	155	0.02																0.02	E
Carbendazim(****)	65	65																	0,10	N
Chlorothalonil	155	155	0.005																0.01	E
Chlorpyrifos	162	161	0.01	1													0.007		0.05	E
DDT	112	112																	0.05	E
Diazinon	148	148	0.02																0.02	N
Endosulfan	142	142																	0.05	N
Iprodione	150	149	0.01		1												0.014		0.02	E
Metalaxyl	139	139	0.05																0.05	E
Methamidophos	155	155	0.01																0.01	E
Methidathion	162	162	0.02																0.02	E
Thiabendazole	87	85	0.05					1			1						1,00		5,00	E
Triazophos	141	141	0.02																0.02	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: GREECE

Year of sampling: 1997

Number of samples analysed: 30 With residues above MRL: 0
 Without detectable residues: 26 With residues above EC-MRL: 0
 With residues at or below MRL: 4 With residues above national MRL: 0

Product group:

Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (*****) (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	30	30	0.02																1,00	E
Carbendazim(****)	13	12	0,10							1							0.91		5,00	E
Chlorothalonil	30	30	0.01*																0.01*	E
Chlorpyrifos	30	27	0.05			2		1									0.29		0,30	E
DDT	30	30	0.05																0.05*	E
Diazinon	30	30	0.01																0,50	E
Endosulfan	30	30	0.05																1,00	E
Iprodione	30	30	0.02																0.02*	E
Metalaxyl	30	30	0.05																5,00	N
Methamidophos	30	30	0.02																0,20	E
Methidathion	30	30	0.02																2,00	E
Thiabendazole	30	30	0.05																6,00	E
Triazophos	30	30	0.02																#	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(*****) The reporting levels are those established as LODs in the EU directives or Codex standards, except for a) e.g. methamidophos where the legal LODs could not be achieved, and b) where no legal LODs are established (e.g. captan). In those cases the routinely achieved by all laboratories LODs are reported

Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: GREECE

Year of sampling: 1997

Number of samples analysed: 21 With residues above MRL: 0
 Without detectable residues: 18 With residues above EC-MRL: 0
 With residues at or below MRL: 3 With residues above national MRL: 0

Product group:

Food item: Pears

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (*****) (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	21	21	0.02																		
Carbendazim(****)	15	14	0,10						1									0,40		2,00	E
Chlorothalonil	21	21	0.01																		
Chlorpyrifos	21	21	0.05																	0,50	E
DDT	21	21																		0,05*	E
Diazinon	21	21																		0,50	E
Endosulfan	21	20					1											0,10		1,00	E
Iprodione	21	20						1										0,38		10,00	E
Metalaxyl	21	21																		1,00	E
Methamidophos	21	21																		0,50	N
Methodathion	21	21																		0,30	E
Thiabendazole	21	21																		5,00	E
Triazophos	21	21																		0,20	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(*****) The reporting levels are those established as LODs in the EU directives or Codex standards, except for a) e.g. methamidophos where the legal LODs could not be achieved, and b) where no legal LODs are established (e.g captan). In those cases the routinely achieved by all laboratories LODs are reported

Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: GREECE

Year of sampling: 1997

Number of samples analysed:	40	With residues above MRL:	1
Without detectable residues:	33	With residues above EC-MRL:	0
With residues at or below MRL:	6	With residues above national MRL:	1
		With residues of pesticides for which no MRL established:	1

Product group:

Food item: Beans (fresh including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (*****) (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	40	40																		
Carbendazim(****)	16	14						2									0.47		2,00	N
Chlorothalonil	40	39													1		1,40	1	0.20 (dry)	N
Chlorpyrifos	40	40																	0,20	N
DDT	40	40																	0,05*	E
Diazinon	40	40																	0,50	E
Endosulfan	40	37				1	1	1									0.14		1,00	E
Iprodione	40	39							1								0.48		#	
Metalaxyl	40	40																	0,05*	E
Methamidophos	40	40																		
Methidathion	40	40																	0,02*	E
Thiabendazole	40	40																		
Triazophos	40	40																	0,20	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(*****) The reporting levels are those established as LODs in the EU directives or Codex standards, except for a) e.g. methamidophos where the legal LODs could not be achieved, and b) where no legal LODs are established (e.g. captan). In those cases the routinely achieved by all laboratories LODs are reported

Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: GREECE

Year of sampling: 1997

Number of samples analysed: 42 With residues above MRL: 0
 Without detectable residues: 42 With residues above EC-MRL: 0
 With residues at or below MRL: 0 With residues above national MRL: 0

Product group:

Food item: Potatoes

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (*****) (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	42	42																		0.02*	E
Carbendazim(****)	41	41																		3,00	N
Chlorothalonil	42	42																		0.01*	E
Chlorpyrifos	42	42																		0.05*	E
DDT	42	42																		0.05*	E
Diazinon	42	42																		0.01*	N
Endosulfan	42	42																		0,20	N
Iprodione	42	42																		0.02	E
Metalaxyl	42	42																		0.05	E
Methamidophos	42	42																		0.01	E
Methidathion	42	42																		0.02	E
Thiabendazole	42	42																		5,00	E
Triazophos	42	42																		0.05*	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(*****) The reporting levels are those established as LODs in the EU directives or Codex standards, except for a) e.g. methamidophos where the legal LODs could not be achieved, and b) where no legal LODs are established (e.g captan). In those cases the routinely achieved by all laboratories LODs are reported

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: Spain

Year of sampling: 1997

Number of samples analysed: 50 With residues above MRL: 1
 Without detectable residues: 13 With residues above EC-MRL: 1
 With residues at or below MRL: 36 With residues above national MRL: 0

Product group:

Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	50	50	0.02																1,00	E
Carbendazim(****)	50	50	0,10																5,00	E
Chlorothalonil	50	50	0.01																0.01	E
Chlorpyrifos	50	37	0.01		2	2	4	4	1								0.42	1	0,30	E
DDT	50	50	0.05																0.05	E
Diazinon	50	46	0.01		2	1		1									0.34		0,50	E
Endosulfan	50	48	0.05					1	1								0.24		1,00	E
Iprodione	50	50	0.02																0.02	E
Metalaxyl	50	50	0.05																0,20	N
Methamidophos	50	50	0.01																0,20	E
Methidathion	50	32	0.02			5	3	1	1	5	3						1.21		2,00	E
Thiabendazole	50	50	0.05																	E
Triazophos	50	50	0.02																	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendaz+A61im, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: Spain

Year of sampling: 1997

Number of samples analysed: 50 With residues above MRL: 0
 Without detectable residues: 44 With residues above EC-MRL: 0
 With residues at or below MRL: 6 With residues above national MRL: 0

Product group:

Food item: Pears

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	50	50	0.02															0,50	N	
Carbendazim(****)	50	50	0,10															2,00	E	
Chlorothalonil	50	50	0.01															0,50	N	
Chlorpyrifos	50	49	0.05				1											0,50	E	
DDT	50	50	0.05															0.05	E	
Diazinon	50	49	0.02			1												0,50	E	
Endosulfan	50	50	0.05															1,00	E	
Iprodione	50	48	0.02				2											10,00	E	
Metalaxyl	50	50	0.05															1,00	E	
Methamidophos	50	50	0.01															0,20	N	
Methidathion	50	50	0.02															0,30	E	
Thiabendazole	50	48	0.05				2											5,00	E	
Triazophos	50	50	0.02															0,10	N	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim+A61im, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: Spain

Year of sampling: 1997

Number of samples analysed: 50 With residues above MRL: 0
 Without detectable residues: 30 With residues above EC-MRL: 0
 With residues at or below MRL: 20 With residues above national MRL: 0

Product group:

Food item: Banana

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	50	50	0.02																0.02	E
Carbendazim(****)	50	50	0,10																1,00	E
Chlorothalonil	50	50	0.01																0.01	E
Chlorpyrifos	50	30	0.01		6	4	5	5									0,20		0,20	N
DDT	50	50	0.05																0.05	E
Diazinon	50	50	0.02																0,50	E
Endosulfan	50	50	0.05																0.05	E
Iprodione	50	50	0.02																5,00	N
Metalaxyl	50	50	0.05																0.05	E
Methamidophos	50	50	0.01																0.01	E
Methidathion	50	50	0.02																0.02	E
Thiabendazole	50	50	0.05																3,00	E
Triazophos	50	50	0.02																0.02	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim+A61im, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: Spain

Year of sampling: 1997

Number of samples analysed: 50 With residues above MRL: 4
 Without detectable residues: 32 With residues above EC-MRL: 0
 With residues at or below MRL: 14 With residues above national MRL: 4

Product group:

Food item: Beans (fresh including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	50	48	0.02			1	1										0.09		0,20	N
Carbendazim(****)	50	50	0,10																2,00	N
Chlorothalonil	50	50	0.01																0.01	N
Chlorpyrifos	50	50	0.05																0,20	N
DDT	50	50	0.05																0.05	E
Diazinon	50	50	0.02																0,50	E
Endosulfan	50	47	0.05					1	1	1							0.78		1,00	E
Iprodione	50	50	0.05																5,00	N
Metalaxyl	50	50	0.05																0.05	E
Methamidophos	50	37	0.01		2	4	3	4									0,30	4	0,10	N
Methidathion	50	50	0.02																0.02	E
Thiabendazole	50	50	0.05																2,00	N
Triazophos	50	50	0.02																0.02	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim+A61im, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: Spain

Year of sampling: 1997

Number of samples analysed: 50 With residues above MRL: 0
 Without detectable residues: 50 With residues above EC-MRL: 0
 With residues at or below MRL: 0 With residues above national MRL: 0

Product group:

Food item: Potatoes

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	50	50	0.02																	0.02	E
Carbendazim(****)	50	50	0,10																	0,10	N
Chlorothalonil	50	50	0.01																	0.01	E
Chlorpyrifos	50	50	0.05																	0.05	E
DDT	50	50	0.05																	0.05	E
Diazinon	50	50	0.02																	0.05	N
Endosulfan	50	50	0.05																	0,10	N
Iprodione	50	50	0.02																	0.02	E
Metalaxyl	50	50	0.05																	0.05	E
Methamidophos	50	50	0.01																	0.01	E
Methidathion	50	50	0.02																	0.02	E
Thiabendazole	50	50	0.05																	5,00	E
Triazophos	50	50	0.02																	0.02	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim+A61im, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: FRANCE

Year of sampling: 1997

Number of samples analysed: 58 With residues above MRL: 0
 Without detectable residues: 15 With residues above EC-MRL: 0
 With residues at or below MRL: 43 With residues above national MRL: 0

Product group:

Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	58	58	0,02																1,00	E
Carbendazim(****)	58	57	0,02						1								0,30		5,00	E
Chlorothalonil	58	58	0,01																0,01	E
Chlorpyrifos	58	50	0,01		3	1	4										0,10		0,30	E
DDT	58	58	0,01																0,05	E
Diazinon	58	58	0,01																0,50	E
Endosulfan	58	58	0,02																1,00	E
Iprodione	58	58	0,01																0,02	E
Metalaxyl	58	58	0,01																0,05	N
Methamidophos	58	58	0,02																0,20	E
Methidathion	58	48	0,01			2	2	2	1	3							0,60		2,00	E
Thiabendazole	58	53	0,02						1		2	2					1,93		6,00	E
Triazophos	58	58	0,02																0,00	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: FRANCE

Year of sampling: 1997

Number of samples analysed: 56 With residues above MRL: 0
 Without detectable residues: 16 With residues above EC-MRL: 0
 With residues at or below MRL: 40 With residues above national MRL: 0

Product group:

Food item: |Pears

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	56	56	0,02																0,02	N
Carbendazim(****)	56	39	0,02			1	6	7	3								0,25		2,00	E
Chlorothalonil	56	56	0,01																0,01	N
Chlorpyrifos	56	52	0,01	1	1			1	1								0,30		0,50	E
DDT	56	56	0,01																0,05	E
Diazinon	56	56	0,01																0,50	E
Endosulfan	56	54	0,02	1	1												0,01		1,00	E
Iprodione	56	55	0,01								1						1,80		10,00	E
Metalaxyl	56	56	0,01																1,00	E
Methamidophos	56	56	0,02																0,30	N
Methidathion	56	56	0,01																0,30	E
Thiabendazole	56	48	0,02			1			2	2	3						2,00		5,00	E
Triazophos	56	56	0,02																0,00	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: FRANCE

Year of sampling: 1997

Number of samples analysed: 103 With residues above MRL: 0
 Without detectable residues: 45 With residues above EC-MRL: 0
 With residues at or below MRL: 58 With residues above national MRL: 0

Product group:

Food item: Bananas

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50	
Acephate	103	103	0,02																	0,02	E
Carbendazim(****)	103	103	0,02																	1,00	E
Chlorothalonil	103	103	0,01																	0,01	E
Chlorpyrifos	103	102	0,01			1												0,02		0,05	N
DDT	103	103	0,01																	0,05	E
Diazinon	103	103	0,01																	0,50	E
Endosulfan	103	103	0,02																	0,05	E
Iprodione	103	103	0,01																	0,02	N
Metalaxyl	103	103	0,01																	0,05	E
Methamidophos	103	103	0,02																	0,01	E
Methidathion	103	103	0,01																	0,02	E
Thiabendazole	103	58	0,02			2	7	10	15	6	2	3						2,70		3,00	E
Triazophos	103	103	0,02																	0,02	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: FRANCE

Year of sampling: 1997

Number of samples analysed: 28 With residues above MRL: 1
 Without detectable residues: 4 With residues above EC-MRL: 0
 With residues at or below MRL: 23 With residues above national MRL: 1

Product group:

Food item: Beans (fresh including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50	
Acephate	28	28																0,02	N		
Carbendazim(****)	28	27	0,10					1										0,15	1	0,10	N
Chlorothalonil	28	28	0.05																	0,02	N
Chlorpyrifos	28	27	0.05			1												0,04		0,05	N
DDT	28	28	0.05																	0,05	E
Diazinon	28	28	0.02																	0,50	E
Endosulfan	28	28	0.05																	1,00	E
Iprodione	28	26	0.10						1		1							1,73		5,00	N
Metalaxyl	28	28	0.05																	0,05	E
Methamidophos	28	28																		0,01	N
Methidathion	28	28	0.02																	0,02	E
Thiabendazole	28	28	0.05																	0,05	N
Triazophos	28	28																		0,00	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: FRANCE

Year of sampling: 1997

Number of samples analysed: 330 With residues above MRL: 0
 Without detectable residues: 329 With residues above EC-MRL: 0
 With residues at or below MRL: 1 With residues above national MRL: 0

Product group:

Food item: Potatoes

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	330	330	0,02																0,02	E
Carbendazim(****)	330	330	0,02																0,05	N
Chlorothalonil	330	330	0,01																0,01	E
Chlorpyrifos	330	330	0,01																0,05	E
DDT	330	330	0,01																0,05	E
Diazinon	330	330	0,01																0,02	N
Endosulfan	330	330	0,02																0,02	N
Iprodione	330	330	0,01																0,02	E
Metalaxyl	330	330	0,01																0,05	E
Methamidophos	330	330	0,02																0,01	E
Methidathion	330	330	0,01																0,02	E
Thiabendazole	330	329	0,02			1											0,03		5,00	E
Triazophos	330	330	0,02																0,00	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: IRELAND

Year of sampling: 1997

Number of samples analysed: 22 With residues above MRL: 5
 Without detectable residues: 2 With residues above EC-MRL: 5
 With residues at or below MRL: 15 With residues above national MRL: 0

Product group:

Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	22	22	0,05																1,00	E
Carbendazim(****)	22	21	0,10					1									0,20		5,00	E
Chlorothalonil	22	21	0,02				1										0,10	1	0,01	E
Chlorpyrifos	22	15	0,02		1	1	3		2								0,40	2	0,30	E
DDT	22	22	0,05																0,05	E
Diazinon	22	21	0,02			1											0,05		0,50	E
Endosulfan	22	22	0,02																1,00	E
Iprodione	22	22	0,02																0,02	E
Metalaxyl	0	0																	no MRL	
Methamidophos	22	22	0,05																0,20	E
Methidathion	22	12	0,02		1	1	1	1	2	3	1						1,20		2,00	E
Thiabendazole	22	14	0,05				1	2				2	3				8,70	2	6,00	E
Triazophos	22	22	0,02																no MRL.	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: IRELAND

Year of sampling: 1997

Number of samples analysed: 18 With residues above MRL: 0
 Without detectable residues: 13 With residues above EC-MRL: 0
 With residues at or below MRL: 5 With residues above national MRL: 0

Product group:

Food item: Banana

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	18	18	0,05																0,02	E
Carbendazim(****)	18	18	0,10																1,00	E
Chlorothalonil	18	18	0,02																0,01	E
Chlorpyrifos	18	16	0,02			2											0,04		no MRL	E
DDT	18	18	0,05																0,05	E
Diazinon	18	18	0,02																0,50	E
Endosulfan	18	18	0,02																0,05	E
Iprodione	18	18	0,02																no MRL	E
Metalaxyl	0																		0,05	E
Methamidophos	18	18	0,05																0,01	E
Methidathion	18	18	0,02																0,02	E
Thiabendazole	18	15	0,05				1	1		1							0,80		3,00	E
Triazophos	18	18	0,02																0,02	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: IRELAND

Year of sampling: 1997

Number of samples analysed: 27 With residues above MRL: 1
 Without detectable residues: 24 With residues above EC-MRL: 1
 With residues at or below MRL: 2 With residues above national MRL: 0

Product group:

Food item: Potatoes

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	27	27	0,05																0,02	E
Carbendazim(****)	27	27	0,10																no MRL	N
Chlorothalonil	27	26	0,02			1											0,03	1	0,01	E
Chlorpyrifos	27	27	0,02																0,05	E
DDT	27	27	0,05																0,05	E
Diazinon	27	27	0,02																no MRL	N
Endosulfan	27	27	0,02																no MRL	N
Iprodione	27	27	0,02																0,02	E
Metalaxyl	0	0																	0,05	E
Methamidophos	27	27	0,05																0,01	E
Methidathion	27	27	0,02																0,02	E
Thiabendazole	27	27	0,05																5,00	E
Triazophos	27	27	0,02																no MRL	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: Italy

Year of sampling: 1997

Number of samples analysed: 69 With residues above MRL: 0
 Without detectable residues: 56 With residues above EC-MRL: 0
 With residues at or below MRL: 13 With residues above national MRL: 0

Product group:

Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acephate	23	22						1								0,50	1,00	E	
Carbendazim(****)	15	15														n.d.	5,00	E	
Chlorothalonil	62	62														n.d.	0,01	E	
Chlorpyrifos	59	56		1		1		1								0,20	0,30	E	
DDT	29	29														n.d.	0,05	E	
Diazinon	46	44			1			1								0,15	0,50	E	
Endosulfan	69	68		1												0,01	1,00	E	
Iprodione	42	42														n.d.	0,02	E	
Metalaxyl	19	19														n.d.	1,00	N	
Methamidophos	26	25			1											0,02	0,20	E	
Methidathion	46	43		1				2								0,37	2,00	E	
Thiabendazole	26	24					1		1							0,51	6,00	E	
Triazophos	13	13														n.d.	0,02	N	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: Italy

Year of sampling: 1997

Number of samples analysed: 324 With residues above MRL: 0
 Without detectable residues: 289 With residues above EC-MRL: 0
 With residues at or below MRL: 35 With residues above national MRL: 0

Product group:

Food item: FPears

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1.0	2.0	5.0	10.0	20.0	50.0				
Acephate	220	217		2		1											0,04	1,20	N
Carbendazim(****)	94	94															n.d.	2,00	E
Chlorothalonil	314	314															n.d.	0,30	N
Chlorpyrifos	328	317		3		3	2	1	2								0,29	0,50	E
DDT	251	251															n.d.	0,05	E
Diazinon	296	295		1													0,00	0,50	E
Endosulfan	324	320		2	1	1											0,03	1,00	E
Iprodione	305	294		2			1	2	2	3	1						1,20	10,00	E
Metalaxyl	205	205															n.d.	1,00	E
Methamidophos	257	256		1													0,00	0,15	N
Methidathion	306	305		1													0,01	0,30	E
Thiabendazole	49	46		1			1	1									0,15	5,00	E
Triazophos	177	177															n.d.	0,10	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: Italy

Year of sampling: 1997

Number of samples analysed: 100 With residues above MRL: 0
 Without detectable residues: 55 With residues above EC-MRL: 0
 With residues at or below MRL: 45 With residues above national MRL: 0

Product group:

Food item: Banana

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acephate	51	51															n.d.	0,02	E
Carbendazim(****)	73	73															n.d.	1,00	E
Chlorothalonil	97	97															n.d.	0,01	E
Chlorpyrifos	100	98		1	1												0,02	0,05	N
DDT	83	83															n.d.	0,05	E
Diazinon	77	77															n.d.	0,50	E
Endosulfan	92	92															n.d.	0,05	E
Iprodione	89	89															n.d.	0,02	N
Metalaxyl	66	66															n.d.	0,05	E
Methamidophos	51	51															n.d.	0,01	E
Methidathion	92	92															n.d.	0,02	E
Thiabendazole	96	53		1	1	3	16	7	9	4	2						1,27	3,00	E
Triazophos	60	60															n.d.	0,02	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: Italy

Year of sampling: 1997

Number of samples analysed: 44 With residues above MRL: 0
 Without detectable residues: 43 With residues above EC-MRL: 0
 With residues at or below MRL: 1 With residues above national MRL: 0

Product group:

Food item: Beans (fresh including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	39	39															n.d.		1,50	N
Carbendazim(****)	18	18															n.d.		0,10	N
Chlorothalonil	42	42															n.d.		0,30	N
Chlorpyrifos	46	46															n.d.		0,10	N
DDT	36	36															n.d.		0,05	E
Diazinon	43	43															n.d.		0,05	E
Endosulfan	44	43			1												0,02		1,00	E
Iprodione	40	40															n.d.		5,00	N
Metalaxyl	34	34															n.d.		0,05	E
Methamidophos	32	32															n.d.		0,01	N
Methidathion	41	41															n.d.		0,02	E
Thiabendazole	21	21															n.d.		0,05	N
Triazophos	6	6															n.d.		0,02	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: Italy

Year of sampling: 1997

Number of samples analysed: 248 With residues above MRL: 0
 Without detectable residues: 240 With residues above EC-MRL: 0
 With residues at or below MRL: 8 With residues above national MRL: 0

Product group:

Food item: Potatoes

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	166	166															n.d.		0,02	E
Carbendazim(****)	94	94															n.d.		0,10	N
Chlorothalonil	248	248															n.d.		0,01	E
Chlorpyrifos	247	243		1	1	2											0,04		0,05	E
DDT	192	192															n.d.		0,05	E
Diazinon	234	233			1												0,02		0,20	N
Endosulfan	240	238		1		1											0,03		0,20	N
Iprodione	178	178															n.d.		0,02	E
Metalaxyl	113	113															n.d.		0,05	E
Methamidophos	162	162															n.d.		0,01	E
Methidathion	232	232															n.d.		0,02	E
Thiabendazole	134	133									1						2,00		5,00	E
Triazophos	117	117															n.d.		0,10	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: LUXEMBOURG

Year of sampling: 1997

Number of samples analysed: 10 With residues above MRL: 1
 Without detectable residues: 4 With residues above EC-MRL: 1
 With residues at or below MRL: 5 With residues above national MRL: 0

Product group:

Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	10	10	0,10																	
Carbendazim(****)	0	0																		
Chlorothalonil	10	10	0,02																	
Chlorpyrifos	10	10	0,02																	
DDT	10	10	0,01																	
Diazinon	10	10	0,02																	
Endosulfan	10	10	0,01																	
Iprodione	10	9	0,05				1										0,10	1	0,02	E
Metalaxyl	10	10	0,10																	
Methamidophos	10	10	0,10																	
Methidathion	10	8	0,05				1			1							0,60		2,00	E
Thiabendazole	10	7	0,10				2	1									0,14		6,00	E
Triazophos	10	10	0,02																	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: LUXEMBOURG

Year of sampling: 1997

Number of samples analysed: 15 With residues above MRL: 0
 Without detectable residues: 15 With residues above EC-MRL: 0
 With residues at or below MRL: 0 With residues above national MRL: 0

Product group:

Food item: Pears

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acephate	15	15	0,10																
Carbendazim(****)																			
Chlorothalonil	15	15	0,02																
Chlorpyrifos	15	15	0,02																
DDT	15	15	0,01																
Diazinon	15	15	0,02																
Endosulfan	15	15	0,01																
Iprodione	15	15	0,05																
Metalaxyl	15	15	0,10																
Methamidophos	15	15	0,10																
Methidathion	15	15	0,05																
Thiabendazole	15	15	0,10																
Triazophos	15	15	0,02																

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: LUXEMBOURG

Year of sampling: 1997

Number of samples analysed: 10 With residues above MRL: 0
 Without detectable residues: 10 With residues above EC-MRL: 0
 With residues at or below MRL: 0 With residues above national MRL: 0

Product group:

Food item: Banana

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acephate	10	10	0,10																
Carbendazim(****)																			
Chlorothalonil	10	10	0,02																
Chlorpyrifos	10	10	0,02																
DDT	10	10	0,01																
Diazinon	10	10	0,02																
Endosulfan	10	10	0,01																
Iprodione	10	10	0,05																
Metalaxyl	10	10	0,10																
Methamidophos	10	10	0,10																
Methidathion	10	10	0,05																
Thiabendazole	10	10	0,10																
Triazophos	10	10	0																

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: LUXEMBOURG

Year of sampling: 1997

Number of samples analysed: 15 With residues above MRL: 0
 Without detectable residues: 14 With residues above EC-MRL: 0
 With residues at or below MRL: 1 With residues above national MRL: 0

Product group:

Food item: Beans (fresh including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acephate	15	15	0,10																
Carbendazim(****)	0																		
Chlorothalonil	15	15	0,02																
Chlorpyrifos	15	15	0,02																
DDT	15	15	0,01																
Diazinon	15	15	0,02																
Endosulfan	15	14	0,01		1												0,01	1,00	E
Iprodione	15	15	0,05																
Metalaxyl	15	15	0,10																
Methamidophos	15	15	0,10																
Methidathion	15	15	0,50																
Thiabendazole	15	15	0,10																
Triazophos	15	15	0,02																

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: LUXEMBOURG

Year of sampling: 1997

Number of samples analysed: 15 With residues above MRL: 0
 Without detectable residues: 14 With residues above EC-MRL: 0
 With residues at or below MRL: 1 With residues above national MRL: 0

Product group:

Food item: Potatoes

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acephate	15	15	0,10																
Carbendazim(****)	0																		
Chlorothalonil	15	15	0,02																
Chlorpyrifos	15	15	0,02																
DDT	15	14	0,01	1													0,01	0,05	E
Diazinon	15	15	0,02																
Endosulfan	15	15	0,01																
Iprodione	15	15	0,05																
Metalaxyl	15	15	0,10																
Methamidophos	15	15	0,10																
Methidathion	15	15	0,50																
Thiabendazole	15	15	0,10																
Triazophos	15	15	0,02																

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: THE NETHERLANDS

Year of sampling: 1997

Number of samples analysed: 112 With residues above MRL: 0
 Without detectable residues: 15 With residues above EC-MRL: 0
 With residues at or below MRL: 97 With residues above national MRL: 0

Product group:

Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	112	112	0,02																1,00	E
Carbendazim(****)	32	30	0,10					1		1							1,10		5,00	E
Chlorothalonil	112	112	0,01																0,01	E
Chlorpyrifos	112	94	0,05			2	9	5	2								0,28		0,30	E
DDT	106	106	0,05																0,05	E
Diazinon	112	108	0,02			3	1										0,07		0,50	E
Endosulfan	106	105	0,05					1									0,20		1,00	E
Iprodione	106	106	0,02																0,02	E
Metalaxyl	112	111	0,05									1					3,08		5,00	N
Methamidophos	112	112	0,01																0,20	E
Methidathion	112	70	0,02		3	5	7	5	14	6	2						1,68		2,00	E
Thiabendazole	112	91	0,10						3	8	6	4					4,00		6,00	E
Triazophos	112	112	0,02																0,02	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: THE NETHERLANDS

Year of sampling: 1997

Number of samples analysed: 92 With residues above MRL: 0
 Without detectable residues: 34 With residues above EC-MRL: 0
 With residues at or below MRL: 58 With residues above national MRL: 0

Product group:

Food item: Pears

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	92	92	0,02																0,02	N
Carbendazim(****)	29	21	0,10		1	2	1	2	2								0,24		2,00	E
Chlorothalonil	92	92	0,01																0,01	N
Chlorpyrifos	92	92	0,05																0,50	E
DDT	90	90	0,05																0,05	E
Diazinon	92	91	0,02		1												0,02		0,50	E
Endosulfan	90	90	0,05																1,00	E
Iprodione	90	89	0,02			1											0,03		10,00	E
Metalaxyl	92	92	0,05																1,00	E
Methamidophos	92	92	0,01																0,01	N
Methidathion	92	92	0,02																0,30	E
Thiabendazole	92	92	0,10																5,00	E
Triazophos	92	92	0,02																0,02	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: THE NETHERLANDS

Year of sampling: 1997

Number of samples analysed: 38 With residues above MRL: 0
 Without detectable residues: 26 With residues above EC-MRL: 0
 With residues at or below MRL: 12 With residues above national MRL: 0

Product group:

Food item: Banana

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	38	38	0,02																0,02	E
Carbendazim(****)	12	12	0,10																1,00	E
Chlorothalonil	38	38	0,01																0,01	E
Chlorpyrifos	38	38	0,05																0,05	N
DDT	37	37	0,05																0,05	E
Diazinon	38	38	0,02																0,50	E
Endosulfan	37	37	0,05																0,05	E
Iprodione	37	37	0,02																0,02	N
Metalaxyl	38	38	0,05																0,05	N
Methamidophos	38	38	0,01																0,01	E
Methidathion	38	38	0,02																0,02	E
Thiabendazole	38	28	0,10					2	3	3	2						2,00		3,00	E
Triazophos	38	38	0,02																0,02	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: THE NETHERLANDS

Year of sampling: 1997

Number of samples analysed: 161 With residues above MRL: 0
 Without detectable residues: 119 With residues above EC-MRL: 0
 With residues at or below MRL: 42 With residues above national MRL: 0

Product group:

Food item: Beans (fresh including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50	
Acephate	161	161	0,02																0,02	N	
Carbendazim(****)	56	54	0,10				1	1										0,12		3,00	N
Chlorothalonil	161	161	0,01																	0,01	N
Chlorpyrifos	161	161	0,05																	0,05	N
DDT	161	161	0,05																	0,05	E
Diazinon	161	161	0,02																	0,50	E
Endosulfan	161	157	0,05				1	2	1									0,27		1,00	E
Iprodione	161	153	0,02			1	1	1	2			2	1					3,35		5,00	N
Metalaxyl	161	161	0,05																	0,05	E
Methamidophos	161	160	0,01	1														0,01		0,01	N
Methidathion	161	161	0,02																	0,02	E
Thiabendazole	161	161	0,10																	0,05	N
Triazophos	161	161	0,02																	0,02	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: THE NETHERLANDS

Year of sampling: 1997

Number of samples analysed: 149 With residues above MRL: 2
 Without detectable residues: 28 With residues above EC-MRL: 2
 With residues at or below MRL: 119 With residues above national MRL: 0

Product group:

Food item: Potatoes

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	144	144	0,02																0,02	E
Carbendazim(****)	89	85	0,10		1	1	1	1									0,13		3,00	N
Chlorothalonil	144	144	0,01																0,01	E
Chlorpyrifos	144	144	0,05																0,05	E
DDT	149	149	0,05																0,05	E
Diazinon	144	144	0,02																0,02	N
Endosulfan	149	149	0,05																0,05	N
Iprodione	149	147	0,02							1	1						1,87	2	0,02	E
Metalaxyl	144	144	0,05																0,05	E
Methamidophos	144	144	0,01																0,01	E
Methidathion	144	144	0,02																0,02	E
Thiabendazole	144	143	0,10							1							0,69		5,00	E
Triazophos	144	144	0,02																0,02	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: **Austria** Year of sampling: 1997

Number of samples analysed: 25 With residues above MRL: 0
 Without detectable residues: 2 With residues above EC-MRL: 0
 With residues at or below MRL: 23 With residues above national MRL: 0

Product group: Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	25	25	0,07																1,00	E
Carbendazim(****)	25	24	0,07						1								0,38		5,00	E
Chlorothalonil	25	25	0,05																0,01	E
Chlorpyrifos	25	20	0,02			2	2	1									0,12		0,30	E
DDT	25	25	0,01; 0,04																0,05	E
Diazinon	25	24	0,03					1									0,16		0,50	E
Endosulfan	25	25	0,02; 0,04																1,00	E
Iprodione	25	25	0,20																0,02	E
Metalaxyl	25	25	0,10																0,10	E
Methamidophos	25	25	0,04																0,20	E
Methidathion	25	13	0,04				1	5	5	1							0,59		2,00	E
Thiabendazole	25	14	0,04; 0,1						3		4	4					4,79		6,00	E
Triazophos	25	25	0,05																0,05	N

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: **Austria** Year of sampling: 1997

Number of samples analysed: 27 With residues above MRL: 0
 Without detectable residues: 17 With residues above EC-MRL: 0
 With residues at or below MRL: 10 With residues above national MRL: 0

Product group: Food item: Pears

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50	
Acephate	27	27	0,02;0,07																	1,00	N
Carbendazim(****)	18	18	0,07;0,1																	2,00	E
Chlorothalonil	20	20	0,01																	0,01	N
Chlorpyrifos	27	27	0,02;0,05																	0,50	E
DDT	27	27	0,01; 0,04																	0,05	E
Diazinon	27	27	0,03;0,05																	0,50	E
Endosulfan	27	24	0,01; 0,04			1	1	1										0,15		1,00	E
Iprodione	27	27	0,01;0,2																	10,00	E
Metalaxyl	27	27	0,05;0,1																	1,00	E
Methamidophos	27	27	0,01;0,04																	0,05	N
Methidathion	27	27	0,02; 0,04																	0,30	E
Thiabendazole	18	17	0,04; 0,1					1										0,13		5,00	E
Triazophos	27	27	0,02;0,05																	0,20	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: **Austria** Year of sampling: 1997

Number of samples analysed: 24 With residues above MRL: 0
 Without detectable residues: 1 With residues above EC-MRL: 0
 With residues at or below MRL: 23 With residues above national MRL: 0

Product group: Food item: Banana

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50	
Acephate	24	24	0,07																	0,02	E
Carbendazim(****)	24	24	0,07																	1,00	E
Chlorothalonil	24	24	0,05																	0,01	E
Chlorpyrifos	24	24	0,02																	0,20	E
DDT	24	24	0,01; 0,04																	0,02	E
Diazinon	24	24	0,03+D109																	0,50	E
Endosulfan	24	24	0,02; 0,04																	0,05	E
Iprodione	24	24	0,20																	5,00	N
Metalaxyl	24	24	0,10																	0,05	E
Methamidophos	24	24	0,04																	0,01	E
Methidathion	24	24	0,04																	0,02	E
Thiabendazole	24	12	0,04;0,1				1	1	3	3	3	1						2,62		3,00	E
Triazophos	24	24	0,05																	0,02	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: **Austria** Year of sampling: 1997

Number of samples analysed: 25 With residues above MRL: 1
 Without detectable residues: 22 With residues above EC-MRL: 0
 With residues at or below MRL: 2 With residues above national MRL: 1

Product group: Food item: Beans (fresh including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50	
Acephate	24	24	0,02;0,07																	0,02	N
Carbendazim(****)	24	24	0,07;0,1																	1,00	N
Chlorothalonil	19	19	0,01																	2,50	N
Chlorpyrifos	24	24	0,02;0,05																	0,05	N
DDT	24	24	0,01; 0,04																	0,05	E
Diazinon	25	25	0,03;0,05																	0,50	E
Endosulfan	24	24	0,01; 0,04																	1,00	E
Iprodione	24	24	0,01;0,2																	5,00	N
Metalaxyl	25	25	0,05;0,1																	0,05	E
Methamidophos	24	23	0,01;0,04						1									0,24	1	0,05	N
Methidathion	25	25	0,02; 0,04																	0,02	E
Thiabendazole	24	24	0,04; 0,1																	1,50	N
Triazophos	25	25	0,02;0,05																	0,20	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: **Austria** Year of sampling: 1997

Number of samples analysed: 25 With residues above MRL: 0
 Without detectable residues: 25 With residues above EC-MRL: 0
 With residues at or below MRL: 0 With residues above national MRL: 0

Product group: Food item: Potatoes

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	25	25	0,02;0,07																0,02	E
Carbendazim(****)	24	24	0,07;0,1																0,10	N
Chlorothalonil	20	20	0,01																0,01	E
Chlorpyrifos	25	25	0,02;0,05																0,05	E
DDT	25	25	0,01; 0,04																0,05	E
Diazinon	25	25	0,03;0,05																0,05	N
Endosulfan	25	25	0,01; 0,04																0,10	N
Iprodione	25	25	0,01;0,2																0,02	E
Metalaxyl	25	25	0,05;0,1																0,05	E
Methamidophos	25	25	0,01;0,04																0,01	E
Methidathion	25	25	0,02; 0,04																0,02	E
Thiabendazole	24	24	0,04; 0,1																5,00	E
Triazophos	25	25	0,02;0,05																0,05	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: PORTUGAL

Year of sampling: 1997

Number of samples analysed: 46 With residues above MRL: 0
 Without detectable residues: 34 With residues above EC-MRL: 0
 With residues at or below MRL: 12 With residues above national MRL: 0

Product group:

Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	30	30	0,05																	
Carbendazim(****)	30	30	0,10																	
Chlorothalonil	46	46	0,02																	
Chlorpyrifos	46	44	0,05				2										0,07		0,30	E
DDT	46	46	0,05																	
Diazinon	46	45	0,02				1										0,09		0,50	E
Endosulfan	46	46	0,05																	
Iprodione	46	46	0,05																	
Metalaxyl	46	46	0,10																	
Methamidophos	30	30	0,02																	
Methidathion	46	39	0,02			1	2	3	1								0,30		2,00	E
Thiabendazole	46	42	0,1-0,2						2	1	1						1,20		6,00	E
Triazophos	46	46	0,02																	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: PORTUGAL

Year of sampling: 1997

Number of samples analysed: 53 With residues above MRL: 0
 Without detectable residues: 45 With residues above EC-MRL: 0
 With residues at or below MRL: 8 With residues above national MRL: 0

Product group:

Food item: Pears

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	38	38	0,05																	
Carbendazim(****)	38	36	0,10					1	1								0,22		2,00	E
Chlorothalonil	53	52	0,02			1											0,03		0,50	N
Chlorpyrifos	53	53	0,05																	
DDT	53	53	0,05																	
Diazinon	53	51	0,02			1	1										0,06		0,50	E
Endosulfan	53	53	0,05																	
Iprodione	53	51	0,05			1			1								3,39		10,00	E
Metalaxyl	53	53	0,10																	
Methamidophos	38	38	0,02																	
Methidathion	53	53	0,02																0,30	E
Thiabendazole	53	51	0,1-0,2							2							0,99		5,00	E
Triazophos	53	53	0,02																	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: PORTUGAL

Year of sampling: 1997

Number of samples analysed: 59 With residues above MRL: 0
 Without detectable residues: 42 With residues above EC-MRL: 0
 With residues at or below MRL: 17 With residues above national MRL: 0

Product group:

Food item: Banana

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	31	31	0,05																	
Carbendazim(****)	31	31	0,10																	
Chlorothalonil	59	59	0,02																	
Chlorpyrifos	59	58	0,05				1										0,06		0,20	N
DDT	28	28	0,05																	
Diazinon	59	59	0,02																	
Endosulfan	28	28	0,05																	
Iprodione	28	28	0,05																	
Metalaxyl	59	59	0,10																	
Methamidophos	31	31	0,02																	
Methidathion	59	59	0,02																	
Thiabendazole	59	42	0,1-0,2						5	7	4	1					2,40		3,00	E
Triazophos	59	59	0,02																	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: PORTUGAL

Year of sampling: 1997

Number of samples analysed: 45 With residues above MRL: 1
 Without detectable residues: 39 With residues above EC-MRL: 0
 With residues at or below MRL: 5 With residues above national MRL: 1

Product group:

Food item: Beans (fresh including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	30	30	0,05																	
Carbendazim(****)	30	28	0,10					2									0,18		2,00	N
Chlorothalonil	45	45	0,02																	
Chlorpyrifos	45	44	0,05						1								0,27	1	0,05	N
DDT	45	45	0,05																	
Diazinon	45	45	0,02																	
Endosulfan	45	44	0,05					1									0,19		1,00	E
Iprodione	45	44	0,05								1						1,20		5,00	N
Metalaxyl	45	45	0,10																	
Methamidophos	30	30	0,02																	
Methidathion	45	45	0,02																	
Thiabendazole	45	44	0,1-0,2							1							0,51		2,00	N
Triazophos	45	45	0,02																	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: PORTUGAL

Year of sampling: 1997

Number of samples analysed: 49 With residues above MRL: 0
 Without detectable residues: 49 With residues above EC-MRL: 0
 With residues at or below MRL: 0 With residues above national MRL: 0

Product group:

Food item: Potatoes

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acephate	49	49	0,05																
Carbendazim(****)	49	49	0,10																
Chlorothalonil	49	49	0,02																
Chlorpyrifos	49	49	0,05																
DDT	49	49	0,05																
Diazinon	49	49	0,02																
Endosulfan	49	49	0,05																
Iprodione	49	49	0,05																
Metalaxyl	49	49	0,10																
Methamidophos	49	49	0,02																
Methidathion	49	49	0,02																
Thiabendazole	49	49	0,1-0,2																
Triazophos	49	49	0,02																

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: FINLAND

Year of sampling: 1997

Number of samples analysed: 135 With residues above MRL: 3
 Without detectable residues: 4 With residues above EC-MRL: 3
 With residues at or below MRL: 128 With residues above national MRL: 0

Product group:

Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	131	131	0,05																1,00	E
Carbendazim(****)	36	31	0,10					1	2	2							0,70		5,00	E
Chlorothalonil	131	131	0,01																0,01	E
Chlorpyrifos	135	77	0,01	6	8	12	12	12	7	1							0,68	3	0,30	E
DDT	131	131	0,05																0,05	E
Diazinon	135	132	0,01		1				2								0,43		0,50	E
Endosulfan	135	135	0,01																1,00	E
Iprodione	135	135	0,02																0,02	E
Metalaxyl	135	124	0,05							4	6	1					2,20		5,00	N
Methamidophos	135	135	0,02																0,20	E
Methidathion	135	71	0,01	1	6	6	7	10	22	11	1						1,40		2,00	E
Thiabendazole	131	61	0,03			1	2	15	9	20	11	12					4,40		6,00	E
Triazophos	131	130	0,02		1												0,02		-	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: FINLAND

Year of sampling: 1997

Number of samples analysed: 75 With residues above MRL: 0
 Without detectable residues: 23 With residues above EC-MRL: 0
 With residues at or below MRL: 52 With residues above national MRL: 0

Product group:

Food item: Pears

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	72	72	0,05																–	
Carbendazim(****)	39	37	0,10					1	1								0,70		2,00	E
Chlorothalonil	72	72	0,01																–	
Chlorpyrifos	75	73	0,01			2											0,03		0,50	E
DDT	72	72	0,05																0,05	E
Diazinon	75	73	0,01	1	1												0,02		0,50	E
Endosulfan	75	70	0,01			3	1	1									0,17		1,00	E
Iprodione	75	70	0,02				1	1	1		1	1					2,20		10,00	E
Metalaxyl	75	75	0,05																1,00	E
Methamidophos	75	75	0,02																–	
Methidathion	75	74	0,01				1										0,09		0,30	E
Thiabendazole	72	58	0,03				1	6	4	1	2						1,40		5,00	E
Triazophos	72	72	0,02																0,20	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: FINLAND

Year of sampling: 1997

Number of samples analysed: 61 With residues above MRL: 0
 Without detectable residues: 24 With residues above EC-MRL: 0
 With residues at or below MRL: 37 With residues above national MRL: 0

Product group:

Food item: Banana

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	59	59	0,05																0,02	E
Carbendazim(****)	36	36	0,10																1,00	E
Chlorothalonil	59	59	0,01																0,01	E
Chlorpyrifos	61	45	0,01	7	9												0,02		–	
DDT	59	59	0,05																0,05	E
Diazinon	61	61	0,01																0,50	E
Endosulfan	61	61	0,01																0,05	E
Iprodione	61	61	0,02																–	
Metalaxyl	61	61	0,05																0,05	E
Methamidophos	61	61	0,02																0,01	E
Methidathion	61	61	0,01																0,02	E
Thiabendazole	59	22	0,03					5	22	8	1	1					2,20		3,00	E
Triazophos	59	59	0,02																0,02	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: FINLAND

Year of sampling: 1997

Number of samples analysed: 17 With residues above MRL: 1
 Without detectable residues: 13 With residues above EC-MRL: 0
 With residues at or below MRL: 3 With residues above national MRL: 1

Product group: Food item: Beans (fresh including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	14	14	0,05																–	
Carbendazim(****)	4	4	0,10																2,00	N
Chlorothalonil	14	14	0,01																5,00	N
Chlorpyrifos	17	17	0,01																0,20	N
DDT	14	14	0,05																0,05	E
Diazinon	17	17	0,01																0,50	E
Endosulfan	17	15	0,01				1	1									0,15		1,00	E
Iprodione	17	17	0,02																2,00	N
Metalaxyl	17	17	0,05																0,05	E
Methamidophos	17	16	0,02					1									0,17	1	0,01	N
Methidathion	17	17	0,01																0,02	E
Thiabendazole	14	14	0,03																–	
Triazophos	14	13	0,02					1									0,14		0,20	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: FINLAND

Year of sampling: 1997

Number of samples analysed: 119 With residues above MRL: 1
 Without detectable residues: 118 With residues above EC-MRL: 1
 With residues at or below MRL: 0 With residues above national MRL: 0

Product group:

Food item: Potatoes

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	107	107	0,05																0,02	E
Carbendazim(****)	3	3	0,10																3,00	N
Chlorothalonil	107	107	0,01																0,01	E
Chlorpyrifos	119	119	0,01																0,05	E
DDT	107	107	0,05																0,05	E
Diazinon	119	119	0,01																0,01	N
Endosulfan	119	119	0,01																0,20	N
Iprodione	119	116	0,02				1	2									0,17	3	0,02	E
Metalaxyl	119	119	0,05																0,05	E
Methamidophos	119	119	0,02																0,01	E
Methidathion	119	119	0,01																0,02	E
Thiabendazole	107	107	0,03																5,00	E
Triazophos	107	107	0,02																0,05	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: SWEDEN

Year of sampling: 1997

Number of samples analysed:	110	With residues above MRL:	2
Without detectable residues:	31	With residues above EC-MRL:	2
With residues at or below MRL:	77	With residues above national MRL:	0

Product group:

Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	110	110	0,02																1,00	E
Carbendazim(****)	82	82	0,10																5,00	E
Chlorothalonil	110	110	0,01																0,01	E
Chlorpyrifos	110	89	0,05			1	13	5	2								0,37	2	0,30	E
DDT	110	110	0,01																0,05	E
Diazinon	110	110	0,05																0,50	E
Endosulfan	110	105	0,01		1	2		1	1								0,28		1,00	E
Iprodione	110	110	0,20																0,02	E
Metalaxyl	110	105	0,20					1				3	1				2,05		5,00	N
Methamidophos	110	110	0,02																0,20	E
Methidathion	110	62	0,05				6	17	21	4							1,00		2,00	E
Thiabendazole	110	70	0.2/0.5						4	6	5	23	2				5,87		6,00	E
Triazophos	110	110	0,02																0,30	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: SWEDEN

Year of sampling: 1997

Number of samples analysed: 184 With residues above MRL: 0
 Without detectable residues: 151 With residues above EC-MRL: 0
 With residues at or below MRL: 33 With residues above national MRL: 0

Product group:

Food item: Pears

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	184	184	0,02																1,00	N
Carbendazim(****)	118	109	0,10				1	4	4								0,38		2,00	E
Chlorothalonil	184	184	0,01																1,00	N
Chlorpyrifos	184	183	0,05					1									0,18		0,50	E
DDT	184	184	0,01																0,05	E
Diazinon	184	183	0,05					1									0,16		0,50	E
Endosulfan	184	183	0,01					1									0,13		1,00	E
Iprodione	184	180	0,20						2	1	1						1,90		10,00	E
Metalaxyl	184	184	0,20																1,00	E
Methamidophos	184	184	0,02																0,20	N
Methidathion	184	184	0,05																0,30	E
Thiabendazole	184	163	0.2/0.5					1	7	8	4	1					2,18		5,00	E
Triazophos	184	184	0,02																0,10	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: SWEDEN

Year of sampling: 1997

Number of samples analysed: 183 With residues above MRL: 0
 Without detectable residues: 88 With residues above EC-MRL: 0
 With residues at or below MRL: 95 With residues above national MRL: 0

Product group:

Food item: Banana

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	183	183	0,02																0,02	E
Carbendazim(****)	138	138	0,10																1,00	E
Chlorothalonil	183	183	0,01																0,01	E
Chlorpyrifos	183	183	0,05																0,50	N
DDT	183	183	0,01																0,05	E
Diazinon	183	183	0,05																0,50	E
Endosulfan	183	183	0,01																0,05	E
Iprodione	183	183	0,20																10,00	N
Metalaxyl	183	183	0,20																0,05	E
Methamidophos	183	183	0,02																0,01	E
Methidathion	183	183	0,05																0,02	E
Thiabendazole	183	88	0.2/0.5					2	56	29	8						1,62		3,00	E
Triazophos	183	183	0,02																0,02	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: SWEDEN

Year of sampling: 1997

Number of samples analysed:	50	With residues above MRL:	2
Without detectable residues:	44	With residues above EC-MRL:	0
With residues at or below MRL:	4	With residues above national MRL:	2

Product group:

Food item: Beans (fresh including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	50	50	0,02																1,00	N
Carbendazim(****)	18	18	0,10																0,10	N
Chlorothalonil	50	46	0,01			1			1	1	1						1,37	1	1,00	N
Chlorpyrifos	50	50	0,05																0,50	N
DDT	50	50	0,01																0,05	E
Diazinon	50	50	0,05																0,50	E
Endosulfan	50	49	0,01				1										0,05		1,00	E
Iprodione	50	49	0,20						1								0,23		10,00	N
Metalaxyl	50	50	0,20																0,05	E
Methamidophos	50	47	0,02			1			1	1							0,50	1	0,20	N
Methidathion	50	50	0,05																0,02	E
Thiabendazole	50	50	0.2/0.5																No MRL	
Triazophos	50	50	0,02																0,10	N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: SWEDEN

Year of sampling: 1997

Number of samples analysed: 226 With residues above MRL: 0
 Without detectable residues: 215 With residues above EC-MRL: 0
 With residues at or below MRL: 11 With residues above national MRL: 0

Product group:

Food item: Potatoes

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	226	226	0,02																0,02	E
Carbendazim(****)	99	99	0,10																0,10	N
Chlorothalonil	226	226	0,01																0,01	E
Chlorpyrifos	226	226	0,03																0,05	E
DDT	226	226	0,01																0,05	E
Diazinon	226	226	0,02																0,05	N
Endosulfan	226	226	0,01																0,20	N
Iprodione	226	226	0,20																0,02	E
Metalaxyl	226	226	0,10																0,05	E
Methamidophos	226	226	0,02																0,01	E
Methidathion	226	226	0,02																0,02	E
Thiabendazole	226	215	0,20						5	4	1	1					2,03		5.5	E & N
Triazophos	226	226	0,02																No MRL	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: United Kingdom

Year of sampling: 1997

Number of samples analysed: 34 With residues above MRL: 0
 Without detectable residues: 0 With residues above EC-MRL: 0
 With residues at or below MRL: 34 With residues above national MRL: 0

Product group:

Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate																		1,00	E	
Carbendazim(****)	34	30	0,05				2	1		1								0,60	5,00	E
Chlorothalonil																			0,01	E
Chlorpyrifos	34	15	0,02		2	7	10											0,10	0,30	E
DDT																			0,05	E
Diazinon																			0,50	E
Endosulfan																			1,00	E
Iprodione																			0,02	E
Metalaxyl																				N
Methamidophos																			0,20	E
Methidathion	34	25	0,02			1	7			1								0,70	2,00	E
Thiabendazole	34	6,00	0,05					1	7	6	9	3	2					5,50	6,00	E
Triazophos																				N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: United Kingdom

Year of sampling: 1997

Number of samples analysed: 54

With residues above MRL:

Without detectable residues: 10

With residues above EC-MRL:

With residues at or below MRL: 44

With residues above national MRL:

Product group:

Food item: |Pears

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1.0	2.0	5.0	10.0	20.0	50.0					>50
Acephate																			N	
Carbendazim(****)	54	27	0			1	7	4	5	10							1,00		2,00	E
Chlorothalonil																				N
Chlorpyrifos																			0,50	E
DDT																			0,05	E
Diazinon																			0,50	E
Endosulfan																			1,00	E
Iprodione	54	42	0						2	4	3	3					3,60		10,00	E
Metalaxyl																			1,00	E
Methamidophos																				N
Methidathion																			0,30	E
Thiabendazole																			5,00	E
Triazophos																				N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: United Kingdom

Year of sampling: 1997

Number of samples analysed: 50 With residues above MRL: 2
 Without detectable residues: 5 With residues above EC-MRL: 2
 With residues at or below MRL: 43 With residues above national MRL: 0

Product group:

Food item: Banana

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acephate																		0,02	E
Carbendazim(****)																		1,00	E
Chlorothalonil																		0,01	E
Chlorpyrifos	50	49	0,05				1										0,06		N
DDT																		0,05	E
Diazinon																		0,50	E
Endosulfan																		0,05	E
Iprodione																			N
Metalaxyl																		0,05	E
Methamidophos																		0,01	E
Methidathion																		0,02	E
Thiabendazole	50	22	0,01				10	5	9	4							1,00	3,00	E
Triazophos																		0,02	E

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: United Kingdom

Year of sampling: 1997

Number of samples analysed: 0 With residues above MRL: 0
 Without detectable residues: 0 With residues above EC-MRL: 0
 With residues at or below MRL: 0 With residues above national MRL: 0

Product group:

Food item: Potatoes

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate																			0,02	E
Carbendazim(****)																				N
Chlorothalonil																			0,01	E
Chlorpyrifos																			0,05	E
DDT																			0,05	E
Diazinon																				N
Endosulfan																				N
Iprodione																			0,02	E
Metalaxyl																			0,05	E
Methamidophos																			0,01	E
Methidathion																			0,02	E
Thiabendazole																			5,00	E
Triazophos																				N

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: NORWAY

Year of sampling: 1997

Number of samples analysed: 96 With residues above MRL: 2
 Without detectable residues: 20 With residues above EC-MRL: 2
 With residues at or below MRL: 74 With residues above national MRL: 0

Product group:

Food item: Mandarins

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	96	96	0,05																	
Carbendazim(****)	9	7	0,10				2										0,10		5,00	E
Chlorothalonil	96	96	0,02																	
Chlorpyrifos	96	71	0,05			2	8	12	3								0,42	1	0,30	E
DDT	96	96	0,05																	
Diazinon	96	96	0,02																	
Endosulfan	96	96	0,02																	
Iprodione	96	96	0,02																	
Metalaxyl	96	93	0,05						1	2							1,00		5,00	N
Methamidophos	96	96	0,05																	
Methidathion	96	59	0,05			1	6	10	14	6							1,00		2,00	E
Thiabendazole	96	36	0,05					5	8	7	23	14	3				9,30	1	6,00	E
Triazophos	96	96	0,05																	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: NORWAY

Year of sampling: 1997

Number of samples analysed: 127 With residues above MRL: 0
 Without detectable residues: 119 With residues above EC-MRL: 0
 With residues at or below MRL: 8 With residues above national MRL: 0

Product group:

Food item: Pears

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	127	127	0,05																	
Carbendazim(****)	32	28	0,10					1	2	1							0,84		2,00	E
Chlorothalonil	127	127	0,02																	
Chlorpyrifos	127	127	0,05																	
DDT	127	127	0,05																	
Diazinon	127	127	0,02																	
Endosulfan	127	126	0,02				1										0,10		1,00	E
Iprodione	127	126	0,02						1								0,30		10,00	E
Metalaxyl	127	127	0,05																	
Methamidophos	127	127	0,05																	
Methidathion	127	127	0,05																	
Thiabendazole	127	125	0,05							2							0,90		5,00	E
Triazophos	127	127	0,05																	

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Reporting country: NORWAY

Year of sampling: 1997

Number of samples analysed: 23 With residues above MRL: 0
 Without detectable residues: 14 With residues above EC-MRL: 0
 With residues at or below MRL: 9 With residues above national MRL: 0

Product group:

Food item: Banana

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50	
Acephate	23	23	0,05																		
Carbendazim(****)	2	2	0,10																		
Chlorothalonil	23	23	0,02																		
Chlorpyrifos	23	23	0,05																		
DDT	23	23	0,05																		
Diazinon	23	23	0,02																		
Endosulfan	23	23	0,02																		
Iprodione	23	23	0,02																		
Metalaxyl	23	23	0,05																		
Methamidophos	23	23	0,05																		
Methidathion	23	23	0,05																		
Thiabendazole	23	14	0,05				2	4	3									0,50		3,00	E
Triazophos	23	23	0,05																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL

(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

