



**Notifications of the co-ordinated programme (specific exercise) to the European Commission for peaches**

Country	Number of samples analysed	Without detectable residues	in %	residues at or below MRL:	in %	With residues above MRL:	in %	residues above EC-MRL:	in %	residues above national	in %
	Belgium	36	16	44,4	14	38,9	6	16,7	2	5,6	4
Denmark*	40	24	60,0	16	40,0	0	0,0	0	0,0	0	0,0
Germany	298	173	58,1	97	32,6	28	9,4	24	8,1	5	1,7
Greece	32	15	46,9	17	53,1	0	0,0	0	0,0	0	0,0
Spain	45	18	40,0	27	60,0	0	0,0	0	0,0	0	0,0
France	100	80	80,0	18	18,0	2	2,0	2	2,0	0	0,0
Ireland	5	3	60,0	2	40,0	0	0,0	0	0,0	0	0,0
Italy	421	368	87,4	51	12,1	2	0,5	0	0,0	2	0,5
Luxembourg	15	7	46,7	8	53,3	0	0,0	0	0,0	0	0,0
The Netherlands	26	23	88,5	1	3,8	2	7,7	0	0,0	2	7,7
Austria	11	7	63,6	2	18,2	2	18,2	0	0,0	2	18,2
Portugal	28	20	71,4	8	28,6	0	0,0	0	0,0	0	
Finland	12	6	50,0	6	50,0	0	0,0	0	0,0	0	0,0
Sweden	79	70	88,6	9	11,4	0	0,0	0	0,0	0	0,0
United Kingdom	72	23	31,9	49	68,1	0	0,0	0	0,0	0	0,0
Norway	20	15	75,0	5	25,0	0	0,0	0	0,0	0	0,0
EU + Norway	870	672	77,2	184	21,1	14	1,6	4	0,5	10	1,1

\* without D,UK\* without D,UK\* without D,UK\* without D,UK\* without D,UK\* without D,UK\* without D,UK\* without D,UK\* without D,UK\* without D,UK\* without D,UK\* without D,UK

\*50 %peaches and 50% nectarines







Notifications of the co-ordinated programme (specific exercise) to the European Commission for oranges																														
Reporting country: EU+Norway												Year of sampling: 1998																		
												in %																		
Number of samples analysed:		1592										With residues above MRL:		14		0,9														
Without detectable residues:		509										32,0		With residues above EC-MRL:		14		0,9												
With residues at or below MRL:		1069										67,1		With residues above national MRL:		2		0,1												
Product group:												Food item: Oranges																		
Pesticide (**)	Total number of samples	Number of samples without residues	%	Number of samples with detectable residues	%	Number of samples with residues below/equal MRL	%	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)						
									0,01	0,02	0,05	0,1	0,2	0,5	1	2	5	10	20	>50										
Acephate	1326	1326	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Benomyl group (****)	1060	1015	95,75	45	4,25	45	4,25		0	2	5	7	10	13	5	2	1	0	0	0	0	0	0	0	0	0	0			
Chlorpyrifos	1469	1176	80,05	293	19,95	289	19,67		13	29	73	92	63	21	2	0	0	0	0	0	0	0	0	0	0	4	0,30	E		
Chlorpyrifos-methyl	1431	1406	98,25	25	1,75	23	1,61		8	5	7	4	1	0	0	0	0	0	0	0	0	0	0	0	0	2	varies			
Deltamethrin	1369	1369	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Diazinon	1474	1453	98,58	21	1,42	21	1,42		2	1	7	4	4	3	0	0	0	0	0	0	0	0	0	0	0	0	0			
Endosulfan	1489	1466	98,46	23	1,54	23	1,54		8	6	3	2	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0			
Imazalil	1240	529	42,66	711	57,34	711	57,34		0	1	4	16	30	132	222	222	84	0	0	0	0	0	0	0	0	0	0			
Iprodione	1444	1442	99,86	2	0,14	0	0,00		0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	2	0,02	E		
Lambda-cyhalothrin	998	998	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Maneb-group (****)	496	475	95,77	21	4,23	21	4,23		0	0	5	3	5	6	1	1	0	0	0	0	0	0	0	0	0	0	0			
Mecarbam	1245	1230	98,80	15	1,20	15	1,20		0	0	0	8	3	4	0	0	0	0	0	0	0	0	0	0	0	0	0			
Metalaxyl	1355	1293	95,42	62	4,58	62	4,58		0	0	2	0	1	5	5	30	19	0	0	0	0	0	0	0	0	0	0			
Methamidophos	1355	1354	99,93	1	0,07	1	0,07		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Methidathion	1492	1182	79,22	310	20,78	309	20,71		4	10	29	70	60	93	37	6	1	0	0	0	0	0	0	0	0	1	2,00	E		
Permethrin	1342	1341	99,93	1	0,07	1	0,07		0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0			
Pirimiphos-methyl	1446	1405	97,16	41	2,84	41	2,84		0	1	3	10	15	12	0	0	0	0	0	0	0	0	0	0	0	0	0			
Thiabendazol	1342	934	69,60	408	30,40	404	30,10		0	1	14	14	21	51	100	144	57	6	0	0	0	0	0	0	0	4	6,00	E		
Triazophos	1235	1235	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Vinclozolin	1489	1488	99,93	1	0,07	0	0,00		0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0,05	E		

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

Notifications of the co-ordinated programme (specific exercise) to the European Commission for peaches																											
Reporting country: EU+Norway												Year of sampling: 1998															
												in %															
Number of samples analysed:		1240										With residues above MRL:		42		3,4											
Without detectable residues:		868										70,0		With residues above EC-MRL:		28		2,3									
With residues at or below MRL:		330										26,6		With residues above national MRL:		15		1,2									
With residues of pesticides for which no MRL established:																											
Product group:												Food item: Peaches															
Pesticide (**)	Total number of samples	Number of samples without residues	%	Number of samples with detectable residues	%	Number of samples with residues below/equal MRL	%	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
									0,01	0,02	0,05	0,1	0,2	0,5	1	2	5	10	20	>50							
Acephate	925	908	100,00	17	0,00	8	0,86		0	1	3	4	4	5	0	0	0	0	0	0	0	0	0	0	9		
Benomyl group (****)	840	752	95,75	88	4,25	76	9,05		0	1	8	23	37	15	2	1	1	0	0	0	0	0	0	0	12		
Chlorpyrifos	1079	1037	80,05	42	19,95	39	3,61		6	10	13	9	3	1	0	0	0	0	0	0	0	0	0	0	3		
Chlorpyrifos-methyl	1067	1050	98,25	17	1,75	16	1,50		3	7	3	3	0	1	0	0	0	0	0	0	0	0	0	0	1		
Deltamethrin	1000	999	100,00	1	0,00	1	0,10		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	1070	1063	98,58	7	1,42	7	0,65		2	2	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0		
Endosulfan	1085	1038	98,46	47	1,54	47	4,33		7	13	8	6	7	2	4	0	0	0	0	0	0	0	0	0	0		
Imazalil	697	697	42,66	0	57,34	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Iprodione	1053	982	99,86	71	0,14	71	6,74		1	2	6	8	9	22	13	8	2	0	0	0	0	0	0	0	0		
Lambda-cyhalothrin	749	738	100,00	11	0,00	11	1,47		1	7	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0		
Maneb-group (****)	702	614	95,77	88	4,23	85	12,11		1	4	3	14	29	16	6	12	3	0	0	0	0	0	0	0	3	2	E
Mecarbam	660	660	98,80	0	1,20	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metalaxyl	910	910	95,42	0	4,58	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	980	943	99,93	37	0,07	21	2,14		1	5	16	8	4	3	0	0	0	0	0	0	0	0	0	0	16		
Methidathion	1074	1071	79,22	3	20,78	3	0,28		0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0		
Permethrin	953	953	99,93	0	0,07	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	1065	1065	97,16	0	2,84	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	819	814	69,60	5	30,40	4	0,49		0	1	3	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0,05	E
Triazophos	859	857	100,00	2	0,00	1	0,12		0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Vinclozolin	1093	1073	99,93	20	0,07	20	1,83		5	3	4	2	2	4	0	0	0	0	0	0	0	0	0	0	0		

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*)Sum of dithiocarbamates, expressed as CS<sub>2</sub>

Notifications of the co-ordinated programme (specific exercise) to the European Commission for carrots																															
Reporting country: EU + Norway											Year of sampling: 1998																				
											in %						in %														
Number of samples analysed:		1429								With residues above MRL:		63		4,4																	
Without detectable residues:		1179		82,5						With residues above EC-MRL:		61		4,3																	
With residues at or below MRL:		187		13,1						With residues above national MRL:		3		0,2																	
With residues of pesticides for which no MRL established:																															
Product group:											Food item: Carrots																				
Pesticide (**)	Total number of samples	Number of samples without residues	%	Number of samples with detectable residues	%	Number of samples with residues below/equal MRL	%	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)							
									0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50						
Acephate	1271	1269	99,84	2	0,16	2	0,16		0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Benomyl group (****)	854	852	99,77	2	0,23	2	0,23		0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	1364	1346	98,68	18	1,32	13	0,95		2	3	5	3	3	2	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0,1	E	
Chlorpyrifos-methyl	1346	1346	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	1332	1332	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	1355	1328	98,01	27	1,99	22	1,65		0	1	5	0	5	11	5	0	0	0	0	0	0	0	0	0	0	0	5	0,5	E		
Endosulfan	1390	1380	99,28	10	0,72	9	0,64		1	1	2	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0,02	E		
Imazalil	1106	1106	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Iprodione	1306	1191	91,19	115	8,81	114	8,73		7	10	36	26	20	12	1	1	2	0	0	0	0	0	0	0	0	0	1				
Lambda-cyhalothrin	1086	1086	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Maneb-group (*****)	747	710	95,05	37	4,95	11	1,47		1	0	6	12	10	7	1	0	0	0	0	0	0	0	0	0	0	0	26				
Mecarbam	997	997	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metalaxyl	1321	1321	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	1289	1289	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methidathion	1343	1343	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Permethrin	1315	1315	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	1357	1356	99,93	1	0,07	1	0,07		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	1198	1194	99,67	4	0,33	4	0,33		0	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	1202	1200	99,83	2	0,17	2	0,17		0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Vinclozolin	1332	1299	97,52	33	2,48	16	1,23		1	5	9	2	6	5	5	0	0	0	0	0	0	0	0	0	0	0	17				
(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg																															
(**) in alphabetical order of the English name																															
(***) E=EC-MRL, N=National MRL																															
(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).																															
(*****) Sum of dithiocarbamates, expressed as CS <sub>2</sub>																															

Notifications of the co-ordinated programme (specific exercise) to the European Commission for spinach																													
Reporting country: EU + Norway												Year of sampling: 1998																	
												in %																	
Number of samples analysed:		913								With residues above MRL:		73		8,0															
Without detectable residues:		779		85,3						With residues above EC-MRL:		76		8,3															
With residues at or below MRL:		58		6,4						With residues above national MRL:		3		0,3															
With residues of pesticides for which no MRL established:																													
Product group: Leaf vegetables												Food item: Spinach (fresh including frozen)																	
Pesticide (**)	Total number of samples	Number of samples without residues	%	Number of samples with detectable residues	%	Number of samples with residues below/equal MRL	%	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																	Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
									0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50								
Acephate	810	810	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Benomyl group (****)	473	470	99,37	3	0,63	1	0,21		0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	2	0,1	E	
Chlorpyrifos	847	841	99,29	6	0,71	4	0,47		1	0	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0	2	0,05	E	
Chlorpyrifos-methyl	836	836	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Deltamethrin	824	808	98,06	16	1,94	16	1,94		0	0	2	9	3	2	0	0	0	0	0	0	0	0	0	0	0	0			
Diazinon	838	838	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Endosulfan	840	825	98,21	15	1,79	15	1,79		3	3	4	0	0	2	3	0	0	0	0	0	0	0	0	0	0	0			
Imazalil	741	741	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Iprodione	834	821	98,44	13	1,56	2	0,24		1	0	6	1	0	2	0	1	0	2	0	0	0	0	0	0	0	11	0,02	E	
Lambda-cyhalothrin	746	735	98,53	11	1,47	11	1,47		0	0	3	5	2	0	1	0	0	0	0	0	0	0	0	0	0	0			
Maneb-group (****)	490	452	92,24	38	7,76	17	3,47		0	0	6	5	3	8	5	6	2	3	0	0	0	0	0	0	0	21	0,05	E	
Mecarbam	590	590	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Metalaxyl	821	819	99,76	2	0,24	1	0,12		0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1			
Methamidophos	811	810	99,88	1	0,12	1	0,12		0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0			
Methidathion	841	841	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Permethrin	814	778	95,58	36	4,42	25	3,07		0	0	1	5	11	4	4	2	5	4	0	0	0	0	0	0	0	11	0,05	E	
Pirimiphos-methyl	838	838	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Thiabendazol	586	583	99,49	3	0,51	2	0,34		0	0	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1			
Triazophos	766	766	100,00	0	0,00	0	0,00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Vinclozolin	862	858	99,54	4	0,46	2	0,23		0	2	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	2	0,05	E	

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>





**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Belgium** Year of sampling: 1998

Number of samples analysed: 59 With residues above MRL: 1  
 Without detectable residues: 11 With residues above EC-MRL: 1  
 With residues at or below MRL: 47 With residues above national MRL: 0

Product group: Citrus fruit Food item: Orange

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	48	48	0,02-0,2																	1	E
Benomyl-group (****)	59	57	0,1-0,2						1	1								0,8		5	E
Chlorpyrifos	56	45	0,05			2	6	3											0,16	0,3	E
Chlorpyrifosmethyl	56	56	0,05																	0,05	N
Deltamethrin	56	56	0,05																	0,05	E
Diazinon	56	55	0,05					1											0,12	0,5	E
Endosulfan	56	56	0,05																	1	E
Imazalil	57	13	0,1						4	18	22						1,97			5	E
Iprodione	56	55	0,1-0,2								1						1,6	1		0,02	E
Lambda-cyhalothrin	56	56	0,05																	0,02	E
Maneb group (*****)	48	46	0,5-0,6							1	1								1,3	2	E
Mecarbam	56	56	0,05																	2	E
Metalaxyl	55	54	0,05-0,1						1								0,44			5	N
Methamidophos	48	48	0,02-0,05																	0,2	E
Methidathion	56	53	0,02-0,05					1		2							0,8			2	E
Permethrin	56	56	0,05-0,1																	0,5	E
Pirimiphos-methyl	56	54	0,05				1	1									0,12			1	E
Thiabendazole	59	55	0,05-0,1							2	2						1,71			6	E
Triazophos	0																			0,1	N
Vinclozolin	56	56	0,05																	0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg  
 (\*\*) in alphabetical order of the English name  
 (\*\*\*) E=EC-MRL, N=National MRL  
 (\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).  
 (\*\*\*\*\*). Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Belgium** Year of sampling: 1998

Number of samples analysed: 36 With residues above MRL: 6  
 Without detectable residues: 16 With residues above EC-MRL: 2  
 With residues at or below MRL: 14 With residues above national MRL: 4

Product group: Stone fruit Food item: Peach

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	29	27	0,02-0,2				1	1										0,2	2	0,02	N
Benomyl-group(****)	20	17	0,1-0,2				1	2										0,2		2	N
Chlorpyrifos	32	32	0,05																	0,05	N
Chlorpyrifosmethyl	32	32	0,05																	0,05	N
Deltamethrin	32	32	0,05																	0,1	E
Diazinon	32	32	0,05																	0,5	E
Endosulfan	32	30	0,05						1	1								0,68		1	E
Imazalil	30	30	0,1																	0,02	E
Iprodione	33	28	0,1-0,2							3	2							1,2		5	E
Lambda-cyhalothrin	32	32	0,05																	0,02	E
Maneb group (*****)	36	34	0,5-0,6										2					3,1	2	2	E
Mecarbam	32	32	0,05																	0,05	E
Metaxyl	30	30	0,05-0,1																	0,05	N
Methamidophos	30	28	0,02-0,05				2											0,1	2	0,01	N
Methidathion	32	32	0,02-0,05																	0,2	E
Permethrin	32	32	0,05-0,1																	1	E
Pirimiphos-methyl	32	32	0,05																	0,05	N
Thiabendazole	20	19	0,05-0,1			1												0,05		0,05	E
Triazophos	0																			0,1	N
Vinclozolin	32	29	0,05					1	2									0,26		2	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Belgium** Year of sampling: 1998

Number of samples analysed: 64 With residues above MRL: 0  
 Without detectable residues: 59 With residues above EC-MRL: 0  
 With residues at or below MRL: 5 With residues above national MRL: 0

Product group: **Root and tuber vegetables** Food item: **Carrot**

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	55	55	0,02-0,2																	0,02	E
Benomyl-group(****)	60	58	0,1-0,2				2											0,1		2	N
Chlorpyrifos	57	56	0,05				1											0,1		0,1	E
Chlorpyrifosmethyl	57	57	0,05																	0,05	E
Deltamethrin	57	57	0,05																	0,05	E
Diazinon	57	57	0,05																	0,5	E
Endosulfan	57	57	0,05																	0,2	E
Imazalil	33	33	0,1																	0,02	E
Iprodione	57	57	0,1-0,2																	2	N
Lambda-cyhalothrin	57	57	0,05																	0,02	E
Maneb group (****)	61	61	0,5-0,6																	0,5	N
Mecarbam	57	57	0,05																	0,05	E
Metalaxyl	55	55	0,05-0,1																	0,1	E
Methamidophos	54	54	0,02-0,05																	0,01	E
Methidathion	57	57	0,02-0,05																	0,02	E
Permethrin	57	57	0,05-0,1																	0,05	E
Pirimiphos-methyl	57	57	0,05																	1	E
Thiabendazole	60	58	0,05-0,1			2												0,05		0,05	E
Triazophos	0																			1	E
Vinclozolin	57	57	0,05																	0,05	N

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Belgium** Year of sampling: 1998

Number of samples analysed: 103 With residues above MRL: 3  
 Without detectable residues: 95 With residues above EC-MRL: 3  
 With residues at or below MRL: 5 With residues above national MRL: 0

Product group: Leaf vegetables Food item: Spinach (fresh, including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	98	98	0,02-0,2																	0,02	E
Benomyl-group(****)	91	90	0,1-0,2				1											0,1		0,1	E
Chlorpyrifos	103	103	0,05																	0,05	E
Chlorpyrifosmethyl	103	103	0,05																	0,05	E
Deltamethrin	103	102	0,05					1										0,28		0,5	E
Diazinon	103	103	0,05																	0,5	E
Endosulfan	103	102	0,05					1										0,49		1	E
Imazalil	52	52	0,1																	0,02	E
Iprodione	103	102	0,1-0,2							1								1,2	1	0,02	E
Lambda-cyhalothrin	103	103	0,05																	0,02	E
Maneb group (*****)	100	98	0,5-0,6							2								1,9	2	0,05	E
Mecarbam	103	103	0,05																	0,05	E
Metalaxyl	98	98	0,05-0,1																	0,05	N
Methamidophos	98	98	0,02-0,05																	0,01	E
Methidathion	103	103	0,02-0,05																	0,02	E
Permethrin	103	103	0,05-0,1																	0,05	E
Pirimiphos-methyl	103	103	0,05																	1	N
Thiabendazole	91	89	0,05-0,1			2												0,05		0,05	E
Triazophos	63	63	0,05																	0,02	E
Vinclozolin	103	103	0,05																	0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

Table B:		Notifications of the co-ordinated programme (specific exercise) to the European Commission																		
Reporting country:	Denmark	Year of sampling: 1998																		
Number of samples analysed:	87	With residues above MRL:										0								
Without detectable residues:	40	With residues above EC-MRL:										0								
With residues at or below MRL:	47	With residues above national MRL:										0								
Product group:	Citrus fruit	Food item:	Oranges																	
				Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																
Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
Acephate	87	87	0,05																	
Benomyl group (****)	87	79	0,05					1	4	2		1					2,45		5,00	E
Chlorpyrifos	87	77	0,05		2	5	3										0,08		0,30	E
Chlorpyrifos-methyl	87	87	0,05																	
Deltamethrin	87	87	0,1																	
Diazinon	87	87	0,05																	
Endosulfan	87	87	0,02																	
Imazalil	15	1	0,05							3	5	6					3,50		5,00	E
Iprodione	87	87	0,2																	
Lambda-cyhalothrin	0	0																		
Maneb-group (****)	0	0																		
Mecarbam	87	86	0,05					1									0,44		2,00	E
Metalaxyl	87	87	0,1																	
Methamidophos	87	87	0,2																	
Methidathion	87	77	0,05		2	1	3		3	1							0,90		2,00	E
Permethrin	87	87	0,2																	
Pirimiphos-methyl	87	80	0,05			1		2	4								0,36		1,00	E
Thiabendazol	87	70	0,08						4	4	8	1					2,77		6,00	E
Triazophos	87	87	0,05																	
Vinclozolin	87	87	0,05																	
(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg																				
(**) in alphabetical order of the English name																				
(***) E=EC-MRL, N=National MRL																				
(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).																				
(*****) Sum of dithiocarbamates, expressed as CS <sub>2</sub>																				



Table B:		Notifications of the co-ordinated programme (specific exercise) to the European Commission																		
Reporting country:	Denmark	Year of sampling: 1998																		
Number of samples analysed:	71	With residues above MRL:												0						
Without detectable residues:	67	With residues above EC-MRL:												0						
With residues at or below MRL:	4	With residues above national MRL:												0						
Product group:	Root and tuber vegetables	Food item:		Carrots																
				Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																
Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
Acephate	71	71	0,05																	
Benomyl group	71	71	0,05																	
Chlorpyrifos	71	71	0,05																	
Chlorpyrifos-methyl	71	71	0,05																	
Deltamethrin	71	71	0,1																	
Diazinon	71	71	0,05																	
Endosulfan	71	71	0,02																	
Imazalil	0		0,05																	
Iprodione	71	67	0,2			1	1	1	1								0,39			No MRL
Lambda-cyhalothrin	0																			
Maneb-group	69	68	0,1						1								0,27		0,50	N
Mecarbam	71	71	0,05																	
Metalaxyl	71	71	0,1																	
Methamidophos	71	71	0,2																	
Methidathion	71	71	0,05																	
Permethrin	71	71	0,2																	
Pirimiphos-methyl	71	71	0,05																	
Thiabendazol	71	71	0,08																	
Triazophos	71	71	0,05																	
Vinclozolin	71	71	0,05																	
(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg																				
(**) in alphabetical order of the English name																				
(***) E=EC-MRL, N=National MRL																				
(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).																				
(*****) Sum of dithiocarbamates, expressed as CS <sub>2</sub>																				

Table B:		Notifications of the co-ordinated programme (specific exercise) to the European Commission																			
Reporting country:	Denmark	Year of sampling: 1998																			
Number of samples analysed:	20	With residues above MRL:												0							
Without detectable residues:	17	With residues above EC-MRL:												3							
With residues at or below MRL:	0	With residues above national MRL:												0							
Product group:	Leaf vegetables	Food item:	Spinach (fresh, including frozen)																		
				Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																	
Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
Acephate	0	0	0,05																		
Benomyl group	0	0	0,05																		
Chlorpyrifos	0	0	0,05																		
Chlorpyrifos-methyl	0	0	0,05																		
Deltamethrin	0	0	0,1																		
Diazinon	0	0	0,05																		
Endosulfan	0	0	0,02																		
Imazalil	0	0	0,05																		
Iprodione	0	0	0,2																		
Lambda-cyhalothrin	0	0																			
Maneb-group	18	15	0,1					1	1				1				5,5	3	0,05	E	
Mecarbam	0	0	0,05																		
Metalaxyl	0	0	0,1																		
Methamidophos	0	0	0,2																		
Methidathion	0	0	0,05																		
Permethrin	0	0	0,2																		
Pirimiphos-methyl	0	0	0,05																		
Thiabendazol	0	0	0,08																		
Triazophos	0	0	0,05																		
Vinclozolin	18	17	0,05		1												0,02		0,05	E	
(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg																					
(**) in alphabetical order of the English name																					
(***) E=EC-MRL, N=National MRL																					
(****) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).																					
(*****) Sum of dithiocarbamates, expressed as CS <sub>2</sub>																					

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Germany** Year of sampling: 1998

Number of samples analysed: 231 With residues above MRL: 5  
 Without detectable residues: 71 With residues above EC-MRL: 5  
 With residues at or below MRL: 155 With residues above national MRL: 1

Product group: Citrus fruit Food item: Oranges

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	180	180	0.02																	1	E
Benomyl group (****)	133	118			2	4	4	4	1									0.29		5	E
Chlorpyrifos	214	131	0.01	9	15	28	20	9	2									0.24		0.3	E
Chlorpyrifos-methyl	213	204	0.01	3	2	2	1	1										0.13	2	0.05	E
Deltamethrin	208	208	0.05																	0.05	E
Diazinon	214	206	0.02	2		4	1	1										0.12		0.5	E
Endosulfan	209	188		8	6	3	2	1	1									0.21		1	E
Imazalil	189	127	0.1		1	3	3	5	22	15	9	4						3.6		5	E
Iprodione	209	208	0.02				1											0.057	1	0.02	N
Lambda-cyhalothrin	174	174	0.02																	0.02	E
Maneb-group (*****)	156	139	0.1			5	1	5	6									0.44		2	E
Mecarbam	208	204	0.01				2	1	1									0.43		2	E
Metalaxyl	195	193	0.05			1			1									0.29		2	N
Methamidophos	209	208	0.05	1														0.008		0.2	E
Methidathion	214	174	0.02	2	3	12	8	4	9	2								0.79		2	E
Permethrin	208	208	0.05																	0.5	E
Pirimiphos-methyl	212	205	0.01			1	3	2	1									0.32		1	E
Thiabendazol	179	127	0.05		1	1	1	6	9	15	12	6	1					7.9	1	6	E
Triazophos	192	192	0.02																	0.02	N
Vinclozolin	206	205	0.01					1										0.17	1	0.05	E

(\*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Germany** Year of sampling: 1998

Number of samples analysed: 298 With residues above MRL: 28  
 Without detectable residues: 173 With residues above EC-MRL: 24  
 With residues at or below MRL: 97 With residues above national MRL: 5

Product group: Stone fruit Food item: Peaches

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	254	248	0.02			1		2	3								0.47	6	0.02	E
Benomyl group (****)	180	158				5	8	8	1								0.32	9	0.1	E
Chlorpyrifos	282	265	0.01	3	4	8	2										0.06	2	0.05	E
Chlorpyrifos-methyl	273	269	0.01	2	2												0.02		0.05	E
Deltamethrin	263	263	0.05																0.1	E
Diazinon	278	277	0.02	1													0.01		0.5	E
Endosulfan	281	257		6	6	2	3	5		2							0.77		1	E
Imazalil	244	244	0.1																0.02	E
Iprodione	272	254	0.02	1	2	4	2	3	3	3							0.92		5	E
Lambda-cyhalothrin	241	240	0.02	1													0.01		0.02	E
Maneb-group (*****)	234	192	0.1	1	4	3	8	11	9	4	2						1.7		2	E
Mecarbam	112	112	0.02																0.05	E
Metalaxyl	254	254	0.05																0.05	N
Methamidophos	256	242	0.05	1	4	7			2								0.34	13	0.01	E
Methidathion	276	273	0.02			1	2										0.077		0.2	E
Permethrin	263	263	0.05																1	E
Pirimiphos-methyl	277	277	0.01																0.05	N
Thiabendazol	198	196	0.05		1			1									0.14	1	0.05	E
Triazophos	259	258	0.02			1											0.04	1	0.02	N
Vinclizolin	272	261	0.01	5	3	2	1										0.073		2	E

(\*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Germany** Year of sampling: 1998

Number of samples analysed: 330 With residues above MRL: 51  
 Without detectable residues: 247 With residues above EC-MRL: 50  
 With residues at or below MRL: 32 With residues above national MRL: 1

Product group: **Root and tuber vegetables** Food item: **Carrots**

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	301	301	0.02																	0.02	E
Benomyl group (****)	235	235																		0.1	E
Chlorpyrifos	327	320	0.01	1	3	2	1											0.07		0.1	E
Chlorpyrifos-methyl	323	323	0.01																	0.05	E
Deltamethrin	323	323	0.05																	0.05	E
Diazinon	326	325	0.02			1												0.034		0.5	E
Endosulfan	326	323		1	1	1												0.039		0.2	E
Imazalil	312	312	0.1																	0.02	E
Iprodione	326	307	0.02	7	2	4	6											0.1	1	0.02	E
Lambda-cyhalothrin	272	272	0.02																	0.02	E
Maneb-group (*****)	276	245	0.1	1		4	12	8	6									0.5	26	0.05	E
Mecarbam	108	108	0.02																	0.05	E
Metalaxyl	315	315	0.05																	0.1	E
Methamidophos	325	325	0.05																	0.01	E
Methidathion	326	326	0.02																	0.02	E
Permethrin	323	323	0.05																	0.05	N
Pirimiphos-methyl	325	325	0.01																	1	E
Thiabendazol	228	227	0.05			1												0.05		0.05	E
Triazophos	317	317	0.02																	1	E
Vinclozolin	324	293	0.01	1	5	9	2	6	5	3								0.87	16	0.05	E

(\*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Germany** Year of sampling: 1998

Number of samples analysed: 275 With residues above MRL: 26  
 Without detectable residues: 230 With residues above EC-MRL: 26  
 With residues at or below MRL: 19 With residues above national MRL: 0

Product group: Leaf vegetables Food item: Spinach (fresh, including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	253	253	0.02																	0.02	E
Benomyl group (****)	2	2																		0.1	E
Chlorpyrifos	256	255	0.01			1												0.022		0.05	E
Chlorpyrifos-methyl	256	256	0.01																	0.05	E
Deltamethrin	256	247	0.05			1	5	2	1									0.23		0.5	E
Diazinon	255	255	0.02																	0.5	E
Endosulfan	255	249		2	1	3												0.049		1	E
Imazalil	253	253	0.1																	0.02	E
Iprodione	256	255	0.02	1														0.008		0.02	E
Lambda-cyhalothrin	224	222	0.02			1		1										0.16		0.02	E
Maneb-group (*****)	66	58	0.5			3	3			1	1							1.1		0.05	E
Mecarbam	60	60	0.015																	0.05	E
Metalaxyl	253	253	0.05																	0.05	N
Methamidophos	256	255	0.05					1										0.14		0.01	E
Methidathion	255	255	0.02																	0.02	E
Permethrin	256	237	0.05			1	3	9	4	2								0.54		0.05	E
Pirimiphos-methyl	256	256	0.01																	2	N
Thiabendazol	34	34	0.05																	0.05	E
Triazophos	255	255	0.02																	0.02	E
Vinclozolin	255	254	0.01		1													0.012		0.05	E

(\*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*)Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Greece** Year of sampling: 1998

Number of samples analysed: 44 With residues above MRL: 0  
 Without detectable residues: 20 With residues above EC-MRL: 0  
 With residues at or below MRL: 24 With residues above national MRL: 0

Product group: Citrus fruit Food item: Oranges

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	30	30	0,02																	1	E
Benomyl group (****)	41	36	0,05						4	1										5	E
Chlorpyrifos	30	27	0,05	1		1	1										0,1		0,3	E	
Chlorpyrifos-methyl	30	30	0,05																0,5	N	
Deltamethrin	30	30	0,05																0,05	E	
Diazinon	30	30	0,02																0,5	E	
Endosulfan	30	30	0,05																1	E	
Imazalil	30	30	0,02																5	E	
Iprodione	30	30	0,02																0,02	E	
Lambda-cyhalothrin	30	30	0,02																0,02	E	
Maneb-group (*****)	7	7	0,3																2	E	
Mecarbam	30	26	0,05				4										0,1		2	E	
Metaxyl	30	30	0,05																5	N	
Methamidophos	30	30	0,01																0,2	E	
Methidathion	30	20	0,02		2	1	3	2		2							0,97		2	E	
Permethrin	30	30	0,05																0,5	E	
Pirimiphos-methyl	30	30	0,05																1	E	
Thiabendazole	44	40	0,1						4								0,37		6	E	
Triazophos	30	30	0,02																-	NO MRL	
Vinclozolin	30	30	0,05																0,05	E	

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg  
 (\*\*) in alphabetical order of the English name  
 (\*\*\*) E=EC-MRL, N=National MRL  
 (\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).  
 (\*\*\*\*\* Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Greece** Year of sampling: 1998

Number of samples analysed: 32 With residues above MRL: 0  
 Without detectable residues: 15 With residues above EC-MRL: 0  
 With residues at or below MRL: 17 With residues above national MRL: 0

Product group: Stone fruit Food item: Peaches

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	18	17	0,02				1											0,94		–	NO MRL
Benomyl group (****)	28	17	0,05				1	6	4									0,5		–	NO MRL
Chlorpyrifos	18	16	0,05	1		1												0,03		–	NO MRL
Chlorpyrifos-methyl	18	18	0,05																	0,5	N
Deltamethrin	18	18	0,05																	0,1	E
Diazinon	18	18	0,02																	0,5	E
Endosulfan	18	18	0,05																	1	E
Imazalil	18	18	0,02																	0,02	E
Iprodione	18	18	0,02																	5	E
Lambda-cyhalothrin	18	18	0,02																	0,02	E
Maneb-group (*****)	16	12	0,16					1		1	2							1,7		2	E
Mecarbam	18	18	0,05																	0,05	E
Metalaxyl	18	18	0,05																	–	NO MRL
Methamidophos	18	15	0,01				1	1	1									0,28		–	NO MRL
Methidathion	18	18	0,02																	0,2	E
Permethrin	18	18	0,05																	1	E
Pirimiphos-methyl	18	18	0,05																	–	NO MRL
Thiabendazol	32	32	0,1																	0,05	E
Triazophos	18	18	0,02																	–	NO MRL
Vinclozolin	18	18	0,05																	2	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Greece** Year of sampling: 1998

Number of samples analysed: 27 With residues above MRL 4  
 Without detectable residues: 20 With residues above EC-MRL 4  
 With residues at or below MRL: 3 With residues above national MRL 0

Product group: **Root and tuber vegetables** Food item: **Carrots**

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	20	20	0,02																	0,02	E
Benomyl group (****)	25	25	0,05																	—	NO MRL
Chlorpyrifos	20	15	0,05			1		2	2									0,46	4	0,1	E
Chlorpyrifos-methyl	20	20	0,05																	0,05	E
Deltamethrin	20	20	0,05																	0,05	E
Diazinon	20	18	0,02			2												0,03		0,5	E
Endosulfan	20	20	0,05																	0,2	E
Imazalil	20	20	0,02																	0,05	N
Iprodione	20	20	0,02																	10	N
Lambda-cyhalothrin	20	20	0,02																	0,02	E
Maneb-group (*****)	7	7	0,3																	0,2	E
Mecarbam	20	20	0,05																	0,05	E
Metalaxyl	20	20	0,05																	0,1	E
Methamidophos	20	20	0,01																	0,05	E
Methidathion	20	20	0,02																	0,02	E
Permethrin	20	20	0,05																	0,01	E
Pirimiphos-methyl	20	20	0,05																	1	E
Thiabendazol	27	27	0,1																	0,05	E
Triazophos	20	20	0,02																	1	E
Vinclozolin	20	20	0,05																	—	NO MRL

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg  
 (\*\*) in alphabetical order of the English name  
 (\*\*\*) E=EC-MRL, N=National MRL  
 (\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).  
 (\*\*\*\*\* Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Greece** Year of sampling: 1998

Number of samples analysed: 23 With residues above MRL 7  
 Without detectable residues: 15 With residues above EC-MRL 7  
 With residues at or below MRL: 1 With residues above national MRL 0

Product group: Leaf vegetables Food item: Spinach (fresh, including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	13	13	0,02																	0,02	E
Benomyl group (****)	22	21	0,05						1									0,24	1	0,1	E
Chlorpyrifos	13	12	0,05	1														0,01		0,05	E
Chlorpyrifos-methyl	13	13	0,05																	0,05	E
Deltamethrin	13	13	0,05																	0,5	E
Diazinon	13	13	0,02																	0,5	E
Endosulfan	13	12	0,05		1													0,02		1	E
Imazalil	13	13	0,02																	0,02	E
Iprodione	13	13	0,02																	0,02	E
Lambda-cyhalothrin	13	13	0,02																	0,02	E
Maneb-group (*****)	9	3	0,05						2	2	2							1,6	6	0,05	E
Mecarbam	13	13	0,05																	0,05	E
Metalaxyl	13	13	0,05																	2	N
Methamidophos	13	13	0,01																	0,01	E
Methidathion	13	13	0,02																	0,02	E
Permethrin	13	13	0,05																	0,05	E
Pirimiphos-methyl	13	13	0,05																	5	N
Thiabendazol	23	23	0,4																	0,05	E
Triazophos	13	13	0,02																	0,02	E
Vinclozolin	13	13	0,05																	0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Spain** Year of sampling: 1998

Number of samples analysed: 45 With residues above MRL: 1  
 Without detectable residues: 8 With residues above EC-MRL: 1  
 With residues at or below MRL: 36 With residues above national MRL: 1

Product group: Citrus fruit Food item: Oranges

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	45	45	0,02																1	EC
Benomyl group (****)	45	45	0,1																5	EC
Chlorpyrifos	45	30	0,05			6	5	3		1							0,55	1	0,3	EC
Chlorpyrifos-methyl	45	45	0,05																0,5	EC
Deltamethrin	45	45	0,05																0,05	EC
Diazinon	45	43	0,02		1			1									0,12		0,5	EC
Endosulfan	45	44	0,05					1									0,4		1	EC
Imazalil	45	35	0,02				1	1	2	2	4						1,93		5	EC
Iprodione	45	45	0,02																0,02	EC
Lambda-cyhalothrin	45	45	0,02																0,02	EC
Maneb-group (*****)	45	45	0,05																5	EC
Mecarbam	45	44	0,05					1									0,15		2	EC
Metalaxyl	45	45	0,05																0,3	N
Methamidophos	45	45	0,01																0,2	EC
Methidathion	45	39	0,02		1	2	1			2							0,66		2	EC
Permethrin	45	45	0,05																0,5	EC
Pirimiphos-methyl	45	43	0,05					2									0,16		1	EC
Thiabendazol	45	38	0,05			6					1						3,16		6	EC
Triazophos	45	45	0,02																0,02	N
Vinclozolin	45	45	0,05																0,05	EC

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Spain** Year of sampling: 1998

Number of samples analysed: 45 With residues above MRL: 0  
 Without detectable residues: 18 With residues above EC-MRL: 0  
 With residues at or below MRL: 27 With residues above national MRL: 0

Product group: Stone fruit Food item: Peaches

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	45	44	0,02				1										0,08		0,2	EC
Benomyl group (****)	45	40	0,1					2	2	1							0,73		1	EC
Chlorpyrifos	45	45	0,05																0,2	EC
Chlorpyrifos-methyl	45	45	0,05																0,5	EC
Deltamethrin	45	45	0,05																0,1	EC
Diazinon	45	43	0,02				1	1									0,22		0,5	EC
Endosulfan	45	43	0,05				1			1							0,95		1	EC
Imazalil	45	45	0,02																0,02	EC
Iprodione	45	45	0,02																5	EC
Lambda-cyhalothrin	45	45	0,02																0,2	EC
Maneb-group (*****)	45	29	0,05				2	4	2		8						1,7		2	EC
Mecarbam	45	45	0,05																0,05	EC
Metalaxyl	45	45	0,05																0,05	N
Methamidophos	45	44	0,01		1														0,05	EC
Methidathion	45	45	0,02																0,5	N
Permethrin	45	45	0,05																1	EC
Pirimiphos-methyl	45	45	0,05																0,5	N
Thiabendazol	45	45	0,05																2	N
Triazophos	45	45	0,02																0,02	N
Vinclozolin	45	45	0,05																2	EC

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Spain** Year of sampling: 1998

Number of samples analysed: 45 With residues above MRL: 0  
 Without detectable residues: 42 With residues above EC-MRL: 0  
 With residues at or below MRL: 3 With residues above national MRL: 0

Product group: Root and tuber vegetables Food item: Carrots

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	45	44	0,02		1													0,02		0,02	EC
Benomyl group (****)	45	45	0,1																	0,1	EC
Chlorpyrifos	45	45	0,05																	0,1	EC
Chlorpyrifos-methyl	45	45	0,05																	0,05	EC
Deltamethrin	45	45	0,05																	0,05	EC
Diazinon	45	45	0,02																	0,5	EC
Endosulfan	45	45	0,01																	0,2	EC
Imazalil	45	45	0,02																	0,02	EC
Iprodione	45	45	0,02																	0,3	EC
Lambda-cyhalothrin	45	45	0,02																	0,02	EC
Maneb-group (*****)	45	43	0,05				1			1								0,6		3	N
Mecarbam	45	45	0,05																	0,05	EC
Metalaxyl	45	45	0,05																	0,1	EC
Methamidophos	45	45	0,01																	0,01	EC
Methidathion	45	45	0,02																	0,01	EC
Permethrin	45	45	0,05																	0,05	EC
Pirimiphos-methyl	45	45	0,05																	0,05	EC
Thiabendazol	45	45	0,05																	0,05	EC
Triazophos	45	45	0,02																	1	EC
Vinclozolin	45	44	0,05							1								0,55		0,5	EC

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Spain** Year of sampling: 1998

Number of samples analysed: 31 With residues above MRL: 1  
 Without detectable residues: 29 With residues above EC-MRL: 1  
 With residues at or below MRL: 1 With residues above national MRL: 1

Product group: Leaf vegetable Food item: Spinach (fresh, including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	31	31	0,02																	0,02	EC
Benomyl group (****)	31	31	0,1																	0,1	EC
Chlorpyrifos	31	31	0,05																	0,05	EC
Chlorpyrifos-methyl	31	31	0,05																	0,05	EC
Deltamethrin	31	31	0,05																	0,5	EC
Diazinon	31	31	0,02																	0,5	EC
Endosulfan	31	31	0,01																	1	EC
Imazalil	31	31	0,02																	0,02	EC
Iprodione	31	31	0,02																	0,02	EC
Lambda-cyhalothrin	31	31	0,02																	0,05	EC
Maneb-group (*****)	31	30	0,05			1												0,05		0,05	EC
Mecarbam	31	31	0,05																	0,05	EC
Metalaxyl	31	30	0,05								1							1,33	1	0,05	N
Methamidophos	31	31	0,01																	0,01	EC
Methidathion	31	31	0,02																	0,05	EC
Permethrin	31	31	0,05																	0,05	EC
Pirimiphos-methyl	31	31	0,05																	1	EC
Thiabendazol	31	31	0,05																	0,05	EC
Triazophos	31	31	0,02																	0,05	EC
Vinclozolin	31	31	0,05																	0,05	EC

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **France** Year of sampling: 1998

Number of samples analysed: 83 With residues above MRL: 2  
 Without detectable residues: 30 With residues above EC-MRL: 2  
 With residues at or below MRL: 51 With residues above national MRL: 0

Product group: Citrus fruit Food item: Oranges

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	83	83	0,02														0,02		1,00	E
Benomyl-Group (****)	83	74	0,02			1	1	3	3	1							0,6		5,00	E
Chlorpyrifos	83	69	0,01	1	3	3	1	3	2	1							0,5	2	0,30	E
Chlorpyrifosmethyl	83	83	0,01														0,01		0,05	E
Deltamethrin	83	83	0,01														0,01		0,05	E
Diazinon	83	82	0,01						1								0,38		0,50	E
Endosulfan	83	83	0,01														0,01		1,00	E
Imazalil	83	41	0,05				1	6	10	16	7	2					3		5,00	E
Iprodione	83	83	0,01														0,01		0,02	E
Lambda-cyhalothrin	83	83	0,02														0,02		0,02	E
Maneb group (*****)	0	0																		
Mecarbam	83	82	0,01					1									0,1		2,00	E
Metalaxyl	83	83	0,02														0,02		0,00	E
Methamidophos	83	83	0,02														0,02		0,20	E
Methidathion	83	71	0,01			2	5	3		2							1		2,00	E
Permethrin	83	83	0,05														0,05		0,50	E
Pirimiphos-methyl	83	79	0,01		1	1		2									0,13		1,00	E
Thiabendazole	83	56	0,02			3	1	2	6	7	7	1					4,2		6,00	E
Triazophos	83	83	0,02														0,02		0,02	E
Vinclozolin	83	83	0,01														0,01		0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **France** Year of sampling: 1998

Number of samples analysed: 100 With residues above MRL: 2  
 Without detectable residues: 80 With residues above EC-MRL: 2  
 With residues at or below MRL: 18 With residues above national MRL: 0

Product group: Stone fruit Food item: Peaches

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	100	99							1								0,28		0,02	E
Benomyl-Group (****)	100	85	0,02			2	5	7	1								0,46		3 (1)	E
Chlorpyrifos	100	96	0,01		3	1											0,045		0,2/0,05	E
Chlorpyrifosmethyl	100	99	0,01				1										0,1	1	0,05	E
Deltamethrin	100	99	0,01		1												0,015		0,1	E
Diazinon	100	100	0,01														0,01		0,5	E
Endosulfan	100	95	0,02		3	1			1								0,25		1	E
Imazalil	0	0															0,05		0,02	E
Iprodione	100	82	0,01			2	2	4	10								0,4		5	E
Lambda-cyhalothrin	100	90	0,01		7	2		1									0,15		0,2	E
Maneb group (*****)	100	96	0,05						3			1					2,1	1	2	E
Mecarbam	100	100	0,01														0,01		0,05	E
Metalaxyl	100	100	0,02														0,02		0,02	E
Methamidophos	100	93	0,02			2	2	3									0,160		0,3	N
Methidathion	100	100	0,01														0,01		0,02	E
Permethrin	100	100	0,05														0,05		1	E
Pirimiphos-methyl	100	100	0,01														0,01		0,05	E
Thiabendazole	100	99	0,02			1											0,04		0,05	E
Triazophos	100	100	0,01														0,01		0,02	E
Vinclozolin	100	100	0,01														0,01		2	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **France** Year of sampling: 1998

Number of samples analysed: 90 With residues above MRL: 0  
 Without detectable residues: 82 With residues above EC-MRL: 0  
 With residues at or below MRL: 8 With residues above national MRL: 0

Product group: Root and tuber vegetables Food item: Carrots

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	90	90	0,02															0,02		0,02	E
Benomyl-Group (****)	90	90	0,02															0,02		3	E
Chlorpyrifos	90	89	0,01			1												0,03		0,1	E
Chlorpyrifosmethyl	90	90	0,01															0,01		0,05	E
Deltamethrin	90	90	0,01															0,01		0,05	E
Diazinon	90	90	0,01															0,01		0,5	E
Endosulfan	90	88	0,02			1	1											0,07		0,2	E
Imazalil	90	90	0,05															0,05		0,02	E
Iprodione	90	86	0,01			1	2	1										0,15		0,3	E
Lambda-cyhalothrin	90	90	0,01															0,01		0,02	E
Maneb group (*****)	90	90	0,05															0,05		0,5	E
Mecarbam	90	90	0,01															0,01		0,05	E
Metalaxyl	90	90	0,02															0,02		0,1	E
Methamidophos	90	90	0,02															0,02		0,01	E
Methidathion	90	90	0,01															0,01		0,02	E
Permethrin	90	90	0,05															0,05		0,05	E
Pirimiphos-methyl	90	89	0,01				1											0,05		1	E
Thiabendazole	90	90	0,02															0,02		0,05	E
Triazophos	90	90	0,01															0,01		1	E
Vinclozolin	90	90	0,01															0,01		0,02	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **France** Year of sampling: 1998

Number of samples analysed: 89 With residues above MRL: 13  
 Without detectable residues: 68 With residues above EC-MRL: 13  
 With residues at or below MRL: 8 With residues above national MRL: 0

Product group: Leaf vegetable Food item: Spinach (fresh, including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	89	89	0,02														0,02		0,02	E
Benomyl-Group (****)	89	89	0,02														0,02		3	E
Chlorpyrifos	89	89	0,01														0,01		0,05	E
Chlorpyrifosmethyl	89	89	0,01														0,01		0,05	E
Deltamethrin	89	88	0,01				1										0,07		0,5	E
Diazinon	89	89	0,01														0,01		0,5	E
Endosulfan	89	85	0,02			1				3							0,67		1	E
Imazalil	89	89	0,05														0,05		0,05	E
Iprodione	89	85	0,01			2		1				1					7,85	4	0,02	E
Lambda-cyhalothrin	89	86	0,01		1	1			1								0,66		1	N
Maneb group (*****)	89	78	0,05			2	1	2	2	1	1	2					7	9	0.5/0.05	E
Mecarbam	89	89	0,01														0,01		0,05	E
Metalaxyl	89	89	0,02														0,02		0,05	E
Methamidophos	89	89	0,02														0,02		0,01	E
Methidathion	89	89	0,01														0,01		0,02	E
Permethrin	89	89	0,05														0,05		1	E
Pirimiphos-methyl	89	89	0,01														0,01		0,05	E
Thiabendazole	89	89	0,02														0,02		0,05	E
Triazophos	89	89	0,01														0,01		0,02	E
Vinclozolin	89	89	0,01														0,01		0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Ireland** Year of sampling: 1998

Number of samples analysed: 16 With residues above MRL: 0  
 Without detectable residues: 1 With residues above EC-MRL: 0  
 With residues at or below MRL: 15 With residues above national MRL: 0

Product group: Citrus Fruit Food item: Orange

Pesticide (**)	Total number of samples	Number of samples with no residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	16	16	0,05																	1	E
Benomyl-Group (****)	16	16	0,1																	5	E
Chlorpyrifos	16	13	0,05			1	2											0,1		0,3	E
Chlorpyrifosmethyl	16	16	0,05																	0,5	E
Deltamethrin	16	16	0,05																	0,05	E
Diazinon	16	16	0,02																	0,5	E
Endosulfan	16	16	0,02																	1	E
Imazalil	0	0																		5	E
Iprodione	16	16	0,1																	0,02	E
Lambda-cyhalothrin	16	16	0,02																		
Maneb group (*****)	0	0																		5	E
Mecarbam	0	0																		2	E
Metalaxyl	0	0																			
Methamidophos	16	16	0,05																	0,2	E
Methidathion	16	12	0,02			1			2	1								0,6		2	E
Permethrin	16	16	0,2																	0,5	E
Pirimiphos-methyl	16	16	0,05																	1	E
Thiabendazole	16	3	0,05				1		1	4	5	2						2,8		6	E
Triazophos	16	16	0,05																		
Vinclozolin	16	16	0,02																	0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: Ireland    **Ireland**    Year of sampling: 1998

Number of samples analysed: 5    With residues above MRL: 0  
 Without detectable residues: 3    With residues above EC-MRL: 0  
 With residues at or below MRL: 2    With residues above national MRL: 0

Product group: Stone Fruit    Food item: Peach

Pesticide (**)	Total number of samples	Number of samples with no residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	5	5	0,05																	0,2	
Benomyl-Group (****)	5	5	0,1																	1	
Chlorpyrifos	5	5	0,05																	0,2	
Chlorpyrifosmethyl	5	5	0,05																	0,5	
Deltamethrin	5	5	0,05																	0,1	
Diazinon	5	5	0,02																	0,5	
Endosulfan	5	5	0,02																	1	
Imazalil	0	0																		0,02	
Iprodione	5	3	0,1						2									0,4		5	E
Lambda-cyhalothrin	5	5	0,02																	0,2	
Maneb group (*****)	0	0	0																	2	
Mecarbam	0	0	0																	0,05	
Metalaxyl	0	0	0																		
Methamidophos	5	5	0,05																	0,05	
Methidathion	5	5	0,02																	0,2	
Permethrin	5	5	0,2																	1	
Pirimiphos-methyl	5	5	0,05																		
Thiabendazole	5	5	0,05																	0,05	
Triazophos	5	5	0,05																		
Vinclozolin	5	5	0,02																	2	

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg  
 (\*\*) in alphabetical order of the English name  
 (\*\*\*) E=EC-MRL, N=National MRL  
 (\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).  
 (\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Ireland** Year of sampling: **1998**

Number of samples analysed: 18 With residues above MRL: 0  
 Without detectable residues: 18 With residues above EC-MRL: 0  
 With residues at or below MRL: 0 With residues above national MRL: 0

Product group: **Root and tuber vegetables:** Food item: **Carrot**

Pesticide (**)	Total number of samples	Number of samples with no residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	18	18	0,05																0,02	E
Benomyl-Group (****)	18	18	0,1																0,1	E
Chlorpyrifos	18	18	0,05																0,1	E
Chlorpyrifosmethyl	18	18	0,05																0,05	E
Deltamethrin	18	18	0,05																0,05	E
Diazinon	18	18	0,02																0,5	E
Endosulfan	18	18	0,02																0,2	E
Imazalil	18	18																	0,02	E
Iprodione	18	18	0,1																0,3	E
Lambda-cyhalothrin	18	18	0,02																0,02	E
Maneb group (*****)	18	18																	0,2	E
Mecarbam	18	18																	0,05	E
Metalaxyl	18	18																	0,1	E
Methamidophos	18	18	0,05																0,01	E
Methidathion	18	18	0,02																0,02	E
Permethrin	18	18	0,2																0,05	E
Pirimiphos-methyl	18	18	0,05																1	E
Thiabendazole	18	18	0,05																0,05	E
Triazophos	18	18	0,05																1	E
Vinclozolin	18	18	0,02																0,5	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg  
 (\*\*) in alphabetical order of the English name  
 (\*\*\*) E=EC-MRL, N=National MRL  
 (\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).  
 (\*\*\*\*\*). Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Ireland** Year of sampling: **1998**

Number of samples analysed: 9 With residues above MRL: 2  
 Without detectable residues: 7 With residues above EC-MRL: 2  
 With residues at or below MRL: 0 With residues above national MRL: 2

Product group: Leaf vegetable Food item: Spinach

Pesticide (**)	Total number of samples	Number of samples with no residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	9	9	0,05																	0,02	E
Benomyl-Group (****)	9	9	0,1																	0,1	E
Chlorpyrifos	9	7	0,05				1	1										0,2	2	0,05	E
Chlorpyrifosmethyl	9	9	0,05																	0,05	E
Deltamethrin	9	9	0,05																	0,5	E
Diazinon	9	9	0,02																	0,5	E
Endosulfan	9	9	0,02																	1	E
Imazalil	9	9																		0,02	E
Iprodione	9	9	0,1																	0,02	E
Lambda-cyhalothrin	9	9	0,02																		
Maneb group (*****)	9	9																		0,05	E
Mecarbam	9	9																		0,05	E
Metalaxyl	9	9																			
Methamidophos	9	9	0,05																	0,01	E
Methidathion	9	9	0,02																	0,02	E
Permethrin	9	9	0,2																	1	E
Pirimiphos-methyl	9	9	0,05																		
Thiabendazole	9	9	0,05																	0,05	E
Triazophos	9	9	0,05																	0,02	E
Vinclozolin	9	9	0,02																	0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg  
 (\*\*) in alphabetical order of the English name  
 (\*\*\*) E=EC-MRL, N=National MRL  
 (\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).  
 (\*\*\*\*\* Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Italy** Year of sampling: 1998

Number of samples analysed: 322 With residues above MRL: 0  
 Without detectable residues: 237 With residues above EC-MRL: 0  
 With residues at or below MRL: 85 With residues above national MRL: 0

Product group: Citrus fruit Food item: Oranges

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	154	154															n.d.		1	E
Benomyl group (****)	227	225					2										0,1		5	E
Chlorpyrifos	252	237		1	2	7	2	2	1								0,21		0,3	E
Chlorpyrifos-methyl	215	208		4	1	1	1										0,08		0,3	N
Deltamethrin	158	158															n.d.		0,05	E
Diazinon	257	257															n.d.		0,5	E
Endosulfan	276	275							1								0,23		1	E
Imazalil	137	90				1	3	1	9	9	13	11					4,74		5	E
Iprodione	231	231															n.d.		0,02	E
Lambda-cyhalothrin	32	32															n.d.		0,05	N
Maneb-group (****)	14	14															n.d.		2	E
Mecarbam	49	49															n.d.		2	E
Metalaxyl	173	173															n.d.		1	N
Methamidophos	153	153															n.d.		0,20	E
Methidathion	274	257		1		2	4	5	3	2							0,7		2	E
Permethrin	130	129							1								0,23		0,5	E
Pirimiphos-methyl	230	228						1	1								0,14		1	E
Thiabendazol	163	158								2	1	1	1				3,1		6	E
Triazophos	101	101															n.d.		0,02	N
Vinclozolin	279	279															n.d.		0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg  
 (\*\*) in alphabetical order of the English name  
 (\*\*\*) E=EC-MRL, N=National MRL  
 (\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).  
 (\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Italy** Year of sampling: 1998

Number of samples analysed: 421 With residues above MRL: 2  
 Without detectable residues: 368 With residues above EC-MRL: 0  
 With residues at or below MRL: 51 With residues above national MRL: 2

Product group: Stone Fruit Food item: Peaches+nectarines

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	217	215			1				1								0,34		1,5	N
Benomyl group (****)	285	269			1	1	3	6	4			1					2,9	1	0,5	N
Chlorpyrifos	340	323		2	3	3	5	3	1								0,36	1	0,2	N
Chlorpyrifos-methyl	337	329		1	4	2	1										0,06		0,2	N
Deltamethrin	280	280															n.d.		0,1	E
Diazinon	335	332		1	2												0,02		0,5	E
Endosulfan	347	341			1	3	2										0,1		1	E
Imazalil	148	148															n.d.		0,02	E
Iprodione	323	321					1					1					2,32		5	E
Lambda-cyhalothrin	96	96															n.d.		0,2	E
Maneb-group (*****)	116	116															n.d.		2	E
Mecarbam	96	96															n.d.		0,05	E
Metalaxyl	206	206															n.d.		0,5	N
Methamidophos	269	269															n.d.		0,15	N
Methidathion	341	341															n.d.		0,2	E
Permethrin	233	233															n.d.		1	E
Pirimiphos-methyl	331	331															n.d.		0,05	N
Thiabendazol	187	186				1											0,05		0,05	E
Triazophos	175	175															n.d.		0,02	N
Vinclozolin	364	359				2		1	2								0,25		2	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*)Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Italy** Year of sampling: 1998

Number of samples analysed: 199 With residues above MRL: 1  
 Without detectable residues: 191 With residues above EC-MRL: 1  
 With residues at or below MRL: 7 With residues above national MRL: 0

Product group: Root and tuber vegetables Food item: Carrots

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	120	119			1												0,02		0,02	E
Benomyl group	126	126															n.d.		0,1	N
Chlorpyrifos	179	177		1		1											0,05		0,1	E
Chlorpyrifos-methyl	165	165															n.d.		0,05	E
Deltamethrin	140	140															n.d.		0,05	E
Diazinon	171	171															n.d.		0,5	E
Endosulfan	195	191					1	2	1								0,3	1	0,2	E
Imazalil	37	37															n.d.		0,02	E
Iprodione	111	111															n.d.		0,02	N
Lambda-cyhalothrin	16	16															n.d.		0,02	E
Maneb-group	20	20															n.d.		2	N
Mecarbam	31	31															n.d.		0,05	E
Metalaxyl	150	150															n.d.		0,1	E
Methamidophos	115	115															n.d.		0,01	E
Methidathion	159	159															n.d.		0,02	E
Permethrin	123	123															n.d.		0,05	E
Pirimiphos-methyl	174	174															n.d.		1	E
Thiabendazol	102	101			1												0,02		0,05	E
Triazophos	84	84															n.d.		1	E
Vinclozolin	139	139															n.d.		0,05	N

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Italy** Year of sampling: 1998

Number of samples analysed: 76 With residues above MRL: 0  
 Without detectable residues: 76 With residues above EC-MRL: 0  
 With residues at or below MRL: 0 With residues above national MRL: 0

Product group: Leaf vegetables Food item: Spinach (fresh, including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Accephate	52	52															n.d.		0,02	E
Benomyl group	47	47															n.d.		0,1	E
Chlorpyrifos	75	75															n.d.		0,05	E
Chlorpyrifos-methyl	64	64															n.d.		0,05	E
Deltamethrin	51	51															n.d.		0,5	E
Diazinon	67	67															n.d.		0,5	E
Endosulfan	75	75															n.d.		1	E
Imazalil	29	29															n.d.		0,02	E
Iprodione	61	61															n.d.		0,02	E
Lambda-cyhalothrin	5	5															n.d.		0,02	N
Maneb-group	6	6															n.d.		0,05	E
Mecarbam	14	14															n.d.		0,05	E
Metalaxyl	57	57															n.d.		1	N
Methamidophos	50	50															n.d.		0,01	E
Methidathion	70	70															n.d.		0,02	E
Permethrin	41	41															n.d.		1	E
Pirimiphos-methyl	66	66															n.d.		0,5	N
Thiabendazol	38	38															n.d.		0,05	E
Triazophos	35	35															n.d.		0,02	E
Vinclozolin	72	72															n.d.		0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Luxembourg** Year of sampling: 1998

Number of samples analysed: 15 With residues above MRL: 3  
 Without detectable residues: 4 With residues above EC-MRL: 3  
 With residues at or below MRL: 8 With residues above national MRL: 0

Product group: Citrus fruit Food item: Oranges

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	15	15	0,1																	
Benomyl group (****)	0																			
Chlorpyrifos	15	9	0,02		3		2	1									0,11		0,3	E
Chlorpyrifos-methyl	15	15	0,02																	
Deltamethrin	15	15	0,05																	
Diazinon	15	14	0,02						1								0,5		0,5	E
Endosulfan	15	15	0,02																	
Imazalil	15	4	0,05				2	2	2	2	1	2					2,2		5	E
Iprodione	15	15	0,02																	
Lambda-cyhalothrin	15	15	0,05																	
Maneb-group (*****)	15	15	0,05																	
Mecarbam	15	15	0,05																	
Metalaxyl	15	15	0,1																	
Methamidophos	15	15	0,05																	
Methidathion	15	11	0,05			2	1						1				3,5	1	2	E
Permethrin	15	15	0,05																	
Pirimiphos-methyl	15	13	0,02				1		1								0,26		1	E
Thiabendazol	15	11	0,1						1			1	2				9,7	2	6	E
Triazophos	15	15	0,02																	
Vinclozolin	15	15	0,01																	

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Luxembourg** Year of sampling: 1998

Number of samples analysed: 15 With residues above MRL: 0  
 Without detectable residues: 7 With residues above EC-MRL: 0  
 With residues at or below MRL: 8 With residues above national MRL: 0

Product group: Stone fruit Food item: Peaches

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	15	15	0,1																	
Benomyl group (****)	0																			
Chlorpyrifos	15	15	0,02																	
Chlorpyrifos-methyl	15	14	0,02					1									0,4		0,5	E
Deltamethrin	15	15	0,05																	
Diazinon	15	15	0,02																	
Endosulfan	15	12	0,02		2			1									0,11		1	E
Imazalil	15	15	0,05																	
Iprodione	15	11	0,02					1	2	1							0,55		5	E
Lambda-cyhalothrin	15	15	0,05																	
Maneb-group (*****)	15	15	0,05																	
Mecarbam	15	15	0,05																	
Metalaxyl	15	15	0,1																	
Methamidophos	15	15	0,05																	
Methidathion	15	15	0,05																	
Permethrin	15	15	0,05																	
Pirimiphos-methyl	15	15	0,02																	
Thiabendazol	15	15	0,1																	
Triazophos	15	15	0,02																	
Vinclozolin	15	15	0,01																	

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\* ) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Luxembourg** Year of sampling: 1998

Number of samples analysed: 15 With residues above MRL: 0  
 Without detectable residues: 15 With residues above EC-MRL: 0  
 With residues at or below MRL: 0 With residues above national MRL: 0

Product group: **Root and tuber vegetables** Food item: **Carrots**

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acephate	15	15	0,1																
Benomyl group (****)	0	0																	
Chlorpyrifos	15	15	0,02																
Chlorpyrifos-methyl	15	15	0,02																
Deltamethrin	15	15	0,05																
Diazinon	15	15	0,02																
Endosulfan	15	15	0,02																
Imazalil	15	15	0,05																
Iprodione	15	15	0,02																
Lambda-cyhalothrin	15	15	0,05																
Maneb-group (*****)	15	15	0,05																
Mecarbam	15	15	0,05																
Metalaxyl	15	15	0,1																
Methamidophos	15	15	0,05																
Methidathion	15	15	0,05																
Permethrin	15	15	0,05																
Pirimiphos-methyl	15	15	0,02																
Thiabendazol	15	15	0,1																
Triazophos	15	15	0,02																
Vinclozolin	15	15	0,01																

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Luxembourg** Year of sampling: 1998

Number of samples analysed: 15 With residues above MRL: 0  
 Without detectable residues: 14 With residues above EC-MRL: 0  
 With residues at or below MRL: 1 With residues above national MRL: 0

Product group: Leaf vegetable Food item: Spinach (fresh, including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	15	15	0,1																		
Benomyl group (****)	0																				
Chlorpyrifos	15	15	0,02																		
Chlorpyrifos-methyl	15	15	0,02																		
Deltamethrin	15	14	0,05					1										0,15		0,5	E
Diazinon	15	15	0,02																		
Endosulfan	15	15	0,02																		
Imazalil	15	15	0,05																		
Iprodione	15	15	0,02																		
Lambda-cyhalothrin	15	15	0,05																		
Maneb-group (*****)	15	15	0,05																		
Mecarbam	15	15	0,05																		
Metalaxyl	15	15	0,1																		
Methamidophos	15	15	0,05																		
Methidathion	15	15	0,05																		
Permethrin	15	15	0,05																		
Pirimiphos-methyl	15	15	0,02																		
Thiabendazol	15	15	0,1																		
Triazophos	15	15	0,02																		
Vinclozolin	15	15	0,01																		

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **The Netherlands** Year of sampling: 1998

Number of samples analysed: 127 With residues above MRL: 0  
 Without detectable residues: 23 With residues above EC-MRL: 0  
 With residues at or below MRL: 104 With residues above national MRL: 0

Product group: Citrus fruit Food item: Oranges

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	124	124	0,02																	1	E
Benomyl-Group (****)	51	50	0,1					1										0,14		5	E
Chlorpyrifos	124	101	0,05				11	10	2									0,34		0,3	E
Chlorpyrifosmethyl	124	124	0,05																	0,05	E-O
Deltamethrin	124	124	0,05																	0,05	E
Diazinon	124	122	0,02			2												0,5		0,5	E
Endosulfan	124	124	0,05																	1	E
Imazalil	124	54	0,02					3	6	16	27	18						4,91		5	E
Iprodione	124	124	0,02																	0,02	E
Lambda-cyhalothrin	124	124	0,02																	0,02	E-O
Maneb group (*****)	9	9	0,05																	2,00	E
Mecarbam	124	124	0,05																	2	E
Metalaxyl	124	122	0,05					1			1							3,21		5	E-O
Methamidophos	124	124	0,01																	0,2	E
Methidathion	124	102	0,02				3	8	4	4	3							2		2	E
Permethrin	124	124	0,05																	0,5	E
Pirimiphos-methyl	124	120	0,05				3		1									0,49		1	E
Thiabendazole	124	95	0,1					3	5	9	7	4	1					5,9		6	E
Triazophos	124	124	0,02																	0,02	E-O
Vinclozolin	124	124	0,05																	0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **The Netherlands** Year of sampling: 1998

Number of samples analysed: 26 With residues above MRL: 2  
 Without detectable residues: 23 With residues above EC-MRL: 0  
 With residues at or below MRL: 1 With residues above national MRL: 2

Product group: Stone fruit Food item: Peaches

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	25	24	0,02					1									0,2	1	0,02	E-O
Benomyl-Group (****)	4	4	0,1																3	E-O
Chlorpyrifos	25	25	0,05																0,05	E-O
Chlorpyrifosmethyl	25	25	0,05																0,5	E-O
Deltamethrin	25	25	0,05																0,1	E
Diazinon	25	24	0,02			1											0,3		0,5	E
Endosulfan	25	25	0,05																1	E
Imazalil	25	25	0,02																0,02	E
Iprodione	25	24	0,02									1					2,9		5	E
Lambda-cyhalothrin	25	25	0,02																0,02	E-O
Maneb group (*****)	3	3	0,05																2,00	E
Mecarbam	25	25	0,05																0,05	E
Metalaxyl	25	25	0,05																0,02	E-O
Methamidophos	25	24	0,01				1										0,7	1	0,01	E-O
Methidathion	25	25	0,02																0,02	E
Permethrin	25	25	0,05																1	E
Pirimiphos-methyl	25	25	0,05																0,05	E-O
Thiabendazole	25	25	0,1																0,05	E
Triazophos	25	25	0,02																0,02	E-O
Vinclozolin	25	25	0,05																2	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **The Netherlands** Year of sampling: 1998

Number of samples analysed: 101 With residues above MRL: 2  
 Without detectable residues: 64 With residues above EC-MRL: 1  
 With residues at or below MRL: 35 With residues above national MRL: 1

Product group: **Root and tuber vegetables** Food item: **Carrots**

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	90	90	0,02																	0,02	E
Benomyl-Group (****)	38	38	0,1																	3,00	E-O
Chlorpyrifos	90	90	0,05																	0,10	E
Chlorpyrifosmethyl	90	90	0,05																	0,05	E
Deltamethrin	101	101	0,05																	0,05	E
Diazinon	90	86	0,02					2	1	1								0,69	1	0,50	E
Endosulfan	101	100	0,05				1											0,1	0	0,20	E
Imazalil	90	90	0,02																	0,02	E
Iprodione	101	71	0,02			9	9	10	1	1								0,65		10,00	E-O
Lambda-cyhalothrin	101	101	0,02																	0,02	E
Maneb group (*****)	17	16	0,05					1										0,20		2,00	E-O
Mecarbam	90	90	0,05																	0,05	E
Metalaxyl	90	90	0,05																	0,10	E
Methamidophos	90	90	0,01																	0,01	E
Methidathion	90	90	0,02																	0,02	E
Permethrin	101	101	0,05																	0,05	E
Pirimiphos-methyl	90	90	0,05																	1,00	E
Thiabendazole	90	90	0,1																	0,05	E
Triazophos	90	90	0,02																	1,00	E
Vinclozolin	101	100	0,05							1								0,55	1	1,00	E-O

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **The Netherlands** Year of sampling: 1998

Number of samples analysed: 113 With residues above MRL: 4  
 Without detectable residues: 105 With residues above EC-MRL: 4  
 With residues at or below MRL: 4 With residues above national MRL: 0

Product group: Leaf vegetables Food item: Spinach (fresh, including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	112	112	0,02																	0,02	E
Benomyl-Group (****)	67	67	0,1																	3	E
Chlorpyrifos	112	112	0,05																	0,05	E
Chlorpyrifosmethyl	112	112	0,05																	0,05	E
Deltamethrin	113	113	0,05																	0,5	E
Diazinon	112	112	0,02																	0,5	E
Endosulfan	113	113	0,05																	1	E
Imazalil	112	112	0,02																	0,02	E
Iprodione	113	110	0,02			2							1					5,4	2	0,02	E
Lambda-cyhalothrin	113	113	0,02																	0,02	E-O
Maneb group (****)	21	17	0,05					3				1						2,30		2,00	E
Mecarbam	112	112	0,05																	0,05	E
Metalaxyl	112	112	0,05																	0,05	E-O
Methamidophos	112	112	0,01															0,7		0,01	E
Methidathion	112	112	0,02																	0,02	E
Permethrin	113	113	0,05																	1	E
Pirimiphos-methyl	112	112	0,05																	0,05	E-O
Thiabendazole	112	112	0,1																	0,05	E
Triazophos	112	112	0,02																	0,02	E
Vinclozolin	113	111	0,05				1		1									0,21	2	0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Austria** Year of sampling: 1998

Number of samples analysed: 15 With residues above MRL: 1  
 Without detectable residues: 1 With residues above EC-MRL: 1  
 With residues at or below MRL: 13 With residues above national MRL: 0

Product group: Citrus fruit Food item: Oranges

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	14	14	0,02; 0,05																1	E
Benomyl-Group (****)	14	12	0,1					1									1,6		5	E
Chlorpyrifos	14	13	0,01;0,05						1								0,217		0,3	E
Chlorpyrifosmethyl	14	13	0,02; 0,05		1												0,017		0,05	N
Deltamethrin	14	14	0,05																0,05	E
Diazinon	14	14	0,01; 0,05																0,5	E
Endosulfan	15	15	0,01																1	E
Imazalil	15	2	0,03;0,05;0,5							8	2	3					3,092		5	E
Iprodione	15	15	0,01; 0,04																0,02	E
Lambda-cyhalothrin	15	15	0,05; 0,1																0,02	E
Maneb group (*****)	14	14	0,01;0,05;0,1																2	E
Mecarbam	15	14	0,01; 0,05						1								0,243		2	E
Metalaxyl	15	15	0,03																0,1	N
Methamidophos	15	15	0,01; 0,05																0,2	E
Methidathion	15	13	0,01; 0,02			1			1								0,311		2	E
Permethrin	15	15	0,05; 0,1																0,05	E
Pirimiphos-methyl	15	15	0,01; 0,05																1	E
Thiabendazole	15	5	0,05; 0,1					1		2	6			1			8,801	1	6	E
Triazophos	15	15	0,01; 0,02																0,05	N
Vinclozolin	15	15	0,01																0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*). Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Austria** Year of sampling: 1998

Number of samples analysed: 11 With residues above MRL: 2  
 Without detectable residues: 7 With residues above EC-MRL: 0  
 With residues at or below MRL: 2 With residues above national MRL: 2

Product group: Stone fruit Food item: Peaches

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	11	11	0,02; 0,05																1	N
Benomyl-Group (****)	11	9	0,1					1		1							0,707	2	0,1	N
Chlorpyrifos	11	11	0,01;0,05																0,2	N
Chlorpyrifosmethyl	11	11	0,02; 0,05																0,5	N
Deltamethrin	11	11	0,05																0,1	E
Diazinon	11	11	0,01; 0,05																0,5	E
Endosulfan	11	11	0,01																1	E
Imazalil	11	11	0,03;0,05;0,5																0,02	E
Iprodione	11	11	0,01; 0,04																5	E
Lambda-cyhalothrin	11	11	0,05; 0,1																0,02	E
Maneb group (*****)	11	9	0,01;0,05;0,1					1	1								0,34		2	E
Mecarbam	11	11	0,01; 0,05																0,05	E
Metalaxyl	11	11	0,03																0,1	N
Methamidophos	11	11	0,01; 0,05																0,05	N
Methidathion	11	11	0,01; 0,02																0,2	E
Permethrin	11	11	0,05; 0,1																1	E
Pirimiphos-methyl	11	11	0,01; 0,05																0,05	N
Thiabendazole	11	11	0,05; 0,1																0,05	E
Triazophos	11	11	0,01; 0,02																0,05	N
Vinclozolin	11	11	0,01																2	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Austria** Year of sampling: 1998

Number of samples analysed: 11 With residues above MRL: 0  
 Without detectable residues: 11 With residues above EC-MRL: 0  
 With residues at or below MRL: 0 With residues above national MRL: 0

Product group: **Root and tuber vegetables** Food item: **Carrots**

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	11	11	0,02; 0,05																	0,02	E
Benomyl-Group (****)	11	11	0,1																	1	N
Chlorpyrifos	11	11	0,01;0,05																	0,1	E
Chlorpyrifosmethyl	11	11	0,02; 0,05																	0,05	E
Deltamethrin	11	11	0,05																	0,05	E
Diazinon	11	11	0,01; 0,05																	0,5	E
Endosulfan	11	11	0,01																	0,2	E
Imazalil	11	11	0,03;0,05;0,5																	0,02	E
Iprodione	11	11	0,01; 0,04																	5	N
Lambda-cyhalothrin	11	11	0,05; 0,1																	0,02	E
Maneb group (*****)	11	11	0,01;0,05;0,1																	2	N
Mecarbam	11	11	0,01; 0,05																	0,05	E
Metalaxyl	11	11	0,03																	0,1	E
Methamidophos	11	11	0,01; 0,05																	0,01	E
Methidathion	11	11	0,01; 0,02																	0,02	E
Permethrin	11	11	0,05; 0,1																	0,05	E
Pirimiphos-methyl	11	11	0,01; 0,05																	1	E
Thiabendazole	11	11	0,05; 0,1																	0,05	E
Triazophos	11	11	0,01; 0,02																	1	E
Vinclozolin	11	11	0,01																	5	N

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Austria** Year of sampling: 1998

Number of samples analysed: 12 With residues above MRL: 2  
 Without detectable residues: 8 With residues above EC-MRL: 2  
 With residues at or below MRL: 2 With residues above national MRL: 0

Product group: Leaf vegetables Food item: Spinach (fresh including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	12	12	0,02; 0,05																	0,02	E
Benomyl-Group (****)	12	11	0,1					1										0,13	1	0,1	E
Chlorpyrifos	12	12	0,01;0,05																	0,05	E
Chlorpyrifosmethyl	12	12	0,02; 0,05																	0,05	E
Deltamethrin	12	12	0,05																	0,5	E
Diazinon	12	12	0,01; 0,05																	0,5	E
Endosulfan	12	12	0,01																	1	E
Imazalil	12	12	0,03;0,05;0,5																	0,02	E
Iprodione	12	12	0,01; 0,04																	0,02	E
Lambda-cyhalothrin	12	12	0,05; 0,1																	0,02	E
Maneb group (*****)	12	9	0,01;0,05;0,1			2		1										0,16	1	0,05	E
Mecarbam	12	12	0,01; 0,05																	0,05	E
Metalaxyl	12	12	0,03																	0,1	N
Methamidophos	12	12	0,01; 0,05																	0,01	E
Methidathion	12	12	0,01; 0,02																	0,02	E
Permethrin	12	12	0,05; 0,1																	0,05	E
Pirimiphos-methyl	12	12	0,01; 0,05																	0,5	N
Thiabendazole	12	12	0,05; 0,1																	0,05	E
Triazophos	12	12	0,01; 0,02																	0,02	E
Vinclozolin	12	12	0,01																	0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>



**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Portugal** Year of sampling: 1998

Number of samples analysed: 28 13(a)+15(b) With residues above MRL: 0  
 Without detectable residues: 20 10(a)+10(b) With residues above EC-MRL: 0  
 With residues at or below MRL: 8 3(a)+5(b) With residues above national MRL: 0

Product group: Stone fruit Food item: Peaches

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	13	13	0,02																	
Benomyl-Group (****)	13	11	0,1				1											1,2		3 N
Chlorpyrifos	13	13	0,05																	
Chlorpyrifosmethyl	13	13	0,05																	
Deltamethrin	13	13	0,05																	
Diazinon	13	13	0,02																	
Endosulfan	13	12	0,05					1										0,11		1 E
Imazalil	13	13	0,1																	
Iprodione	13	12	0,05															1,9		5 E
Lambda-cyhalothrin	13	13	0,02																	
Maneb group (*****)	15	10	0,05				1	3		1								0,88		2 N
Mecarbam	13	13	0,05																	
Metalaxyl	13	13	0,1																	
Methamidophos	13	13	0,02																	
Methidathion	13	13	0,02																	
Permethrin	13	13	0,05																	
Pirimiphos-methyl	13	13	0,05																	
Thiabendazole	13	13	0,1-0,2																	
Triazophos	13	13	0,02																	
Vinclozolin	13	13	0,02																	

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

a)-Number of samples where multi-compounds have been sought

b)-Number of samples where maneb group only was sought.



**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Portugal** Year of sampling: 1998

Number of samples analysed: 28 | 13 (a) + 15 (b) With residues above MRL: 1  
 Without detectable residues: 26 | 11 (a) + 15 (b) With residues above EC-MRL: 1  
 With residues at or below MRL: 1 | 1 (a) With residues above national MRL: 0

Product group: Leaf vegetables Food item: Spinach (fresh, including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	7	7	0,02																	
Benomyl-Group (****)	7	7	0,1																	
Chlorpyrifos	13	13	0,05																	
Chlorpyrifosmethyl	13	13	0,05																	
Deltamethrin	13	13	0,05																	
Diazinon	13	13	0,02																	
Endosulfan	13	12	0,05						1								0,50	1	E	
Imazalil	7	7	0,1																	
Iprodione	13	13	0,05																	
Lambda-cyhalothrin	13	13	0,02																	
Maneb group (*****)	15	15	0,05																	
Mecarbam	13	13	0,05																	
Metalaxyl	13	13	0,1																	
Methamidophos	7	7	0,02																	
Methidathion	13	13	0,02																	
Permethrin	13	13	0,05																	
Pirimiphos-methyl	13	13	0,05																	
Thiabendazole	13	12	0,1-0,2						1								0,28	1	0,05	E
Triazophos	13	13	0,02																	
Vinclozolin	13	13	0,02																	

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

a)-Number of samples where multi-compounds have been sought

b)-Number of samples where maneb group only was sought.

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Finland** Year of sampling: 1998

Number of samples analysed: 142 With residues above MRL: 0  
 Without detectable residues: 6 With residues above EC-MRL: 0  
 With residues at or below MRL: 136 With residues above national MRL: 0

Product group: Citrus fruit Food item: Oranges

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	142	142	0,05																1	E
Benomyl-Group (****)	26	26	0,1																5	E
Chlorpyrifos	142	100	0,01	1	4	15	8	10	4								0,27		0,3	E
Chlorpyrifosmethyl	142	138	0,01	1	1	1	1										0,10		0,5	N
Deltamethrin	142	142	0,2																0,05	E
Diazinon	142	141	0,01			1											0,03		0,5	E
Endosulfan	142	142	0,01																1	E
Imazalil	142	33	0,15				1	7	28	27	38	8					4,70		5	E
Iprodione	142	142	0,02																0,02	E
Lambda-cyhalothrin	17	17	0,1																	
Maneb group (*****)	142	142	0,2																2	E
Mecarbam	142	142	0,05																2	E
Metalaxyl	142	130	0,05			1				2	8	1					2,20		5	N
Methamidophos	142	142	0,02																0,2	E
Methidathion	142	85	0,01	1	2	2	13	7	26	5	1						1,50		2	E
Permethrin	142	142	0,1																0,5	E
Pirimiphos-methyl	142	140	0,01						2								0,29		1	E
Thiabendazole	142	96	0,03			1		2	9	16	14	4					4,90		6	E
Triazophos	136	136	0,02																	
Vinclozolin	142	142	0,01																0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Finland** Year of sampling: 1998

Number of samples analysed: 12 With residues above MRL: 0  
 Without detectable residues: 6 With residues above EC-MRL: 0  
 With residues at or below MRL: 6 With residues above national MRL: 0

Product group: Stone fruit Food item: Peaches

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	12	10	0,05			1	1										0,07			
Benomyl-Group (****)	3	3	0,1																2	N
Chlorpyrifos	12	12	0,01																	
Chlorpyrifosmethyl	12	11	0,01		1												0,02		0,5	N
Deltamethrin	12	12	0,2																0,1	E
Diazinon	12	12	0,01																0,5	E
Endosulfan	12	11	0,01	1													0,01		1	E
Imazalil	12	12	0,15																0,02	E
Iprodione	12	10	0,02							1	1						1,80		5	E
Lambda-cyhalothrin	12	12	0,1																0,2	E
Maneb group (*****)	3	3	0,2																2	E
Mecarbam	12	12	0,05																0,05	E
Metalaxyl	12	12	0,05																	
Methamidophos	12	11	0,02			1											0,04		1	N
Methidathion	12	12	0,01																0,2	E
Permethrin	12	12	0,1																1	E
Pirimiphos-methyl	12	12	0,01																	
Thiabendazole	12	12	0,03																0,05	E
Triazophos	12	12	0,02																	
Vinclozolin	12	12	0,01																2	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Finland** Year of sampling: 1998

Number of samples analysed: 41 With residues above MRL: 0  
 Without detectable residues: 39 With residues above EC-MRL: 0  
 With residues at or below MRL: 2 With residues above national MRL: 0

Product group: Root and tuber vegetables Food item: Carrots

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	41	41	0,05																0,02	E
Benomyl-Group (****)	9	9	0,1																0,2	N
Chlorpyrifos	41	41	0,01																0,1	E
Chlorpyrifosmethyl	41	41	0,01																0,05	E
Deltamethrin	41	41	0,2																0,05	E
Diazinon	41	41	0,01																0,5	E
Endosulfan	41	41	0,01																0,2	E
Imazalil	41	41	0,15																0,02	E
Iprodione	41	39	0,02								1	1					2,10		10	N
Lambda-cyhalothrin	41	41	0,1																0,02	E
Maneb group (*****)	8	8	0,2																0,02	E
Mecarbam	41	41	0,05																0,05	E
Metalaxyl	41	41	0,05																0,1	E
Methamidophos	41	41	0,02																0,01	E
Methidathion	41	41	0,01																0,02	E
Permethrin	41	41	0,1																0,05	E
Pirimiphos-methyl	41	41	0,01																1	E
Thiabendazole	41	41	0,03																0,05	E
Triazophos	41	41	0,02																1	E
Vinclozolin	41	41	0,01																	

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Finland** Year of sampling: 1998

Number of samples analysed: 23 With residues above MRL: 9  
 Without detectable residues: 9 With residues above EC-MRL: 9  
 With residues at or below MRL: 5 With residues above national MRL: 0

Product group: Leaf vegetables Food item: Spinach (fresh, including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	23	23	0,05																0,02	E
Benomyl-Group (****)	4	4	0,1																0,1	E
Chlorpyrifos	23	22	0,01				1										0,10		0,05	E
Chlorpyrifosmethyl	23	23	0,01																0,05	E
Deltamethrin	23	23	0,2																0,5	E
Diazinon	23	23	0,01																0,5	E
Endosulfan	23	21	0,01	1	1												0,02		1	E
Imazalil	23	23	0,15																0,02	E
Iprodione	23	22	0,02					1									0,21	1	0,02	E
Lambda-cyhalothrin	23	23	0,1																	
Maneb group (*****)	3	3	0,2																0,05	E
Mecarbam	23	23	0,05																0,05	E
Metalaxyl	23	23	0,05																2	N
Methamidophos	23	23	0,02																0,01	E
Methidathion	23	23	0,01																0,02	E
Permethrin	23	12	0,1					2		1	1	4	3				6,40	8	1	E
Pirimiphos-methyl	23	23	0,01																5	N
Thiabendazole	23	23	0,03																0,05	E
Triazophos	23	23	0,02																0,02	E
Vinclozolin	23	23	0,01																0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Sweden** Period of sampling: 19980101 - 19981231. Surveillance monitoring

Number of samples - analysed: 186 - with residues above MRL, total: 1  
 - without detectable residues: 21 - with residues above EC-MRL: 1  
 - with residues at or below MRL: 164 - with residues above national MRL: 0

Product group: Citrus fruit Food Item: Oranges Country: All countries

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0,01	0,02	0,05	0,1	0,2	0,5	1	2	5	10	20	50	>50					
Acephate	186	186	0,02																	1	E
Benomyl-Group (****)	165	165	0,1																	5	E
Chlorpyrifos	186	154	0,05			1	15	12	4									0,41	1	0,3	E
Chlorpyrifosmethyl	186	183	0,03			3												0,038		0,05	N
Deltamethrin	186	186	0,05																	0,05	E
Diazinon	186	183	0,05				2		1									0,32		0,5	E
Endosulfan	186	186	0,01																	1	E
Imazalil	186	60	0,2						17	54	46	9						4,67		5	E
Iprodione	186	186	0,2																	0,02	E
Lambda-cyhalothrin	186	186	0,05																	No MRL	
Maneb group (*****)	24	24	0,1																	2	E
Mecarbam	186	186	0,2																	2	E
Metalaxyl	186	170	0,2							2	11	3						2,58		5	N
Methamidophos	186	186	0,02																	0,2	E
Methidathion	186	123	0,05				16	16	23	8								0,68		2	E
Permethrin	186	186	0,2																	0,5	E
Pirimiphos-methyl	186	180	0,1					5	1									0,22		1	E
Thiabendazole	165	88	0,2						2	8	43	24						3,85		6	E
Triazophos	186	186	0,02																	0,3	N
Vinclozolin	186	186	0,05																	0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg up to 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E = EC-MRL, N = National MRL, O = EC-MRL, not mandatory

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Sweden**

Period of sampling: 19980101 - 19981231.

Number of samples - analysed: 79 - with residues above MRL, total: 0  
 - without detectable residues: 70 - with residues above EC-MRL: 0  
 - with residues at or below MRL: 9 - with residues above national MRL: 0

Product group: Stone fruit

Food Item: Peaches/nectarines

Country: All countries

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0,01	0,02	0,05	0,1	0,2	0,5	1	2	5	10	20	50	>50					
Acephate	79	78	0,02			1												0,05		1	N
Benomyl-Group (****)	54	54	0,1																	0,5	N
Chlorpyrifos	79	79	0,05																	0,5	N
Chlorpyrifosmethyl	79	77	0,03			1	1											0,064		0,1	N
Deltamethrin	79	79	0,05																	0,1	E
Diazinon	79	79	0,05																	0,5	E
Endosulfan	79	78	0,01			1												0,045		1	E
Imazalil	79	79	0,2																	0,02	E
Iprodione	79	79	0,2																	5	E
Lambda-cyhalothrin	79	79	0,05																	0,2	E
Maneb group (*****)	26	24	0,1					2										0,2		2	E
Mecarbam	79	79	0,2																	0,05	E
Metalaxyl	79	79	0,2																	No MRL	
Methamidophos	79	76	0,02			2	1											0,09		0,2	N
Methidathion	79	79	0,05																	0,2	E
Permethrin	79	79	0,2																	1	E
Pirimiphos-methyl	79	79	0,1																	1	N
Thiabendazole	54	54	0,2																	0,05	E
Triazophos	79	78	0,02			1												0,033		No MRL	
Vinclozolin	79	79	0,05																	2	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg up to 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E = EC-MRL, N = National MRL, O = EC-MRL, not mandatory

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Sweden** Period of sampling: 19980101 - 19981231. Surveillance monitoring

Number of samples - analysed: 185 - with residues above MRL, total: 0  
 - without detectable residues: 184 - with residues above EC-MRL: 0  
 - with residues at or below MRL: 1 - with residues above national MRL: 0

Product group: Root and tuber vegetables Food Item: Carrots Country: All countries

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0,01	0,02	0,05	0,1	0,2	0,5	1	2	5	10	20	50	>50					
Acephate	185	185	0,02																	0,02	E
Benomyl-Group (****)	47	47	0,1																	0,1	N
Chlorpyrifos	185	184	0,05				1											0,088		0,1	E
Chlorpyrifosmethyl	185	185	0,03																	0,05	E
Deltamethrin	185	185	0,05																	0,05	E
Diazinon	185	185	0,05																	0,5	E
Endosulfan	185	185	0,01																	0,2	E
Imazalil	185	185	0,1																	0,02	E
Iprodione	185	185	0,2																	No MRL	
Lambda-cyhalothrin	185	185	0,05																	0,02	E
Maneb group (*****)	27	27	0,1																	0,5	N
Mecarbam	185	185	0,2																	0,05	E
Metaxyl	185	185	0,2																	0,1	E
Methamidophos	185	185	0,02																	0,01	E
Methidathion	185	185	0,05																	0,02	E
Permethrin	185	185	0,2																	0,05	E
Pirimiphos-methyl	185	185	0,1																	1	E
Thiabendazole	185	185	0,2/0,5																	0,05	E
Triazophos	185	185	0,02																	1	E
Vinclozolin	185	185	0,05																	2	N

(\*) i.e column 0.02 includes the range from 0.011... mg/kg up to 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E = EC-MRL, N = National MRL, O = EC-MRL, not mandatory

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Sweden** Period of sampling: 19980101 - 19981231. Surveillance monitoring

Number of samples - analysed: 22 - with residues above MRL, total: 0  
 - without detectable residues: 22 - with residues above EC-MRL: 0  
 - with residues at or below MRL: 0 - with residues above national MRL: 0

Product group: Leaf vegetables Food Item: Spinach Country: All countries

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0,01	0,02	0,05	0,1	0,2	0,5	1	2	5	10	20	50	>50					
Acephate	22	22	0,02																0,02	E	
Benomyl-Group (****)	22	22	0,1																0,1	E	
Chlorpyrifos	22	22	0,05																0,05	E	
Chlorpyrifosmethyl	22	22	0,03																0,05	E	
Deltamethrin	22	22	0,05																0,5	E	
Diazinon	22	22	0,05																0,5	E	
Endosulfan	22	22	0,01																1	E	
Imazalil	22	22	0,1																0,02	E	
Iprodione	22	22	0,2																0,02	E	
Lambda-cyhalothrin	22	22	0,05																No MRL		
Maneb group (*****)	22	22	0,1																0,05		
Mecarbam	22	22	0,2																0,05	E	
Metalaxyl	22	22	0,2																No MRL		
Methamidophos	22	22	0,02																0,01	E	
Methidathion	22	22	0,05																0,02	E	
Permethrin	22	22	0,2																1	E	
Pirimiphos-methyl	22	22	0,1																1	N	
Thiabendazole	22	22	0,2																0,05	E	
Triazophos	22	22	0,02																0,02	E	
Vinclozolin	22	22	0,05																0,05	E	

(\*) i.e column 0.02 includes the range from 0.011... mg/kg up to 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E = EC-MRL, N = National MRL, O = EC-MRL, not mandatory

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: UK

Year of sampling: 1998

Number of samples analysed: 66 With residues above MRL: 0  
 Without detectable residues: 0 With residues above EC-MRL: 0  
 With residues at or below MRL: 66 With residues above national MRL: 0

Product group: Food item: Oranges

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	66	66	0,02														0	0	1	E
Benomyl-group (****)	66	65	0,1				0										2	0	5	E
Chlorpyrifos	66	58	0,05			1	4	1	2								0,3	0	0,3	E
Chlorpyrifos-methyl	66	65	0,05				1										0,06	0	0,5	C
Deltamethrin	66	66	0,05															0	0,05	E
Diazinon	66	66	0,05															0	0,5	E
Endosulfan	66	66	0,05															0	1	E
Imazalil	66	1	0,05				3	1	4	11	27	19					4,7	0	5	E
Iprodione	66	66	0,02															0	0,02	E
Lambda-cyhalothrin	66	66	0,02															0	-	
Maneb group (*****)																				
Mecarbam	66	65	0,05				1										0,1	0	2	E
Metalaxyl	66	58	0,05					1		1	3	3					2,5	0	5	E
Methamidophos	66	66	0,01															0	0,2	E
Methidathion	66	46	0,05				6	5	8	1							0,7	0	2	E
Permethrin	66	66	0,05															0	0,5	E
Pirimiphos-methyl	66	66	0,05															0	1	E
Thiabendazole	66	18	0,05			2	7	4	3	9	18	5					4,5	0	6	E
Triazophos	66	66	0,02															0	-	
Vinclozolin	66	66	0,05															0	0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: UK Year of sampling: 1998

Number of samples analysed: 72 With residues above MRL: 0  
 Without detectable residues: 23 With residues above EC-MRL: 0  
 With residues at or below MRL: 49 With residues above national MRL: 0

Product group: Food item: Peaches

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	37	37	0,02																	-	
Benomyl-group (****)	37	35	0,1				2											0,1		10	E
Chlorpyrifos	37	36	0,05				1											0,07		-	
Chlorpyrifos-methyl	37	37	0,05																	0,5	E
Deltamethrin	37	37	0,05																	0,1	E
Diazinon	37	37	0,05																	0,5	E
Endosulfan	37	37	0,05																	1	E
Imazalil	37	37	0,02																	0,02	E
Iprodione	37	25	0,02				3	1	3	3	2							1,7		5	E
Lambda-cyhalothrin	37	37	0,02																	0,2	E
Maneb group (*****)	37	33	0,05				3	1										0,2		-	
Mecarbam	37	37	0,05																	0,05	E
Metalaxyl	37	37	0,05																	-	
Methamidophos	37	32	0,01			4	1											0,06		1	C
Methidathion	37	37	0,02																	0,2	E
Permethrin	37	37	0,05																	1	E
Pirimiphos-methyl	37	37	0,05																	-	
Thiabendazole	37	37	0,05																	0,05	E
Triazophos	37	37	0,05																	-	
Vinclozolin	37	36	0,05				1											0,1		2	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: UK Year of sampling: 1998

Number of samples analysed: 66 With residues above MRL: 0  
 Without detectable residues: 20 With residues above EC-MRL: 0  
 With residues at or below MRL: 46 With residues above national MRL: 0

Product group: Food item: Carrots

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	66	66	0,02																	0,02	E
Benomyl-group (****)	66	66	0,05																	0,1	E
Chlorpyrifos	66	66	0,05																	0,1	E
Chlorpyrifos-methyl	66	66	0,05																	0,05	E
Deltamethrin	66	66	0,05																	0,05	E
Diazinon	66	66	0,05																	0,5	E
Endosulfan	66	66	0,05																	0,2	E
Imazalil	66	66	0,02																	0,02	E
Iprodione	66	38	0,01		8	20												0,04		10	C
Lambda-cyhalothrin	66	66	0,02																	0,02	E
Maneb group (*****)	66	64	0,05			2												0,05		0,5	C
Mecarbam	66	66	0,05																	0,05	E
Metalaxyl	66	66	0,05																	0,1	E
Methamidophos	66	66	0,01																	0,01	E
Methidathion	66	66	0,02																	0,02	E
Permethrin	66	66	0,05																	0,05	E
Pirimiphos-methyl	66	66	0,01																	1	E
Thiabendazole	66	66	0,05																	0,05	E
Triazophos	66	64	0,02				2											0,1		1	E
Vinclozolin	66	66	0,05																	0,5	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: UK Year of sampling: 1998

Number of samples analysed: 66 With residues above MRL: 5  
 Without detectable residues: 50 With residues above EC-MRL: 5  
 With residues at or below MRL: 11 With residues above national MRL: 0

Product group: Food item: Spinach (fresh, including frozen)

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	66	66	0,02																	0,02	E
Benomyl-group (****)	66	66	0,1																	0,1	E
Chlorpyrifos	66	65	0,05			1												0,05		0,05	E
Chlorpyrifos-methyl	66	66	0,05																	0,05	E
Deltamethrin	66	62	0,05			1	3											0,09		0,5	E
Diazinon	66	66	0,05																	0,5	E
Endosulfan	66	66	0,05																	1	E
Imazalil	66	66	0,02																	0,02	E
Iprodione	66	63	0,02			2	1											0,09	3	0,02	E
Lambda-cyhalothrin	66	60	0,02			1	4	1										0,2		-	
Maneb group (*****)	66	66																			
Mecarbam	66	66	0,05																	0,05	E
Metalaxyl	66	65	0,05			1												0,05		2	C
Methamidophos	66	66	0,01																	0,01	E
Methidathion	66	66	0,02																	0,02	E
Permethrin	66	60	0,05				2			1	1	1	1					6,7	3	1	E
Pirimiphos-methyl	66	66	0,05																	5	C
Thiabendazole	66	66	0,05																	0,05	E
Triazophos	66	66	0,02																	0,02	E
Vinclozolin	66	66	0,05																	0,05	E

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*). Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Norway** Year of sampling: 1998

Number of samples analysed: 119 With residues above MRL: 0  
 Without detectable residues: 4 With residues above EC-MRL: 0  
 With residues at or below MRL: 115 With residues above national MRL: 0

Product group: Citrus fruit Food item: Orange

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	119	119	0.05																		
Benomyl-Group (****)	30	30	0.1																		
Chlorpyrifos	119	92	0.05			3	12	9	3									0.22		0.3	E
Chlorpyrifosmethyl	119	119	0.05																		
Deltamethrin	119	119	0.05																		
Diazinon	119	117	0.02				1	1										0.2		0.5	E
Endosulfan	119	119	0.05																		
Imazalil	119	21	0.05				2	4	28	41	21	2						2,4		5	E
Iprodione	119	119	0.02																		
Lambda-cyhalothrin	119	119	0.02																		
Maneb group (****)	7	5	0.05				2											0.1		2	E
Mecarbam	119	117	0.05				1		1									0,29		2	E
Metalaxyl	119	98	0.05						2		8	11						5,0		5	E
Methamidophos	119	119	0.05																		
Methidathion	119	81	0.05			1	7	9	14	5	2							1,2		2	E
Permethrin	119	119	0.05																		
Pirimiphos-methyl	119	116	0.05				2		1									0,24		1	E
Thiabendazole	119	55	0.05			1	4	3	7	22	20	7						2,9		6	E
Triazophos	119	119	0.05																		
Vinclozolin	119	119	0.02																		

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>

**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Norway** Year of sampling: 1998

Number of samples analysed	20	With residues above MRL	0
Without detectable residues	15	With residues above EC-MRL	0
With residues at or below MRL	5	With residues above national MRL	0

Product group: Stone fruit Food item: Peach

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acephate	20	20	0.05																
Benomyl-Group (****)	10	9	0.1				1										0,12		-
Chlorpyrifos	20	20	0.05																
Chlorpyrifosmethyl	20	20	0,05																
Deltamethrin	20	20	0,05																
Diazinon	20	20	0.02																
Endosulfan	20	20	0,05																
Imazalil	20	20	0.05																
Iprodione	20	16	0,02					1	1	2							1,5	5	E
Lambda-cyhalothrin	20	20	0,02																
Maneb group (*****)	0	0	0.05																
Mecarbam	20	20	0,05																
Metalaxyl	20	20	0,05																
Methamidophos	20	20	0,05																
Methidathion	20	20	0,05																
Permethrin	20	20	0,05																
Pirimiphos-methyl	20	20	0,05																
Thiabendazole	20	20	0,05																
Triazophos	20	20	0,05																
Vinclozolin	20	20	0,02																

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(\*\*) in alphabetical order of the English name

(\*\*\*) E=EC-MRL, N=National MRL

(\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(\*\*\*\*\*) Sum of dithiocarbamates, expressed as CS<sub>2</sub>



**Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Reporting country: **Norway** Year of sampling: 1998

Number of samples analysed 8 With residues above MRL 0  
 Without detectable residues 8 With residues above EC-MRL 0  
 With residues at or below MRL 0 With residues above national MRL 0

Product group: Leaf vegetables Food item: Spinach

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	8	8	0.05																	
Benomyl-Group (****)	4	4	0.1																	
Chlorpyrifos	8	8	0.05																	
Chlorpyrifosmethyl	8	8	0.05																	
Deltamethrin	8	8	0.05																	
Diazinon	8	8	0.02																	
Endosulfan	1	1	0.05																	
Imazalil	8	8	0.05																	
Iprodione	8	8	0.05																	
Lambda-cyhalothrin	8	8	0.02																	
Maneb group (*****)	8	8	0.02																	
Mecarbam	8	8	0.05																	
Metalaxyl	8	8	0.05																	
Methamidophos	8	8	0.05																	
Methidathion	8	8	0.05																	
Permethrin	8	8	0.05																	
Pirimiphos-methyl	8	8	0.05																	
Thiabendazole	8	8	0.05																	
Triazophos	8	8	0.05																	
Vinclozolin	8	8	0.02																	

(\*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg  
 (\*\*) in alphabetical order of the English name  
 (\*\*\*) E=EC-MRL, N=National MRL  
 (\*\*\*\*) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).  
 (\*\*\*\*\*). Sum of dithiocarbamates, expressed as CS<sub>2</sub>