

Notifications of the co-ordinated programme (specific exercise) to the European Commission for PEARS											
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Country	1264										
Belgium	38	14	37	24	63.2	0	0.0	0	0.0	0	0.0
Denmark	59	23	39	35	59.3	1	1.7	1	1.7	0	0.0
Germany	213	46	22	161	75.6	6	2.8	6	2.8	0	0.0
Greece	28	11	39	17	60.7	0	0.0	0	0.0	0	0.0
Spain	45	13	29	32	71.1	0	0.0	0	0.0	0	0.0
France	116	28	24	86	74.1	2	1.7	2	1.7	0	0.0
Ireland	24	12	50	12	50.0	0	0.0	0	0.0	0	0.0
Italy	267	68	25	195	73.0	4	1.5	4	1.5	0	0.0
Luxembourg	12	9	75	3	25.0	0	0.0	0	0.0	0	0.0
The Netherlands	74	20	27	54	73.0	0	0.0	0	0.0	0	0.0
Austria	12	1	8	10	83.3	1	8.3	1	8.3	0	0.0
Portugal	53	32	60	21	39.6	0	0.0	0	0.0	0	0.0
Finland	37	6	16	29	78.4	2	5.4	2	5.4	0	0.0
Sweden	130	48	37	78	60.0	4	3.1	4	3.1	0	0.0
United Kingdom	156	49	31	106	67.9	1	0.6	1	0.6	0	0.0
Norway	53	25	47	28	52.8	0	0.0	0	0.0	0	0.0
Iceland	10	7	70	3	30.0	0	0.0	0	0.0	0	0.0
Liechtenstein	3	3	100	0	0.0	0	0.0	0	0.0	0	0.0
TOTAL	1330	415	31	894	67.2	21	1.6	21	1.6	0	0.0

Notifications of the co-ordinated programme (specific exercise) to the European Commission for BANANAS											
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Country	824										
Belgium	38	18	47	20	52.6	0	0.0	0	0.0	0	0.0
Denmark	75	24	32	51	68.0	0	0.0	0	0.0	0	0.0
Germany	171	62	36	109	63.7	0	0.0	0	0.0	0	0.0
Greece	15	14	93	1	6.7	0	0.0	0	0.0	0	0.0
Spain	50	13	26	26	52.0	11	22.0	11	22.0	0	0.0
France	94	59	63	35	37.2	0	0.0	0	0.0	0	0.0
Ireland	12	1	8	11	91.7	0	0.0	0	0.0	0	0.0
Italy	67	36	54	31	46.3	0	0.0	0	0.0	0	0.0
Luxembourg	12	10	83	1	8.3	1	8.3	1	8.3	0	0.0
The Netherlands	23	4	17	19	82.6	0	0.0	0	0.0	0	0.0
Austria	13	5	38	8	61.5	0	0.0	0	0.0	0	0.0
Portugal	37	18	49	19	51.4	0	0.0	0	0.0	0	0.0
Finland	13	3	23	10	76.9	0	0.0	0	0.0	0	0.0
Sweden	84	47	56	37	44.0	0	0.0	0	0.0	0	0.0
United Kingdom	120	52	43	68	56.7	0	0.0	0	0.0	0	0.0
Norway	43	9	21	34	79.1	0	0.0	0	0.0	0	0.0
Iceland	13	2	15	11	84.6	0	0.0	0	0.0	0	0.0
Liechtenstein	3	3	100	0	0.0	0	0.0	0	0.0	0	0.0
TOTAL	883	380	43	491	55.6	12	1.4	12	1.4	0	0.0

Notifications of the co-ordinated programme (specific exercise) to the European Commission for BEANS											
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Country	852										
Belgium	37	22	59	12	32.4	3	8.1	3	8.1	0	0.0
Denmark	12	11	92	0	0.0	1	8.3	1	8.3	0	0.0
Germany	134	72	54	56	41.8	6	4.5	6	4.5	0	0.0
Greece	57	32	56	19	33.3	6	10.5	6	10.5	0	0.0
Spain	45	38	84	5	11.1	2	4.4	2	4.4	0	0.0
France	110	63	57	42	38.2	5	4.5	5	4.5	0	0.0
Ireland	12	12	100	0	0.0	0	0.0	0	0.0	0	0.0
Italy	28	28	100	0	0.0	0	0.0	0	0.0	0	0.0
Luxembourg	12	7	58	5	41.7	0	0.0	0	0.0	0	0.0
The Netherlands	193	97	50	72	37.3	24	12.4	24	12.4	0	0.0
Austria	12	7	58	5	41.7	0	0.0	0	0.0	0	0.0
Portugal	77	59	77	15	19.5	3	3.9	3	3.9	0	0.0
Finland	21	7	33	11	52.4	3	14.3	3	14.3	0	0.0
Sweden	30	13	43	14	46.7	3	10.0	3	10.0	0	0.0
United Kingdom	72	61	85	7	9.7	4	5.6	4	5.6	0	0.0
Norway	41	30	73	9	22.0	2	4.9	2	4.9	0	0.0
Iceland	0	0	0	0	0.0	0	0.0	0	0.0	0	0.0
Liechtenstein	3	3	100	0	0.0	0	0.0	0	0.0	0	0.0
TOTAL	896	562	63	272	30.4	62	6.9	62	6.9	0	0.0

Notifications of the co-ordinated programme (specific exercise) to the European Commission for POTATOES											
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Country	1416										
Belgium	47	46	98	1	2.1	0	0.0	0	0.0	0	0.0
Denmark	100	98	98	2	2.0	0	0.0	0	0.0	0	0.0
Germany	266	241	91	24	9.0	1	0.4	1	0.4	0	0.0
Greece	23	23	100	0	0.0	0	0.0	0	0.0	0	0.0
Spain	48	48	100	0	0.0	0	0.0	0	0.0	0	0.0
France	243	239	98	4	1.6	0	0.0	0	0.0	0	0.0
Ireland	25	21	84	3	12.0	1	4.0	1	4.0	0	0.0
Italy	171	164	96	6	3.5	1	0.6	1	0.6	0	0.0
Luxembourg	16	16	100	0	0.0	0	0.0	0	0.0	0	0.0
The Netherlands	43	28	65	14	32.6	1	2.3	1	2.3	0	0.0
Austria	12	8	67	4	33.3	0	0.0	0	0.0	0	0.0
Portugal	51	50	98	1	2.0	0	0.0	0	0.0	0	0.0
Finland	37	37	100	0	0.0	0	0.0	0	0.0	0	0.0
Sweden	93	93	100	0	0.0	0	0.0	0	0.0	0	0.0
United Kingdom	241	146	61	92	38.2	3	1.2	3	1.2	0	0.0
Norway	65	63	97	2	3.1	0	0.0	0	0.0	0	0.0
Iceland	15	12	80	3	20.0	0	0.0	0	0.0	0	0.0
Liechtenstein	6	5	83	0	0.0	1	16.7	1	16.7	0	0.0
TOTAL	1502	1338	89	156	10.4	8	0.5	8	0.5	0	0.0

Notifications of the co-ordinated programme (specific exercise) to the European Commission for CARROTS											
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Country	1326										
Belgium	36	36	100	0	0.0	0	0.0	0	0.0	0	0.0
Denmark	75	69	92	5	6.7	1	1.3	1	1.3	0	0.0
Germany	318	251	79	61	19.2	6	1.9	6	1.9	0	0.0
Greece	18	14	78	0	0.0	4	22.2	4	22.2	0	0.0
Spain	43	39	91	4	9.3	0	0.0	0	0.0	0	0.0
France	246	131	53	114	46.3	1	0.4	1	0.4	0	0.0
Ireland	26	21	81	4	15.4	1	3.8	1	3.8	0	0.0
Italy	187	172	92	14	7.5	1	0.5	1	0.5	0	0.0
Luxembourg	12	12	100	0	0.0	0	0.0	0	0.0	0	0.0
The Netherlands	55	26	47	29	52.7	0	0.0	0	0.0	0	0.0
Austria	12	8	67	3	25.0	1	8.3	1	8.3	0	0.0
Portugal	60	57	95	3	5.0	0	0.0	0	0.0	0	0.0
Finland	39	39	100	0	0.0	0	0.0	0	0.0	0	0.0
Sweden	79	69	87	9	11.4	1	1.3	1	1.3	0	0.0
United Kingdom	120	104	87	16	13.3	0	0.0	0	0.0	0	0.0
Norway	121	72	60	45	37.2	4	3.3	4	3.3	0	0.0
Iceland	7	5	71	1	14.3	1	14.3	0	0.0	1	14.3
Liechtenstein	3	3	100	0	0.0	0	0.0	0	0.0	0	0.0
TOTAL	1457	1128	77	308	21.1	21	1.4	20	1.4	1	0.1

Notifications of the co-ordinated programme (specific exercise) to the European Commission for ORANGES/MANDARINS											
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Country	1996										
Belgium	38	3	8	34	89.5	1	2.6	1	2.6	0	0.0
Denmark	134	11	8	120	89.6	3	2.2	3	2.2	0	0.0
Germany	453	78	17	351	77.5	24	5.3	24	5.3	0	0.0
Greece	69	28	41	41	59.4	0	0.0	0	0.0	0	0.0
Spain	45	12	27	32	71.1	1	2.2	1	2.2	0	0.0
France	195	30	15	164	84.1	1	0.5	1	0.5	0	0.0
Ireland	95	9	9	86	90.5	0	0.0	0	0.0	0	0.0
Italy	241	103	43	138	57.3	0	0.0	0	0.0	0	0.0
Luxembourg	12	8	67	4	33.3	0	0.0	0	0.0	0	0.0
The Netherlands	147	5	3	132	89.8	10	6.8	10	6.8	0	0.0
Austria	14	0	0	12	85.7	2	14.3	2	14.3	0	0.0
Portugal	63	39	62	24	38.1	0	0.0	0	0.0	0	0.0
Finland	225	5	2	179	79.6	41	18.2	41	18.2	0	0.0
Sweden	121	6	5	113	93.4	2	1.7	2	1.7	0	0.0
United Kingdom	144	26	18	118	81.9	0	0.0	0	0.0	0	0.0
Norway	105	16	15	88	83.8	1	1.0	1	1.0	0	0.0
Iceland	40	2	5	38	95.0	0	0.0	0	0.0	0	0.0
Liechtenstein	3	3	100	0	0.0	0	0.0	0	0.0	0	0.0
TOTAL	2144	384	18	1674	78.1	86	4.0	86	4.0	0	0.0

Notifications of the co-ordinated programme (specific exercise) to the European Commission for PEACHES/NECTARINES											
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Country	1157										
Belgium	37	22	59	15	40.5	0	0.0	0	0.0	0	0.0
Denmark	34	24	71	10	29.4	0	0.0	0	0.0	0	0.0
Germany	207	82	40	117	56.5	8	3.9	8	3.9	0	0.0
Greece	14	3	21	10	71.4	1	7.1	1	7.1	0	0.0
Spain	45	30	67	14	31.1	1	2.2	1	2.2	0	0.0
France	136	47	35	86	63.2	3	2.2	3	2.2	0	0.0
Ireland	21	12	57	7	33.3	2	9.5	2	9.5	0	0.0
Italy	305	180	59	122	40.0	3	1.0	3	1.0	0	0.0
Luxembourg	12	6	50	6	50.0	0	0.0	0	0.0	0	0.0
The Netherlands	75	25	33	46	61.3	4	5.3	4	5.3	0	0.0
Austria	12	3	25	9	75.0	0	0.0	0	0.0	0	0.0
Portugal	88	72	82	14	15.9	2	2.3	2	2.3	0	0.0
Finland	20	7	35	13	65.0	0	0.0	0	0.0	0	0.0
Sweden	54	38	70	11	20.4	5	9.3	5	9.3	0	0.0
United Kingdom	97	45	46	47	48.5	5	5.2	5	5.2	0	0.0
Norway	24	11	46	13	54.2	0	0.0	0	0.0	0	0.0
Iceland	6	2	33	1	16.7	3	50.0	0	0.0	3	50.0
Liechtenstein	3	3	100	0	0.0	0	0.0	0	0.0	0	0.0
TOTAL	1190	612	51	541	45.5	37	3.1	34	2.9	3	0.3

Notifications of the co-ordinated programme (specific exercise) to the European Commission for SPINACH											
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Country	609										
Belgium	25	21	84	3	12.0	1	4.0	1	4.0	0	0.0
Denmark	11	8	73	0	0.0	3	27.3	3	27.3	0	0.0
Germany	123	76	62	18	14.6	29	23.6	29	23.6	0	0.0
Greece	16	8	50	6	37.5	2	12.5	2	12.5	0	0.0
Spain	45	40	89	1	2.2	4	8.9	4	8.9	0	0.0
France	64	46	72	4	6.3	14	21.9	14	21.9	0	0.0
Ireland	12	9	75	1	8.3	2	16.7	2	16.7	0	0.0
Italy	56	54	96	2	3.6	0	0.0	0	0.0	0	0.0
Luxembourg	12	10	83	0	0.0	2	16.7	1	8.3	1	8.3
The Netherlands	39	32	82	5	12.8	2	5.1	2	5.1	0	0.0
Austria	12	3	25	8	66.7	1	8.3	1	8.3	0	0.0
Portugal	73	65	89	1	1.4	7	9.6	7	9.6	0	0.0
Finland	18	14	78	2	11.1	2	11.1	2	11.1	0	0.0
Sweden	31	26	84	2	6.5	3	9.7	3	9.7	0	0.0
United Kingdom	72	48	67	19	26.4	5	6.9	5	6.9	0	0.0
Norway	31	22	71	5	16.1	4	12.9	4	12.9	0	0.0
Iceland	1	1	100	0	0.0	0	0.0	0	0.0	0	0.0
Liechtenstein	3	3	100	0	0.0	0	0.0	0	0.0	0	0.0
TOTAL	644	486	75	77	12.0	81	12.6	80	12.4	1	0.2

Notifications of the co-ordinated programme (specific exercise) to the European Commission for PEARS																													
Reporting country: EU+Norway+Iceland+Lichtenstein										Year of sampling: 2002																			
Product group: Pome Fruit										Food item: Pears																			
Number of samples analysed: 1330										With residues above MRL: 21 1.6																			
Without detectable residues: 415 31.2										With residues above EC-MRL: 21 1.6																			
With residues at or below MRL or without MRL: 894 67.2										With residues above national MRL: 0 0.0																			
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																													
Pesticide (**)	Total number of samples	Number of samples without residues	%	Number of samples with detectable residues	%	Number of samples with residues below/equal MRL	%	Reporting level (mg/kg)																		Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
									0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50								
Accephate	1092	1088	100	4	0.37	4	0.37		0	0	1	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0		
Aldicarb	431	430	100	1	0.23	1	0.23		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Azinphos-methyl	1153	986	86	167	14.48	163	14.14		11	14	39	47	28	24	2	2	0	0	0	0	0	0	0	0	0	0	4		
Azoxystrobin	915	915	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Benomyl group(#)	927	805	87	122	13.16	122	13.16		1	1	15	33	35	26	8	3	0	0	0	0	0	0	0	0	0	0	0		
Bromopropylate	1232	1165	95	67	5.44	64	5.19		20	9	7	9	8	11	3	0	0	0	0	0	0	0	0	0	0	0	3		
Captan	1034	912	88	122	11.80	122	11.80		16	8	15	14	30	25	9	3	2	0	0	0	0	0	0	0	0	0	0		
Chlorothalonil	1218	1196	98	22	1.81	22	1.81		2	4	4	5	4	3	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	1262	1147	91	115	9.11	115	9.11		31	26	21	25	9	3	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos-methyl	1257	1216	97	41	3.26	41	3.26		16	15	5	4	3	1	1	0	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	1201	1192	99	9	0.75	9	0.75		1	0	5	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	1185	1180	100	5	0.42	5	0.42		2	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	1258	1252	100	6	0.48	6	0.48		1	1	2	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0		
Dichlofluanid	1226	1143	93	83	6.77	83	6.77		7	11	18	21	13	11	1	0	1	0	0	0	0	0	0	0	0	0	0		
Dicofol	1184	1173	99	11	0.93	1	0.08		1	0	0	1	5	3	1	0	0	0	0	0	0	0	0	0	0	0	10		
Dimethoate	1229	1207	98	22	1.79	20	1.63		1	3	10	4	3	3	1	0	0	0	0	0	0	0	0	0	0	0	2		
Endosulfan	1209	1180	98	29	2.40	29	2.40		7	6	5	10	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0		
Folpet	1042	1022	98	20	1.92	20	1.92		0	2	1	3	1	9	2	2	0	0	0	0	0	0	0	0	0	0	0		
Captan+ Folpet (Sum)	1381	1194	86	187	13.54	187	13.54		16	9	15	28	37	43	26	8	5	0	0	0	0	0	0	0	0	0	0		
Imazalil	1091	1058	97	33	3.02	33	3.02		0	0	4	3	3	10	5	5	3	0	0	0	0	0	0	0	0	0	0		
Iprodione	1251	1207	96	44	3.52	44	3.52		1	1	3	8	3	7	11	8	2	0	0	0	0	0	0	0	0	0	0		
Lambda-cyhalothrin	1163	1150	99	13	1.12	13	1.12		5	3	3	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	1259	1247	99	12	0.95	12	0.95		1	3	2	0	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0		
Maneb-group(##)	794	571	72	223	28.09	222	27.91		4	5	16	44	51	50	39	12	1	1	0	0	0	0	0	0	0	0	1		
Mecarbam	977	977	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	1103	1102	100	1	0.09	1	0.09		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metaxyl	1175	1174	100	1	0.09	1	0.09		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methidathion	1229	1225	100	4	0.33	4	0.33		0	1	1	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methiocarb	648	647	100	1	0.15	1	0.15		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	543	540	99	3	0.55	3	0.55		1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0		
Omethoate	1052	1044	99	8	0.76	8	0.76		2	0	2	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Oxydemeton-methyl	446	445	100	1	0.22	1	0.22		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	1240	1235	100	5	0.40	4	0.32		2	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Permethrin	1100	1094	99	6	0.55	6	0.55		0	0	2	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	884	884	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	1227	1226	100	1	0.08	1	0.08		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Procymidone	1259	1090	87	169	13.42	169	13.42		11	11	35	40	39	27	6	0	0	0	0	0	0	0	0	0	0	0	0		
Propyzamide	1007	1007	100	0	0.00	0	0.00		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	984	909	92	75	7.62	75	7.62		1	1	7	7	8	25	12	11	3	0	0	0	0	0	0	0	0	0	0		
Tolyfluanid	1004	836	83	168	16.73	168	16.73		6	11	19	49	40	39	4	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	970	970	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Vinclozolin	1258	1256	100	2	0.16	2	0.16		1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Notifications of the co-ordinated programme (specific exercise) to the European Commission for BANANAS																													
Reporting country: EU+Norway+Iceland+Lichtenstein										Year of sampling: 2002																			
Product group: Miscellaneous fruit										Food item: Bananas																			
Number of samples analysed: 883										With residues above MRL: 12 1.4																			
Without detectable residues: 380 43.0										With residues above EC-MRL: 12 1.4																			
With residues at or below MRL or without MRL: 491 55.6										With residues above national MRL: 0 0.0																			
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																													
Pesticide (**)	Total number of samples	Number of samples without residues	%	Number of samples with detectable residues	%	Number of samples with residues below/equal MRL	%	Reporting level (mg/kg)																		Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
									0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50								
Accephate	795	795	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Aldicarb	387	387	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Azinphos-methyl	826	826	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Azoxystrobin	728	723	99	5	0.69	5	0.69		0	0	0	0	0	3	2	0	0	0	0	0	0	0	0	0	0	0			
Benomyl group(#)	714	707	99	7	0.98	7	0.98		0	1	2	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0			
Bromopropylate	868	866	100	2	0.23	2	0.23		1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Captan	817	817	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Chlorothalonil	831	831	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Chlorpyrifos	873	802	92	71	8.13	71	8.13		21	15	22	6	5	2	0	0	0	0	0	0	0	0	0	0	0	0			
Chlorpyrifos-methyl	870	870	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Cypermethrin	846	845	100	1	0.12	1	0.12		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Deltamethrin	830	830	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Diazinon	873	873	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Dichlofluanid	856	856	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Dicofol	853	841	99	12	1.41	4	0.47		0	4	4	2	2	0	0	0	0	0	0	0	0	0	0	0	0	8			
Dimethoate	862	848	98	14	1.62	12	1.39		0	0	2	4	4	3	0	1	0	0	0	0	0	0	0	0	0	2			
Endosulfan	833	833	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Folpet	698	698	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Captan+ Folpet (Sum)	900	900	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Imazalil	810	549	68	261	32.22	261	32.22		0	1	16	42	62	102	33	4	1	0	0	0	0	0	0	0	0	0			
Iprodione	868	868	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Lambda-cyhalothrin	811	811	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Malathion	872	872	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Maneb-group(##)	515	505	98	10	1.94	8	1.55		0	0	7	2	1	0	0	0	0	0	0	0	0	0	0	0	0	2			
Mecarbam	758	758	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Methamidophos	810	810	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Metaxyl	843	842	100	1	0.12	1	0.12		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Methidathion	828	828	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Methiocarb	489	489	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Methomyl	418	418	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Omethoate	771	768	100	3	0.39	3	0.39		0	0	1	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0			
Oxydemeton-methyl	403	403	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Parathion	852	852	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Permethrin	811	811	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Phorate	652	652	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Pirimiphos-methyl	858	858	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Procymidone	868	868	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Propyzamide	792	792	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Thiabendazol	782	503	64	279	35.68	279	35.68		0	1	17	32	85	110	22	10	2	0	0	0	0	0	0	0	0	0			
Tolyfluanid	784	784	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Triazophos	788	788	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Vinclozolin	871	870	100	1	0.11	1	0.11		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Notifications of the co-ordinated programme (specific exercise) to the European Commission for BEANS																													
Reporting country: EU+Norway+Iceland+Lichtenstein										Year of sampling: 2002																			
Product group: Pulses										Food item: Beans																			
Number of samples analysed: 896										With residues above MRL: 62 6.9																			
Without detectable residues: 562 62.7										With residues above EC-MRL: 62 6.9																			
With residues at or below MRL or without MRL: 272 30.4										With residues above national MRL: 0 0.0																			
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																													
Pesticide (**)	Total number of samples	Number of samples without residues	%	Number of samples with detectable residues	%	Number of samples with residues below/ equal MRL	%	Reporting level (mg/kg)																		Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
									0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50								
Accephate	786	783	100	3	0.38	3	0.38		0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0			
Aldicarb	388	388	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Azinphos-methyl	833	833	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Azoxystrobin	724	724	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Benomyl group(#)	741	719	97	22	2.97	16	2.16		5	0	2	3	6	4	2	0	0	0	0	0	0	0	0	0	0	6			
Bromopropylate	828	828	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Captan	711	709	100	2	0.28	2	0.28		0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0			
Chlorothalonil	790	781	99	9	1.14	5	0.63		2	1	1	2	1	2	0	0	0	0	0	0	0	0	0	0	0	4			
Chlorpyrifos	830	818	99	12	1.45	5	0.60		3	0	2	3	1	0	0	3	0	0	0	0	0	0	0	0	0	7			
Chlorpyrifos-methyl	835	834	100	1	0.12	1	0.12		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Cypermethrin	822	792	96	30	3.65	25	3.04		0	1	4	6	7	8	4	0	0	0	0	0	0	0	0	0	0	5			
Deltamethrin	803	801	100	2	0.25	2	0.25		0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Diazinon	830	828	100	2	0.24	0	0.00		0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2			
Dichlofluanid	792	791	100	1	0.13	1	0.13		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Dicofol	823	812	99	11	1.34	3	0.36		0	3	2	1	0	2	3	0	0	0	0	0	0	0	0	0	0	8			
Dimethoate	831	795	96	36	4.33	35	4.21		1	1	4	11	13	9	8	2	0	0	0	0	0	0	0	0	0	1			
Endosulfan	825	794	96	31	3.76	18	2.18		5	2	10	4	2	5	3	0	0	0	0	0	0	0	0	0	0	13			
Folpet	713	713	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Captan+ Folpet (Sum)	841	839	100	2	0.24	2	0.24		0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0			
Imazalil	719	719	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Iprodione	826	817	99	9	1.09	9	1.09		0	0	0	2	4	1	0	2	0	0	0	0	0	0	0	0	0	0			
Lambda-cyhalothrin	806	804	100	2	0.25	2	0.25		0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0			
Malathion	835	835	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Maneb-group(##)	541	479	89	62	11.46	55	10.17		2	5	7	3	11	11	15	8	0	0	0	0	0	0	0	0	0	7			
Mecarbam	793	793	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Methamidophos	784	764	97	20	2.55	12	1.53		0	0	4	0	3	5	4	2	0	1	1	0	0	0	0	0	0	8			
Metaxyl	797	793	99	4	0.50	3	0.38		1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1			
Methidathion	812	812	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Methiocarb	579	578	100	1	0.17	0	0.00		0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1			
Methomyl	400	399	100	1	0.25	0	0.00		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1			
Omethoate	780	767	98	13	1.67	12	1.54		2	0	5	4	1	0	0	1	0	0	0	0	0	0	0	0	0	1			
Oxydemeton-methyl	472	472	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Parathion	828	828	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Permethrin	813	813	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Phorate	684	684	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Pirimiphos-methyl	835	835	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Procymidone	830	798	96	32	3.86	31	3.73		2	2	8	4	6	8	2	0	0	0	0	0	0	0	0	0	0	1			
Propyzamide	768	768	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Thiabendazol	729	729	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Tolyfluanid	784	784	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Triazophos	786	785	100	1	0.13	0	0.00		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1			
Vinclozolin	830	738	89	92	11.08	92	11.08		6	6	19	22	20	18	1	0	0	0	0	0	0	0	0	0	0	0			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Notifications of the co-ordinated programme (specific exercise) to the European Commission for POTATOES																												
Reporting country: EU+Norway+Iceland+Lichtenstein										Year of sampling: 2002																		
Product group: Potatoes										Food item: Potatoes																		
Number of samples analysed: 1502										With residues above MRL: 8 0.5																		
Without detectable residues: 1338 89.1										With residues above EC-MRL: 8 0.5																		
With residues at or below MRL or without MRL: 156 10.4										With residues above national MRL: 0 0.0																		
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																												
Pesticide (**)	Total number of samples	Number of samples without residues	%	Number of samples with detectable residues	%	Number of samples with residues below/ equal MRL	%	Reporting level (mg/kg)	Residue classes (mg/kg)												Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)				
									0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50			
Acephate	1242	1240	100	2	0.16	1	0.08		1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Aldicarb	533	518	97	15	2.81	15	2.81		13	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Azinphos-methyl	1291	1291	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Azoxystrobin	884	884	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Benomyl group(#)	975	975	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Bromopropylate	1290	1290	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan	1147	1147	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorothalonil	1249	1248	100	1	0.08	0	0.00		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Chlorpyrifos	1466	1465	100	1	0.07	0	0.00		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Chlorpyrifos-methyl	1286	1286	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	1421	1420	100	1	0.07	1	0.07		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	1390	1388	100	2	0.14	2	0.14		0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	1296	1295	100	1	0.08	1	0.08		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dichlofluanid	1275	1275	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dicofol	1260	1260	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dimethoate	1279	1279	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Endosulfan	1255	1254	100	1	0.08	1	0.08		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Folpet	1154	1154	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan+ Folpet (Sum)	1402	1402	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Imazalil	1297	1281	99	16	1.23	15	1.16		0	4	2	2	2	6	0	0	0	0	0	0	0	0	0	0	0	1		
Iprodione	1281	1281	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Lambda-cyhalothrin	1212	1212	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	1292	1291	100	1	0.08	1	0.08		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Maneb-group(##)	594	585	98	9	1.52	7	1.18		0	3	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2		
Mecarbam	1076	1076	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	1259	1258	100	1	0.08	1	0.08		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metaxyl	1429	1428	100	1	0.07	1	0.07		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methidathion	1268	1268	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methiocarb	680	667	98	13	1.91	13	1.91		13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	420	407	97	13	3.10	13	3.10		13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Omethoate	1220	1220	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Oxydemeton-methyl	591	591	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	1270	1270	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Permethrin	1201	1197	100	4	0.33	4	0.33		3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	1260	1260	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	1275	1275	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Procymidone	1293	1292	100	1	0.08	0	0.00		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Propyzamide	1123	1123	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	1145	1127	98	18	1.57	17	1.48		0	0	2	6	5	1	2	1	1	0	0	0	0	0	0	0	0	1		
Tolyfluanid	1109	1109	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	1115	1115	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Vinclozolin	1297	1296	100	1	0.08	1	0.08		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Notifications of the co-ordinated programme (specific exercise) to the European Commission for CARROTS																													
Reporting country: EU+Norway+Iceland+Lichtenstein										Year of sampling: 2002																			
Product group: Root and tuber vegetables										Food item: Carrots																			
Number of samples analysed: 1457										With residues above MRL: 21 1.4																			
Without detectable residues: 1128 77.4										With residues above EC-MRL: 20 1.4																			
With residues at or below MRL or without MRL: 308 21.1										With residues above national MRL: 1 0.1																			
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																													
Pesticide (**)	Total number of samples	Number of samples without residues	%	Number of samples with detectable residues	%	Number of samples with residues below/equal MRL	%	Reporting level (mg/kg)																		Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
									0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50								
Accephate	1256	1256	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Aldicarb	410	407	99	3	0.73	3	0.73		0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Azinphos-methyl	1367	1363	100	4	0.29	4	0.29		1	1	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0		
Azoxystrobin	1011	1008	100	3	0.30	3	0.30		0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Benomyl group(#)	739	738	100	1	0.14	1	0.14		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Bromopropylate	1410	1410	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan	1345	1344	100	1	0.07	1	0.07		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorothalonil	1392	1385	99	7	0.50	7	0.50		3	2	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	1423	1395	98	28	1.97	23	1.62		10	3	4	6	5	0	0	0	0	0	0	0	0	0	0	0	0	0	5		
Chlorpyrifos-methyl	1414	1413	100	1	0.07	1	0.07		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	1366	1365	100	1	0.07	1	0.07		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	1340	1340	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	1415	1399	99	16	1.13	12	0.85		0	0	0	1	8	3	2	2	0	0	0	0	0	0	0	0	0	0	4		
Dichlofluanid	1396	1395	100	1	0.07	1	0.07		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dicofol	1369	1369	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dimethoate	1406	1401	100	5	0.36	5	0.36		1	1	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Endosulfan	1383	1375	99	8	0.58	4	0.29		0	0	4	2	0	1	1	0	0	0	0	0	0	0	0	0	0	0	4		
Folpet	1251	1250	100	1	0.08	1	0.08		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan+ Folpet (Sum)	1550	1548	100	2	0.13	2	0.13		0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Imazalil	1071	1071	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Iprodione	1389	1257	90	132	9.50	131	9.43		2	7	47	36	30	10	0	0	0	0	0	0	0	0	0	0	0	0	1		
Lambda-cyhalothrin	1320	1320	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	1413	1413	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Maneb-group(##)	682	675	99	7	1.03	7	1.03		0	0	5	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Mecarbam	1232	1231	100	1	0.08	1	0.08		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	1264	1264	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metaxyl	1331	1330	100	1	0.08	1	0.08		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methidathion	1401	1401	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methiocarb	626	625	100	1	0.16	1	0.16		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	456	456	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Omethoate	1246	1245	100	1	0.08	0	0.00		0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Oxydemeton-methyl	648	648	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	1412	1408	100	4	0.28	4	0.28		2	0	2	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Permethrin	1325	1324	100	1	0.08	1	0.08		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	1064	1061	100	3	0.28	2	0.19		1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Pirimiphos-methyl	1396	1396	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Procymidone	1427	1419	99	8	0.56	6	0.42		4	1	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2		
Propyzamide	1246	1246	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	984	982	100	2	0.20	0	0.00		0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2		
Tolyfluanid	1247	1247	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	1247	1246	100	1	0.08	0	0.00		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Vinclozolin	1427	1401	98	26	1.82	26	1.82		3	2	11	8	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Notifications of the co-ordinated programme (specific exercise) to the European Commission for ORANGES/MANDARINS																									
Reporting country: EU+Norway+Iceland+Lichtenstein										Year of sampling: 2002															
Product group: Citrus fruit										Food item: Oranges/Mandarins															
Number of samples analysed: 2144										With residues above MRL: 86 4.0															
Without detectable residues: 384 17.9										With residues above EC-MRL: 86 4.0															
With residues at or below MRL or without MRL: 1674 78.1										With residues above national MRL: 0 0.0															
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																									
Pesticide (**)	Total number of samples	Number of samples without residues	%	Number of samples with detectable residues	%	Number of samples with residues below/equal MRL	%	Reporting level (mg/kg)	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
Accephate	1846	1842	100	4	0.22	4	0.22		1	1	1	1	0	0	0	0	0	0	0	0	0	0	0		
Aldicarb	617	617	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Azinphos-methyl	1960	1951	100	9	0.46	9	0.46		1	1	3	3	1	0	0	0	0	0	0	0	0	0	0		
Azoxystrobin	1573	1573	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Benomyl group(##)	1406	1271	90	135	9.60	135	9.60		13	10	14	31	30	30	4	1	2	0	0	0	0	0	0		
Bromopropylate	1923	1832	95	91	4.73	60	3.12		3	5	10	15	15	27	10	5	1	0	0	0	0	0	31		
Captan	1770	1770	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorothalonil	1874	1874	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	1954	1201	61	753	38.54	746	38.18		49	74	132	253	167	73	5	0	0	0	0	0	0	0	7		
Chlorpyrifos-methyl	1943	1925	99	18	0.93	18	0.93		1	3	6	5	3	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	1816	1813	100	3	0.17	3	0.17		0	0	2	0	0	1	0	0	0	0	0	0	0	0	0		
Deltamethrin	1802	1802	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	1981	1969	99	12	0.61	6	0.30		1	2	3	3	1	2	0	0	0	0	0	0	0	0	6		
Dichlofluanid	1892	1889	100	3	0.16	3	0.16		0	1	0	0	1	1	0	0	0	0	0	0	0	0	0		
Dicofol	1881	1683	89	198	10.53	198	10.53		0	4	19	43	49	60	17	6	0	0	0	0	0	0	0		
Dimethoate	1949	1870	96	79	4.05	75	3.85		2	8	25	17	16	7	2	2	0	0	0	0	0	0	4		
Endosulfan	1861	1833	98	28	1.50	28	1.50		13	1	7	4	2	1	0	0	0	0	0	0	0	0	0		
Folpet	1780	1772	100	8	0.45	8	0.45		0	2	4	2	0	0	0	0	0	0	0	0	0	0	0		
Captan+ Folpet (Sum)	1913	1905	100	8	0.42	8	0.42		0	2	4	2	0	0	0	0	0	0	0	0	0	0	0		
Imazalil	1891	748	40	1143	60.44	1126	59.55		1	4	15	22	48	129	280	395	231	18	0	0	0	17			
Iprodione	1927	1921	100	6	0.31	6	0.31		0	0	3	1	2	0	0	0	0	0	0	0	0	0	0		
Lambda-cyhalothrin	1801	1800	100	1	0.06	1	0.06		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	1980	1675	85	305	15.40	305	15.40		31	30	75	70	46	37	14	2	0	0	0	0	0	0	0		
Maneb-group(##)	914	829	91	85	9.30	85	9.30		3	6	21	17	25	13	0	0	0	0	0	0	0	0	0		
Mecarbam	1796	1790	100	6	0.33	2	0.11		0	1	0	2	2	0	3	0	0	0	0	0	0	0	4		
Methamidophos	1846	1846	100	0	0.00	0	0.00		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0		
Metaxyl	1877	1869	100	8	0.43	4	0.21		0	0	1	4	0	2	1	0	0	0	0	0	0	0	4		
Methidathion	1959	1459	74	500	25.52	500	25.52		14	17	64	107	107	141	41	9	0	0	0	0	0	0	0		
Methiocarb	1232	1230	100	2	0.16	1	0.08		0	0	0	1	1	0	0	0	0	0	0	0	0	0	1		
Methomyl	661	661	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Omethoate	1840	1827	99	13	0.71	13	0.71		2	2	8	1	0	0	0	0	0	0	0	0	0	0	0		
Oxydemeton-methyl	993	993	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	1928	1915	99	13	0.67	11	0.57		3	2	1	3	3	1	0	0	0	0	0	0	0	0	2		
Permethrin	1781	1781	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	1420	1420	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	1935	1907	99	28	1.45	28	1.45		4	3	7	7	5	2	0	0	0	0	0	0	0	0	0		
Procymidone	1964	1958	100	6	0.31	5	0.25		2	3	0	1	0	0	0	0	0	0	0	0	0	0	1		
Propyzamide	1754	1754	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	1773	1125	63	648	36.55	637	35.93		2	6	18	31	65	103	110	157	145	9	2	0	0	11			
Tolyfluanid	1751	1749	100	2	0.11	2	0.11		0	0	2	2	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	1747	1746	100	1	0.06	0	0.00		0	0	0	1	0	0	0	0	0	0	0	0	0	0	1		
Vinclozolin	1946	1944	100	2	0.10	2	0.10		1	1	0	0	0	0	0	0	0	0	0	0	0	0	0		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Notifications of the co-ordinated programme (specific exercise) to the European Commission for PEACHES/NECTARINES																											
Reporting country: EU+Norway+Iceland+Lichtenstein												Year of sampling: 2002															
Product group: Stone fruit												Food item: Peaches/Nectarines															
Number of samples analysed: 1190												With residues above MRL: 37 3.1															
Without detectable residues: 612 51.4												With residues above EC-MRL: 34 2.9															
With residues at or below MRL or without MRL: 541 45.5												With residues above national MRL: 3 0.3															
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																											
Pesticide (**)	Total number of samples	Number of samples without residues	%	Number of samples with detectable residues	%	Number of samples with residues below/equal MRL	%	Reporting level (mg/kg)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
									0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50		
Accephate	1060	1028	97	32	3.02	23	2.17		8	8	3	3	7	1	0	2	0	0	0	0	0	0	0	0	9		
Aldicarb	356	356	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Azinphos-methyl	1110	1045	94	65	5.86	65	5.86		10	9	14	12	13	5	1	1	0	0	0	0	0	0	0	0	0		
Azoxystrobin	680	680	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Benomyl group(##)	819	724	88	95	11.60	93	11.36		2	8	8	31	28	14	2	1	1	0	0	0	0	0	0	0	2		
Bromopropylate	1093	1081	99	12	1.10	12	1.10		8	3	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0		
Captan	952	916	96	36	3.78	36	3.78		2	0	8	9	7	6	4	0	0	0	0	0	0	0	0	0	0		
Chlorothalonil	1061	1048	99	13	1.23	13	1.23		2	0	3	3	2	1	2	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	1115	1005	90	110	9.87	109	9.78		32	25	33	11	8	1	0	0	0	0	0	0	0	0	0	0	1		
Chlorpyrifos-methyl	1107	1087	98	20	1.81	20	1.81		3	6	3	5	2	1	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	1023	1017	99	6	0.59	6	0.59		1	0	1	0	3	0	1	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	1017	1012	100	5	0.49	4	0.39		4	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1		
Diazinon	1114	1111	100	3	0.27	3	0.27		1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dichlofluanid	1082	1081	100	1	0.09	1	0.09		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dicofol	1037	1032	100	5	0.48	1	0.10		1	0	0	2	1	1	0	0	0	0	0	0	0	0	0	0	4		
Dimethoate	1089	1078	99	11	1.01	11	1.01		0	1	2	5	1	2	0	0	0	0	0	0	0	0	0	0	0		
Endosulfan	1051	1030	98	21	2.00	21	2.00		1	3	6	4	4	3	0	0	0	0	0	0	0	0	0	0	0		
Folpet	961	961	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan+ Folpet (Sum)	1252	1215	97	37	2.96	36	2.88		2	0	8	11	6	4	5	0	1	0	0	0	0	0	0	0	1		
Imazalil	986	982	100	4	0.41	3	0.30		3	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1		
Iprodione	1095	955	87	140	12.79	137	12.51		2	1	11	27	26	29	30	5	9	0	0	0	0	0	0	0	3		
Lambda-cyhalothrin	1011	1010	100	1	0.10	1	0.10		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	1119	1113	99	6	0.54	6	0.54		2	1	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0		
Maneb-group(##)	636	580	91	56	8.81	56	8.81		2	6	11	9	7	16	4	1	0	0	0	0	0	0	0	0	0		
Mecarbam	779	779	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	1086	1046	96	40	3.68	33	3.04		5	10	18	4	1	2	0	0	0	0	0	0	0	0	0	0	7		
Metaxyl	1049	1048	100	1	0.10	1	0.10		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methidathion	1082	1081	100	1	0.09	1	0.09		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methiocarb	588	588	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	425	420	99	5	1.18	1	0.24		0	0	0	0	0	1	2	2	0	0	0	0	0	0	0	0	4		
Omethoate	1042	1040	100	2	0.19	2	0.19		1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Oxydemeton-methyl	480	480	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	1096	1092	100	4	0.36	3	0.27		2	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1		
Permethrin	971	971	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	878	878	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	1102	1099	100	3	0.27	3	0.27		1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0		
Procymidone	1102	1045	95	57	5.17	57	5.17		4	7	8	10	11	10	5	2	0	0	0	0	0	0	0	0	0		
Propyzamide	847	847	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	878	868	99	10	1.14	5	0.57		1	1	1	3	3	1	0	0	0	0	0	0	0	0	0	0	5		
Tolyfluanid	793	793	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	831	831	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Vinclozolin	1102	1095	99	7	0.64	7	0.64		2	2	9	2	1	0	0	0	0	0	0	0	0	0	0	0	0		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Notifications of the co-ordinated programme (specific exercise) to the European Commission for SPINACH																													
Reporting country: EU+Norway+Iceland+Lichtenstein										Year of sampling: 2002																			
Product group: Leafy vegetables										Food item: Spinach																			
Number of samples analysed: 644										With residues above MRL: 81 12.6																			
Without detectable residues: 486 75.5										With residues above EC-MRL: 80 12.4																			
With residues at or below MRL or without MRL: 77 12.0										With residues above national MRL: 1 0.2																			
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																													
Pesticide (**)	Total number of samples	Number of samples without residues	%	Number of samples with detectable residues	%	Number of samples with residues below/ equal MRL	%	Reporting level (mg/kg)													Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)					
									0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50				
Accephate	571	569	100	2	0.35	1	0.18		0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1			
Aldicarb	300	300	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Azinphos-methyl	586	585	100	1	0.17	1	0.17		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Azoxystrobin	466	465	100	1	0.21	0	0.00		0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1			
Benomyl group(#)	468	465	99	3	0.64	2	0.43		0	0	1	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1			
Bromopropylate	589	589	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Captan	478	478	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Chlorothalonil	579	577	100	2	0.35	0	0.00		0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	2			
Chlorpyrifos	591	585	99	6	1.02	3	0.51		1	1	0	0	1	1	0	1	0	1	0	0	0	0	0	0	0	3			
Chlorpyrifos-methyl	591	591	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Cypermethrin	577	545	94	32	5.55	30	5.20		0	0	0	12	13	5	1	1	0	0	0	0	0	0	0	0	0	2			
Deltamethrin	570	560	98	10	1.75	10	1.75		0	1	3	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0			
Diazinon	592	592	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Dichlofluanid	582	581	100	1	0.17	1	0.17		0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0			
Dicofol	573	573	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Dimethoate	579	576	99	3	0.52	2	0.35		0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1			
Endosulfan	570	563	99	7	1.23	3	0.53		0	0	3	0	2	0	2	0	0	0	0	0	0	0	0	0	0	4			
Folpet	484	483	100	1	0.21	0	0.00		0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1			
Captan+ Folpet (Sum)	584	583	100	1	0.17	0	0.00		0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1			
Imazalil	524	523	100	1	0.19	0	0.00		0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1			
Iprodione	585	577	99	8	1.37	0	0.00		0	0	1	1	1	1	1	2	1	0	0	0	0	0	0	0	0	8			
Lambda-cyhalothrin	538	535	99	3	0.56	3	0.56		0	1	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0			
Malathion	589	585	99	4	0.68	4	0.68		1	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Maneb-group(##)	404	346	86	58	14.36	10	2.48		0	0	7	14	8	9	7	7	3	1	1	1	0	0	0	0	0	48			
Mecarbam	525	525	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Methamidophos	559	557	100	2	0.36	1	0.18		1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1			
Metaxyl	569	569	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Methidathion	573	573	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Methiocarb	386	386	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Methomyl	341	330	97	11	3.23	8	2.35		0	0	0	0	2	4	1	1	2	1	0	0	0	0	0	0	0	3			
Omethoate	524	520	99	4	0.76	4	0.76		0	1	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Oxydemeton-methyl	345	344	100	1	0.29	0	0.00		0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1			
Parathion	584	584	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Permethrin	554	553	100	1	0.18	1	0.18		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Phorate	498	498	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Pirimiphos-methyl	587	587	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Procymidone	591	590	100	1	0.17	0	0.00		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Propyzamide	580	577	99	3	0.52	1	0.17		1	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2			
Thiabendazol	513	512	100	1	0.19	1	0.19		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Tolyfluanid	533	533	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Triazophos	532	532	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Vinclozolin	578	575	99	3	0.52	2	0.35		0	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1			

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Notifications of the co-ordinated programme (specific exercise) to the European Commission for ALL EIGHT PRODUCTS																													
Reporting country: EU+Norway+Iceland+Lichtenstein										Year of sampling: 2002																			
Product group:										Food item: ALL																			
Number of samples analysed: 10046										With residues above MRL: 328 3.3																			
Without detectable residues: 5305 52.8										With residues above EC-MRL: 323 3.2																			
With residues at or below MRL or without MRL: 4413 43.9										With residues above national MRL: 5 0.0																			
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																													
Pesticide (**)	Total number of samples	Number of samples without residues	%	Number of samples with detectable residues	%	Number of samples with residues below/equal MRL	%	Reporting level (mg/kg)																		Maximum (mg/kg)	Number of samples with residues exceeding the MRL	% samples with residues exceeding the MRL	Source of MRL (***)
									0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50								
Accephate	8648	8601	99	47	0.54	36	0.42		10	10	6	8	7	3	1	2	0	0	0	0	0	0	0	0	11	0.13			
Aldicarb	3422	3403	99	19	0.56	19	0.56		14	0	2	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00			
Azinphos-methyl	9126	8880	97	246	2.70	242	2.65		24	25	56	62	42	31	3	3	0	0	0	0	0	0	0	4	0.04				
Azoxystrobin	6981	6972	100	9	0.13	8	0.11		0	0	3	0	0	3	2	1	0	0	0	0	0	0	0	1	0.01				
Benomyl group(##)	6789	6404	94	385	5.67	376	5.54		21	20	43	99	101	76	16	5	4	0	0	0	0	0	9	0.13					
Bromopropylate	9233	9061	98	172	1.86	138	1.49		32	17	17	25	23	39	13	5	1	0	0	0	0	0	34	0.37					
Captan	8254	8093	98	161	1.95	161	1.95		18	9	23	24	38	31	13	3	2	0	0	0	0	0	0	0	0.00				
Chlorothalonil	8994	8940	99	54	0.60	47	0.52		9	8	9	11	9	6	2	0	0	0	0	0	0	0	7	0.08					
Chlorpyrifos	9514	8418	88	1096	11.52	1072	11.27		147	144	214	305	196	80	5	4	0	1	0	0	0	0	24	0.25					
Chlorpyrifos-methyl	9303	9222	99	81	0.87	81	0.87		21	24	15	13	6	2	0	0	0	0	0	0	0	0	0	0	0.00				
Cypermethrin	9072	8989	99	83	0.91	76	0.84		2	1	15	18	25	15	6	1	0	0	0	0	0	0	7	0.08					
Deltamethrin	8937	8913	100	24	0.27	23	0.26		6	3	5	5	4	1	0	0	0	0	0	0	0	0	1	0.01					
Diazinon	9359	9319	100	40	0.43	28	0.30		4	5	8	11	5	5	2	0	0	0	0	0	0	0	12	0.13					
Dichlofluanid	9101	9011	99	90	0.99	90	0.99		8	12	19	22	14	12	1	0	2	0	0	0	0	0	0	0	0.00				
Dicofol	8980	8743	97	237	2.64	207	2.31		2	11	25	49	57	66	21	6	0	0	0	0	0	0	30	0.33					
Dimethoate	9224	9054	98	170	1.84	160	1.73		5	14	46	43	34	21	4	3	0	0	0	0	0	0	10	0.11					
Endosulfan	8987	8862	99	125	1.39	104	1.16		27	12	35	24	10	10	7	0	0	0	0	0	0	0	21	0.23					
Folpet	8083	8053	100	30	0.37	29	0.36		0	4	5	6	1	9	3	2	0	0	0	0	0	0	1	0.01					
Captan+ Folpet (Sum)	9823	9586	98	237	2.41	235	2.39		18	12	27	43	44	47	32	8	6	0	0	0	0	0	2	0.02					
Imazalil	8389	6931	83	1458	17.38	1438	17.14		4	9	37	69	117	247	318	404	235	18	0	0	0	0	20	0.24					
Iprodione	9222	8883	96	339	3.68	327	3.55		5	9	67	77	63	47	44	15	12	0	0	0	0	0	12	0.13					
Lambda-cyhalothrin	8662	8642	100	20	0.23	20	0.23		5	4	6	3	2	0	0	0	0	0	0	0	0	0	0	0	0.00				
Malathion	9359	9031	96	328	3.50	328	3.50		35	36	78	73	51	39	14	2	0	0	0	0	0	0	0	0	0.00				
Maneb-group(##)	5080	4570	90	510	10.04	450	8.85		11	25	78	92	104	99	65	28	4	2	1	1	0	0	60	1.19					
Mecarbam	7936	7929	100	7	0.09	3	0.04		1	1	0	2	0	3	0	0	0	0	0	0	0	0	4	0.05					
Methamidophos	8711	8647	99	64	0.73	48	0.55		7	11	22	4	4	7	5	2	0	1	1	0	0	0	16	0.18					
Metaxyl	9070	9053	100	17	0.19	12	0.13		3	1	5	5	0	2	1	0	0	0	0	0	0	0	5	0.06					
Methidathion	9152	8647	94	505	5.52	505	5.52		14	18	66	109	107	141	41	9	0	0	0	0	0	0	0	0	0.00				
Methiocarb	5228	5210	100	18	0.34	16	0.31		14	1	0	1	1	0	0	0	0	0	1	0	0	0	2	0.04					
Methomyl	3664	3631	99	33	0.90	25	0.68		14	0	1	1	4	6	3	1	2	1	0	0	0	0	8	0.22					
Omethoate	8475	8431	99	44	0.52	42	0.50		7	4	16	11	5	0	0	1	0	0	0	0	0	0	2	0.02					
Oxydemeton-methyl	4378	4376	100	2	0.05	1	0.02		0	0	1	0	0	0	1	0	0	0	0	0	0	0	1	0.02					
Parathion	9210	9184	100	26	0.28	22	0.24		9	5	3	4	3	2	0	0	0	0	0	0	0	0	4	0.04					
Permethrin	8556	8544	100	12	0.14	12	0.14		4	1	2	4	1	0	0	0	0	0	0	0	0	0	0	0	0.00				
Phorate	7340	7337	100	3	0.04	2	0.03		1	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0.01					
Pirimiphos-methyl	9215	9183	100	32	0.35	32	0.35		5	3	8	8	5	2	1	0	0	0	0	0	0	0	0	0	0.00				
Procymidone	9334	9060	97	274	2.94	268	2.87		23	24	54	57	56	45	13	2	0	0	0	0	0	0	6	0.06					
Propyzamide	8117	8114	100	3	0.04	1	0.01		1	0	0	0	2	0	0	0	0	0	0	0	0	0	2	0.02					
Thiabendazol	7788	6755	87	1033	13.26	1014	13.02		4	9	46	81	166	240	146	179	151	9	2	0	0	0	19	0.24					
Tolyfluanid	8005	7835	98	170	2.12	170	2.12		6	11	21	49	40	39	4	0	0	0	0	0	0	0	0	0	0.00				
Triazophos	8016	8013	100	3	0.04	0	0.00		0	0	2	1	0	0	0	0	0	0	0	0	0	0	3	0.04					
Vinclozolin	9309	9175	99	134	1.44	133	1.43		14	14	33	31	22	18	2	0	0	0	0	0	0	0	1	0.01					

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pome fruit		Food item: Pears	
Reporting country:	<u>Belgium</u>	Year of sampling:	<u>2002</u>
Total number of samples analysed:	38	With residues above MRL (EC+national):	0
Without detectable residues:	14	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	24	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50						
Accephate	38	38	0,01-0,2																			
Aldicarb	18	18	0,05																			
Azinphos-methyl	38	38	0,1-0,2																			
Azoxystrobin	20	20	0,30																			
Benomyl group(#)	38	31	0,05-0,2			1	2	2	2								0,29	0	2,00			
Bromopropylate	38	34	0,05-0,14				2	1	1								0,78	0	2,00			
Captan																						
Chlorothalonil	18	18	0,05																			
Chlorpyrifos	38	38	0,05-0,11																			
Chlorpyrifos-methyl	38	38	0,05-0,14																			
Cypermethrin	38	38	0,05-0,1																			
Deltamethrin	20	20	0,19																			
Diazinon	38	38	0,02-0,08																			
Dichlofluand	38	38	0,05-0,07																			
Dicofol	38	38	0,01-0,2																			
Dimethoate	38	38	0,01-0,05																			
Endosulfan	38	38	0,02-0,05																			
Folpet																						
Captan+ Folpet (Sum)	38	37	0,1-0,15						1								0,92	0	3,00			
Imazail	20	20	0,1-0,19																			
Iprodione	38	38	0,2-0,55																			
Lambda-cyhalothrin	38	38	0,05-0,08																			
Malathion	38	38	0,05-0,1																			
Maneb-group(##)	38	37	0,3-0,5					1									0,4	0	3,00			
Mecarbam	18	18	0,05																			
Methamidophos	38	38	0,01																			
Metalaxyl	38	38	0,05-0,15																			
Methidathion	18	18	0,05																			
Methiocarb	18	18	0,10																			
Methomyl	18	18	0,10																			
Ormethoate	18	18	0,05																			
Oxydemeton-methyl																						
Parathion	38	38	0,05-0,15																			
Permethrin	38	38	0,1-0,5																			
Phorate	20	20	0,03																			
Pirimiphos-methyl	38	38	0,05-0,35																			
Procyimidine	38	38	0,02-0,28																			
Propyzamide	38	38	0,05-0,2																			
Thiabendazol	38	38	0,05-0,1																			
Tolyfluanid	38	15	0,02		1	1	6	8	6	1							0,66	0	2,00			
Triazophos	20	20	0,26																			
Vinclozolin	38	38	0,02-0,05																			

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Miscellaneous fruit		Food item: Bananas	
Reporting country:	<u>Belgium</u>	Year of sampling:	<u>2002</u>
Total number of samples analysed:	38	With residues above MRL (EC+national):	0
Without detectable residues:	18	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	20	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)										
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50														
Acephate	38	38	0.01-0.2																											
Aldicarb	20	20	0.05																											
Azinphos-methyl	38	38	0.1-0.2																											
Azoxystrobin	18	18	0.30																											
Benomyl group(##)	38	38	0.05-0.2																											
Bromopropylate	38	38	0.05-0.14																											
Captan																														
Chlorothalonil	20	20	0.05																											
Chlorpyrifos	38	38	0.05-0.11																											
Chlorpyrifos-methyl	38	38	0.05-0.14																											
Cypermethrin	38	38	0.05-0.1																											
Deltamethrin	18	18	0.19																											
Diazinon	38	38	0.02-0.08																											
Dichlofuanid	38	38	0.05-0.07																											
Dicofol	38	38	0.01-0.2																											
Dimethoate	38	38	0.01-0.05																											
Endosulfan	38	38	0.02-0.05																											
Folpet																														
Captan+ Folpet (Sum)	38	38	0.1-0.15																											
Imazail	38	27	0.1-0.19																											
Improdone	38	38	0.2-0.55																											
Lambda-cyhalothrin	38	38	0.05-0.08																											
Malathion	38	38	0.05-0.1																											
Maneb-group(##)	38	38	0.3-0.5																											
Mecarbam	20	20	0.05																											
Methamidophos	38	38	0.01																											
Metalaxyl	38	38	0.05-0.15																											
Methidathion	20	20	0.05																											
Methiocarb	20	20	0.10																											
Methomyl	20	20	0.10																											
Ormethoate	20	20	0.05																											
Oxydemeton-methyl																														
Parathion	38	38	0.05-0.15																											
Permethrin	38	38	0.1-0.5																											
Phorate	18	18	0.03																											
Pirimiphos-methyl	38	38	0.05-0.35																											
Procymidone	38	38	0.02-0.28																											
Propyzamide	38	38	0.05-0.2																											
Thiabendazol	38	24	0.05-0.1																											
Tolylfuandid	38	38	0.02																											
Triazophos	18	18	0.26																											
Vinclozolin	38	38	0.02-0.05																											

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pulses		Food item: Beans (fresh or frozen)	
Reporting country:	<u>Belgium</u>	Year of sampling:	<u>2002</u>
Total number of samples analysed:	37	With residues above MRL (EC+national):	3
Without detectable residues:	22	With residues above EC-MRL:	3
With detectable residues at or below MRL or without MRL:	12	With residues above national MRL:	3

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Accephate	37	36	0,01-0,2						1								0,32	0	3,00	
Aldicarb	21	21	0,05																	
Azinphos-methyl	37	37	0,1-0,2																	
Azoxystrobin	16	16	0,30																	
Benomyl group(##)	37	35	0,05-0,2					1	1							0,6	2	0,10		
Bromopropylate	37	37	0,05-0,14																	
Captan																				
Chlorothalonil	21	21	0,05																	
Chlorpyrifos	37	36	0,05-0,11					1								0,15	1	0,05		
Chlorpyrifos-methyl	37	37	0,05-0,14																	
Cypermethrin	37	37	0,05-0,1																	
Deltamethrin	16	16	0,19																	
Diazinon	37	37	0,02-0,08																	
Dichlofluanid	37	37	0,05-0,07																	
Dicofol	37	37	0,01-0,2																	
Dimethoate	37	34	0,01-0,05	1		1			1							0,45	0	1,00		
Endosulfan	37	36	0,02-0,05				1									0,06	0	0,50		
Folpet																				
Captan+ Folpet (Sum)	37	37	0,1-0,15																	
Imazaili	16	16	0,1-0,19																	
Iprodione	37	37	0,2-0,55																	
Lambda-cyhalothrin	37	36	0,05-0,08					1								0,17	0	0,20		
Malathion	37	37	0,05-0,1																	
Maneb-group(##)	37	36	0,3-0,5							1						0,9	0	1,00		
Mecarbam	21	21	0,05																	
Methamidophos	37	36	0,01					1								0,17	0	0,50		
Metalaxyl	37	37	0,05-0,15																	
Methidathion	21	21	0,05																	
Methiocarb	21	21	0,10																	
Methomyl	21	21	0,10																	
Ormethoate	37	34	0,05	2			1									0,06	0	0,20		
Oxydemeton-methyl																				
Parathion	37	37	0,05-0,15																	
Permethrin	37	37	0,1-0,5																	
Phorate	16	16	0,03																	
Pirimiphos-methyl	37	37	0,05-0,35																	
Procymidone	37	36	0,02-0,28						1							0,29	0	2,00		
Propyzamide	37	37	0,05-0,2																	
Thiabendazol	37	37	0,05-0,1																	
Tolyfluanid	37	37	0,02																	
Triazophos	16	16	0,26																	
Vinclozolin	37	33	0,02-0,05			3		1								0,16	0	2,00		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Potatoes		Food item: Potatoes	
Reporting country: <u>Belgium</u>		Year of sampling: <u>2002</u>	
Total number of samples analysed:	<u>47</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>46</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL or without MRL:	<u>1</u>	With residues above national MRL:	<u>0</u>

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)															Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)							
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50													
Accephate	47	47	0,01-0,2																										
Aldicarb	30	30	0,05																										
Azinphos-methyl	47	47	0,1-0,2																										
Azoxystrobin	17	17	0,30																										
Benomyl group(##)	47	47	0,05-0,2																										
Bromopropylate	47	47	0,05-0,14																										
Captan																													
Chlorothalonil	30	30	0,05																										
Chlorpyrifos	47	47	0,05-0,11																										
Chlorpyrifos-methyl	47	47	0,05-0,14																										
Cypermethrin	47	47	0,05-0,1																										
Deltamethrin	17	17	0,19																										
Diazinon	47	47	0,02-0,08																										
Dichlofluanid	47	47	0,05-0,07																										
Dicofol	47	47	0,01-0,2																										
Dimethoate	47	47	0,01-0,05																										
Endosulfan	47	47	0,02-0,05																										
Folpet																													
Captan+ Folpet (Sum)	47	47	0,1-0,15																										
Imazail	17	16	0,1-0,19						1									0,31		0		5,00							
Iprodione	47	47	0,2-0,55																										
Lambda-cyhalothrin	47	47	0,05-0,08																										
Malathion	47	47	0,05-0,1																										
Maneb-group(##)	47	47	0,3-0,5																										
Mecarbam	30	30	0,05																										
Methamidophos	47	47	0,01																										
Metalaxyl	47	47	0,05-0,15																										
Methidathion	30	30	0,05																										
Methiocarb	30	30	0,10																										
Methomyl	30	30	0,10																										
Ormethoate	30	30	0,05																										
Oxydemeton-methyl																													
Parathion	47	47	0,05-0,15																										
Permethrin	47	47	0,1-0,5																										
Phorate	17	17	0,03																										
Pirimiphos-methyl	47	47	0,05-0,35																										
Procydonie	47	47	0,02-0,28																										
Propyzamide	47	47	0,05-0,2																										
Thiabendazol	47	47	0,05-0,1																										
Tolyfluanid	47	47	0,02																										
Triazophos	17	17	0,26																										
Vinclozolin	47	47	0,02-0,05																										

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Root and tuber vegetables		Food item: Carrots	
Reporting country: <u>Belgium</u>	Year of sampling: <u>2002</u>		
Total number of samples analysed:	36	With residues above MRL (EC+national):	0
Without detectable residues:	36	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	36	36	0,01-0,2																		
Aldicarb	20	20	0,05																		
Azinphos-methyl	36	36	0,1-0,2																		
Azoxystrobin	16	16	0,30																		
Benomyl group(#)	36	36	0,05-0,2																		
Bromopropylate	36	36	0,05-0,14																		
Captan																					
Chlorothalonil	20	20	0,05																		
Chlorpyrifos	36	36	0,05-0,11																		
Chlorpyrifos-methyl	36	36	0,05-0,14																		
Cypermethrin	36	36	0,05-0,1																		
Deltamethrin	16	16	0,19																		
Diazinon	36	36	0,02-0,08																		
Dichlofuanid	36	36	0,05-0,07																		
Dicofol	36	36	0,01-0,2																		
Dimethoate	36	36	0,01-0,05																		
Endosulfan	36	36	0,02-0,05																		
Folpet																					
Captan+ Folpet (Sum)	36	36	0,1-0,15																		
Imazail	16	16	0,1-0,19																		
Iprodione	36	36	0,2-0,55																		
Lambda-cyhalothrin	36	36	0,05-0,08																		
Malathion	36	36	0,05-0,1																		
Maneb-group(##)	36	36	0,3-0,5																		
Mecarbam	20	20	0,05																		
Methamidophos	36	36	0,01																		
Metalaxyl	36	36	0,05-0,15																		
Methidathion	20	20	0,05																		
Methiocarb	20	20	0,10																		
Methomyl	20	20	0,10																		
Ormethoate	20	20	0,05																		
Oxydemeton-methyl																					
Parathion	36	36	0,05-0,15																		
Permethrin	36	36	0,1-0,5																		
Phorate	16	16	0,03																		
Pirimiphos-methyl	36	36	0,05-0,35																		
Procydonie	36	36	0,02-0,28																		
Propyzamide	36	36	0,05-0,2																		
Thiabendazol	36	36	0,05-0,1																		
Tolyfluanid	36	36	0,02																		
Triazophos	16	16	0,26																		
Vinclozolin	36	36	0,02-0,05																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Citrus fruit		Food item: Oranges/mandarins	
Reporting country:	Belgium	Year of sampling:	2002
Total number of samples analysed:	38	With residues above MRL (EC+national):	1
Without detectable residues:	3	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	34	With residues above national MRL:	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50							
Accephate	38	38	0.01-0.2																				
Aldicarb	16	16	0.05																				
Azinphos-methyl	38	38	0.1-0.2																				
Azoxystrobin	22	22	0.30																				
Benomyl group(##)	38	35	0.05-0.2				1						2				3.34	0	5.00				
Bromopropylate	38	38	0.05-0.14																				
Captan																							
Chlorothalonil	16	16	0.05																				
Chlorpyrifos	38	35	0.05-0.11				2	1									0.2	0	0.30				
Chlorpyrifos-methyl	38	38	0.05-0.14																				
Cypermethrin	38	38	0.05-0.1																				
Deltamethrin	22	22	0.19																				
Diazinon	38	38	0.02-0.08																				
Dichlofluanid	38	38	0.05-0.07																				
Dicofol	38	38	0.01-0.2																				
Dimethoate	38	38	0.01-0.05																				
Endosulfan	38	38	0.02-0.05																				
Folpet																							
Captan+ Folpet (Sum)	38	38	0.1-0.15																				
Imazail	38	5	0.1-0.19					3	14	10	5	1				6.3	1	5.00					
Iprodione	38	38	0.2-0.55																				
Lambda-cyhalothrin	38	38	0.05-0.08																				
Malathion	38	38	0.05-0.1																				
Maneb-group(##)	38	38	0.3-0.5																				
Mecarbam	16	16	0.05																				
Methamidophos	38	38	0.01																				
Metalaxyl	38	38	0.05-0.15																				
Methidathion	38	37	0.05							1							0.62	0	2.00				
Methiocarb	16	16	0.10																				
Methomyl	16	16	0.10																				
Ormethoate	16	16	0.05																				
Oxydemeton-methyl																							
Parathion	38	38	0.05-0.15																				
Permethrin	38	38	0.1-0.5																				
Phorate	22	22	0.03																				
Pirimiphos-methyl	38	38	0.05-0.35																				
Procyimidon	38	38	0.02-0.28																				
Propyzamide	38	38	0.05-0.2																				
Thiabendazol	38	24	0.05-0.1				1		5	2	4	2				4.71	0	5.00					
Tolyfluanid	38	38	0.02																				
Triazophos	22	22	0.26																				
Vinclozolin	38	38	0.02-0.05																				

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(##) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(**) in alphabetical order of the English name

(###) Sum of dithiocarbamates, expressed as CS₂

(***) E=EC-MRL, N=National MRL, W=without MRL

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Stone fruit		Food item: Peaches/nectarines	
Reporting country: <u>Belgium</u>		Year of sampling: <u>2002</u>	
Total number of samples analysed:	37	With residues above MRL (EC+national):	0
Without detectable residues:	22	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	15	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	37	34	0,01-0,2	1			1	1										0,10	0	0,20	
Aldicarb	17	17	0,05																		
Azinphos-methyl	37	37	0,1-0,2																		
Azoxystrobin	20	20	0,30																		
Benomyl group(##)	37	31	0,05-0,2				4	1	1								0,26	0	1,00		
Bromopropylate	37	37	0,05-0,14																		
Captan																					
Chlorothalonil	17	17	0,05																		
Chlorpyrifos	37	37	0,05-0,11																		
Chlorpyrifos-methyl	37	37	0,05-0,14																		
Cypermethrin	37	37	0,05-0,1																		
Deltamethrin	20	20	0,19																		
Diazinon	37	37	0,02-0,08																		
Dichlofluanid	37	37	0,05-0,07																		
Dicofol	37	37	0,01-0,2																		
Dimethoate	37	35	0,01-0,05				2										0,1	0	1,00		
Endosulfan	37	37	0,02-0,05																		
Folpet																					
Captan+ Folpet (Sum)	37	36	0,1-0,15					1									0,34	0	2,00		
Imazail	20	20	0,1-0,19																		
Iprodione	37	35	0,2-0,55							2							0,66	0	5,00		
Lambda-cyhalothrin	37	37	0,05-0,08																		
Malathion	37	37	0,05-0,1																		
Maneb-group(##)	37	34	0,3-0,5					1	1	1							1,7	0	2,00		
Mecarbam	17	17	0,05																		
Methamidophos	37	29	0,01	1	4	3											0,05	0	0,05		
Metaxyl	37	37	0,05-0,15																		
Methidathion	17	17	0,05																		
Methiocarb	17	17	0,10																		
Methomyl	17	17	0,10																		
Ormethoate	37	36	0,05	1													0,01	0	0,20		
Oxydemeton-methyl																					
Parathion	37	37	0,05-0,15																		
Permethrin	37	37	0,1-0,5																		
Phorate	20	20	0,03																		
Pirimiphos-methyl	37	37	0,05-0,35																		
Procydonie	37	37	0,02-0,28																		
Propyzamide	37	37	0,05-0,2																		
Thiabendazol	37	37	0,05-0,1																		
Tolyfluanid	37	37	0,02																		
Triazophos	20	20	0,26																		
Vinclozolin	37	37	0,02-0,05																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Leafy vegetables		Food item: Spinach (fresh or frozen)	
Reporting country:	<u>Belgium</u>	Year of sampling:	<u>2002</u>
Total number of samples analysed:	25	With residues above MRL (EC+national):	1
Without detectable residues:	21	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	25	24	0,01-0,2		1													0,02	0	0,02	
Aldicarb	14	14	0,05																		
Azinphos-methyl	25	25	0,1-0,2																		
Azoxystrobin	11	11	0,30																		
Benomyl group(#)	25	25	0,05-0,2																		
Bromopropylate	25	25	0,05-0,14																		
Captan																					
Chlorothalonil	14	14	0,05																		
Chlorpyrifos	25	25	0,05-0,11																		
Chlorpyrifos-methyl	25	25	0,05-0,14																		
Cypermethrin	25	25	0,05-0,1																		
Deltamethrin	11	11	0,19																		
Diazinon	25	25	0,02-0,08																		
Dichlofluanid	25	25	0,05-0,07																		
Dicofol	25	25	0,01-0,2																		
Dimethoate	25	25	0,01-0,05																		
Endosulfan	25	25	0,02-0,05																		
Folpet																					
Captan+ Folpet (Sum)	25	25	0,1-0,15																		
Imazail	11	11	0,1-0,19																		
Iprodione	25	25	0,2-0,55																		
Lambda-cyhalothrin	25	25	0,05-0,08																		
Malathion	25	25	0,05-0,1																		
Maneb-group(##)	25	24	0,3-0,5					1									0,3	1	0,05		
Mecarbam	14	14	0,05																		
Methamidophos	25	25	0,01																		
Metalaxyl	25	25	0,05-0,15																		
Methidathion	14	14	0,05																		
Methiocarb	14	14	0,10																		
Methomyl	14	13	0,10						1								0,24	0	2,00		
Ormethoate	25	23	0,05		1		1										0,08	0			
Oxydemeton-methyl																					
Parathion	25	25	0,05-0,15																		
Permethrin	25	25	0,1-0,5																		
Phorate	11	11	0,03																		
Pirimiphos-methyl	25	25	0,05-0,35																		
Procydonie	25	25	0,02-0,28																		
Propyzamide	25	25	0,05-0,2																		
Thiabendazol	25	25	0,05-0,1																		
Tolyfluanid	25	25	0,02																		
Triazophos	11	11	0,26																		
Vinclozolin	25	25	0,02-0,05																		

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(**) in alphabetical order of the English name

(##) Sum of dithiocarbamates, expressed as CS₂

(***) E=EC-MRL, N=National MRL, W=without MRL

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission																				
Product group: Pome fruit		Food item: Pears																		
Reporting country: Denmark		Year of sampling: 2002					Remark:													
Total number of samples analysed:		59					With residues above MRL (EC+national): 1										Only add information regarding pears and the 41 pesticides and do not change or delete rows or columns			
Without detectable residues:		23					With residues above EC-MRL: 1													
With detectable residues at or below MRL or without MRL:		35					With residues above national MRL: 0													
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																				
Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
Acephate	59	59	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Aldicarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azinphos-methyl	59	52	0.03	0	0	3	3	1	0	0	0	0	0	0	0	0	0.17	0	0.50	E
Azoxystrobin	59	59	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Benomyl group(†)	59	57	0.10	0	0	0	0	1	0	1	0	0	0	0	0	0	0.516	0	2.00	E
Bromopropylate	59	55	0.05	0	0	0	0	2	2	0	0	0	0	0	0	0	0.463	0	2.00	E
Captan	59	55	0.02	0	0	3	0	1	0	0	0	0	0	0	0	0	0.13	0	xxxxxx	
Chlorothalonil	59	59	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	59	57	0.05	0	0	0	1	1	0	0	0	0	0	0	0	0	0.109	0	0.50	E
Chlorpyrifos-methyl	59	59	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	59	59	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	59	59	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	59	59	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dichlofluanid	59	57	0.03	0	0	1	0	1	0	0	0	0	0	0	0	0	0.111	0	5.00	E
Dicofol	59	58	0.30	0	0	0	1	0	0	0	0	0	0	0	0	0	0.068	1	0.02	E
Dimethoate	59	59	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Endosulfan	59	59	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Folpet	59	58	0.02	0	0	0	0	0	1	0	0	0	0	0	0	0	0.31	0	xxxxxx	
Captan+ Folpet (Sum)	59	54	0.03	0	0	3	0	1	1	0	0	0	0	0	0	0	0.31	0	3.00	E
Imazail	59	57	0.05	0	0	0	0	0	1	0	0	1	0	0	0	0	1.562	0	5.00	E
Iprodione	59	58	0.02	0	0	0	1	0	0	0	0	0	0	0	0	0	0.097	0	10.00	E
Lambda-cyhalothrin	59	59	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	59	58	0.03	0	0	0	0	1	0	0	0	0	0	0	0	0	0.17	0	0.50	E
Maneb-group(##)	59	39	0.10	0	0	0	1	12	5	2	0	0	0	0	0	0	0.99	0	3.00	E
Mecarbam	59	59	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	59	59	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metalaxyl	59	59	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methidathion	59	59	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methiocarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Ormethoate	59	58	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.20	E
Oxydemeton-methyl	59	59	0.60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	59	59	0.06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Permethrin	59	59	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	59	59	0.30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	59	59	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Procyridone	59	57	0.02	0	0	0	1	1	0	0	0	0	0	0	0	0	0.169	0	1.00	E
Propyzamide	59	59	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	59	58	0.05	0	0	0	0	0	0	1	0	0	0	0	0	0	0.626	0	5.00	E
Tolyfluanid	59	48	0.03	0	2	2	2	2	3	0	0	0	0	0	0	0	0.359	0	5.00	N
Triazophos	59	59	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Vinclozolin	59	59	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
(†) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(##) Sum of dithiocarbamates, expressed as CS₂
(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B:		Notifications of the co-ordinated programme (specific exercise) to the European Commission																		
Product group: Miscellaneous fruit		Food item: Bananas																		
Reporting country: Denmark		Year of sampling: 2002													Remark:					
Total number of samples analysed:		75		With residues above MRL (EC+national):										0		Only add information regarding bananas and the 41 pesticides and do not change or delete rows or columns				
Without detectable residues:		24		With residues above EC-MRL:										0						
With detectable residues at or below MRL or without MRL:		51		With residues above national MRL:										0						
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																				
Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
Accephate	75	75	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Aldicarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azinphos-methyl	75	75	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azoxystrobin	75	75	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Benomyl group(†)	75	75	0.10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Bromopropylate	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan	75	75	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx	
Chlorothalonil	75	75	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	75	72	0.05	0	0	0	2	0	1	0	0	0	0	0	0	0	0.217	0	3.00	E
Chlorpyrifos-methyl	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	75	75	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dichlofluand	75	75	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dicofol	75	75	0.30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dimethoate	75	75	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Endosulfan	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Folpet	75	75	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx	
Captan+ Folpet (Sum)	75	75	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Imazail	75	25	0.05	0	0	0	6	10	29	5	0	0	0	0	0	0	0.646	0	2.00	E
Iprodione	75	75	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Lambda-cyhalothrin	75	75	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	75	75	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Maneb-group(##)	75	75	0.10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Mecarbam	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	75	75	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metalaxyl	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methidathion	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methiocarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Ormethoate	75	75	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Oxydemeton-methyl	75	75	0.60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	75	75	0.06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Permethrin	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	75	75	0.30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Procymidone	75	75	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Propyzamide	75	75	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	75	66	0.05	0	0	0	0	2	5	0	1	1	0	0	0	0	2.249	0	5.00	E
Tolyfluanid	75	75	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	75	75	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Vinclozolin	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(†) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂.

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission																							
Product group: Pulses			Food item: Beans (fresh or frozen)																				
Reporting country: Denmark		Year of sampling: 2002										Remark:											
Total number of samples analysed:		12		With residues above MRL (EC+national):										1					Only add information regarding beans and the 41 pesticides and do not change or delete rows or columns				
Without detectable residues:		11		With residues above EC-MRL:										1									
With detectable residues at or below MRL or without MRL:		0		With residues above national MRL:										0									
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																							
Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
Accephate	12	12	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0					
Aldicarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0					
Azinphos-methyl	12	12	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0					
Azoxystrobin	12	12	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0					
Benomyl group(†)	12	12	0.10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Bromopropylate	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Captan	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxx				
Chlorothalonil	12	12	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Chlorpyrifos	12	11	0.05	0	0	0	1	0	0	0	0	0	0	0	0	0	0.075	1	0.05	E			
Chlorpyrifos-methyl	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Cypermethrin	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Deltamethrin	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Diazinon	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Dichlofuanid	12	12	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Dicofol	12	12	0.30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Dimethoate	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Endosulfan	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Folpet	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxx				
Captan+ Folpet (Sum)	12	12	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Imazail	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Iprodione	12	11	0.02	0	0	0	0	0	1	0	0	0	0	0	0	0	0.794	0	5.00	E			
Lambda-cyhalothrin	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Malathion	12	12	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Maneb-group(##)	9	9	0.10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Mecarbam	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Methamidophos	12	12	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Metalaxyl	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Methidathion	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Methiocarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Methomyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Ormethoate	12	12	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Oxydemeton-methyl	12	12	0.60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Parathion	12	12	0.06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Permethrin	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Phorate	12	12	0.30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Pirimiphos-methyl	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Procymidone	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Propyzamide	12	12	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Thiabendazol	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Tolyfluanid	12	12	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Triazophos	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Vinclozolin	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(†) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂.

Table B:		Notifications of the co-ordinated programme (specific exercise) to the European Commission																			
Product group: Potatoes			Food item: Potatoes																		
Reporting country:		Denmark		Year of sampling:							2002						Remark:				
Total number of samples analysed:			100		With residues above MRL (EC+national):							0						Only add information regarding potatoes and the 41 pesticides and do not change or delete rows or columns			
Without detectable residues:			98		With residues above EC-MRL:							0									
With detectable residues at or below MRL or without MRL:			2		With residues above national MRL:							0									
			Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																		
Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
Acephate	100	100	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0			
Aldicarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0			
Azinphos-methyl	100	100	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0			
Azoxystrobin	100	100	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0			
Benomyl group(#)	100	100	0.10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Bromopropylate	100	100	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Captan	100	100	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxx		
Chlorothalonil	100	100	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Chlorpyrifos	100	100	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Chlorpyrifos-methyl	100	100	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Cypermethrin	100	100	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Deltamethrin	100	100	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Diazinon	100	100	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Dichlofluanid	100	100	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Dicofof	100	100	0.30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Dimethoate	100	100	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Endosulfan	100	100	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Folpet	100	100	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxx		
Captan+ Folpet (Sum)	100	100	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Imazail	100	98	0.05	0	0	0	0	0	2	0	0	0	0	0	0	0	0.333	0	5.00	E	
Iprodione	100	100	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Lambda-cyhalothrin	100	100	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Malathion	100	100	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Maneb-group(##)	0	0	0.10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Mecarbam	100	100	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Methamidophos	100	100	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Metalaxyl	100	100	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Methidathion	100	100	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Methiocarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Methomyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Ormethoate	100	100	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Oxydemeton-methyl	100	100	0.60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Parathion	100	100	0.06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Permethrin	100	100	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Phorate	100	100	0.30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Pirimiphos-methyl	100	100	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Procymidone	100	100	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Propyzamide	100	100	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Thiabendazol	100	100	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Tolylfluanid	100	100	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Triazophos	100	100	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Vinclozolin	100	100	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B:		Notifications of the co-ordinated programme (specific exercise) to the European Commission																		
Product group: Root and tuber vegetables		Food item: Carrots																		
Reporting country:	Denmark	Year of sampling: 2002										Remark:								
Total number of samples analysed:		75		With residues above MRL (EC+national):										1		Only add information regarding carrots and the 41 pesticides and do not change or delete rows or columns				
Without detectable residues:		69		With residues above EC-MRL:										1						
With detectable residues at or below MRL or without MRL:		5		With residues above national MRL:										0						
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																				
Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
Accephate	75	75	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Aldicarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azinphos-methyl	75	75	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azoxystrobin	75	75	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Benomyl group(#)	75	75	0.10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Bromopropylate	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan	75	75	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxx	
Chlorothalonil	75	75	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos-methyl	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	75	75	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dichlofluanid	75	75	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dicofol	75	75	0.30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dimethoate	75	75	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Endosulfan	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Folpet	75	75	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxx	
Captan+ Folpet (Sum)	75	75	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Imazail	0	0	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Iprodione	75	69	0.02	0	0	5	0	0	1	0	0	0	0	0	0	0	0.32	1	0.30	E
Lambda-cyhalothrin	75	75	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	75	75	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Maneb-group(##)	75	75	0.10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Mecarbam	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	75	75	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metalaxyl	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methidathion	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methiocarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Ormethoate	75	75	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Oxydemeton-methyl	75	75	0.60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	75	75	0.06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Permethrin	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	75	75	0.30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Procymidone	75	75	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Propyzamide	75	75	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Tolyfluanid	75	75	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	75	75	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Vinclozolin	75	75	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
(##) Sum of dithiocarbamates, expressed as CS₂.

Table B:		Notifications of the co-ordinated programme (specific exercise) to the European Commission																		
Product group: Stone fruit		Food item: Peaches/nectarines																		
Reporting country:	Denmark	Year of sampling: 2002										Remark:								
Total number of samples analysed:		34		With residues above MRL (EC+national):										0		Only add information regarding peaches/nectarines and the 41 pesticides and do not change or delete rows or columns				
Without detectable residues:		24		With residues above EC-MRL:										0						
With detectable residues at or below MRL or without MRL:		10		With residues above national MRL:										0						
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																				
Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
Accephate	34	34	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Aldicarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.00	0
Azinphos-methyl	34	34	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azoxystrobin	34	34	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Benomyl group(†)	34	34	0.10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Bromopropylate	34	34	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan	34	34	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx	
Chlorothalonil	34	34	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	34	33	0.05	0	0	0	0	1	0	0	0	0	0	0	0	0	0.128	0	0.20	E
Chlorpyrifos-methyl	34	34	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	34	34	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	34	34	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	34	34	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dichlofluanid	34	34	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dicofol	34	34	0.30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dimethoate	34	34	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Endosulfan	34	34	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Folpet	34	34	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx	
Captan+ Folpet (Sum)	34	34	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Imazail	34	34	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Iprodione	34	31	0.02	0	0	0	0	3	0	0	0	0	0	0	0	0	0.171	0	5.00	E
Lambda-cyhalothrin	34	34	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	34	34	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Maneb-group(##)	34	29	0.10	0	0	0	0	3	2	0	0	0	0	0	0	0	0.38	0	2.00	E
Mecarbam	34	34	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	34	34	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metalaxyl	34	34	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methidathion	34	34	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methiocarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Ormethoate	34	34	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Oxydemeton-methyl	34	34	0.60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	34	34	0.06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Permethrin	34	34	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	34	34	0.30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	34	34	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Procymidone	34	32	0.02	0	0	0	2	0	0	0	0	0	0	0	0	0	0.083	0	2.00	E
Propyzamide	34	34	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	34	34	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Tolyfluanid	34	34	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	34	34	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Vinclozolin	34	34	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
(†) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL
(##) Sum of dithiocarbamates, expressed as CS₂
(†) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B:		Notifications of the co-ordinated programme (specific exercise) to the European Commission																																		
Product group: Leafy vegetables		Food item: Spinach (fresh or frozen)																																		
Reporting country:	Denmark	Year of sampling: 2002																	Remark:	Only add information regarding spinach and the 41 pesticides and do not change or delete rows or columns																
Total number of samples analysed:	11																	With residues above MRL (EC+national):	3																	
Without detectable residues:	8																	With residues above EC-MRL:	3																	
With detectable residues at or below MRL or without MRL:	0																	With residues above national MRL:	0																	
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																																				
Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)																
Accephate	11	11	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0																		
Aldicarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0																		
Azinphos-methyl	11	11	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0																		
Azoxystrobin	11	11	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0																		
Benomyl group(†)	11	11	0.10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Bromopropylate	11	11	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Captan	11	11	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx																	
Chlorothalonil	11	11	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Chlorpyrifos	11	11	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Chlorpyrifos-methyl	11	11	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Cypermethrin	11	11	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Deltamethrin	11	11	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Diazinon	11	11	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Dichlofluand	11	11	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Dicofof	11	11	0.30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Dimethoate	11	11	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Endosulfan	11	11	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Folpet	11	11	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx																	
Captan+ Folpet (Sum)	11	11	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Imazail	11	11	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Iprodione	11	10	0.02	0	0	0	0	0	1	0	0	0	0	0	0	0	0.263	1	0.02	E																
Lambda-cyhalothrin	11	11	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Malathion	11	11	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Maneb-group(##)	10	8	0.10	0	0	0	0	0	1	0	1	0	0	0	0	0	1.93	2	0.05	E																
Mecarbam	11	11	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Methamidophos	11	11	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Metalaxyl	11	11	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Methidathion	11	11	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Methiocarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Methomyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Ormethoate	11	11	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Oxydemeton-methyl	11	11	0.60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Parathion	11	11	0.06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Permethrin	11	11	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Phorate	11	11	0.30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Pirimiphos-methyl	11	11	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Procyridone	11	11	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Propyzamide	11	11	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Thiabendazol	11	11	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Tolyfluanid	11	11	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Triazophos	11	11	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
Vinclozolin	11	11	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)																																				
(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg																																				
(**) in alphabetical order of the English name																																				
(***) E=EC-MRL, N=National MRL, W=without MRL																																				
(#†) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).																																				
(##) Sum of dithiocarbamates, expressed as CS₂.																																				

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pome fruit		Food item: Pears	
Reporting country: Germany _____	Year of sampling: 2002	Remark:	
Total number of samples analysed:	213	With residues above MRL (EC+national):	6
Without detectable residues:	46	With residues above EC-MRL:	6
With detectable residues at or below MRL or without MRL:	161	With residues above national MRL:	0

Only add information regarding pears and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	168	167	0.01	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0.064	0	1	E
Aldicarb, Sum	129	129	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Azinphos-methyl	196	170	0.01	1	1	10	5	5	3	1	0	0	0	0	0	0	0	0.68	1	0.5	E
Azoxystrobin	167	167	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Carbendazim, Sum	162	140	0.005	1	0	7	9	4	0	0	1	0	0	0	0	0	0	1.4	0	2	E
Bromopropylate	197	183	0.01	11	0	2	0	0	1	0	0	0	0	0	0	0	0	0.23	1	0.05	E
Captan	193	161	0.01	12	4	5	6	3	1	0	1	0	0	0	0	0	0	1.3	0	xxxxx	
Chlorothalonil	193	189	0.01	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0.33	0	1	E
Chlorpyrifos	197	161	0.01	17	7	5	7	0	0	0	0	0	0	0	0	0	0	0.1	0	0.5	E
Chlorpyrifos-methyl	197	182	0.01	9	5	1	0	0	0	0	0	0	0	0	0	0	0	0.046	0	0.5	E
Cypermethrin, Sum	192	189	0.01	1	0	1	0	1	0	0	0	0	0	0	0	0	0	0.13	0	1	E
Deltamethrin	188	188	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.1	E
Diazinon	195	194	0.02	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0.12	0	0.3	E
Dichlofuanid	197	174	0.01	5	4	6	6	1	1	0	0	0	0	0	0	0	0	0.21	0	5	E
Dicofol	179	176	0.01	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0.27	3	0.02	E
Dimethoate	196	194	0.01	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0.013	0	1	E
Endosulfan, Sum	198	183	0.005	5	5	1	4	0	0	0	0	0	0	0	0	0	0	0.059	0	0.3	E
Folpet	196	193	0.01	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0.7	0	xxxxx	
Captan/Folpet, Sum	196	161	0.01	12	4	5	7	3	2	1	1	0	0	0	0	0	0	1.3	0	3	E
Imazalil	183	183	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	5	E
Iprodione	195	185	0.02	1	0	1	3	0	1	2	2	0	0	0	0	0	0	1.4	0	10	E
Lambda-Cyhalothrin	193	186	0.01	4	2	1	0	0	0	0	0	0	0	0	0	0	0	0.03	0	0.1	E
Malathion/Malaoxon, Sum	193	190	0.01	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0.24	0	0.5	E
Maneb group (as CS2)	141	73	0.01	4	5	12	10	12	15	9	1	0	0	0	0	0	0	2	0	3	E
Mecarbam	154	154	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Methamidophos	168	168	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Metalaxyl	192	192	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	1	E
Methidation	197	197	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.3	E
Methiocarb, Sum	169	169	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Methomyl	129	128	0.05	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0.13	0	0.2	E
Ormethoate	141	140	0.1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0.098	0	0.2	E
Demeton-S-methyl, Sum	139	138	0.02	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.044	0	0.4	E
Parathion/Paraoxon, Sum	197	195	0.01	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0.065	1	0.05	E
Permethrin	155	153	0.01	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0.082	0	1	E
Phorate	145	145	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Pirimiphos-methyl	172	171	0.01	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.035	0	0.05	E
Procyimidone	197	162	0.01	7	5	6	7	7	3	0	0	0	0	0	0	0	0	0.36	0	1	E
Propyzamide	155	155	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.02	E
Thiabendazole	161	139	0.005	1	1	3	2	5	7	3	0	0	0	0	0	0	0	0.87	0	5	E
Tolyfluanid	192	170	0.01	6	4	2	5	2	3	0	0	0	0	0	0	0	0	0.44	0	5	N
Triazophos	154	154	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.02	E
Vinclozolin	197	196	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.002	0	1	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Miscellaneous fruit		Food item: Bananas	
Reporting country: Germany _____	Year of sampling: 2002	Remark:	
Total number of samples analysed:	171	With residues above MRL (EC+national):	0
Without detectable residues:	62	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	109	With residues above national MRL:	0

Only add information regarding bananas and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)									
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50													
Acephate	145	145	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Aldicarb, Sum	69	69	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E	
Azinphos-methyl	161	161	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E	
Azoxystrobin	157	156	0.03	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.4	2	E	
Carbendazim, Sum	140	137	0.1	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	0	1	E
Bromopropylate	161	160	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.05	E
Captan	159	159	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx		
Chlorothalonil	161	161	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E	
Chlorpyrifos	161	125	0.01	18	11	6	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.06	0	3	E	
Chlorpyrifos-methyl	161	161	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Cypermethrin, Sum	160	159	0.05	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	0	0.05	E	
Deltamethrin	160	160	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Diazinon	161	161	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Dichlofuanid	161	161	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	E	
Dicofol	155	155	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Dimethoate	161	161	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	E	
Endosulfan, Sum	161	161	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Folpet	160	160	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx		
Captan/Folpet, Sum	160	160	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E	
Imazalil	161	118	0.05	0	0	7	11	14	9	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.88	0	2	E	
Iprodione	161	161	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	E	
Lambda-Cyhalothrin	160	160	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Malathion/Malaoxon, Sum	160	160	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E	
Maneb group (as CS2)	124	122	0.01	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.033	0	0.05	E	
Mecarbam	156	156	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Methamidophos	145	145	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E	
Metaxyl	160	160	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Methidation	161	161	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Methiocarb, Sum	152	152	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	74	74	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Ormethoate	155	155	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E	
Demeton-S-methyl, Sum	156	156	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.4	E	
Parathion/Paraoxon, Sum	161	161	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Permethrin	156	156	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Phorate	156	156	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Pirimiphos-methyl	160	160	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Procymidone	161	161	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Propyzamide	156	156	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Thiabendazole	134	64	0.05	0	1	11	15	26	13	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1.1	0	5	E	
Tolylfluanid	161	161	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	155	155	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Vinclozolin	161	161	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pulses		Food item: Beans (fresh or frozen)	
Reporting country: Germany _____	Year of sampling: 2002	Remark:	
Total number of samples analysed:	134	With residues above MRL (EC+national):	6
Without detectable residues:	72	With residues above EC-MRL:	6
With detectable residues at or below MRL or without MRL:	56	With residues above national MRL:	0

Only add information regarding beans and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	124	123	0.01	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0.7	0	3	E
Aldicarb, Sum	102	102	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Azinphos-methyl	132	132	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.5	E
Azoxystrobin	118	118	0.001	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Carbendazim, Sum	113	106	0.005	5	0	1	0	0	0	1	0	0	0	0	0	0	0.21	1	0	0.1	E
Bromopropylate	134	134	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Captan	133	133	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	xxxxx	
Chlorothalonil	129	126	0.01	2	0	0	1	0	0	0	0	0	0	0	0	0	0.09	1	0.01	0.01	E
Chlorpyrifos	134	130	0.005	3	0	1	0	0	0	0	0	0	0	0	0	0	0.03	0	0	0.05	E
Chlorpyrifos-methyl	134	133	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0.002	0	0	0.05	E
Cypermethrin, Sum	130	127	0.02	0	1	2	0	0	0	0	0	0	0	0	0	0	0.04	0	0	0.5	E
Deltamethrin	130	130	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.2	E
Diazinon	134	134	0.001	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.02	E
Dichlofuanid	134	133	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0.009	0	0	5	E
Dicofol	132	126	0.01	0	3	1	0	0	1	1	0	0	0	0	0	0	0.62	3	0	0.02	E
Dimethoate	132	132	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	1	E
Endosulfan, Sum	134	126	0.005	4	1	2	1	0	0	0	0	0	0	0	0	0	0.068	1	0	0.05	E
Folpet	133	133	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	xxxxx	
Captan/Folpet, Sum	133	133	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	2	E
Imazalil	122	122	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.02	E
Iprodione	130	129	0.005	0	0	1	0	0	0	0	0	0	0	0	0	0	0.049	0	0	5	E
Lambda-Cyhalothrin	130	130	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.2	E
Malathion/Malaoxon, Sum	134	134	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	3	E
Maneb group (as CS2)	117	102	0.01	2	4	5	0	2	2	0	0	0	0	0	0	0	0.3	0	0	1	E
Mecarbam	134	134	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Methamidophos	124	123	0.01	0	0	0	0	1	0	0	0	0	0	0	0	0	0.19	0	0	0.5	E
Metalaxyl	132	130	0.005	1	1	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0	0.05	E
Methidation	134	134	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.02	E
Methiocarb, Sum	118	118	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Methomyl	102	102	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Ormethoate	118	118	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.2	E
Demeton-S-methyl, Sum	123	123	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.4	E
Parathion/Paraoxon, Sum	134	134	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Permethrin	130	130	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.5	E
Phorate	126	126	0.001	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Pirimiphos-methyl	134	134	0.001	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Procymidone	134	128	0.01	2	1	1	1	1	0	0	0	0	0	0	0	0	0.12	0	0	2	E
Propyzamide	134	134	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.02	E
Thiabendazole	113	113	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Tolylfluanid	127	127	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Triazophos	130	129	0.02	0	0	0	1	0	0	0	0	0	0	0	0	0	0.04	1	0	0.02	E
Vinclozolin	134	98	0.01	6	2	11	8	7	2	0	0	0	0	0	0	0	0.34	0	0	2	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Potatoes		Food item: Potatoes	
Reporting country: Germany _____	Year of sampling: 2002	Remark:	
Total number of samples analysed:	266	With residues above MRL (EC+national):	1
Without detectable residues:	241	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	24	With residues above national MRL:	0

Only add information regarding potatoes and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	245	245	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Aldicarb, Sum	84	71	0.05	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0.006	0	0.5	E
Azinphos-methyl	262	262	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Azoxystrobin	235	235	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Carbendazim, Sum	128	128	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Bromopropylate	262	262	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Captan	254	254	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx		
Chlorothalonil	255	254	0.01	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0.011	1	0.01	E
Chlorpyrifos	262	262	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Chlorpyrifos-methyl	262	262	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Cypermethrin, Sum	250	250	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Deltamethrin	250	250	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Diazinon	262	262	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dichlofuanid	262	262	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	N
Dicofol	252	252	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dimethoate	262	262	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Endosulfan, Sum	262	261	0.005	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0096	0	0.05	E
Folpet	259	259	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx		
Captan/Folpet, Sum	259	259	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	N
Imazalil	244	240	0.05	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0.018	0	5	E
Iprodione	255	255	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Lambda-Cyhalothrin	250	250	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Malathion/Malaoxon, Sum	257	257	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Maneb group (as CS2)	115	114	0.01	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.05	E
Mecarbam	257	257	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Methamidophos	245	245	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Metaxyl	257	256	0.05	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.002	0	0.05	E
Methidation	262	262	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Methiocarb, Sum	230	217	0.1	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0.006	0	0.1	N
Methomyl	90	77	0.05	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0.006	0	0.05	E
Ormethoate	234	234	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Demeton-S-methyl, Sum	239	239	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	N
Parathion/Paraoxon, Sum	262	262	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Permethrin	250	246	0.05	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0.013	0	0.05	E
Phorate	246	246	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Pirimiphos-methyl	257	257	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Procymidone	262	262	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Propyzamide	257	257	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Thiabendazole	131	131	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15		E
Tolylfluanid	251	251	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	252	252	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Vinclozolin	262	262	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Root and tuber vegetables		Food item: Carrots	
Reporting country: Germany		Year of sampling: 2002	Remark:
Total number of samples analysed:	318	With residues above MRL (EC+national):	6
Without detectable residues:	251	With residues above EC-MRL:	6
With detectable residues at or below MRL or without MRL:	61	With residues above national MRL:	0

Only add information regarding carrots and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50							
Acephate	288	288	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.02	E
Aldicarb, Sum	83	81	0.05	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0.1	E	
Azinphos-methyl	314	314	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E	
Azoxystrobin	256	254	0.02	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0.037	0	0.05	E		
Carbendazim, Sum	161	161	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E	
Bromopropylate	312	312	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Captan	300	299	0.01	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	xxxxx			
Chlorothalonil	307	306	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	1	E		
Chlorpyrifos	314	296	0.01	9	3	3	2	1	0	0	0	0	0	0	0	0	0	0.13	1	0.1	E		
Chlorpyrifos-methyl	315	314	0.01	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.05	0	0.05	E		
Cypermethrin, Sum	281	281	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Deltamethrin	281	281	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Diazinon	309	309	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E	
Dichlofuanid	308	308	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	E	
Dicofol	298	298	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Dimethoate	310	308	0.01	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0.13	0	1	E		
Endosulfan, Sum	312	310	0.005	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0.069	1	0.05	E		
Folpet	312	311	0.02	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0.083	0	xxxxx			
Captan/Folpet, Sum	312	310	0.01	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0.083	0	0.1	E		
Imazalil	293	293	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Iprodione	306	289	0.02	2	4	6	3	2	0	0	0	0	0	0	0	0	0	0.11	0	0.3	E		
Lambda-Cyhalothrin	295	295	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Malathion/Malaoxon, Sum	302	302	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E	
Maneb group (as CS2)	162	157	0.01	0	0	4	0	1	0	0	0	0	0	0	0	0	0	0.2	0	0.2	E		
Mecarbam	288	288	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Methamidophos	288	288	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E	
Metaxyl	298	297	0.05	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.1	E		
Methidation	314	314	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Methiocarb, Sum	226	225	0.01	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.1	N		
Methomyl	91	91	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Ormethoate	277	276	0.1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0.14	1	0.1	E		
Demeton-S-methyl, Sum	287	287	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Parathion/Paraoxon, Sum	314	314	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Permethrin	295	294	0.05	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.007	0	0.05	E		
Phorate	282	282	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Pirimiphos-methyl	294	294	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	E	
Procymidone	314	311	0.01	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0.021	1	0.02	E		
Propyzamide	302	302	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Thiabendazole	152	151	0.01	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0.07	1	0.05	E		
Tolyfluanid	310	310	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Triazophos	288	287	0.02	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.034	1	0.02	E		
Vinclozolin	312	294	0.01	3	2	7	5	1	0	0	0	0	0	0	0	0	0	0.1	0	0.5	E		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Citrus fruit		Food item: Oranges/mandarins	
Reporting country: Germany _____	Year of sampling: 2002	Remark:	
Total number of samples analysed:	453	With residues above MRL (EC+national):	24
Without detectable residues:	78	With residues above EC-MRL:	24
With detectable residues at or below MRL or without MRL:	351	With residues above national MRL:	0

Only add information regarding oranges/mandarins and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	391	388	0.01	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0.04	0	1	E
Aldicarb, Sum	190	190	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.2	E
Azinphos-methyl	430	424	0.04	1	0	3	1	1	0	0	0	0	0	0	0	0	0	0.1	0	1	E
Azoxystrobin	359	359	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Carbendazim, Sum	341	292	0.10	12	9	9	7	6	6	0	0	0	0	0	0	0	0	0.4	0	5	E
Bromopropylate	409	396	0.01	3	3	3	2	1	0	0	0	1	0	0	0	0	0	2.4	4	0.05	E
Captan	402	402	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	xxxxx	
Chlorothalonil	376	376	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.01	E
Chlorpyrifos	412	133	0.01	23	39	58	88	53	17	1	0	0	0	0	0	0	0	0.54	1	0.3	E
Chlorpyrifos-methyl	412	405	0.01	1	1	2	2	1	0	0	0	0	0	0	0	0	0	0.1	0	0.5	E
Cypermethrin, Sum	357	354	0.05	0	0	2	0	0	1	0	0	0	0	0	0	0	0	0.026	0	2	E
Deltamethrin	355	355	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Diazinon	430	424	0.02	0	1	2	1	1	1	0	0	0	0	0	0	0	0	0.22	5	1	E
Dichlofuanid	409	407	0.01	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0.28	0	5	E
Dicofol	395	331	0.01	0	3	8	9	18	17	6	3	0	0	0	0	0	0	1.2	0	2	E
Dimethoate	429	403	0.02	2	3	8	7	5	1	0	0	0	0	0	0	0	0	0.32	0	1	E
Endosulfan, Sum	409	389	0.005	13	1	4	2	0	0	0	0	0	0	0	0	0	0	0.095	0	0.5	E
Folpet	405	405	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	xxxxx	
Captan/Folpet, Sum	405	405	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.1	E
Imazalil	421	243	0.05	1	2	11	10	19	29	31	50	21	4	0	0	0	0	8.9	4	5	E
Iprodione	409	405	0.02	0	0	2	1	1	0	0	0	0	0	0	0	0	0	0.12	0	0.02	E
Lambda-Cyhalothrin	395	395	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.02	E
Malathion/Malaoxon, Sum	428	323	0.02	12	10	38	17	11	13	3	1	0	0	0	0	0	0	1.4	0	2	E
Maneb group (as CS2)	281	243	0.01	3	6	20	7	1	1	0	0	0	0	0	0	0	0	0.35	0	5	E
Mecarbam	426	424	0.02	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0.4	2	0.05	E
Methamidophos	391	391	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.2	E
Metalaxyl	428	424	0.05	0	0	0	1	0	2	1	0	0	0	0	0	0	0	0.7	4	0.5	E
Methidation	431	291	0.02	5	8	28	32	25	34	7	1	0	0	0	0	0	0	1.2	0	2	E
Methiocarb, Sum	354	353	0.01	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0.051	0	0.10	N
Methomyl	173	173	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.5	E
Ormethoate	380	380	0.10	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.2	E
Demeton-S-methyl, Sum	364	364	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.4	E
Parathion/Paraoxon, Sum	431	427	0.01	2	0	0	2	0	0	0	0	0	0	0	0	0	0	0.092	2	0.05	E
Permethrin	372	372	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.5	E
Phorate	351	351	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Pirimiphos-methyl	423	412	0.01	4	1	3	2	1	0	0	0	0	0	0	0	0	0	0.2	0	1	E
Procymidone	431	425	0.01	2	3	0	1	0	0	0	0	0	0	0	0	0	0	0.052	1	0.02	E
Propyzamide	411	411	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.02	E
Thiabendazole	326	230	0.05	2	4	11	11	18	16	9	15	8	1	1	0	0	0	10.8	2	5	E
Tolylfluanid	421	421	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Triazophos	425	425	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.02	E
Vinclozolin	409	407	0.01	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0.016	0	0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Stone fruit		Food item: Peaches/nectarines	
Reporting country: Germany _____	Year of sampling: 2002	Remark:	
Total number of samples analysed:	207	With residues above MRL (EC+national):	8
Without detectable residues:	82	With residues above EC-MRL:	8
With detectable residues at or below MRL or without MRL:	117	With residues above national MRL:	0

Only add information regarding peaches/nectarines and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	184	180	0.02	0	2	1	0	1	0	0	0	0	0	0	0	0	0	0.11	2	0.02	E
Aldicarb, Sum	88	88	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Azinphos-methyl	197	191	0.04	1	0	1	2	2	0	0	0	0	0	0	0	0	0	0.2	0	0.5	E
Azoxystrobin	144	144	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Carbendazim, Sum	125	100	0.005	1	8	2	7	6	1	0	0	0	0	0	0	0	0	0.36	0	1	E
Bromopropylate	203	202	0.01	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0.013	0	0.05	E
Captan	198	181	0.01	2	0	6	5	3	1	0	0	0	0	0	0	0	0	0.25	0	xxxxx	
Chlorothalonil	203	199	0.01	1	0	1	0	1	0	1	0	0	0	0	0	0	0	0.99	0	1	E
Chlorpyrifos	197	156	0.01	16	13	7	2	3	0	0	0	0	0	0	0	0	0	0.19	0	0.2	E
Chlorpyrifos-methyl	197	189	0.01	3	3	0	1	1	0	0	0	0	0	0	0	0	0	0.13	0	0.5	E
Cypermethrin, Sum	159	157	0.02	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0.041	0	2	E
Deltamethrin	159	159	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.1	E
Diazinon	203	203	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.02	E
Dichlofuanid	203	203	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	5	E
Dicofol	191	190	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.007	0	0.02	E
Dimethoate	197	195	0.01	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0.34	0	1	E
Endosulfan, Sum	203	200	0.005	1	0	1	0	0	1	0	0	0	0	0	0	0	0	0.23	0	0.5	E
Folpet	200	200	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	xxxxx	
Captan/Folpet, Sum	200	183	0.01	2	0	6	5	3	1	0	0	0	0	0	0	0	0	0.25	0	2	E
Imazalil	192	189	0.005	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0.008	0	0.02	E
Iprodione	203	183	0.02	1	0	2	0	4	7	5	0	1	0	0	0	0	0	2.5	0	5	E
Lambda-Cyhalothrin	201	201	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.2	E
Malathion/Malaoxon, Sum	201	200	0.02	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0.14	0	0.5	E
Maneb group (as CS2)	103	79	0.01	2	6	5	6	1	4	0	0	0	0	0	0	0	0	0.32	0	2	E
Mecarbam	136	136	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Methamidophos	184	178	0.01	1	2	1	1	1	0	0	0	0	0	0	0	0	0	0.12	2	0.05	E
Metaxyl	195	195	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Methidation	203	202	0.02	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.034	0	0.2	E
Methiocarb, Sum	131	131	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Methomyl	85	85	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.2	E
Ormethoate	163	163	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.2	E
Demeton-S-methyl, Sum	169	169	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.4	E
Parathion/Paraoxon, Sum	203	202	0.01	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0.29	1	0.05	E
Permethrin	178	178	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	1	E
Phorate	133	133	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Pirimiphos-methyl	190	190	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.05	E
Procymidone	203	188	0.01	2	3	3	1	2	3	1	0	0	0	0	0	0	0	0.6	0	2	E
Propyzamide	178	178	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.02	E
Thiabendazole	126	120	0.005	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0.27	3	0.05	E
Tolyfluanid	200	200	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Triazophos	172	172	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.02	E
Vinclozolin	203	197	0.01	2	2	2	0	0	0	0	0	0	0	0	0	0	0	0.05	0	0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Leafy vegetables		Food item: Spinach (fresh or frozen)	
Reporting country: Germany _____	Year of sampling: 2002	Remark:	
Total number of samples analysed:	123	With residues above MRL (EC+national):	29
Without detectable residues:	76	With residues above EC-MRL:	29
With detectable residues at or below MRL or without MRL:	18	With residues above national MRL:	0

Only add information regarding spinach and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)										
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50															
Acephate	117	117	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Aldicarb, Sum	34	34	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Azinphos-methyl	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E	
Azoxystrobin	83	83	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Carbendazim, Sum	71	69	0.1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E		
Bromopropylate	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Captan	118	118	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxx			
Chlorothalonil	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E		
Chlorpyrifos	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Chlorpyrifos-methyl	122	122	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Cypermethrin, Sum	118	111	0.05	0	0	0	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E		
Deltamethrin	118	113	0.05	0	1	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E		
Diazinon	122	122	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E		
Dichlofuanid	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	E		
Dicofol	117	117	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E		
Dimethoate	122	122	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	E		
Endosulfan, Sum	122	122	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E		
Folpet	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxx			
Captan/Folpet, Sum	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E		
Imazalil	118	118	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E		
Iprodione	122	122	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E		
Lambda-Cyhalothrin	118	118	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E		
Malathion/Malaoxon, Sum	118	116	0.005	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	E		
Maneb group (as CS2)	112	79	0.01	0	0	5	12	8	3	2	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.1	28	0.05	E	
Mecarbam	118	118	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Methamidophos	117	116	0.005	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.75	1	0.01	E
Metaxyl	118	118	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Methidation	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Methiocarb, Sum	115	115	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Methomyl	35	35	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	E		
Ormethoate	82	82	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.4	E	
Demeton-S-methyl, Sum	118	118	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.4	E	
Parathion/Paraoxon, Sum	122	122	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Permethrin	118	117	0.05	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	E		
Phorate	118	118	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Pirimiphos-methyl	118	118	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Procymidone	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Propyzamide	118	117	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.02	E
Thiabendazole	90	89	0.05	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	0	0.05	E
Tolylfluanid	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Triazophos	117	117	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Vinclozolin	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pome fruit		Food item: Pears	
Reporting country: HELLAS		Year of sampling: 2002	Remark:
Total number of samples analysed:	28	With residues above MRL (EC+national):	0
Without detectable residues:	11	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	17	With residues above national MRL:	0

Only add information regarding pears and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	14	14	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	1.00	E
Aldicarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azinphos-methyl	14	13	0.05	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.05	0	0.5	E
Azoxystrobin	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Benomyl group(##)	24	18	0.1	0	0	0	0	3	3	0	0	0	0	0	0	0	0	0.32	0	2.00	EC
Bromopropylate	14	13	0.01	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0.08	0	2.00	E
Captan	14	13	0.05	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0.13	0	xxxxxx	
Chlorothalonil	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos-methyl	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	14	13	0.02	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0.25	0	0.3	E
Dichlofuanid	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dicofol	14	14	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dimethoate	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Endosulfan	14	12	0.02	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0.05	0	0.3	E
Folpet	14	12	0.05	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0.46	0	xxxxxx	
Captan+ Folpet (Sum)	14	14		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3.00	E
Imazail	14	14	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Iprodione	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Lambda-cyhalothrin	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Maneb-group(##)	14	5	0.10	0	0	0	0	4	5	0	0	0	0	0	0	0	0	0.4	0	3.00	EC
Mecarbam	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metalaxyl	14	14	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methidathion	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methiocarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Ormethoate	14	14	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Oxydemeton-methyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Permethrin	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	14	14	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Procymidone	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Propyzamide	14	14	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	24	24	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5.00	EC
Tolyfluanid	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Vinclozolin	14	14	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pulses		Food item: Beans (fresh or frozen)	
Reporting country: HELLAS _____	Year of sampling: <u>2002</u>	Remark:	
Total number of samples analysed:	57	With residues above MRL (EC+national):	6
Without detectable residues:	32	With residues above EC-MRL:	6
With detectable residues at or below MRL or without MRL:	19	With residues above national MRL:	6

Only add information regarding beans and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50						
Accephate	27	26	0.05	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0.06	0	3.00	E
Aldicarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azinphos-methyl	27	27	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azoxystrobin	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Benomyl group(##)	39	39	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Bromopropylate	27	27	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan	27	27	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxx	
Chlorothalonil	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos-methyl	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dichlofluanid	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dicofol	27	27	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dimethoate	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Endosulfan	27	26	0.02	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0.82	1	0.05	E	
Folpet	27	27	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxx	
Captan+ Folpet (Sum)	27	27	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Imazail	27	27	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Iprodione	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Lambda-cyhalothrin	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Maneb-group(##)	30	7	0.10	0	0	0	0	3	5	10	5	0	0	0	0	0	2	5	1.00	5	EC	
Mecarbam	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metalaxyl	27	27	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methidathion	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methiocarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Ormethoate	27	27	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Oxydemeton-methyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Permethrin	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	27	27	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Procyimodone	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Propyzamide	27	27	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	39	39	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Tolyfluanid	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Vinclozolin	27	27	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Potatoes		Food item: Potatoes	
Reporting country: HELLAS _____		Year of sampling: <u>2002</u>	Remark:
Total number of samples analysed:	23	With residues above MRL (EC+national):	0
Without detectable residues:	23	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding potatoes and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50						
Accephate	23	23	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Aldicarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azinphos-methyl	23	23	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azoxystrobin	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Benomyl group(##)	23	23	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Bromopropylate	23	23	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan	23	23	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx	
Chlorothalonil	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos-methyl	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dichlofluanid	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dicofol	23	23	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dimethoate	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Endosulfan	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Folpet	23	23	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx	
Captan+ Folpet (Sum)	23	23	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Imazail	23	23	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Iprodione	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Lambda-cyhalothrin	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Maneb-group(##)	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Mecarbam	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metalaxyl	23	23	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methidathion	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methiocarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Ormethoate	23	23	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Oxydemeton-methyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Permethrin	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	23	23	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Procymidone	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Propyzamide	23	23	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	23	23	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Tolyfluanid	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Vinclozolin	23	23	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Root and tuber vegetables		Food item: Carrots	
Reporting country: HELLAS		Year of sampling: 2002	Remark:
Total number of samples analysed:	18	With residues above MRL (EC+national):	4
Without detectable residues:	14	With residues above EC-MRL:	4
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	

Only add information regarding carrots and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	18	18	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Aldicarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azinphos-methyl	18	18	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azoxystrobin	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Benomyl group(##)	18	18	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Bromopropylate	18	18	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan	18	18	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxx	
Chlorothalonil	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	18	14	0.02	0	0	0	0	4	0	0	0	0	0	0	0	0	0.2	4	0.1	E	
Chlorpyrifos-methyl	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dichlofuanid	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dicofof	18	18	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dimethoate	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Endosulfan	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Folpet	18	18	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxx	
Captan+ Folpet (Sum)	18	18	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Imazail	18	18	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Iprodione	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Lambda-cyhalothrin	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Maneb-group(##)	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Mecarbam	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metalaxyl	18	18	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methidathion	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methiocarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Ormethoate	18	18	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Oxydemeton-methyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Permethrin	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	18	18	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Procymidone	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Propyzamide	18	18	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	18	18	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Tolyfluand	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Vinclozolin	18	18	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL. N=National MRL. W=without MRL
 (##) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (###) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Citrus fruit		Food item: Oranges/mandarins	
Reporting country: HELLAS _____	Year of sampling: <u>2002</u>	Remark:	
Total number of samples analysed:	69	With residues above MRL (EC+national):	0
Without detectable residues:	28	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	41	With residues above national MRL:	0

Only add information regarding oranges/mandarins and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50						
Accephate	17	17	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Aldicarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azinphos-methyl	17	17	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azoxystrobin	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Benomyl group(##)	29	17	0.1	0	0	0	0	3	6	3	0	0	0	0	0	0	0	0.99	0	5.00	EC	
Bromopropylate	17	17	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan	17	17	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx	
Chlorothalonil	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	17	13	0.02	0	1	2	1	0	0	0	0	0	0	0	0	0	0	0.07	0	0.3	E	
Chlorpyrifos-methyl	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dichlofuanid	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dicofol	17	15	0.1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0.14	0	2.00	E	
Dimethoate	17	16	0.02	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.04	0	1.00	E	
Endosulfan	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Folpet	17	17	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx	
Captan+ Folpet (Sum)	17	17	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Imazail	17	17	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Iprodione	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Lambda-cyhalothrin	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	17	16	0.02	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.05	0	2.00	E	
Maneb-group(##)	52	24	0.10	0	0	0	0	18	10	0	0	0	0	0	0	0	0	0.37	0	5.00	EC	
Mecarbam	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metalaxyl	17	17	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methidathion	17	13	0.02	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0.36	0	2.00	E	
Methiocarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Ormethoate	17	17	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Oxydemeton-methyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Permethrin	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	17	17	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Procyimidone	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Propyzamide	17	17	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	29	21	0.1	0	0	0	0	4	1	2	1	0	0	0	0	0	2	0	5.00	E		
Tolyfluanid	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Vinclozolin	17	17	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Stone fruit		Food item: Peaches/nectarines	
Reporting country: HELLAS _____	Year of sampling: <u>2002</u>	Remark:	
Total number of samples analysed:	14	With residues above MRL (EC+national):	1
Without detectable residues:	3	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	10	With residues above national MRL:	1

Only add information regarding peaches/nectarines and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50						
Accephate	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Aldicarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azinphos-methyl	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Azoxystrobin	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0		
Benomyl group(##)	12	10	0.1	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0.48	0	1.00		
Bromopropylate	12	12	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxx	
Chlorothalonil	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	12	8	0.02	0	0	3	0	1	0	0	0	0	0	0	0	0	0	0.15	0	0.2	E	
Chlorpyrifos-methyl	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dichlofuanid	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dicofol	12	11	0.1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0.08	1	0.02*	E	
Dimethoate	12	11	0.02	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.05	0	1.00	E	
Endosulfan	12	10	0.02	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0.17	0	0.5	E	
Folpet	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxx	
Captan+ Folpet (Sum)	12	12	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Imazail	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Iprodione	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Lambda-cyhalothrin	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Maneb-group(##)	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Mecarbam	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metalaxyl	12	12	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methidathion	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methiocarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Ormethoate	12	12	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Oxydemeton-methyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Permethrin	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	12	12	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Procyimodone	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Propyzamide	12	12	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	12	12	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Tolyfluanid	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Vinclozolin	12	12	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Leafy vegetables		Food item: Spinach (fresh or frozen)	
Reporting country: HELLAS		Year of sampling: 2002	Remark:
Total number of samples analysed:	16	With residues above MRL (EC+national):	2
Without detectable residues:	8	With residues above EC-MRL:	2
With detectable residues at or below MRL or without MRL:	6	With residues above national MRL:	

Only add information regarding spinach and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50							
Acephate	16	16	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0				
Aldicarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0				
Azinphos-methyl	16	16	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0				
Azoxystrobin	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0				
Benomyl group(##)	16	16	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Bromopropylate	16	16	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Captan	16	16	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxx			
Chlorothalonil	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Chlorpyrifos	16	15	0.02	0	0	0	0	0	0	0	1	0	0	0	0	0	1.2	1	0.05*	E			
Chlorpyrifos-methyl	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Cypermethrin	16	13	0.02	0	0	0	1	1	1	0	0	0	0	0	0	0	0.32	0	0.5	E			
Deltamethrin	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Diazinon	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Dichlofluanid	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Dicofol	16	16	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Dimethoate	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Endosulfan	16	12	0.02	0	0	3	0	0	0	1	0	0	0	0	0	0	0.61	1	0.05*	E			
Folpet	16	16	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxx			
Captan+ Folpet (Sum)	16	16	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Imazail	16	16	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Iprodione	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Lambda-cyhalothrin	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Malathion	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Maneb-group(##)	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Mecarbam	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Methamidophos	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Metalaxyl	16	16	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Methidathion	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Methiocarb	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Methomyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Ormethoate	16	16	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Oxydemeton-methyl	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Parathion	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Permethrin	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Phorate	16	16	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Pirimiphos-methyl	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Procyimidone	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Propyzamide	16	16	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Thiabendazol	16	16	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Tolylfluanid	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Triazophos	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Vinclozolin	16	16	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiofanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pulses		Food item: Beans (fresh or frozen)	
Reporting country: SPAIN		Year of sampling: 2002	
Remark:		Only add information regarding beans and the 41 pesticides and do not change or delete rows or columns	
Total number of samples analysed:	45	With residues above MRL (EC+national):	2
Without detectable residues:	38	With residues above EC-MRL:	2
With detectable residues at or below MRL or without MRL:	5	With residues above national MRL:	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)							
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50												
Accephate	45	45	0.02																									
Aldicarb	45	45	0.05																									
Azinphos-methyl	45	45	0.05																									
Azoxystrobin	45	45	0.05																									
Benomyl group(##)	45	45	0.10																									
Bromopropylate	45	45	0.05																									
Captan	45	45	0.10																								xxxxxx	
Chlorothalonil	45	45	0.01																									
Chlorpyrifos	45	45	0.05																									
Chlorpyrifos-methyl	45	45	0.05																									
Cypermethrin	45	44	0.05						1									0.24		0		0.50						
Deltamethrin	45	45	0.05																									
Diazinon	45	45	0.02																									
Dichlofluamid	45	45	0.10																									
Dicofol	45	45	0.02																									
Dimethoate	45	45	0.02																									
Endosulfan	45	43	0.05						1	1								0.6		2		0.05						
Folpet	45	45	0.10																								xxxxxx	
Captan+ Folpet (Sum)	45	45	0.10																									
Imazail	45	45	0.05																									
Iprodione	45	45	0.02																									
Lambda-cyhalothrin	45	45	0.02																									
Malathion	45	45	0.05																									
Maneb-group(##)	45	45	0.05																									
Mecarbam	45	45	0.05																									
Methamidophos	45	44	0.01						1									0.27		0		0.50						
Metalaxyl	45	45	0.05																									
Methidathion	45	45	0.02																									
Methiocarb	45	45	0.05																									
Methomyl	45	45	0.05																									
Ormethoate	45	45	0.02																									
Oxydemeton-methyl	45	45	0.05																									
Parathion	45	45	0.05																									
Permethrin	45	45	0.05																									
Phorate	45	45	0.05																									
Pirimiphos-methyl	45	45	0.02																									
Procyridone	45	42	0.02				2		1									0.14		0		2.00						
Propyzamide	45	45	0.02																									
Thiabendazol	45	45	0.05																									
Tolylfluamid	45	45	0.05																									
Triazophos	45	45	0.02																									
Vinclozolin	45	45	0.05																									

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Citrus fruit		Food item: Oranges/mandarins	
Reporting country: SPAIN	Year of sampling: 2002	Remark:	
Total number of samples analysed:	45	With residues above MRL (EC+national):	1
Without detectable residues:	12	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	32	With residues above national MRL:	
Only add information regarding oranges/mandarins and the 41 pesticides and do not change or delete rows or columns			

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)						
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50										
Accephate	45	45	0.02																							
Aldicarb	45	45	0.05																							
Azinphos-methyl	45	45	0.05																							
Azoxystrobin	45	45	0.05																							
Benomyl group(#)	45	45	0.10																							
Bromopropylate	45	45	0.05																							
Captan	45	45	0.10																						xxxxxx	
Chlorothalonil	45	45	0.01																							
Chlorpyrifos	45	28	0.05			7	7	2	1									0.36		1		0.30			E	
Chlorpyrifos-methyl	45	45	0.05																							
Cypermethrin	45	45	0.05																							
Deltamethrin	45	45	0.05																							
Diazinon	45	45	0.02																							
Dichlofluanid	45	45	0.10																							
Dicofol	45	40	0.02				1	1	1	3								0.36		0		2.00			E	
Dimethoate	45	43	0.02			1												0.11		0		1.00			E	
Endosulfan	45	44	0.05					1										0.17		0		0.50			E	
Folpet	45	45	0.10																					xxxxxx		
Captan+ Folpet (Sum)	45	45	0.10																							
Imazail	45	33	0.05			1		1	3	5	2							1.3		0		5.00			E	
Iprodione	45	45	0.02																							
Lambda-cyhalothrin	45	45	0.02																							
Malathion	45	32	0.05			4	5	3	1									0.23		0		3.00			E	
Maneb-group(##)	45	45	0.05																							
Mecarbam	45	45	0.05																							
Methamidophos	45	45	0.01																							
Metalaxyl	45	45	0.05																							
Methidathion	45	38	0.02					1	5	1								0.53		0		2.00			E	
Methiocarb	45	45	0.05																							
Methomyl	45	45	0.05																							
Ormethoate	45	45	0.02																							
Oxydemeton-methyl	45	45	0.05																							
Parathion	45	45	0.05																							
Permethrin	45	45	0.05																							
Phorate	45	45	0.05																							
Pirimiphos-methyl	45	44	0.02						1									0.21		0		1.00			E	
Procymidone	45	45	0.02																							
Propyzamide	45	45	0.02																							
Thiabendazol	45	45	0.05																							
Tolyfluanid	45	45	0.05																							
Triazophos	45	45	0.02																							
Vinclozolin	45	45	0.05																							

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Stone fruit		Food item: Peaches/nectarines	
Reporting country: SPAIN		Year of sampling: 2002	Remark:
Total number of samples analysed:	45	With residues above MRL (EC+national):	1
Without detectable residues:	30	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	14	With residues above national MRL:	

Only add information regarding peaches/nectarines and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	45	44	0.02					1									0.16	0	0.20	E	
Aldicarb	45	45	0.05																		
Azinphos-methyl	45	44	0.05										1				1.66	0	2.00	E	
Azoxystrobin	45	45	0.05																		
Benomyl group(#)	45	45	0.10																		
Bromopropylate	45	45	0.05																		
Captan	45	45	0.10																xxxxxx		
Chlorothalonil	45	44	0.01				1										0.1	0	1.00	E	
Chlorpyrifos	45	45	0.05																		
Chlorpyrifos-methyl	45	45	0.05																		
Cypermethrin	45	45	0.05																		
Deltamethrin	45	45	0.05																		
Diazinon	45	45	0.02																		
Dichlofluanid	45	45	0.10																		
Dicofol	45	45	0.02																		
Dimethoate	45	44	0.02			1											0.03	0	1.00		
Endosulfan	45	43	0.05				1		1								0.42	0	0.50	E	
Folpet	45	45	0.10																xxxxxx		
Captan+ Folpet (Sum)	45	43	0.10						1			1					2.59	1	1.00	E	
Imazalil	45	45	0.05																		
Iprodione	45	45	0.02																		
Lambda-cyhalothrin	45	44	0.02			1											0.03	0	0.20	E	
Malathion	45	45	0.05																		
Maneb-group(##)	45	39	0.05					4	2								1	0	2.00	E	
Mecarbam	45	45	0.05																		
Methamidophos	45	45	0.01																		
Metalaxyl	45	45	0.05																		
Methidathion	45	45	0.02																		
Methiocarb	45	45	0.05																		
Methomyl	45	45	0.05																		
Ormethoate	45	45	0.02																		
Oxydemeton-methyl	45	45	0.05																		
Parathion	45	45	0.05																		
Permethrin	45	45	0.05																		
Phorate	45	45	0.05																		
Pirimiphos-methyl	45	44	0.02							1							0.89	0	2.00		
Procyimidone	45	45	0.02																		
Propyzamide	45	45	0.02																		
Thiabendazol	45	45	0.05																		
Tolylfluanid	45	45	0.05																		
Triazophos	45	45	0.02																		
Vinclozolin	45	45	0.05																		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pome fruit		Food item: Pears	
Reporting country: France		Year of sampling: 2002	Remark:
Total number of samples analysed:	116	With residues above MRL (EC-national):	2
Without detectable residues:	28	With residues above EC-MRL:	2
With detectable residues at or below MRL or without MRL:	86	With residues above national MRL:	0

Only add information regarding pears and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	93	93	0.01														0.01	0	1.00	EC
Aldicarb	0	0	0.05														0.05	0	0.10	EC
Azinphos-methyl	93	88	0.02	2		1	1	1									0.15	0	0.50	EC
Azoxystrobin	80	80	0.02														0.02	0	0.05	EC
Benomyl group(#)	116	94	0.02		1	4	10	3	3	1							0.6	0	2.00	EC
Bromopropylate	116	113	0.01	1	1	1											0.04	0	2.00	EC
Captan	116	104	0.01	1	2	1	1	2	4	1							1	0	xxxxxx	EC
Chlorothalonil	103	102	0.01			1											0.07	0	1.00	EC
Chlorpyrifos ethyl	116	110	0.01		1	1	4										0.08	0	0.50	EC
Chlorpyrifos-methyl	116	114	0.01		2												0.015	0	0.50	EC
Cypermethrin	116	113	0.01			1		1	1								0.19	0	1.00	EC
Deltamethrin	116	116	0.01														0.01	0	0.10	EC
Diazinon	116	116	0.01														0.01	0	0.50	EC
Dichlofluanid	103	102	0.01					1									0.48	0	5.00	EC
Dicofol	116	116	0.01														0.01	0	0.02	EC
Dimethoate	103	101	0.01			2											0.03	2	0.02	EC
Endosulfan	116	116	0.01														0.01	0	0.30	EC
Folpet	116	112	0.01			1	1		1	1							0.8	0	xxxxxx	EC
Captan+ Folpet (Sum)	116	100	0.01	1	2	2	2	2	5	2							1	0	3.00	EC
Imazalil	100	100	0.02														0.02	0	0.05	EC
Iprodione	116	113	0.01						1	1	1						1.5	0	10.00	EC
Lambda-cyhalothrin	116	114	0.01	1	1												0.02	0	0.10	EC
Malathion	116	112	0.01		1	1		2									0.15	0	0.50	EC
Maneb-group(##)	103	100	0.05			1	1		1	2							0.6	0	3.00	EC
Mecarbam	90	90	0.01														0.01	0	0.05	EC
Methamidophos	93	93	0.01														0.01	0	0.05	EC
Metaxyl	87	87	0.02														0.02	0	1.00	EC
Methidathion	116	116	0.01														0.01	0	0.30	EC
Methiocarb	67	67	0.02														0.02	0	0.05	N
Methomyl	32	32	0.02														0.02	0	0.20	EC
Ormethoate	93	93	0.02														0.02	0	0.20	EC
Oxydemeton-methyl	32	32	0.02														0.02	0	0.02	EC
Parathion methyl	116	115	0.01		1												0.01	0	0.20	EC
Permethrin	90	90	0.02														0.02	0	0.05	EC
Phorate	80	80	0.02														0.02	0	0.05	EC
Pirimiphos-methyl	116	116	0.01														0.01	0	0.05	EC
Procyridone	116	111	0.01	1		1	3										0.07	0	1.00	EC
Propyzamide	90	90	0.01														0.01	0	1.00	N
Thiabendazol	68	61	0.02			1	1	1	2		2						1.3	0	5.00	EC
Tolylfluanid	116	91	0.01		2	9	7	3	4								0.21	0	2.00	N
Triazophos	93	93	0.01														0.01	0	0.02	EC
Vinclozolin	116	116	0.01														0.01	0	1.00	EC

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Miscellaneous fruit		Food item: Bananas	
Reporting country:	<u>France</u>	Year of sampling:	<u>2002</u>
Remark:			
Total number of samples analysed:	94	With residues above MRL (EC-national):	0
Without detectable residues:	59	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	35	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	84	84	0.01														0.01	0	0.02	EC
Aldicarb	39	39	0.05														0.05	0	0.10	EC
Azinphos-methyl	94	94	0.01														0.01	0	0.50	EC
Azoxystrobin	75	75	0.02														0.02	0	2.00	EC
Benomyl group(##)	94	92	0.02					1	1								0.3	0	1.00	EC
Bromopropylate	94	94	0.01														0.01	0	3.00	EC
Captan	94	94	0.01														0.01	0	xxxxxx	EC
Chlorothalonil	94	94	0.01														0.01	0	0.20	EC
Chlorpyrifos ethyl	94	92	0.01			2											0.02	0	3.00	EC
Chlorpyrifos-methyl	94	94	0.01														0.01	0	0.05	EC
Cypermethrin	94	94	0.01														0.01	0	0.05	EC
Deltamethrin	94	94	0.01														0.01	0	0.05	EC
Diazinon	94	94	0.01														0.01	0	0.02	EC
Dichlofluanid	94	94	0.01														0.01	0	5.00	EC
Dicofol	94	94	0.01														0.01	0	0.02	EC
Dimethoate	94	94	0.01														0.01	0	0.02/1	EC
Endosulfan	94	94	0.01														0.01	0	0.05	EC
Folpet	94	94	0.01														0.01	0	xxxxxx	EC
Captan+ Folpet (Sum)	94	94	0.01														0.01	0	0.10	EC
Imazalil	81	71	0.02				2	4	3	1							0.64	0	2.00	EC
Iprodione	94	94	0.01														0.01	0	3.00	EC
Lambda-cyhalothrin	94	94	0.01														0.01	0	0.02	EC
Malathion	94	94	0.01														0.01	0	0.50	EC
Maneb-group(##)	31	31	0.05														0.05	0	0.05	EC
Mecarbam	74	74	0.01														0.01	0	0.05	EC
Methamidophos	84	84	0.01														0.01	0	0.01	EC
Metaxyl	81	81	0.02														0.02	0	0.05	EC
Methidathion	94	94	0.01														0.01	0	0.02	EC
Methiocarb	53	53	0.02														0.02	0	0.05	N
Methomyl	13	13	0.02														0.02	0	0.05	EC
Ormethoate	84	84	0.02														0.02	0	0.20	EC
Oxydemeton-methyl	53	53	0.02														0.02	0	0.02	EC
Parathion	94	94	0.01														0.01	0	0.05/0.5	EC
Permethrin	75	75	0.01														0.01	0	0.05	EC
Phorate	83	83	0.02														0.02	0	0.05	EC
Pirimiphos-methyl	94	94	0.01														0.01	0	0.05	EC
Procyfidone	94	94	0.01														0.01	0	0.02	EC
Propyzamide	75	75	0.01														0.01	0	0.02	EC
Thiabendazol	94	73	0.02			1		6	9	2	3						1.5	0	5.00	EC
Tolylfluanid	94	94	0.01														0.01	0	0.02	N
Triazophos	94	94	0.01														0.01	0	0.02	EC
Vinclozolin	94	94	0.01														0.01	0	0.02	EC

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:legume vegetable		Food item: Beans (fresh or frozen)		Remark:	
Reporting country:	<u>France</u>	Year of sampling:	<u>2002</u>		
Total number of samples analysed:	110	With residues above MRL (EC-national):	5	Only add information regarding beans and the 41 pesticides and do not change or delete rows or columns	
Without detectable residues:	63	With residues above EC-MRL:	5		
With detectable residues at or below MRL or without MRL:	42	With residues above national MRL:	0		

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	80	80	0.01														0.01	0	3.00	EC
Aldicarb	0	0	0.05														0.05	0	0.10	EC
Azinphos-methyl	110	110	0.01														0.01	0	0.5	EC
Azoxystrobin	80	80	0.01														0.01	0	1.00	EC
Benomyl group(##)	110	106	0.03			1	1	2									0.16	2	0.10	EC
Bromopropylate	110	110	0.01														0.01	0	1.00	EC
Captan	110	108	0.01				1	1									0.1	0	xxxxxx	EC
Chlorothalonil	110	110	0.01														0.01	0	0.01	EC
Chlorpyrifos	110	110	0.01														0.01	0	0.05	EC
Chlorpyrifos-methyl	110	110	0.01														0.01	0	0.05	EC
Cypermethrin	110	109	0.02				1										0.05	0	0.5	EC
Deltamethrin	110	108	0.01		1	1											0.025	0	0.2	EC
Diazinon	110	110	0.01														0.01	0	0.02	EC
Dichlofluanid	110	110	0.01														0.01	0	5.00	EC
Dicofol	110	110	0.01														0.01	0	0.02	EC
Dimethoate	110	110	0.01														0.01	0	0.02	EC
Endosulfan	110	106	0.01	1		1			2							0.215	2	0.05	EC	
Folpet	110	110	0.01														0.01	0	xxxxxx	EC
Captan+ Folpet (Sum)	110	108	0.01				1	1								0.12	0	2.00	EC	
Imazalil	43	43	0.02														0.02	0	0.05	EC
Iprodione	110	109	0.02				1										0.065	0	5.00	EC
Lambda-cyhalothrin	110	110	0.01														0.01	0	0.02	EC
Malathion	110	110	0.01														0.01	0	3.00	EC
Maneb-group(##)	70	68	0.05						1	1							1.2	1	1.00	EC
Mecarbam	110	110	0.01														0.01	0	0.05	EC
Methamidophos	80	80	0.01														0.01	0	0.5	EC
Metaxyl	80	80	0.01														0.01	0	0.05	EC
Methidathion	110	110	0.01														0.01	0	0.02	EC
Methiocarb	62	62	0.02														0.02	0	0.1	N
Methomyl	62	62	0.02														0.02	0	0.05	EC
Ormethoate	80	80	0.01														0.01	0	0.2	EC
Oxydemeton-methyl	47	47	0.01														0.01	0	0.02	EC
Parathion	110	110	0.01														0.01	0	0.05	EC
Permethrin	110	110	0.01														0.01	0	0.05	EC
Phorate	70	70	0.01														0.01	0	0.05	EC
Pirimiphos-methyl	110	110	0.01														0.01	0	0.05	EC
Procyridone	110	102	0.01				2	2	3	1							0.56	0	2.00	EC
Propyzamide	70	70	0.01														0.01	0	0.02	EC
Thiabendazol	61	61	0.02														0.02	0	0.05	N
Tolyfluanid	110	110	0.01														0.01	0	0.02	N
Triazophos	110	110	0.01														0.01	0	0.02	EC
Vinclozolin	110	86	0.01		3	4	6	4	6	1							0.56	0	2.00	EC

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0,02 includes the range from 0,011... mg/kg upto 0,020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Potatoes		Food item: Potatoes	
Reporting country:	<u>France</u>	Year of sampling:	<u>2002</u>
Remark:			
Total number of samples analysed:	<u>243</u>	With residues above MRL (EC-national):	<u>0</u>
Without detectable residues:	<u>239</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL or without MRL:	<u>4</u>	With residues above national MRL:	<u>0</u>

Only add information regarding potatoes and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acephate	243	243	0.01													0.01	0	0.02	EC
Aldicarb	79	79	0.05													0.05	0	0.50	EC
Azinphos-methyl	243	243	0.01													0.01	0	0.02	N
Azoxystrobin	79	79	0.01													0.01	0	0.05	EC
Benomyl group(##)	243	243	0.02													0.02	0	0.10	EC
Bromopropylate	243	243	0.01													0.01	0	0.01	N
Captan	243	243	0.01													0.01	0	xxxxxx	N
Chlorothalonil	243	243	0.01													0.01	0	0.01	EC
Chlorpyrifos	243	243	0.01													0.01	0	0.05	EC
Chlorpyrifos-methyl	243	243	0.01													0.01	0	0.05	EC
Cypermethrin	243	243	0.01													0.01	0	0.05	EC
Deltamethrin	243	242	0.01		1											0.01	0	0.50	EC
Diazinon	243	243	0.01													0.01	0	0.02	EC
Dichlofluanid	243	243	0.01													0.01	0	0.02	N
Dicofol	243	243	0.01													0.01	0	0.02	EC
Dimethoate	243	243	0.01													0.01	0	0.02	EC
Endosulfan	243	243	0.01													0.01	0	0.05	EC
Folpet	243	243	0.01													0.01	0	0.01	N
Captan+ Folpet (Sum)	243	243	0.01													0.01	0	0.01	N
Imazalil	188	187	0.05				1									0.4	0	5.00	EC
Iprodione	243	243	0.01													0.01	0	0.02	EC
Lambda-cyhalothrin	243	243	0.01													0.01	0	0.02	EC
Malathion	243	243	0.01													0.01	0	0.02	N
Maneb-group(##)	115	115	0.05													0.05	0	0.05	EC
Mecarbam	156	156	0.01													0.01	0	0.05	EC
Methamidophos	243	243	0.01													0.01	0	0.01	EC
Metaxyl	234	234	0.01													0.01	0	0.05	EC
Methidathion	243	243	0.01													0.01	0	0.02	EC
Methiocarb	79	79	0.02													0.02	0	0.02	N
Methomyl	79	79	0.02													0.02	0	0.05	EC
Ormethoate	243	243	0.01													0.01	0	0.05	EC
Oxydemeton-methyl	79	79	0.01													0.01	0	0.02	EC
Parathion	243	243	0.01													0.01	0	0.05	EC
Permethrin	243	243	0.01													0.01	0	0.05	EC
Phorate	243	243	0.01													0.01	0	0.05	EC
Pirimiphos-methyl	243	243	0.01													0.01	0	0.05	EC
Procydione	243	243	0.01													0.01	0	0.02	EC
Propyzamide	147	147	0.01													0.01	0	0.02	N
Thiabendazol	188	184	0.02				2					1	1			3.4	0	15.00	EC
Tolylfluanid	243	243	0.01													0.01	0	0.01	N
Triazophos	243	243	0.01													0.01	0	0.02	EC
Vinclozolin	243	243	0.01													0.01	0	0.02	EC

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Root and tuber vegetables		Food item: Carrots	
Reporting country: <u>France</u>	Year of sampling: <u>2002</u>	Remark:	
Total number of samples analysed:	246	With residues above MRL (EC-national):	1
Without detectable residues:	131	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	114	With residues above national MRL:	0

Only add information regarding carrots and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	166	166	0.01														0.01	0	0.02	EC
Aldicarb	0	0	0.05														0.05	0	0.10	EC
Azinphos-methyl	246	246	0.01														0.01	0	0.5	EC
Azoxystrobin	142	142	0.01														0.01	0	0.2	EC
Benomyl group(##)	98	97	0.02			1											0.035	0	0.10	EC
Bromopropylate	246	246	0.01														0.01	0	1.00	EC
Captan	246	246	0.01														0.01	0	0.10	EC
Chlorothalonil	246	242	0.01	2		1		1									0.115	0	1.00	EC
Chlorpyrifos	246	244	0.01	1			1										0.05	0	0.10	EC
Chlorpyrifos-methyl	246	246	0.01														0.01	0	0.05	EC
Cypermethrin	246	246	0.01														0.01	0	0.05	EC
Deltamethrin	246	246	0.01														0.01	0	0.05	EC
Diazinon	246	246	0.01														0.01	0	0.20	EC
Dichlofluanid	246	246	0.01														0.01	0	0.02	EC
Dicofol	246	246	0.01														0.01	0	0.02	EC
Dimethoate	246	244	0.01	1		1											0.02	0	1/0,02	EC
Endosulfan	246	242	0.01			3		1									0.32	1	0.05	EC
folpet	246	246	0.01														0.01	0	0.10	EC
Captan+ Folpet (Sum)	246	246	0.01														0.01	0	0.10	EC
Imazalil	131	131	0.02														0.02	0	0.05	EC
Iprodione	246	211	0.01		3	14	10	5	3								0.25	0	0.30	EC
Lambda-cyhalothrin	246	246	0.01														0.01	0	0.02	EC
Malathion	246	246	0.01														0.01	0	0.50	EC
Maneb-group(##)	166	166	0.05														0.05	0	0.20	EC
Mecarbam	205	204	0.01	1													0.01	0	0.05	EC
Methamidophos	166	166	0.01														0.01	0	0.01	EC
Metaxyl	199	199	0.01														0.01	0	0.10	EC
Methidathion	246	246	0.01														0.01	0	0.02	EC
Methiocarb	57	57	0.02														0.02	0	0.10	N
Methomyl	68	68	0.02														0.02	0	0.05	EC
Ormethoate	166	166	0.01														0.01	0	0.10	EC
Oxydemeton-methyl	87	87	0.01														0.01	0	0.02	EC
Parathion	246	245	0.01	1													0.01	0	0.05	EC
Permethrin	246	246	0.01														0.01	0	0.05	EC
Phorate	149	149	0.01														0.01	0	0.05	EC
pyrimiphos methyl	246	246	0.01														0.01	0	1.00	EC
Procyridone	246	243	0.01	2	1												0.02	0	0.02	EC
Propyzamide	149	149	0.01														0.01	0	0.02	N
Thiabendazol	149	149	0.02														0.02	0	0.05	EC
Tolylfluanid	246	246	0.01														0.01	0	0.02	N
Triazophos	246	246	0.01														0.01	0	0.02	EC
Vinclozolin	246	246	0.01														0.01	0	0.05	EC

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0,02 includes the range from 0,011... mg/kg upto 0,020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Citrus fruit		Food item: Oranges / Mandarins	
Reporting country: <u>France</u>	Year of sampling: <u>2002</u>	Remark:	
Total number of samples analysed:	195	With residues above MRL (EC-national):	1
Without detectable residues:	30	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	164	With residues above national MRL:	0

Only add information regarding oranges/mandarins and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	195	195	0.01														0.01	0	1.00	EC
Aldicarb	40	40	0.05														0.05	0	0.20	EC
Azinphos-methyl	195	194	0.01				1										0.07	0	1.00	EC
Azoxystrobin	135	135	0.01														0.01	0	1.00	EC
Benomyl group(##)	135	113	0.02	1	1	1	11	4	3		1						2.8	0	5.00	EC
Bromopropylate	195	194	0.01				1										0.16	0	3.00	EC
Captan	195	195	0.01														0.01	0	xxxxxx	EC
Chlorothalonil	195	195	0.01														0.01	0	0.01	EC
Chlorpyrifos	195	111	0.01	7	17	18	26	10	5	1							0.9	0	0.30/2.00	EC
Chlorpyrifos-methyl	195	189	0.01		1	1	2	2									0.1	0	0.5/1	EC
Cypermethrin	195	195	0.01														0.01	0	2.00	EC
Deltamethrin	195	195	0.01														0.01	0	0.05	EC
Diazinon	195	191	0.01	1	1	1				1							0.25	0	1.00	EC
Dichlofluanid	195	195	0.01														0.01	0	5.00	EC
Dicofol	195	157	0.01		1	3	13	11	8	2							0.9	0	2.00	EC
Dimethoate	195	192	0.01			2			1								0.3	0	1/0.02	EC
Endosulfan	195	195	0.01														0.01	0	0.50	EC
Folpet	195	195	0.01														0.01	0	xxxxxx	EC
Captan+ Folpet (Sum)	195	195	0.01														0.01	0	0.10	EC
Imazalil	135	54	0.02				1	1	7	18	26	22	6				4.6	0	5.00	EC
Iprodione	195	195	0.01														0.01	0	0.01/2	EC
Lambda-cyhalothrin	195	194	0.01				1										0.02	0	0.10	EC
Malathion	195	150	0.01	11	9	9	7	5	3	1							0.7	0	2.00	EC
Maneb-group(##)	96	95	0.05				1										0.06	0	5.00	EC
Mecarbam	195	194	0.01		1												0.01	0	0.05	EC
Methamidophos	135	135	0.01														0.01	0	0.20	EC
Metaxyl	135	135	0.01														0.01	0	0.50	EC
Methidathion	195	144	0.01	4	4	6	14	8	10	4	1						1.5	0	2.00	EC
Methiocarb	135	135	0.02														0.02	0	0.05	N
Methomyl	40	40	0.02														0.02	0	0.5/1	EC
Ormethoate	195	195	0.01														0.01	0	0.1	EC
Oxydemeton-methyl	135	135	0.01														0.01	0	0.02	EC
Parathion	195	195	0.01														0.01	0	0.05/0.5	EC
Permethrin	195	195	0.01														0.01	0	0.05	EC
Phorate	135	135	0.01														0.01	0	0.05	EC
Pirimiphos-methyl	195	191	0.01		1	1	1	1									0.12	0	1.00	EC
Procyridone	195	195	0.01														0.01	0	0.02	EC
Propyzamide	135	135	0.01														0.01	0	0.02	N
Thiabendazol	135	77	0.02		2	4	2	7	4	9	16	14					4.75	0	5.00	EC
Tolylfluanid	195	195	0.01														0.01	0	0.02	EC
Triazophos	195	194	0.01				1										0.05	1	0.02	EC
Vinclozolin	195	195	0.01														0.01	0	0.02	EC

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Stone fruit		Food item: Peaches/nectarines	
Reporting country:	<u>France</u>	Year of sampling:	<u>2002</u>
Remark:			
Total number of samples analysed:	136	With residues above MRL (EC-national):	3
Without detectable residues:	47	With residues above EC-MRL:	3
With detectable residues at or below MRL or without MRL:	86	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	108	105	0.01		1				1					1				1.44	1	0.20	EC
Aldicarb	0	0	0.05															0.05	0	0.05	EC
Azinphos-methyl	136	136	0.01															0.01	0	0.50	EC
Azoxystrobin	102	102	0.02															0.02	0	0.05	EC
Benomyl group(##)	136	113	0.02			5	8	5	4	1								0.8	0	1.00	EC
Bromopropylate	136	136	0.01															0.01	0	2.00	EC
Captan	136	127	0.01			1	4		1	3								0.53	0	xxxxxx	EC
Chlorothalonil	136	136	0.01															0.01	0	1.00	EC
Chlorpyrifos	136	131	0.01	2	1	1	1											0.05	0	0.20	EC
Chlorpyrifos-methyl	136	136	0.01															0.01	0	0.50	EC
Cypermethrin	136	135	0.01					1										0.1	0	2.00	EC
Deltamethrin	136	131	0.01	4				1										0.19	1	0.10	EC
Diazinon	136	136	0.01															0.01	0	0.02	EC
Dichlofluanid	136	136	0.01															0.01	0	5.00	EC
Dicofol	136	136	0.01															0.01	0	0.02	EC
Dimethoate	136	134	0.01				1			1								0.5	0	0.02/1	N
Endosulfan	136	132	0.02		1		1	2										0.12	0	0.50	EC
Folpet	136	136	0.01															0.01	0	xxxxxx	EC
Captan+ Folpet (Sum)	136	127	0.01			1	4		1	3								0.53	0	2.00	EC
Imazalil	92	92	0.02															0.02	0	0.05	EC
Iprodione	136	93	0.01			6	10	8	12	4			3					3.6	0	5.00	EC
Lambda-cyhalothrin	136	136	0.01															0.01	0	0.02	EC
Malathion	136	136	0.01															0.01	0	0.05	EC
Maneb-group(##)	129	128	0.05						1									0.47	0	2.00	EC
Mecarbam	111	111	0.01															0.01	0	0.05	EC
Methamidophos	129	120	0.01	1	2	5			1									0.27	1	0.05	EC
Metaxyl	113	113	0.02															0.02	0	0.05	EC
Methidathion	136	136	0.01															0.01	0	0.20	EC
Methiocarb	115	115	0.02															0.02	0	0.05	N
Methomyl	34	34	0.02															0.02	0	0.20	EC
Ormethoate	129	129	0.02															0.02	0	0.20	EC
Oxydemeton-methyl	34	34	0.02															0.02	0	0.02	EC
Parathion	136	136	0.01															0.01	0	0.05	EC
Permethrin	117	117	0.02															0.02	0	0.05	EC
Phorate	110	110	0.02															0.02	0	0.05	EC
Pirimiphos-methyl	136	135	0.01	1														0.01	0	0.05	EC
Procyridone	136	129	0.01			2	1	2	1				1					1.1	0	2.00	EC
Propyzamide	117	117	0.01															0.01	0	0.02	N
Thiabendazol	117	115	0.02				2											0.05	0	0.05	EC
Tolylfluanid	136	136	0.01															0.01	0	0.02	N
Triazophos	136	136	0.01															0.01	0	0.02	EC
Vinclozolin	136	136	0.01															0.01	0	0.05	EC

xxxxxx: do not report MRL here; report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0,02 includes the range from 0,011... mg/kg upto 0,020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(##) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(###) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Leafy vegetables		Food item: Spinach (fresh or frozen)	
Reporting country: France		Year of sampling: 2002	Remark:
Total number of samples analysed:	64	With residues above MRL (EC-national):	14
Without detectable residues:	46	With residues above EC-MRL:	14
With detectable residues at or below MRL or without MRL:	4	With residues above national MRL:	0

Only add information regarding spinach and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	64	63	0.01			1											0.05	1	0.02	EC
Aldicarb	0	0	0.05														0.05	0	0.05	EC
Azinphos-methyl	64	64	0.01														0.01	0	0.50	EC
Azoxystrobin	38	38	0.05														0.05	0	0.05	EC
Benomyl group(#)	64	64	0.02														0.02	0	0.10	EC
Bromopropylate	64	64	0.01														0.01	0	1.00	EC
Captan	64	64	0.01														0.01	0	xxxxxx	EC
Chlorothalonil	64	63	0.01				1										0.15	1	0.01	EC
Chlorpyrifos	64	63	0.01	1													0.015	0	0.05	EC
Chlorpyrifos-methyl	64	64	0.01														0.01	0	0.05	EC
Cypermethrin	64	64	0.01														0.01	0	0.50	EC
Deltamethrin	64	63	0.01			1											0.1	0	0.50	EC
Diazinon	64	64	0.01														0.01	0	0.02	EC
Dichlofluanid	64	64	0.01														0.01	0	5.00	EC
Dicofol	64	64	0.01														0.01	0	0.02	EC
Dimethoate	64	64	0.01														0.01	0	0.02	EC
Endosulfan	64	64	0.01														0.01	0	0.05	EC
Folpet	64	64	0.01														0.01	0	xxxxxx	EC
Captan+ Folpet (Sum)	64	64	0.01														0.01	0		EC
Imazalil	35	35	0.02														0.02	0	0.05	EC
Iprodione	64	60	0.01				1			1	2						1.5	4	0.02	EC
Lambda-cyhalothrin	52	51	0.01			1											0.06	0	1.00	EC
Malathion	64	63	0.01		1												0.02	0	3.00	EC
Maneb-group(##)	64	58	0.05					1	1	1	2						25	6	0.05	EC
Mecarbam	48	48	0.01														0.01	0	0.05	EC
Methamidophos	52	51	0.01	1													0.01	0	0.05	EC
Metaxyl	50	50	0.01														0.01	0	0.05	EC
Methidathion	64	64	0.01														0.01	0	0.02	EC
Methiocarb	36	36	0.02														0.02	0	0.10	N
Methomyl	36	36	0.02														0.02	0	0.05	EC
Ormethoate	52	52	0.01														0.01	0	0.10	EC
Oxydemeton-methyl	36	36	0.01														0.01	0	0.02	EC
Parathion	64	64	0.01														0.01	0	0.05	EC
Permethrin	55	55	0.01														0.01	0	0.05	EC
Phorate	43	43	0.01														0.01	0	0.05	EC
Pirimiphos-methyl	64	64	0.01														0.01	0	0.05	EC
Procydione	64	63	0.01			1											0.03	1	0.02	EC
Propyzamide	64	64	0.01														0.01	0	0.02	N
Thiabendazol	55	55	0.02														0.02	0	0.05	EC
Tolyfluanid	64	64	0.01														0.01	0	0.02	N
Triazophos	64	64	0.01														0.01	0	0.02	EC
Vinclozolin	64	62	0.01		1					1							0.5	1	0.02	EC

(*) i.e column 0.02 includes the range from 0.011... mg/kg up to 0.020 mg/kg (e.g. carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(**) in alphabetical order of the English name

(##) Sum of dithiocarbamates, expressed as CS₂

(***) E=EC-MRL, N=National MRL, W=without MRL

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Potatoes		Food item: Potatoes	
Reporting country: Ireland		Year of sampling: 2002	Remark:
Total number of samples analysed:	25	With residues above MRL (EC+national):	1
Without detectable residues:	21	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	0

Only add information regarding potatoes and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	25	24	0.05				1										0.10	1	0.02	E	
Aldicarb	25	25																			
Azinphos-methyl	25	25																			
Azoxystrobin	25	25																			
Benomyl group(##)	25	25																			
Bromopropylate	25	25																			
Captan	25	25																	xxxxxx		
Chlorothalonil	25	25																			
Chlorpyrifos	25	25																			
Chlorpyrifos-methyl	25	25																			
Cypermethrin	25	25																			
Deltamethrin	25	25																			
Diazinon	25	25																			
Dichlofluanid	25	25																			
Dicofol	25	25																			
Dimethoate	25	25																			
Endosulfan	25	25																			
Folpet	25	25																	xxxxxx		
Captan+ Folpet (Sum)	25	25																			
Imazail	25	25																			
Iprodione	25	25																			
Lambda-cyhalothrin	25	25																			
Malathion	25	25																			
Maneb-group(##)	25	25																			
Mecarbam	25	25																			
Methamidophos	25	25																			
Metaxyl	25	25																			
Methidathion	25	25																			
Methiocarb	25	25																			
Methomyl	25	25																			
Ormethoate	25	25																			
Oxydemeton-methyl	25	25																			
Parathion	25	25																			
Permethrin	25	25																			
Phorate	25	25																			
Pirimiphos-methyl	25	25																			
Procyimidine	25	25																			
Propyzamide	25	25																			
Thiabendazol	25	23	0.05				1	1								0.12	0	15.00	E		
Tolyfluanid	25	25																			
Triazophos	25	25																			
Vinclozolin	25	25																			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Root and tuber vegetables		Food item: Carrots	
Reporting country: Ireland		Year of sampling: 2002	Remark:
Total number of samples analysed:	26	With residues above MRL (EC+national):	1
Without detectable residues:	21	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	4	With residues above national MRL:	0

Only add information regarding carrots and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	26	26																			
Aldicarb	26	26																			
Azinphos-methyl	26	26																			
Azoxystrobin	26	26																			
Benomyl group(#)	26	26																			
Bromopropylate	26	26																			
Captan	26	26																		xxxxxx	
Chlorothalonil	26	26																			
Chlorpyrifos	26	26																			
Chlorpyrifos-methyl	26	26																			
Cypermethrin	26	26																			
Deltamethrin	26	26																			
Diazinon	26	26																			
Dichlofluanid	26	26																			
Dicofol	26	26																			
Dimethoate	26	26																			
Endosulfan	26	25	0.02				1									0.06	1	0.05		E	
Folpet	26	26																	xxxxxx		
Captan+ Folpet (Sum)	26	26																			
Imazail	26	26																			
Iprodione	26	25	0.07				1								0.12	0	0.30			E	
Lambda-cyhalothrin	26	26																			
Malathion	26	26																			
Maneb-group(##)	26	26																			
Mecarbam	26	26																			
Methamidophos	26	26																			
Metalaxyl	26	26																			
Methidathion	26	26																			
Methiocarb	26	26																			
Methomyl	26	26																			
Ormethoate	26	26																			
Oxydemeton-methyl	26	26																			
Parathion	26	26																			
Permethrin	26	26																			
Phorate	26	26																			
Pirimiphos-methyl	26	26																			
Procyimidine	26	26																			
Propyzamide	26	26																			
Thiabendazol	26	26																			
Tolyfluanid	26	26																			
Triazophos	26	26																			
Vinclozolin	26	26																			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Citrus fruit		Food item: Oranges/mandarins	
Reporting country: Ireland _____		Year of sampling: 2002	Remark: Mandarins = citrus hybrids.
Total number of samples analysed:	95	With residues above MRL (EC+national):	0
Without detectable residues:	9	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	86	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)						
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50					
Accephate	95	95																							
Aldicarb	95	95																							
Azinphos-methyl	95	95																							
Azoxystrobin	95	95																							
Benomyl group(#)	95	78	0.05					1	8	1	7							0.5	0	5.00	E				
Bromopropylate	95	81	0.03					3	1	4	3	2	1					1.1	0	5.00	E				
Captan	95	95																			xxxxxx				
Chlorothalonil	95	95																							
Chlorpyrifos	95	81	0.06						2	11	1							0.24	0	2.00					
Chlorpyrifos-methyl	95	95																							
Cypermethrin	95	95																							
Deltamethrin	95	95																							
Diazinon	95	95																							
Dichlofluand	95	95																							
Dicofol	95	90	0.05					3		2								0.42	0	2.00	E				
Dimethoate	95	94	0.05							1								0.11	0	1.00	E				
Endosulfan	95	94	0.02							1								0.06	0	0.50					
Folpet	95	87	0.02					2	4	2								0.06	0						
Captan+ Folpet (Sum)	95	87	0.02					2	4	2								0.06	0	0.10	E				
Imazail	95	95																							
Iprodione	95	95																							
Lambda-cyhalothrin	95	95																							
Malathion	95	85	0.04					1	4	2	2	1						0.52	0	2.00	E				
Maneb-group(##)	95	95																							
Mecarbam	95	95																							
Methamidophos	95	95																							
Metaxyl	95	95																							
Methidathion	95	70	0.04					2	3	8	10	1	1					1.88	0	2.00	E				
Methiocarb	95	95																							
Methomyl	95	95																							
Ormethoate	95	95																							
Oxydemeton-methyl	95	95																							
Parathion	95	93	0.05						1	1								0.23	0	1.00	E				
Permethrin	95	95																							
Phorate	95	95																							
Pirimiphos-methyl	95	95	0.05																						
Procymidone	95	95																							
Propyzamide	95	95																							
Thiabendazol	95	40	0.05					2	2	3	10	10	9	21				4.7	0	5.00	E				
Tolylfluand	95	93	0.03					2										0.04	0		W				
Triazophos	95	95																							
Vinclozolin	95	95																							

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Leafy vegetables		Food item: Spinach (fresh or frozen)	
Reporting country:	Ireland	Year of sampling:	2002
		Remark:	Only add information regarding spinach and the 41 pesticides and do not change or delete rows or columns
Total number of samples analysed:	12	With residues above MRL (EC+national):	2
Without detectable residues:	9	With residues above EC-MRL:	2
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)								
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50												
Accephate	12	12																										
Aldicarb	12	12																										
Azinphos-methyl	12	12																										
Azoxystrobin	12	12																										
Benomyl group(#)	12	12																										
Bromopropylate	12	12																										
Captan	12	12																									xxxxxx	
Chlorothalonil	12	12																										
Chlorpyrifos	12	11	0.06					1									0.42	1	0.05	E								
Chlorpyrifos-methyl	12	12																										
Cypermethrin	12	10	0.07					1	1							0.6	1	0.50	E									
Deltamethrin	12	11	0.05					1								0.22	0	0.50	E									
Diazinon	12	12																										
Dichlofluanid	12	12																										
Dicofol	12	12																										
Dimethoate	12	12																										
Endosulfan	12	12																										
Folpet	12	12																									xxxxxx	
Captan+ Folpet (Sum)	12	12																										
Imazail	12	12																										
Iprodione	12	12																										
Lambda-cyhalothrin	12	12																										
Malathion	12	12																										
Maneb-group(##)	12	12																										
Mecarbam	12	12																										
Methamidophos	12	12																										
Metaxyl	12	12																										
Methidathion	12	12																										
Methiocarb	12	12																										
Methomyl	12	12																										
Ormethoate	12	12																										
Oxydemeton-methyl	12	12																										
Parathion	12	12																										
Permethrin	12	12																										
Phorate	12	12																										
Pirimiphos-methyl	12	12																										
Procydione	12	12																										
Propyzamide	12	12																										
Thiabendazol	12	12																										
Tolyfluanid	12	12																										
Triazophos	12	12																										
Vinclozolin	12	12																										

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pome fruit		Food item: Pears	
Reporting country: ITALY		Year of sampling: 2002	Remark:
Total number of samples analysed:	267	With residues above MRL (EC+national):	4
Without detectable residues:	68	With residues above EC-MRL:	4
With detectable residues at or below MRL or without MRL:	195	With residues above national MRL:	0

Only add information regarding pears and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	229	228		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.03	0	1.00	E
Aldicarb	12	11		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.05	E
Azinphos-methyl	252	164		8	12	16	19	15	15	1	2	0	0	0	0	0	0	1.45	3	0.50	E
Azoxystrobin	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.05	E
Benomyl group(†)	127	127		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2.00	E
Bromopropylate	223	195		8	8	4	5	0	3	0	0	0	0	0	0	0	0	0.43	0	2.00	E
Captan	226	205		3	2	4	2	4	4	1	0	1	0	0	0	0	0	3	0		
Chlorothalonil	246	240		0	1	0	1	2	2	0	0	0	0	0	0	0	0	0.25	0	1.00	E
Chlorpyrifos	253	201		14	18	12	2	4	2	0	0	0	0	0	0	0	0	0.3	0	0.50	E
Chlorpyrifos-methyl	248	225		7	8	3	3	1	1	0	0	0	0	0	0	0	0	0.24	0	0.50	E
Cypermethrin	207	206		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.04	0	1.00	E
Deltamethrin	213	209		2	0	1	1	0	0	0	0	0	0	0	0	0	0	0.08	0	0.10	E
Diazinon	251	250		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.30	E
Dichlofluanid	240	189		2	7	10	14	9	7	1	0	1	0	0	0	0	0	3.04	0	5.00	E
Dicofol	193	191		1	0	0	0	0	0	1	0	0	0	0	0	0	0	0.91	1	0.02	E
Dimethoate	234	232		1	0	0	0	1	0	0	0	0	0	0	0	0	0	0.19	0	1.00	E
Endosulfan	209	207		1	0	1	0	0	0	0	0	0	0	0	0	0	0	0.05	0	0.30	E
Folpet	231	230		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0		
Captan+ Folpet (Sum)	457	435		3	3	4	2	4	4	1	0	1	0	0	0	0	0	3	0	3.00	E
Imazalil	214	212		0	0	0	0	1	0	0	1	0	0	0	0	0	0	1.01	0	5.00	E
Iprodione	244	242		0	0	0	0	0	1	1	0	0	0	0	0	0	0	0.97	0	10.00	E
Lambda-cyhalothrin	180	180		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	E
Malathion	254	251		0	2	0	0	0	1	0	0	0	0	0	0	0	0	0.39	0	0.50	E
Maneb-group(##)	147	116		0	0	0	0	0	6	18	6	1	0	0	0	0	0	2.1	0	3.00	E
Mecarbam	79	79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Methamidophos	230	229		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.05	E
Metalaxyl	200	199		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.04	0	1.00	E
Methidathion	240	239		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.04	0	0.30	E
Methiocarb	25	24		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.05	N
Methomyl	24	23		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.20	E
Ormethoate	236	234		1	0	0	0	1	0	0	0	0	0	0	0	0	0	0.12	0	0.20	E
Oxydemeton-methyl	12	12		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.40	E
Parathion	241	239		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.50	E
Permethrin	159	156		0	0	2	1	0	0	0	0	0	0	0	0	0	0	0.07	0	1.00	E
Phorate	225	225		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Pirimiphos-methyl	253	253		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Procymidone	250	150		3	6	21	20	26	21	3	0	0	0	0	0	0	0	0.713	0	1.00	E
Propyzamide	76	76		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Thiabendazol	139	132		0	0	0	0	0	2	1	3	1	0	0	0	0	0	2.15	0	5.00	E
Tolyfluanid	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		W
Triazophos	55	55		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	N
Vinclozolin	249	248		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	E

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(†) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Miscellaneous fruit		Food item: Bananas	
Reporting country: ITALY		Year of sampling: 2002	Remark:
Total number of samples analysed:	67	With residues above MRL (EC+national):	0
Without detectable residues:	36	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	31	With residues above national MRL:	0

Only add information regarding bananas and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	54	54		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.02	E
Aldicarb	16	16		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.10	E
Azinphos-methyl	65	65		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.50	E
Azoxystrobin	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	2.00	E
Benomyl group(##)	47	47		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	E
Bromopropylate	62	61		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0.06	0	3.00	E
Captan	54	54		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorothalonil	65	65		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.20	E
Chlorpyrifos	67	56		3	3	5	0	0	0	0	0	0	0	0	0	0	0.04	0	3.00	E	
Chlorpyrifos-methyl	64	64		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Cypermethrin	54	54		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Deltamethrin	58	58		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Diazinon	67	67		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dichlofluanid	63	63		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5.00	E
Dicofol	53	53		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dimethoate	56	56		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	E
Endosulfan	40	40		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Folpet	54	54		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan+ Folpet (Sum)	108	108		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	E
Imazalil (a)	62	48		0	1	1	2	4	4	1	0	0	1	0	0	0	2.28	0	2.00	E	
Iprodione	62	62		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3.00	E
Lambda-cyhalothrin	31	31		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Malathion	67	67		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.50	E
Maneb-group(##)	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Mecarbam	42	42		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Methamidophos	56	56		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Metalaxyl	51	50		0	0	1	0	0	0	0	0	0	0	0	0	0	0.03	0	0.05	E	
Methidathion	59	59		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Methiocarb	16	16		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	N
Methomyl	16	16		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Ormethoate	57	57		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.20	E
Oxydemeton-methyl	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.40	E
Parathion	59	59		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.50	E
Permethrin	29	29		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Phorate	55	55		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Pirimiphos-methyl	66	66		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Procyimidon	62	62		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Propyzamide	45	45		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Thiabendazol	49	31		0	0	2	0	5	8	3	0	0	0	0	0	0	1	0	0	3.00	E
Tolyfluanid	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		W
Triazophos	21	21		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Vinclozolin	65	65		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(##) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(###) Sum of dithiocarbamates, expressed as CS₂

(***) E=EC-MRL, N=National MRL, W=without MRL

(a) The sample was declared complying by the laboratory taking into account the uncertainty interval.

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pulses		Food item: Beans (fresh or frozen)	
Reporting country: ITALY		Year of sampling: 2002	Remark:
Total number of samples analysed:	28	With residues above MRL (EC+national):	0
Without detectable residues:	28	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding beans and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50						
Accephate	18	18		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.02	E
Aldicarb	1	1		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.05	E
Azinphos-methyl	27	27		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.50	E
Azoxystrobin	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.05	E
Benomyl group(##)	4	4		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	E
Bromopropylate	20	20		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	E
Captan	16	16		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorothalonil	20	20		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Chlorpyrifos	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Chlorpyrifos-methyl	27	27		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Cypermethrin	18	18		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Deltamethrin	20	20		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Diazinon	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dichlofluanid	20	20		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5.00	E
Dicofof	17	17		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dimethoate	25	25		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	E
Endosulfan	17	17		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Folpet	18	18		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan+ Folpet (Sum)	34	34		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2.00	E
Imazail	11	11		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Iprodione	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5.00	E
Lambda-cyhalothrin	14	14		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Malathion	27	27		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3.00	E
Maneb-group(##)	4	4		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	E
Mecarbam	13	13		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Methamidophos	18	18		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Metalaxyl	21	21		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Methidathion	20	20		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Methiocarb	2	2		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Methomyl	2	2		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Ormethoate	20	20		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.20	E
Oxydemeton-methyl	1	1		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.40	E
Parathion	20	20		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.50	E
Permethrin	9	9		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Phorate	19	19		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Pirimiphos-methyl	27	27		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Procymidone	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Propyzamide	17	17		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Thiabendazol	3	3		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Tolyfluanid	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		W
Triazophos	3	3		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	N
Vinclozolin	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.50	E

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Potatoes		Food item: Potatoes	
Reporting country: ITALY		Year of sampling: 2002	Remark:
Total number of samples analysed:	171	With residues above MRL (EC+national):	1
Without detectable residues:	164	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	6	With residues above national MRL:	0

Only add information regarding potatoes and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	132	131		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.02	E
Aldicarb	6	6		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.50	E
Azinphos-methyl	149	149		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.20	N
Azoxystrobin	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.05	E
Benomyl group(##)	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	E
Bromopropylate	148	148		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	N
Captan	138	138		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Chlorothalonil	153	153		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Chlorpyrifos	155	155		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Chlorpyrifos-methyl	144	144		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Cypermethrin	137	136		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.03	0	0.05	E
Deltamethrin	136	136		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.50	E
Diazinon	154	153		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.02	E
Dichlofluanid	148	148		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	N
Dicofol	128	128		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dimethoate	137	137		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.20	N
Endosulfan	128	128		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Folpet	140	140		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan+ Folpet (Sum)	278	278		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	E
Imazail	89	88		0	0	0	0	1	0	0	0	0	0	0	0	0	0	0.17	0	5.00	E
Iprodione	146	146		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Lambda-cyhalothrin	109	109		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Malathion	155	155		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.50	N
Maneb-group(##)	57	57		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Mecarbam	70	70		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Methamidophos	134	133		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.01	E
Metalaxyl	132	132		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Methidathion	143	143		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Methiocarb	23	23		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Methomyl	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Ormethoate	138	138		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	N
Oxydemeton-methyl	16	16		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	N
Parathion	143	143		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.20	N
Permethrin	71	71		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Phorate	156	156		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Pirimiphos-methyl	153	153		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Procymidone	151	150		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0.09	1	0.02	E
Propyzamide	119	119		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Thiabendazol	27	26		0	0	0	0	1	0	0	0	0	0	0	0	0	0	0.19	0	5.00	E
Tolyfluanid	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		W
Triazophos	28	28		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	N
Vinclozolin	155	154		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.05	E

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Root and tuber vegetables		Food item: Carrots	
Reporting country: ITALY		Year of sampling: 2002	Remark:
Total number of samples analysed:	187	With residues above MRL (EC+national):	1
Without detectable residues:	172	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	14	With residues above national MRL:	0

Only add information regarding carrots and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	143	143		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.02	E
Aldicarb	15	15		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.10	E
Azinphos-methyl	166	164		1	1	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.50	E
Azoxystrobin	1	0		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.04	0	0.20	E
Benomyl group(##)	41	41		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	E
Bromopropylate	161	161		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	E
Captan	147	147		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorothalonil	164	164		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	E
Chlorpyrifos	172	170		0	0	1	1	0	0	0	0	0	0	0	0	0	0	0.09	0	0.10	E
Chlorpyrifos-methyl	162	162		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Cypermethrin	155	155		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Deltamethrin	149	149		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Diazinon	169	169		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.20	E
Dichlofluanid	158	157		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.05	0	5.00	E
Dicofol	134	134		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dimethoate	159	159		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	E
Endosulfan	141	141		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Folpet	161	161		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan+ Folpet (Sum)	308	308		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	E
Imazalil	99	99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Iprodione	172	169		0	0	0	2	1	0	0	0	0	0	0	0	0	0	0.11	0	0.30	E
Lambda-cyhalothrin	107	107		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Malathion	174	174		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.50	E
Maneb-group(##)	60	60		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.20	E
Mecarbam	83	83		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Methamidophos	144	144		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Metalaxyl	143	143		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	E
Methidathion	166	166		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Methiocarb	27	27		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Methomyl	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Ormethoate	160	160		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	E
Oxydemeton-methyl	7	7		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	E
Parathion	168	165		1	0	2	0	0	0	0	0	0	0	0	0	0	0	0.04	0	0.50	E
Permethrin	93	93		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Phorate	162	159		1	0	1	1	0	0	0	0	0	0	0	0	0	0	0.07	1	0.05	E
Pirimiphos-methyl	172	172		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	E
Procymidone	177	177		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Propyzamide	111	111		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Thiabendazol	46	46		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Tolyfluanid	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		W
Triazophos	49	49		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	E
Vinclozolin	178	178		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.50	E

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Citrus fruit		Food item: Oranges/mandarins	
Reporting country: ITALY		Year of sampling: 2002	Remark:
Total number of samples analysed:	241	With residues above MRL (EC+national):	0
Without detectable residues:	103	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	138	With residues above national MRL:	0

Only add information regarding oranges/mandarins and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	165	165		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	1.00	E
Aldicarb	11	11		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.20	E
Azinphos-methyl	200	200		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	1.00	E
Azoxystrobin	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	1.00	E
Benomyl group(##)	157	155		0	0	0	0	1	1	0	0	0	0	0	0	0	0	0.24	0	5.00	E
Bromopropylate	184	177		0	0	2	2	0	2	1	0	0	0	0	0	0	0	0.79	0	3.00	E
Captan	179	179		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorothalonil	201	201		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Chlorpyrifos	212	169		14	12	10	5	2	0	0	0	0	0	0	0	0	0	0.15	0	0.30	E
Chlorpyrifos-methyl	201	199		0	1	1	0	0	0	0	0	0	0	0	0	0	0	0.03	0	0.50	E
Cypermethrin	169	169		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2.00	E
Deltamethrin	173	173		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Diazinon	221	221		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	E
Dichlofluanid	194	194		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5.00	E
Dicofol	157	151		0	0	2	0	2	1	0	1	0	0	0	0	0	0	2	0	2.00	E
Dimethoate	190	175		0	2	4	3	5	1	0	0	0	0	0	0	0	0	0.27	0	1.00	E
Endosulfan	162	160		0	0	1	1	0	0	0	0	0	0	0	0	0	0	0.08	0	0.50	E
Folpet	186	186		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan+ Folpet (Sum)	365	365		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	E
Imazail	200	106		0	0	2	2	5	17	28	28	12	0	0	0	0	0	4.51	0	5.00	E
Iprodione	188	188		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Lambda-cyhalothrin	128	128		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	E
Malathion	222	213		2	3	2	2	0	0	0	0	0	0	0	0	0	0	0.1	0	2.00	E
Maneb-group(##)	114	114		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5.00	E
Mecarbam	114	114		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Methamidophos	185	185		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.20	E
Metalaxyl	179	177		0	0	1	1	0	0	0	0	0	0	0	0	0	0	0.06	0	0.50	E
Methidathion	198	170		2	2	7	4	9	3	0	1	0	0	0	0	0	0	1.48	0	2.00	E
Methiocarb	31	31		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	N
Methomyl	30	30		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.50	E
Ormethoate	192	186		2	1	3	0	0	0	0	0	0	0	0	0	0	0	0.05	0	0.20	E
Oxydemeton-methyl	19	19		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.40	E
Parathion	207	205		0	2	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.50	E
Permethrin	79	79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.50	E
Phorate	201	201		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Pirimiphos-methyl	222	220		0	1	1	0	0	0	0	0	0	0	0	0	0	0	0.04	0	1.00	E
Procymidone	203	203		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Propyzamide	113	113		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Thiabendazol	171	146		0	0	1	1	2	5	3	6	7	0	0	0	0	0	3.68	0	6.00	E
Tolyfluanid	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		W
Triazophos	48	48		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	N
Vinclozolin	207	207		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Stone fruit		Food item: Peaches/nectarines	
Reporting country: ITALY		Year of sampling: 2002	Remark:
Total number of samples analysed:	305	With residues above MRL (EC+national):	3
Without detectable residues:	180	With residues above EC-MRL:	3
With detectable residues at or below MRL or without MRL:	122	With residues above national MRL:	0

Only add information regarding peaches/nectarines and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	264	254		7	3	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.20	E
Aldicarb	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.05	E
Azinphos-methyl (a)	291	242		9	9	11	6	8	5	1	0	0	0	0	0	0	0	0.60	0	0.50	E
Azoxystrobin	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0.05	E
Benomyl group(##)	144	135		1	0	0	4	3	0	1	0	0	0	0	0	0	0	0.73	0	1.00	E
Bromopropylate	282	272		8	2	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	2.00	E
Captan	259	259		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Chlorothalonil	285	284		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	1.00	E
Chlorpyrifos	296	247		12	9	21	4	2	1	0	0	0	0	0	0	0	0	0.31	1	0.20	E
Chlorpyrifos-methyl	288	279		0	3	3	2	1	0	0	0	0	0	0	0	0	0	0.2	0	0.50	E
Cypermethrin	262	262		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2.00	E
Deltamethrin	273	273		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	E
Diazinon	289	286		1	2	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.02	E
Dichlofluanid	277	276		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0.06	0	5.00	E
Dicofol	238	237		0	0	0	0	0	1	0	0	0	0	0	0	0	0	0.24	1	0.02	E
Dimethoate	270	267		0	0	0	2	1	0	0	0	0	0	0	0	0	0	0.11	0	1.00	E
Endosulfan	246	245		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.50	E
Folpet	266	266		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Captan+ Folpet (Sum)	525	525		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2.00	E
Imazalil	239	239		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Iprodione	284	281		1	1	0	0	1	0	0	0	0	0	0	0	0	0	0.132	0	5.00	E
Lambda-cyhalothrin	220	220		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.20	E
Malathion	296	292		2	1	0	1	0	0	0	0	0	0	0	0	0	0	0.08	0	0.50	E
Maneb-group(##)	76	75		0	0	0	0	0	0	1	0	0	0	0	0	0	0	0.6	0	2.00	E
Mecarbam	84	84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Methamidophos	263	260		2	1	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.05	E
Metalaxyl	255	254		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.03	0	0.05	E
Methidathion	277	277		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.20	E
Methiocarb	38	38		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Methomyl	32	32		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.20	E
Ormethoate	270	269		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.20	E
Oxydemeton-methyl	10	10		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.40	E
Parathion	277	274		2	1	0	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.50	E
Permethrin	204	204		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	E
Phorate	272	272		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Pirimiphos-methyl	296	296		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Procymidone	291	272		2	4	2	4	2	3	1	1	0	0	0	0	0	1.38	0	2.00	E	
Propyzamide	101	101		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Thiabendazol	156	155		0	0	0	0	1	0	0	0	0	0	0	0	0	0.15	1	0.05	E	
Tolyfluanid	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		W
Triazophos	60	60		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	N
Vinclozolin	291	290		0	0	0	1	0	0	0	0	0	0	0	0	0	0.06	0	2.00	E	

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(##) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

(***) E=EC-MRL, N=National MRL, W=without MRL

(a) The sample was declared complying by the laboratory taking into account the uncertainty interval.

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Leafy vegetables		Food item: Spinach (fresh or frozen)	
Reporting country:		Year of sampling:	2002
		Remark:	Only add information regarding spinach and the 41 pesticides and do not change or delete rows or columns
Total number of samples analysed:	56	With residues above MRL (EC+national):	0
Without detectable residues:	54	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)										
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50														
Accephate	32	32		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0	0	0.02	E			
Aldicarb	8	8		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E		
Azinphos-methyl	41	40		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.50	E	
Azoxystrobin	1	1		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Benomyl group(##)	11	11		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	E	
Bromopropylate	44	44		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	E	
Captan	37	37		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	E
Chlorothalonil	45	45		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E	
Chlorpyrifos	46	46		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Chlorpyrifos-methyl	46	46		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Cypermethrin	38	38		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.50	E	
Deltamethrin	44	43		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.038	0	0	0.50	E		
Diazinon	47	47		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Dichlofuanid	38	38		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5.00	E	
Dicofol	33	33		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Dimethoate	34	34		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	E	
Endosulfan	26	26		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Folpet	39	39		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	E
Captan+ Folpet (Sum)	76	76		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.10	E	
Imazail	26	26		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Iprodione	40	40		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Lambda-cyhalothrin	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Malathion	48	48		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3.00	E	
Maneb-group(##)	14	14		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Mecarbam	24	24		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Methamidophos	31	31		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E	
Metalaxyl	42	42		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Methidathion	39	39		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Methiocarb	16	16		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N	
Methomyl	16	16		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2.00	E	
Ormethoate	33	33		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.40	E	
Oxydemeton-methyl	8	8		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.40	E	
Parathion	40	40		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.50	E	
Permethrin	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.00	E	
Phorate	47	47		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Pirimiphos-methyl	47	47		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Procyimidone	46	46		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Propyzamide	40	40		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Thiabendazol	15	15		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Tolyfluanid	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		W	
Triazophos	19	19		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Vinclozolin	45	45		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Miscellaneous fruit		Food item: Bananas	
Reporting country: LU		Year of sampling: 2002	Remark:
Total number of samples analysed:	12	With residues above MRL (EC+national):	1
Without detectable residues:	10	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	

Only add information regarding bananas and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	12	12	0.02																		
Aldicarb	0																				
Azinphos-methyl	12	12	0.02																		
Azoxystrobin	12	12	0.05																		
Benomyl group(##)	0																				
Bromopropylate	12	12	0.02																		
Captan	12	12	0.10																xxxxxx		
Chlorothalonil	12	12	0.01																		
Chlorpyrifos	12	12	0.05																		
Chlorpyrifos-methyl	12	12	0.05																		
Cypermethrin	12	12	0.05																		
Deltamethrin	12	12	0.05																		
Diazinon	12	12	0.02																		
Dichlofluanid	12	12	0.05																		
Dicofof	12	11	0.02					1								0.19	1	0 (0.02)		E	
Dimethoate	12	11	0.05					1								0.29	0	1.00		E	
Endosulfan	12	12	0.05																		
Folpet	12	12	0.10																xxxxxx		
Captan+ Folpet (Sum)	12	12	0.10																		
Imazail	12	11	0.02					1								0.24	0	2.00		E	
Iprodione	12	12	0.02																		
Lambda-cyhalothrin	0																				
Malathion	12	12	0.02																		
Maneb-group(##)	12	12	0.05																		
Mecarbam	0		0.05																		
Methamidophos	12	12	0.01																		
Metalaxyl	12	12	0.05																		
Methidathion	12	12	0.02																		
Methiocarb	0																				
Methomyl	0																				
Ormethoate	12	12	0.02																		
Oxydemeton-methyl	12	12	0.05																		
Parathion	12	12	0.05																		
Permethrin	12	12	0.05																		
Phorate	12	12	0.05																		
Pirimiphos-methyl	12	12	0.05																		
Procymidone	12	12	0.02																		
Propyzamide	12	12	0.02																		
Thiabendazol	12	12	0.50																		
Tolyfluanid	12	12	0.05																		
Triazophos	12	12	0.02																		
Vinclozolin	12	12	0.05																		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pulses		Food item: Beans (fresh or frozen)		
Reporting country: LU	_____	Year of sampling: 2002	Remark: Beans with pods	
Total number of samples analysed:	12	With residues above MRL (EC+national):	0	
Without detectable residues:	7	With residues above EC-MRL:		
With detectable residues at or below MRL or without MRL:	5	With residues above national MRL:		

Only add information regarding beans and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	12	12	0.02																		
Aldicarb	0																				
Azinphos-methyl	12	12	0.02																		
Azoxystrobin	12	12	0.05																		
Benomyl group(#)	0																				
Bromopropylate	12	12	0.02																		
Captan	12	12	0.10																	xxxxxx	
Chlorothalonil	12	12	0.01																		
Chlorpyrifos	12	12	0.05																		
Chlorpyrifos-methyl	12	12	0.05																		
Cypermethrin	12	12	0.05																		
Deltamethrin	12	12	0.05																		
Diazinon	12	12	0.02																		
Dichlofuanid	12	12	0.05																		
Dicofof	12	12	0.02																		
Dimethoate	12	11	0.05							1							0.7		0	1.00	E
Endosulfan	12	12	0.05																		
Folpet	12	12	0.10																	xxxxxx	
Captan+ Folpet (Sum)	12	12	0.10																		
Imazail	12	12	0.02																		
Iprodione	12	12	0.02																		
Lambda-cyhalothrin	0																				
Malathion	12	12	0.02																		
Maneb-group(##)	12	10	0.05				1				1						1.2		0	1.00	E
Mecarbam	0		0.05																		
Methamidophos	12	12	0.01																		
Metaxyl	12	12	0.05																		
Methidathion	12	12	0.02																		
Methiocarb	0																				
Methomyl	0																				
Ormethoate	12	12	0.02																		
Oxydemeton-methyl	12	12	0.05																		
Parathion	12	12	0.05																		
Permethrin	12	12	0.05																		
Phorate	12	12	0.05																		
Pirimiphos-methyl	12	12	0.05																		
Procymidone	12	12	0.02																		
Propyzamide	12	12	0.02																		
Thiabendazol	12	12	0.50																		
Tolyfluanid	12	12	0.05																		
Triazophos	12	12	0.02																		
Vinclozolin	12	10	0.05				1	1									0.45		0	2.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Potatoes		Food item: Potatoes	
Reporting country:	LU	Year of sampling:	2002
		Remark:	Only add information regarding potatoes and the 41 pesticides and do not change or delete rows or columns
Total number of samples analysed:	16	With residues above MRL (EC+national):	0
Without detectable residues:	16	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50								
Accephate	12	12	0.02																					
Aldicarb	0																							
Azinphos-methyl	12	12	0.02																					
Azoxystrobin	12	12	0.05																					
Benomyl group(##)	0																							
Bromopropylate	12	12	0.02																					
Captan	12	12	0.10																			xxxxxx		
Chlorothalonil	12	12	0.01																					
Chlorpyrifos	12	12	0.05																					
Chlorpyrifos-methyl	12	12	0.05																					
Cypermethrin	12	12	0.05																					
Deltamethrin	12	12	0.05																					
Diazinon	12	12	0.02																					
Dichlofluanid	12	12	0.05																					
Dicofol	12	12	0.02																					
Dimethoate	12	12	0.05																					
Endosulfan	12	12	0.05																					
Folpet	12	12	0.10																			xxxxxx		
Captan+ Folpet (Sum)	12	12	0.10																					
Imazail	12	12	0.02																					
Iprodione	12	12	0.02																					
Lambda-cyhalothrin	0																							
Malathion	12	12	0.02																					
Maneb-group(##)	12	12	0.05																					
Mecarbam	0		0.05																					
Methamidophos	12	12	0.01																					
Metaxyl	12	12	0.05																					
Methidathion	12	12	0.02																					
Methiocarb	0																							
Methomyl	0																							
Ormethoate	12	12	0.02																					
Oxydemeton-methyl	12	12	0.05																					
Parathion	12	12	0.05																					
Permethrin	12	12	0.05																					
Phorate	12	12	0.05																					
Pirimiphos-methyl	12	12	0.05																					
Procydion	12	12	0.02																					
Propyzamide	12	12	0.02																					
Thiabendazol	12	12	0.50																					
Tolyfluanid	12	12	0.05																					
Triazophos	12	12	0.02																					
Vinclozolin	12	12	0.05																					

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Citrus fruit		Food item: Oranges/mandarins			
Reporting country: LU		Year of sampling: 2002	Remark:		
Total number of samples analysed:	12	With residues above MRL (EC+national):	0		
Without detectable residues:	8	With residues above EC-MRL:			
With detectable residues at or below MRL or without MRL:	4	With residues above national MRL:			

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	12	12	0.02																		
Aldicarb	0																				
Azinphos-methyl	12	12	0.02																		
Azoxystrobin	12	12	0.05																		
Benomyl group(#)	0																				
Bromopropylate	12	12	0.02																		
Captan	12	12	0.10																	xxxxxx	
Chlorothalonil	12	12	0.01																		
Chlorpyrifos	12	10	0.05				2									0.12	0	0.30	E		
Chlorpyrifos-methyl	12	12	0.05																		
Cypermethrin	12	12	0.05																		
Deltamethrin	12	12	0.05																		
Diazinon	12	12	0.02																		
Dichlofluanid	12	12	0.05																		
Dicofof	12	12	0.02																		
Dimethoate	12	12	0.05																		
Endosulfan	12	12	0.05																		
Folpet	12	12	0.10																	xxxxxx	
Captan+ Folpet (Sum)	12	12	0.10																		
Imazaili	12	12	0.02																		
Iprodione	12	12	0.02																		
Lambda-cyhalothrin	0																				
Malathion	12	12	0.02																		
Maneb-group(##)	12	12	0.05																		
Mecarbam	0		0.05																		
Methamidophos	12	12	0.01																		
Metalaxyl	12	11	0.05				1								0.08	0	0.50	E			
Methidathion	12	11	0.02				1								0.38	0	2.00	E			
Methiocarb	0																				
Methomyl	0																				
Ormethoate	12	12	0.02																		
Oxydemeton-methyl	12	12	0.05																		
Parathion	12	12	0.05																		
Permethrin	12	12	0.05																		
Phorate	12	12	0.05																		
Pirimiphos-methyl	12	12	0.05																		
Procyimidone	12	12	0.02																		
Propyzamide	12	12	0.02																		
Thiabendazol	12	10	0.50				2								0.5	0	5.00	E			
Tolyfluanid	12	12	0.05																		
Triazophos	12	12	0.02																		
Vinclozolin	12	12	0.05																		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Stone fruit		Food item: Peaches/nectarines	
Reporting country: LU		Year of sampling: 2002	
Remark:		Only add information regarding peaches/nectarines and the 41 pesticides and do not change or delete rows or columns	
Total number of samples analysed:	12	With residues above MRL (EC+national):	0
Without detectable residues:	6	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	6	With residues above national MRL:	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)										
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50															
Acephate	12	12	0.02																												
Aldicarb	0																														
Azinphos-methyl	12	12	0.02																												
Azoxystrobin	12	12	0.05																												
Benomyl group(##)	0																														
Bromopropylate	12	12	0.02																												
Captan	12	10	0.10								1	1					0.64	0	xxxxxx												
Chlorothalonil	12	11	0.01					1									0.12	0	1.00					E							
Chlorpyrifos	12	12	0.05																												
Chlorpyrifos-methyl	12	12	0.05																												
Cypermethrin	12	12	0.05																												
Deltamethrin	12	12	0.05																												
Diazinon	12	12	0.02																												
Dichlofuanid	12	12	0.05																												
Dicofol	12	12	0.02																												
Dimethoate	12	12	0.05																												
Endosulfan	12	12	0.05																												
Folpet	12	12	0.10																												
Captan+ Folpet (Sum)	12	10	0.10					1	1							0.64		xxxxxx	2.00					E							
Imazalil	12	12	0.02																												
Iprodione	12	7	0.02								4	1				1.04	0	5.00					E								
Lambda-cyhalothrin	0																														
Malathion	12	12	0.02																												
Maneb-group(##)	12	12	0.05																												
Mecarbam	0		0.05																												
Methamidophos	12	12	0.01																												
Metalaxyl	12	12	0.05																												
Methidathion	12	12	0.02																												
Methiocarb	0																														
Methomyl	0																														
Ormethoate	12	12	0.02																												
Oxydemeton-methyl	12	12	0.05																												
Parathion	12	12	0.05																												
Permethrin	12	12	0.05																												
Phorate	12	12	0.05																												
Pirimiphos-methyl	12	12	0.05																												
Procydonia	12	12	0.02																												
Propyzamide	12	12	0.02																												
Thiabendazol	12	12	0.50																												
Tolyfluanid	12	12	0.05																												
Triazophos	12	12	0.02																												
Vinclozolin	12	12	0.05																												

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL
 (##) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (###) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Leafy vegetables			Food item: Spinach (fresh or frozen)		
Reporting country: LU		Year of sampling: 2002		Remark:	
Total number of samples analysed:		12	With residues above MRL (EC+national):		2
Without detectable residues:		10	With residues above EC-MRL:		1
With detectable residues at or below MRL or without MRL:		0	With residues above national MRL:		1
Only add information regarding spinach and the 41 pesticides and do not change or delete rows or columns					

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50						
Accephate	12	12	0.02																			
Aldicarb	0																					
Azinphos-methyl	12	12	0.02																			
Azoxystrobin	12	12	0.05																			
Benomyl group(##)	0																					
Bromopropylate	12	12	0.02																			
Captan	12	12	0.10																		xxxxxx	
Chlorothalonil	12	12	0.01																			
Chlorpyrifos	12	12	0.05																			
Chlorpyrifos-methyl	12	12	0.05																			
Cypermethrin	12	12	0.05																			
Deltamethrin	12	12	0.05																			
Diazinon	12	12	0.02																			
Dichlofuanid	12	12	0.05																			
Dicofol	12	12	0.02																			
Dimethoate	12	12	0.05																			
Endosulfan	12	12	0.05																			
Folpet	12	11	0.10															0.6		1	xxxxxx	
Captan+ Folpet (Sum)	12	11	0.10															0.6		1	0.10	N
Imazail	12	12	0.02																			
Iprodione	12	12	0.02																			
Lambda-cyhalothrin	0																					
Malathion	12	12	0.02																			
Maneb-group(##)	12	11	0.05															0.4		1	0.05	E
Mecarbam	0		0.05																			
Methamidophos	12	12	0.01																			
Metaxyl	12	12	0.05																			
Methidathion	12	12	0.02																			
Methiocarb	0																					
Methomyl	0																					
Ormethoate	12	12	0.02																			
Oxydemeton-methyl	12	12	0.05																			
Parathion	12	12	0.05																			
Permethrin	12	12	0.05																			
Phorate	12	12	0.05																			
Pirimiphos-methyl	12	12	0.05																			
Procyimidone	12	12	0.02																			
Propyzamide	12	12	0.02																			
Thiabendazol	12	12	0.50																			
Tolyfluanid	12	12	0.05																			
Triazophos	12	12	0.02																			
Vinclozolin	12	12	0.05																			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pome fruit		Food item: Pears	
Reporting country: The Netherlands		Year of sampling: 2002	
Total number of samples analysed:	74	With residues above MRL (EC+national):	0
Without detectable residues:	20	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	54	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)							
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50												
Acephate	74	74																										
Aldicarb	9	9																										
Azinphos-methyl	74	68	0.02			3	1	2										0.17			0.50					E		
Azoxystrobin	74	74																										
Benomyl-group	74	55	0.10				1	9	7	2								0.59			2.00					E		
Bromopropylate	74	71	0.05				1		1	1								0.56			2.00					E		
Captan	74	68	0.10						5	1								0.42			3.00					E		
Chlorothalonil	74	74																										
Chlorpyrifos	74	74																										
Chlorpyrifos-methyl	74	74																										
Cypermethrin	74	74																										
Deltamethrin	74	74																										
Diazinon	74	74																										
Dichlorofuanid	74	74																										
Dicofof	74	74																										
Dimethoate	74	74																										
Endosulfan	74	74																										
Folpet	74	72	0.10				1		1									0.26			3.00					E		
Captan+ Folpet (Sum)		0																										
Imazail	74	71	0.05						1	2								0.6			5.00					E		
Iprodione	74	72	0.05							1	1							1.2			10.00					E		
Lambda-cyhalothrin	74	74																										
Malathion	74	74																										
Maneb-group (as CS2)	18	14	0.05				2	2										0.2			3.00					E		
Mecarbam	74	74																										
Methamidophos	74	74																										
Metaxyl	74	74																										
Methidathion	74	74																										
Methiocarb	74	74																										
Methomyl	9	8	0.05				1											0.05			0.20					E		
Omethoate	74	74																										
Oxydemeton-methyl	74	74																										
Parathion	74	74																										
Permethrin	74	74																										
Phorate	74	74																										
Pirimiphos-methyl	74	74																										
Procymidone	74	72	0.05						1		1							0.76			1.00					E		
Propyzamide	74	74																										
Thiabendazole	74	72	0.10						1		1							0.61			5.00					E		
Tolylfuanid	74	58	0.10				4	7	5									0.47			2.00					N		
Triazophos	74	74																										
Vinclozolin	74	74																										

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Miscellaneous fruit		Food item: Bananas	
Reporting country: The Netherlands		Year of sampling: 2002	
Total number of samples analysed:	23	With residues above MRL (EC+national):	0
Without detectable residues:	4	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	19	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)								
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50							
Acephate	23	23																									
Aldicarb	9	9																									
Azinphos-methyl	23	23																									
Azoxystrobin	23	22	0.10								1							1.00			2.00					E	
Benomyl group(†)	22	22																									
Bromopropylate	23	23																									
Captan	23	23																								xxxxxx	
Chlorothalonil	23	23																									
Chlorpyrifos	23	23																									
Chlorpyrifos-methyl	23	23																									
Cypermethrin	23	23																									
Deltamethrin	23	23																									
Diazinon	23	23																									
Dichlofluanid	23	23																									
Dicofol	23	23																									
Dimethoate	23	23																									
Endosulfan	23	23																									
Folpet	23	23																								xxxxxx	
Captan+ Folpet (Sum)	23	23																									
Imazalil	23	17	0.05								1	1	4					1			2.00					E	
Iprodione	23	23																									
Lambda-cyhalothrin	23	23																									
Malathion	23	23																									
Maneb-group (as CS2)	3	3	0.05															0			0.05					E	
Mecarbam	23	23																									
Methamidophos	23	23																									
Metalaxyl	23	23																									
Methidathion	23	23																									
Methiocarb	23	23																									
Methomyl	9	9																									
Omethoate	23	23																									
Oxydemeton-methyl	23	23																									
Parathion	23	23																									
Permethrin	23	23																									
Phorate	23	23																									
Pirimiphos-methyl	23	23																									
Procymidone	23	23																									
Propyzamide	23	23																									
Thiabendazole	22	5	0.10							3	7	4	2	1				2.3			5.00					E	
Tolylfluanid	23	23																									
Triazophos	23	23																									
Vinclozolin	23	23																									

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Citrus fruit		Food item: Oranges/mandarins	
Reporting country: The Netherlands		Year of sampling: 2002	
Total number of samples analysed:	147	With residues above MRL (EC+national):	10
Without detectable residues:	5	With residues above EC-MRL:	10
With detectable residues at or below MRL or without MRL:	132	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)			
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50										
Acephate	147	147																								
Aldicarb	43	43																								
Azinphos-methyl	147	147																								
Azoxystrobin	147	147																								
Benomyl-group	147	138	0.10					7	2												0.37			5.00	E	
Bromopropylate	147	144	0.05					3													0.15			3.00	E	
Captan	147	147																						xxxxxx		
Chlorothalonil	147	147																								
Chlorpyrifos	147	96	0.05		0	4	18	19	9	1												0.57	3	2.00	E	
Chlorpyrifos-methyl	147	147																								
Cypermethrin	147	147																								
Deltamethrin	147	147																								
Diazinon	147	146	0.03				1															0.07	1	0.02	E	
Dichlofluanid	146	145	0.10					1														0.11		5.00	E	
Dicofol	146	125	0.05				3	8	9	1												0.83		2.00	E	
Dimethoate	147	146	0.05				1															0.09		1.00	E	
Endosulfan	147	147																								
Folpet	147	147																							xxxxxx	
Captan+ Folpet (Sum)		0																								
Imazail	147	24	0.05					3	8	21	42	44	5									7.3000002	5	5.00	E	
Iprodione	147	147																								
Lambda-cyhalothrin	147	147																								
Malathion	147	131	0.03			3	5	3	3	2												0.68		2.00	E	
Maneb-group (as CS2)	35	30	0.05				2	3														0.18		5.00	E	
Mecarbam	147	147																								
Methamidophos	147	147																								
Metalaxyl	147	147																								
Methidathion	147	108	0.03			6	7	9	14	3												0.65		2.00	E	
Methiocarb	147	146	0.05					1														0.15	1	0.05	E	
Methomyl	43	43																								
Omethoate	147	147																								
Oxydemeton-methyl	147	147																								
Parathion	147	147																								
Permethrin	147	147																								
Phorate	147	147																								
Pirimiphos-methyl	147	145	0.05				2															0.05		2.00	E	
Procymidone	147	147																								
Propyzamide	147	147																								
Thiabendazole	147	87	0.10				1	10	15	15	14	5										2.9000001		5.00	E	
Tolylfluanid	147	147																								
Triazophos	147	147																								
Vinclozolin	147	147																								

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (#) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Stone fruit		Food item: Peaches/nectarines	
Reporting country: The Netherlands		Year of sampling: 2002	
Total number of samples analysed:	75	With residues above MRL (EC+national):	4
Without detectable residues:	25	With residues above EC-MRL:	4
With detectable residues at or below MRL or without MRL:	46	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50						
Acephate	75	72	0.02					2	1									0.25	3	0.02	E	
Aldicarb	4	4																				
Azinphos-methyl	75	72	0.02			2		1										0.11		0.50	E	
Azoxystrobin	75	75																				
Benomyl-group	74	67	0.10					5	2									0.24		1.00	E	
Bromopropylate	75	75																				
Captan	75	71	0.10					2	2									0.47		2.00	E	
Chlorothalonil	75	73	0.01			1	1											0.07		1.00	E	
Chlorpyrifos-ethyl	75	72	0.05				2	1										0.13		0.20	E	
Chlorpyrifos-methyl	75	73	0.05				2											0.1		0.50	E	
Cypermethrin	75	75																				
Deltamethrin	75	75																				
Diazinon	75	75																				
Dichlorfuanid	75	75																				
Dicofol	75	75																				
Dimethoate	75	75																				
Endosulfan	75	73	0.05			1	1											0.1		0.50	E	
Folpet	75	75																		xxxxxx		
Captan+ Folpet (Sum)		0																				
Imazail	75	74	0.05					1										0.2	1	0.02	E	
Iprodione	75	66	0.05					3	2	4								0.97		5.00	E	
Lambda-cyhalothrin	75	75																				
Malathion	75	75																				
Maneb-group (as CS2)	12	9	0.05			1		1	1									0.26		2.00	E	
Mecarbam	75	75																				
Methamidophos	75	74	0.02				1											0.08	1	0.05	E	
Metalaxyl	75	75																				
Methidathion	75	75																				
Methiocarb	75	75																				
Methomyl	4	4																				
Omethoate	75	75																				
Oxydemeton-methyl	75	75																				
Parathion	75	75																				
Permethrin	75	75																				
Phorate	75	75																				
Pirimiphos-methyl	75	75																				
Procymidone	75	72	0.05					1	2									0.39		2.00	E	
Propyzamide	75	75																				
Thiabendazol	74	74																				
Tolyfluanid	75	75																				
Triazophos	75	75																				
Vinclozolin	75	75																				

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (#) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Miscellaneous fruit	Food item: Bananas	
Reporting country: AUSTRIA	Year of sampling: 2002	Remark:
Total number of samples analysed:	13	With residues above MRL (EC+national): <input type="text" value="0"/>
Without detectable residues:	5	With residues above EC-MRL: <input type="text" value="0"/>
With detectable residues at or below MRL or without MRL:	8	With residues above national MRL: <input type="text" value="0"/>
Only add information regarding bananas and the 41 pesticides and do not change or delete rows or columns		

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50						
Acephate	13	13	0,01;0,02;0,05																			
Aldicarb	13	13	0,01																			
Azinphos-methyl	13	13	0,01;0,02;0,1																			
Azoxystrobin	13	13	0,01;0,05																			
Benomyl group(#)	13	13	0,01;0,1																			
Bromopropylate	13	13	0,01																			
Captan	13	13	0,03;0,05;0,1																		xxxxxx	
Chlorothalonil	13	13	0,01;0,02;0,05																			
Chlorpyrifos	13	13	0,01;0,02																			
Chlorpyrifos-methyl	13	13	0,01;0,02																			
Cypermethrin	13	13	0,05;0,1																			
Deltamethrin	13	13	0,05;0,1																			
Diazinon	13	13	0,01;0,02																			
Dichlofluamid	13	13	0,01;0,02;0,03																			
Dicofol	13	13	0,02;0,05																			
Dimethoate	13	13	0,01;0,02																			
Endosulfan	13	13	0,01																			
Folpet	13	13	0,03;0,08;0,1																		xxxxxx	
Captan+ Folpet (Sum)	13	13																				
Imazalil	13	8	0,01;0,05;0,1						1	3	1						0,606					
Iprodione	13	13	0,02;0,04;0,1;0,3																			
Lambda-cyhalothrin	13	13	0,05																			
Malathion	13	13	0,01;0,02																			
Maneb-group(##)	13	10	0,20			2		1									0,15	0				
Mecarbam	13	13	0,01;0,02;0,05																			
Methamidophos	13	13	0,01;0,02;0,03																			
Metalaxyl	13	13	0,03;0,05;0,1																			
Methidathion	13	13	0,01;0,02																			
Methiocarb	13	13	0,01																			
Methomyl	13	13	0,01																			
Ormethoate	13	13	0,01;0,02;0,05																			
Oxydemeton-methyl																						
Parathion	13	13	0,01;0,02																			
Permethrin	13	13	0,05																			
Phorate	13	13	0,01																			
Pirimiphos-methyl	13	13	0,01																			
Procyimodone	13	13	0,01;0,02;0,05																			
Propyzamide	13	13	0,02;0,05																			
Thiabendazol	13	8	0,1;0,2				1		4								0,378					
Tolyfluamid	13	13	0,01;0,02;0,05;0,5																			
Triazophos	13	13	0,01;0,02																			
Vinclozolin	13	13	0,01																			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL
 (#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pulses		Food item: Beans (fresh or frozen)	
Reporting country: AUSTRIA _____		Year of sampling: <u> 2002 </u>	Remark:
Total number of samples analysed:	12	With residues above MRL (EC+national):	
Without detectable residues:	7	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	5	With residues above national MRL:	

Only add information regarding beans and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Accephate	12	12	0,01;0,02;0,05																	
Aldicarb	12	12	0,01																	
Azinphos-methyl	12	12	0,01;0,02;0,1																	
Azoxystrobin	12	12	0,01;0,05																	
Benomyl group(##)	12	12	0,01;0,1																	
Bromopropylate	12	12	0,01																	
Captan	12	12	0,03;0,05;0,1																xxxxxx	
Chlorothalonil	12	12	0,01;0,02;0,05																	
Chlorpyrifos	12	12	0,01;0,02																	
Chlorpyrifos-methyl	12	12	0,01;0,02																	
Cypermethrin	12	12	0,05;0,1																	
Deltamethrin	12	12	0,05;0,1																	
Diazinon	12	12	0,01;0,02																	
Dichlofluanid	12	12	0,01;0,02;0,03																	
Dicofol	12	12	0,02;0,05																	
Dimethoate	12	12	0,01;0,02																	
Endosulfan	12	11	0,01					1									0,05			
Folpet	12	12	0,03;0,08;0,1																xxxxxx	
Captan+ Folpet (Sum)	12	12																		
Imazail	12	12	0,01;0,05;0,1																	
Iprodione	12	10	0,02;0,04;0,1;0,3				1			1							0,81			
Lambda-cyhalothrin	12	12	0,05																	
Malathion	12	12	0,01;0,02																	
Maneb-group(##)	12	9	0,20				1			1	1						0,88			
Mecarbam	12	12	0,01;0,02;0,05																	
Methamidophos	12	12	0,01;0,02;0,03																	
Metaxyl	12	12	0,03;0,05;0,1																	
Methidathion	12	12	0,01;0,02																	
Methiocarb	12	12	0,01																	
Methomyl	12	12	0,01																	
Ormethoate	12	12	0,01;0,02;0,05																	
Oxydemeton-methyl																				
Parathion	12	12	0,01;0,02																	
Permethrin	12	12	0,05																	
Phorate	12	12	0,01																	
Pirimiphos-methyl	12	12	0,01																	
Procydonie	12	10	0,01;0,02;0,05							2							0,26			
Propyzamide	12	12	0,02;0,05																	
Thiabendazol	6	6	0,1;0,2																	
Tolyfluanid	12	12	0,01;0,02;0,05;0,5																	
Triazophos	12	12	0,01;0,02																	
Vinclozolin	12	12	0,01																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Potatoes		Food item: Potatoes		
Reporting country: AUSTRIA _____	Year of sampling: <u>2002</u>	Remark:		
Total number of samples analysed:	<input type="text" value="12"/>	With residues above MRL (EC+national):	<input type="text" value="0"/>	Only add information regarding potatoes and the 41 pesticides and do not change or delete rows or columns
Without detectable residues:	<input type="text" value="8"/>	With residues above EC-MRL:	<input type="text" value="0"/>	
With detectable residues at or below MRL or without MRL:	<input type="text" value="4"/>	With residues above national MRL:	<input type="text" value="0"/>	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	12	12	0,01;0,02;0,05																		
Aldicarb	12	12	0.01																		
Azinphos-methyl	12	12	0,01;0,02;0,1																		
Azoxystrobin	12	12	0,01;0,05																		
Benomyl group(#) #	12	12	0,01;0,1																		
Bromopropylate	12	12	0.01																		
Captan	12	12	0,03;0,05;0,1																	xxxxxx	
Chlorothalonil	12	12	0,01;0,02;0,05																		
Chlorpyrifos	12	12	0,01;0,02																		
Chlorpyrifos-methyl	12	12	0,01;0,02																		
Cypermethrin	12	12	0,05;0,1																		
Deltamethrin	12	12	0,05;0,1																		
Diazinon	12	12	0,01;0,02																		
Dichlofluanid	12	12	0,01;0,02;0,03																		
Dicofof	12	12	0,02;0,05																		
Dimethoate	12	12	0,01;0,02																		
Endosulfan	12	12	0.01																		
Folpet	12	12	0,03;0,08;0,1																	xxxxxx	
Captan+ Folpet (Sum)	12	12																			
Imazalil	12	12	0,01;0,05;0,1																		
Iprodione	12	12	0,02;0,04;0,1;0,3																		
Lambda-cyhalothrin	12	12	0.05																		
Malathion	12	12	0,01;0,02																		
Maneb-group(##)	10	7	0.20		2	1											0.05				
Mecarbam	12	12	0,01;0,02;0,05																		
Methamidophos	12	12	0,01;0,02;0,03																		
Metalaxyl	12	12	0,03;0,05;0,1																		
Methidathion	12	12	0,01;0,02																		
Methiocarb	12	12	0.01																		
Methomyl	12	12	0.01																		
Ormethoate	12	12	0,01;0,02;0,05																		
Oxydemeton-methyl																					
Parathion	12	12	0,01;0,02																		
Permethrin	12	12	0.05																		
Phorate	12	12	0.01																		
Pirimiphos-methyl	12	12	0.01																		
Procymidone	12	12	0,01;0,02;0,05																		
Propyzamide	12	12	0,02;0,05																		
Thiabendazol	6	5	0,1;0,2					1									0.119				
Tolyfluanid	12	12	0,01;0,02;0,05;0,5																		
Triazophos	12	12	0,01;0,02																		
Vinclozolin	12	12	0.01																		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Root and tuber vegetables		Food item: Carrots			
Reporting country: AUSTRIA		Year of sampling: 2002			
		Remark:			
Total number of samples analysed: <table border="1" style="display: inline-table;"><tr><td>12</td></tr></table>		12	With residues above MRL (EC+national): <table border="1" style="display: inline-table;"><tr><td>1</td></tr></table>		1
12					
1					
Without detectable residues: <table border="1" style="display: inline-table;"><tr><td>8</td></tr></table>		8	With residues above EC-MRL: <table border="1" style="display: inline-table;"><tr><td>1</td></tr></table>		1
8					
1					
With detectable residues at or below MRL or without MRL: <table border="1" style="display: inline-table;"><tr><td>3</td></tr></table>		3	With residues above national MRL: <table border="1" style="display: inline-table;"><tr><td>0</td></tr></table>		0
3					
0					
Only add information regarding carrots and the 41 pesticides and do not change or delete rows or columns					

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)															Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)					
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50											
Accephate	12	12	0,01:0,02:0,05																								
Aldicarb	12	12	0,01																								
Azinphos-methyl	12	12	0,01:0,02:0,1																								
Azoxystrobin	12	12	0,01:0,05																								
Benomyl group(#)	12	12	0,01:0,1																								
Bromopropylate	12	12	0,01																								
Captan	12	12	0,03:0,05:0,1																								xxxxxx
Chlorothalonil	12	12	0,01:0,02:0,05																								
Chlorpyrifos	12	12	0,01:0,02																								
Chlorpyrifos-methyl	12	12	0,01:0,02																								
Cypermethrin	12	12	0,05:0,1																								
Deltamethrin	12	12	0,05:0,1																								
Diazinon	12	12	0,01:0,02																								
Dichlofluaniid	12	12	0,01:0,02:0,03																								
Dicofol	12	12	0,02:0,05																								
Dimethoate	12	12	0,01:0,02																								
Endosulfan	12	11	0,01																				0.822	1	0.20	E	
Folpet	12	12	0,03:0,08:0,1																							xxxxxx	
Captan+ Folpet (Sum)	12	12																									
Imazail	12	12	0,01:0,05:0,1																								
Iprodione	11	9	0,02:0,04:0,1:0,3					2												0.09							
Lambda-cyhalothrin	12	12	0,05																								
Malathion	12	12	0,01:0,02																								
Maneb-group(##)	12	12	0,20																								
Mecarbam	12	12	0,01:0,02:0,05																								
Methamidophos	12	12	0,01:0,02:0,03																								
Metaxalyl	12	12	0,03:0,05:0,1																								
Methidathion	12	12	0,01:0,02																								
Methiocarb	12	12	0,01																								
Methomyl	12	12	0,01																								
Ormethoate	12	12	0,01:0,02:0,05																								
Oxydemeton-methyl																											
Parathion	12	12	0,01:0,02																								
Permethrin	12	12	0,05																								
Phorate	12	12	0,01																								
Pirimiphos-methyl	12	12	0,01																								
Procydon	11	10	0,01:0,02:0,05					1															0.023				
Propyzamide	12	12	0,02:0,05																								
Thiabendazol	6	6	0,1:0,2																								
Tolyfluaniid	12	12	0,01:0,02:0,05:0,5																								
Triazophos	12	12	0,01:0,02																								
Vinclozolin	12	12	0,01																								

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Citrus fruit		Food item: Oranges/mandarins	
Reporting country: AUSTRIA		Year of sampling: 2002	Remark:
Total number of samples analysed:	14	With residues above MRL (EC+national):	2
Without detectable residues:	0	With residues above EC-MRL:	2
With detectable residues at or below MRL or without MRL:	12	With residues above national MRL:	0

Only add information regarding oranges/mandarins and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)															Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)						
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50												
Accephate	14	14	0,01;0,02;0,05																									
Aldicarb	13	13	0.01																									
Azinphos-methyl	14	14	0,01;0,02;0,1																									
Azoxystrobin	14	14	0,01;0,05																									
Benomyl group(##)	14	14	0,01;0,1																									
Bromopropylate	14	14	0.01																									
Captan	14	14	0,03;0,05;0,1																									xxxxxx
Chlorothalonil	14	14	0,01;0,02;0,05																									
Chlorpyrifos	14	9	0,01;0,02																									
Chlorpyrifos-methyl	14	13	0,01;0,02																									
Cypermethrin	14	14	0,05;0,1																									
Deltamethrin	14	14	0,05;0,1																									
Diazinon	14	14	0,01;0,02																									
Dichlofluanid	14	14	0,01;0,02;0,03																									
Dicofol	14	13	0,02;0,05																									
Dimethoate	14	11	0,01;0,02																									
Endosulfan	14	13	0.01																									
Folpet	14	14	0,03;0,08;0,1																									xxxxxx
Captan+ Folpet (Sum)	14	14																										
Imazail	14	2	0,01;0,05;0,1																									
Iprodione	14	14	0,02;0,04;0,1;0,3																									
Lambda-cyhalothrin	14	14	0.05																									
Malathion	14	14	0,01;0,02																									
Maneb-group(##)	14	11	0.20																									
Mecarbam	14	13	0,01;0,02;0,05																									
Methamidophos	14	14	0,01;0,02;0,03																									
Metalaxyl	14	14	0,03;0,05;0,1																									
Methidathion	14	10	0,01;0,02																									
Methiocarb	8	8	0.01																									
Methomyl	13	13	0.01																									
Ormethoate	14	14	0,01;0,02;0,05																									
Oxydemeton-methyl																												
Parathion	14	13	0,01;0,02																									
Permethrin	14	14	0.05																									
Phorate	14	14	0.01																									
Pirimiphos-methyl	14	14	0.01																									
Procyimidine	14	14	0,01;0,02;0,05																									
Propyzamide	14	14	0,02;0,05																									
Thiabendazol	8	5	0,1;0,2																									
Tolyfluanid	14	14	0,01;0,02;0,05;0,5																									
Triazophos	14	14	0,01;0,02																									
Vinclozolin	14	14	0.01																									

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL
 (##) Sum of dithiocarbamates, expressed as CS2
 (#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Stone fruit		Food item: Peaches/nectarines	
Reporting country: AUSTRIA		Year of sampling: 2002	Remark:
Total number of samples analysed:	12	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	9	With residues above national MRL:	0
Only add information regarding peaches/nectarines and the 41 pesticides and do not change or delete rows or columns			

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)															Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)							
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50													
Acephate	12	12	0,01;0,02;0,05																										
Aldicarb	12	12	0.01																										
Azinphos-methyl	12	12	0,01;0,02;0,1																										
Azoxystrobin	12	12	0,01;0,05																										
Benomyl group(##)	12	11	0,01;0,1						1														0.356						
Bromopropylate	12	11	0.01						1														0.25						
Captan	12	12	0,03;0,05;0,1																										xxxxxx
Chlorothalonil	12	12	0,01;0,02;0,05																										
Chlorpyrifos	12	9	0,01;0,02		1		2																0.086						
Chlorpyrifos-methyl	12	11	0,01;0,02						1														0.264						
Cypermethrin	12	12	0,05;0,1																										
Deltamethrin	12	12	0,05;0,1																										
Diazinon	12	12	0,01;0,02																										
Dichlofluanid	12	12	0,01;0,02;0,03																										
Dicofol	12	12	0,02;0,05																										
Dimethoate	12	12	0,01;0,02																										
Endosulfan	12	11	0.01						1														0.16						
Folpet	12	12	0,03;0,08;0,1																										xxxxxx
Captan+ Folpet (Sum)	12	12																											
Imazail	12	12	0,01;0,05;0,1																										
Iprodione	12	10	0,02;0,04;0,1;0,3						1		1												0.7						
Lambda-cyhalothrin	12	12	0.05																										
Malathion	12	12	0,01;0,02																										
Maneb-group(##)	12	9	0.20			2	1																0.1						
Mecarbam	12	12	0,01;0,02;0,05																										
Methamidophos	12	12	0,01;0,02;0,03																										
Metalaxyl	12	12	0,03;0,05;0,1																										
Methidathion	12	12	0,01;0,02																										
Methiocarb	12	12	0.01																										
Methomyl	12	12	0.01																										
Ormethoate	12	12	0,01;0,02;0,05																										
Oxydemeton-methyl																													
Parathion	12	12	0,01;0,02																										
Permethrin	12	12	0.05																										
Phorate	12	12	0.01																										
Pirimiphos-methyl	12	12	0.01																										
Procymidone	12	12	0,01;0,02;0,05																										
Propyzamide	12	12	0,02;0,05																										
Thiabendazol	6	6	0,1;0,2																										
Tolyfluanid	12	12	0,01;0,02;0,05;0,5																										
Triazophos	12	12	0,01;0,02																										
Vinclozolin	12	12	0.01																										

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL
 (##) Sum of dithiocarbamates, expressed as CS2
 (#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Leafy vegetables		Food item: Spinach (fresh or frozen)	
Reporting country: AUSTRIA		Year of sampling: 2002	Remark:
Total number of samples analysed:	12	With residues above MRL (EC+national):	1
Without detectable residues:	3	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	8	With residues above national MRL:	0

Only add information regarding spinach and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)									
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50													
Accephate	12	12																											
Aldicarb	12	12																											
Azinphos-methyl	12	12																											
Azoxystrobin	12	12																											
Benomyl group(##)	12	12																											
Bromopropylate	12	12																											
Captan	12	12																										xxxxxx	
Chlorothalonil	12	12																											
Chlorpyrifos	12	11														1		6											
Chlorpyrifos-methyl	12	12																											
Cypermethrin	12	12																											
Deltamethrin	12	12																											
Diazinon	12	12																											
Dichlofluanid	12	12																											
Dicofol	12	12																											
Dimethoate	12	12																											
Endosulfan	12	12																											
Folpet	12	12																									xxxxxx		
Captan+ Folpet (Sum)	12	12																											
Imazalil	12	12																											
Iprodione	12	11														1		2.1		1		0.02						E	
Lambda-cyhalothrin	12	12																											
Malathion	12	12																											
Maneb-group(##)	11	8						1	1								0.41												
Mecarbam	12	12																											
Methamidophos	12	12																											
Metaxyl	12	12																											
Methidathion	12	12																											
Methiocarb	12	12																											
Methomyl	12	12																											
Ormethoate	12	12																											
Oxydemeton-methyl																													
Parathion	12	12																											
Permethrin	12	12																											
Phorate	12	12																											
Pirimiphos-methyl	12	12																											
Procymidone	12	12																											
Propyzamide	12	12																											
Thiabendazol	6	6																											
Tolyfluanid																													
Triazophos																													
Vinclozolin																													

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pome fruit		Food item: Pears	
Reporting country:	<u>Portugal</u>	Year of sampling:	<u>2002</u>
		Remark:	Only add information regarding bananas and the 41 pesticides and do not change or delete rows or columns
Total number of samples analysed:	53	With residues above MRL (EC+national):	0
Without detectable residues:	32	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	21	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	29	28	0.02				1										0.07	0	1.00	E	
Aldicarb	29	29	0.05																		
Azinphos-methyl	29	28	0.05				1										0.06	0	0.50	E	
Azoxystrobin	29	29	0.05																		
Benomyl group(†)	29	27	0.10					1	1								0.92	0	2.00	E	
Bromopropylate	29	29	0.05																		
Captan	29	18	0.05				2	6	3								0.36	0	xxxxxx		
Chlorothalonil	29	29	0.01																		
Chlorpyrifos	29	27	0.05					2									0.18	0	0.50	E	
Chlorpyrifos-methyl	29	29	0.05																		
Cypermethrin	29	29	0.05																		
Deltamethrin	29	29	0.05																		
Diazinon	29	28	0.02		1												0.02	0	0.30	E	
Dichlofuanid	29	29	0.05																		
Dicofof	29	29	0.05																		
Dimethoate	29	26	0.02			1		1	1								0.23	0	1.00	E	
Endosulfan	29	27	0.05				2										0.09	0	0.30	E	
Folpet	29	29	0.05																xxxxxx		
Captan+ Folpet (Sum)	29	18					2	6	3								0.36	0	3.00	E	
Imazail	29	29	0.05																		
Iprodione	29	28	0.02					1									0.19	0	10.00	E	
Lambda-cyhalothrin	29	29	0.02																		
Malathion	29	29	0.02																		
Maneb-group(##)	24	21	0.20					1	2								0.73	0	3.00	E	
Mecarbam	29	29	0.05																		
Methamidophos	29	29	0.01																		
Metalaxyl	29	29	0.05																		
Methidathion	29	28	0.02				1										0.1	0	0.30	E	
Methiocarb	29	29	0.05																		
Methomyl	29	29	0.05																		
Ormethoate	29	28	0.02			1											0.04	0	0.20	E	
Oxydemeton-methyl	23	23	0,05-0,1																		
Parathion	29	29	0.01																		
Permethrin	29	29	0.05																		
Phorate	23	23	0.05																		
Pirimiphos-methyl	29	29	0.05																		
Procyimidon	29	29	0.02																		
Propyzamide	29	29	0.05																		
Thiabendazol	29	29	0.10																		
Tolyfluanid	29	29	0.10																		
Triazophos	29	29	0.02																		
Vinclozolin	29	29	0.05																		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(†) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables		Food item: Beans (fresh or frozen)		
Reporting country: Portugal		Year of sampling: 2002		Remark:
Total number of samples analysed: 77		With residues above MRL (EC+national): 3	Only add information regarding peaches/nectarines and the 41 pesticides and do not change or delete rows or columns	
Without detectable residues: 59		With residues above EC-MRL: 3		
With detectable residues at or below MRL or without MRL: 15		With residues above national MRL: 0		

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Accephate	47	47	0.02-0.05																	
Aldicarb	47	47	0.05-0.1																	
Azinphos-methyl	47	47	0.02-0.05																	
Azoxystrobin	30	30	0.05																	
Benomyl group(##)	47	47	0.10																	
Bromopropylate	47	47	0.05																	
Captan	47	47	0.05																xxxxxx	
Chlorothalonil	30	30	0.01																	
Chlorpyrifos	47	47	0.05																	
Chlorpyrifos-methyl	47	47	0.05																	
Cypermethrin	47	47	0.05-0.2																	
Deltamethrin	47	47	0.05-0.2																	
Diazinon	47	47	0.02-0.05																	
Dichlofluand	47	47	0.05																	
Dicofol	47	47	0.05																	
Dimethoate	47	46	0.02				1										0.07	0	1.00	E
Endosulfan	47	45	0.05					1	1								0.53	2	0.05	E
Folpet	47	47	0.05																xxxxxx	
Captan+ Folpet (Sum)	47	47																		
Imazail	47	47	0.05																	
Iprodione	47	45	0.02				1	1									0.08	0	5.00	E
Lambda-cyhalothrin	47	47	0.02																	
Malathion	47	47	0.02-0.05																	
Maneb-group(##)	47	41	0.05-0.2					2	2	1	1						1.4	1	1.00	E
Mecarbam	47	47	0.05																	
Methamidophos	47	47	0.01-0.05																	
Metalaxyl	47	47	0.05																	
Methidathion	47	47	0.02																	
Methiocarb	47	47	0.05																	
Methomyl	47	47	0.05																	
Ormethoate	47	47	0.02-0.05																	
Oxydemeton-methyl	13	13	0.05-0.1																	
Parathion	47	47	0.01-0.02																	
Permethrin	47	47	0.05-0.1																	
Phorate	13	13	0.05																	
Pirimiphos-methyl	47	47	0.05																	
Procymidone	47	40	0.02			1	4			1	1						0.76	0	2.00	E
Propyzamide	30	30	0.05																	
Thiabendazol	47	47	0.1-0.2																	
Tolylfluanid	30	30	0.10																	
Triazophos	47	47	0.02																	
Vinclozolin	47	47	0.05																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL
 (##) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (###) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Potatoes		Food item: Potatoes	
Reporting country:	<u>Portugal</u>	Year of sampling:	<u>2002</u>
Remark:			
Total number of samples analysed:	51	With residues above MRL (EC+national):	0
Without detectable residues:	50	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Only add information regarding spinach and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)												
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50																			
Accephate	39	39	0.02-0.05																																
Aldicarb	39	39	0.05-0.1																																
Azinphos-methyl	39	39	0.02-0.05																																
Azoxystrobin	17	17	0.05																																
Benomyl group(†)	39	39	0.10																																
Bromopropylate	39	39	0.05																																
Captan	39	39	0.05																																
Chlorothalonil	17	17	0.01																																
Chlorpyrifos	39	39	0.05																																
Chlorpyrifos-methyl	39	39	0.05																																
Cypermethrin	39	39	0.05-0.2																																
Deltamethrin	39	39	0.05-0.2																																
Diazinon	39	39	0.02-0.05																																
Dichlofluanid	39	39	0.05																																
Dicofol	39	39	0.05																																
Dimethoate	39	39	0.02																																
Endosulfan	39	39	0.05																																
Folpet	39	39	0.05																																
Captan+ Folpet (Sum)	39	39																																	
Imazail	39	39	0.05																																
Iprodione	39	39	0.02																																
Lambda-cyhalothrin	39	39	0.02																																
Malathion	39	38	0.02-0.05				1													0.05			0		3.00									N	
Maneb-group(##)	34	34	0.05-0.2																																
Mecarbam	39	39	0.05																																
Methamidophos	39	39	0.01-0.05																																
Metalaxyl	39	39	0.05																																
Methidathion	39	39	0.02																																
Methiocarb	39	39	0.05																																
Methomyl	39	39	0.05																																
Ormethoate	39	39	0.02-0.05																																
Oxydemeton-methyl	10	10	0.05-0.1																																
Parathion	39	39	0.01-0.02																																
Permethrin	39	39	0.05-0.1																																
Phorate	10	10	0.05																																
Pirimiphos-methyl	39	39	0.05																																
Procymidone	39	39	0.02																																
Propyzamide	17	17	0.05																																
Thiabendazol	39	39	0.1-0.2																																
Tolylfluanid	17	17	0.10																																
Triazophos	39	39	0.02																																
Vinclozolin	39	39	0.05																																

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(†) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Root and tuber vegetables		Food item: Carrots	
Reporting country: <u>Portugal</u>		Year of sampling: <u>2002</u>	Remark:
Total number of samples analysed:	60	With residues above MRL (EC+national):	0
Without detectable residues:	57	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	47	47	0.02																		
Aldicarb	27	27	0.05																		
Azinphos-methyl	47	47	0.05																		
Azoxystrobin	47	47	0.05																		
Benomyl group(#)	27	27	0.10																		
Bromopropylate	47	47	0.05																		
Captan	47	47	0.05																	xxxxxx	
Chlorothalonil	47	47	0.01																		
Chlorpyrifos	47	47	0.05																		
Chlorpyrifos-methyl	47	47	0.05																		
Cypermethrin	47	47	0.05																		
Deltamethrin	47	47	0.05																		
Diazinon	47	47	0.02																		
Dichlofluanid	47	47	0.05																		
Dicofol	47	47	0.05																		
Dimethoate	47	47	0.02																		
Endosulfan	47	47	0.05																		
Folpet	47	47	0.05																	xxxxxx	
Captan+ Folpet (Sum)	47	47																			
Imazail	47	47	0.05																		
Iprodione	47	45	0.02				1	1									0.06	0	3.00	E	
Lambda-cyhalothrin	47	47	0.02																		
Malathion	47	47	0.02																		
Maneb-group(##)	13	13	0.20																		
Mecarbam	47	47	0.05																		
Methamidophos	47	47	0.01																		
Metaxyl	47	47	0.05																		
Methidathion	47	47	0.02																		
Methiocarb	27	27	0.05																		
Methomyl	27	27	0.05																		
Ormethoate	47	47	0.02																		
Oxydemeton-methyl	12	12	0.05-0.1																		
Parathion	47	47	0.01																		
Permethrin	47	47	0.05																		
Phorate	12	12	0.05																		
Pirimiphos-methyl	47	47	0.05																		
Procymidone	47	47	0.02																		
Propyzamide	47	47	0.05																		
Thiabendazol	47	47	0.10																		
Tolylfluanid	47	47	0.10																		
Triazophos	47	47	0.02																		
Vinclozolin	47	46	0.05					1									0.19	0	0.50	E	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Citrus fruit		Food item: Oranges/mandarins		
Reporting country: <u>Portugal</u>	Year of sampling: <u>2002</u>	Remark:		
Total number of samples analysed:	63	With residues above MRL (EC+national):	0	Only add information regarding pears and the 41 pesticides and do not change or delete rows or columns
Without detectable residues:	39	With residues above EC-MRL:	0	
With detectable residues at or below MRL or without MRL:	24	With residues above national MRL:	0	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	39	38	0.02				1										0.08	0	1.00	E	
Aldicarb	39	39	0.05																		
Azinphos-methyl	39	39	0.05																		
Azoxystrobin	39	39	0.05																		
Benomyl group(#)	22	22	0.10																		
Bromopropylate	39	39	0.05																		
Captan	39	39	0.05																xxxxxx		
Chlorothalonil	39	39	0.01																		
Chlorpyrifos	39	33	0.05			3	1	2								0.12	0	0.30	E		
Chlorpyrifos-methyl	39	39	0.05																		
Cypermethrin	39	39	0.05																		
Deltamethrin	39	39	0.05																		
Diazinon	39	39	0.02																		
Dichlofluanid	39	39	0.05																		
Dicofol	39	36	0.05				1	2								0.15	0	2.00	E		
Dimethoate	39	25	0.02			2	2	3	3	2	2					1	0	1.00	E		
Endosulfan	39	39	0.05																		
Folpet	39	39	0.05																xxxxxx		
Captan+ Folpet (Sum)	39	39																			
Imazail	39	38	0.05						1							0.35	0	5.00	E		
Iprodione	39	39	0.02																		
Lambda-cyhalothrin	39	39	0.02																		
Malathion	39	37	0.02			1	1									0.09	0	2.00	E		
Maneb-group(##)	24	24	0.20																		
Mecarbam	39	39	0.05																		
Methamidophos	39	39	0.01																		
Metalaxyl	39	39	0.05																		
Methidathion	39	33	0.02		1	2	1	2								0.2	0	2.00	E		
Methiocarb	39	39	0.05																		
Methomyl	39	39	0.05																		
Ormethoate	39	34	0.02		1	3	1									0.06	0	0.20	E		
Oxydemeton-methyl	9	9	0,05-0,1																		
Parathion	39	39	0.01																		
Permethrin	39	39	0.05																		
Phorate	9	9	0.05																		
Pirimiphos-methyl	39	38	0.05					1								0.41	0	1.00	E		
Procyimodone	39	39	0.02																		
Propyzamide	39	39	0.05																		
Thiabendazol	39	39	0.10																		
Tolyfluanid	39	39	0.10																		
Triazophos	39	39	0.02																		
Vinclozolin	39	39	0.05																		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Stone fruit		Food item: Peaches/nectarines	
Reporting country: <u> PORTUGAL </u>	Year of sampling: <u> 2002 </u>	Remark:	
Total number of samples analysed:	88	With residues above MRL (EC+national):	2
Without detectable residues:	72	With residues above EC-MRL:	2
With detectable residues at or below MRL or without MRL:	14	With residues above national MRL:	0

Only add information regarding beans and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)															Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50						
Accephate	58	55	0,02-0,05		1													0,11	0	0,20	E	
Aldicarb	44	44	0,05-0,1																			
Azinphos-methyl	58	57	0,02-0,05					1										0,18	0	0,50	E	
Azoxystrobin	29	29	0,05																			
Benomyl group(#)	49	46	0,10						2						1			1,6	1	1,00	E	
Bromopropylate	44	44	0,05																			
Captan	44	43	0,05															0,3	0	xxxxx		
Chlorothalonil	29	27	0,01					1		1								0,48	0	1,00	E	
Chlorpyrifos	58	58	0,05																			
Chlorpyrifos-methyl	58	58	0,05																			
Cypermethrin	44	42	0,05-0,2						2									0,18	0	2,00	E	
Deltamethrin	44	44	0,05-0,2																			
Diazinon	58	58	0,02-0,05																			
Dichlofluanid	44	44	0,05																			
Dicofol	44	43	0,05							1								0,12	1	0,02	E	
Dimethoate	58	58	0,02																			
Endosulfan	44	44	0,05																			
Folpet	44	44	0,05																		xxxxx	
Captan+ Folpet (Sum)	44	43						1										0,3	0	2,00	E	
Imazail	58	58	0,05																			
Iprodione	44	44	0,02																			
Lambda-cyhalothrin	44	44	0,02																			
Malathion	58	58	0,02-0,05																			
Maneb-group(##)	45	42	0,05-0,2						3									0,05	0	2,00	E	
Mecarbam	58	58	0,05																			
Methamidophos	58	55	0,01-0,05		1	2												0,05	0	0,05	E	
Metalaxyl	58	58	0,05																			
Methidathion	58	58	0,02																			
Methiocarb	44	44	0,05																			
Methomyl	44	44	0,05																			
Ormethoate	58	58	0,02-0,05																			
Oxydemeton-methyl	18	18	0,05-0,1																			
Parathion	58	58	0,01-0,02																			
Permethrin	44	44	0,05-0,1																			
Phorate	18	18	0,05																			
Pirimiphos-methyl	58	57	0,05						1									0,06	0	0,05	E*	
Procydon	44	41	0,02							1		2						0,94	0	2,00	E	
Propyzamide	29	29	0,05																			
Thiabendazol	58	58	0,1-0,2																			
Tolyfluanid	29	29	0,10																			
Triazophos	58	58	0,02																			
Vinclozolin	44	44	0,05																			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

* No infringement reported.

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Leafy vegetables		Food item: Spinach (fresh or frozen)	
Reporting country:	<u>Portugal</u>	Year of sampling:	<u>2002</u>
Remark:			
Total number of samples analysed:		<u>73</u>	With residues above MRL (EC+national):
Without detectable residues:		<u>65</u>	With residues above EC-MRL:
With detectable residues at or below MRL or without MRL:		<u>1</u>	With residues above national MRL:
			<u>7</u>
			<u>7</u>
			<u>0</u>

Only add information regarding oranges/mandarins and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)														
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50																		
Accephate	35	35	0.02																															
Aldicarb	35	35	0.05																															
Azinphos-methyl	35	35	0.05																															
Azoxystrobin	35	35	0.05																															
Benomyl group(#)	35	34	0.10																			1		4.8	1	0.10	EC							
Bromopropylate	35	35	0.05																															
Captan	35	35	0.05																														xxxxxx	
Chlorothalonil	35	35	0.01																															
Chlorpyrifos	35	34	0.05							1														0.12	1	0.05	EC							
Chlorpyrifos-methyl	35	35	0.05																															
Cypermethrin	35	35	0.05																															
Deltamethrin	35	35	0.05																															
Diazinon	35	35	0.02																															
Dichlofluanid	35	34	0.05																				1		4.5	0	5.00	EC						
Dicofol	35	35	0.05																															
Dimethoate	35	35	0.02																															
Endosulfan	35	33	0.05						1		1													1	2	0.05	EC							
Folpet	35	35	0.05																														xxxxxx	
Captan+ Folpet (Sum)	35	35																																
Imazail	35	35	0.05																															
Iprodione	35	35	0.02																															
Lambda-cyhalothrin	35	34	0.02						1															0.13	0	5.00	EC							
Malathion	35	35	0.02																															
Maneb-group(##)	38	35	0.20								1													15.9	3	0.05	EC							
Mecarbam	35	35	0.05																															
Methamidophos	35	35	0.01																															
Metalaxyl	35	35	0.05																															
Methidathion	35	35	0.02																															
Methiocarb	35	35	0.05																															
Methomyl	35	35	0.05																															
Ormethoate	35	35	0.02																															
Oxydemeton-methyl	14	13	0.05-0.1							1														0.54	1	0.40	E							
Parathion	35	35	0.01																															
Permethrin	35	35	0.05																															
Phorate	14	14	0.05																															
Pirimiphos-methyl	35	35	0.05																															
Procymidone	35	35	0.02																															
Propyzamide	35	35	0.05																															
Thiabendazol	35	35	0.10																															
Tolylfluanid	35	35	0.10																															
Triazophos	35	35	0.02																															
Vinclozolin	35	35	0.05																															

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL
 (#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pome fruit		Food item: Pears	
Reporting country: Finland		Year of sampling: 2002	Remark:
Total number of samples analysed:	37	With residues above MRL (EC+national):	2
Without detectable residues:	6	With residues above EC-MRL:	2
With detectable residues at or below MRL or without MRL:	29	With residues above national MRL:	0
Only add information regarding pears and the 41 pesticides and do not change or delete rows or columns			

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)															Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50						
Accephate	37	36	0.05							1								0.21		1.00	E	
Aldicarb	23	23	0.01																	0.05	E	
Azinphos-methyl	37	27	0.01		1	4	4	1										0.14		0.50	E	
Azoxystrobin	37	37	0.03																	0.05	E	
Benomyl group(#)	23	12	0.01			2	2	2	4	1								0.58		2.00	E	
Bromopropylate	37	35	0.02				2											0.093	2	0.05	E	
Captan	37	34	0.10									2	1					2.7		xxxxxx		
Chlorothalonil	37	37	0.01																	1.00	E	
Chlorpyrifos	37	35	0.01			1	1											0.052		0.50	E	
Chlorpyrifos-methyl	37	36	0.01			1												0.025		0.50	E	
Cypermethrin	37	36	0.03			1												0.045		1.00	E	
Deltamethrin	37	37	0.10																	0.10	E	
Diazinon	37	37	0.01																	0.30	E	
Dichlofluanid	37	36	0.01						1									0.21		5.00	E	
Dicofol	37	37	0.01																	0.02	E	
Dimethoate	37	37	0.01																	0.02	E	
Endosulfan	37	32	0.01	1	1		3											0.058		0.30	E	
Folpet	37	36	0.10						1									0.25		xxxxxx		
Captan+ Folpet (Sum)	37	33	0.10						1		2	1						2.95		3.00	E	
Imazalil	37	36	0.05						1									0.255		5.00	E	
Iprodione	37	35	0.02			1				1								0.967		10.00	E	
Lambda-cyhalothrin	37	37	0.01																	0.10	E	
Malathion	37	37	0.01																	0.50	E	
Maneb-group(##)	13	12	0.20						1											3.00	E	
Mecarbam	37	37	0.02																	0.05	E	
Methamidophos	37	37	0.02																	0.05	E	
Metalaxyl	37	37	0.05																	1.00	E	
Methidathion	37	37	0.01																	0.30	E	
Methiocarb	37	37	0.10																		W	
Methomyl	23	23	0.01																	0.20	E	
Ormethoate	37	37	0.05																	0.20	E	
Oxydemeton-methyl	23	23	0.01																	0.02	E	
Parathion	37	37	0.01																	0.05	E	
Permethrin	37	37	0.03																	0.05	E	
Phorate	23	23	0.01																	0.05	E	
Pirimiphos-methyl	37	37	0.01																	0.05	E	
Procydonilone	37	36	0.01						1									0.36		1.00	E	
Propyzamide	37	37	0.02																	0.02	E	
Thiabendazol	37	29	0.05			2	4	1					1					2.1		5.00	E	
Tolyfluanid	37	29	0.01			1	1	2	4									0.38			W	
Triazophos	37	37	0.02																	0.02	E	
Vinclozolin	37	37	0.01																	1.00	E	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Miscellaneous fruit		Food item: Bananas	
Reporting country: Finland		Year of sampling: 2002	Remark:
Total number of samples analysed:	13	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	10	With residues above national MRL:	0
Only add information regarding bananas and the 41 pesticides and do not change or delete rows or columns			

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	13	13	0.05																0.02	E	
Aldicarb	10	10	0.01																0.10	E	
Azinphos-methyl	13	13	0.01																0.50	E	
Azoxystrobin	13	13	0.03																2.00	E	
Benomyl group(##)	10	10	0.01																1.00	E	
Bromopropylate	13	13	0.02																0.05	E	
Captan	13	13	0.10																xxxxxx		
Chlorothalonil	13	13	0.01																0.20	E	
Chlorpyrifos	13	12	0.01		1												0.017		3.00	E	
Chlorpyrifos-methyl	13	13	0.01																0.05	E	
Cypermethrin	13	13	0.03																0.05	E	
Deltamethrin	13	13	0.10																0.05	E	
Diazinon	13	13	0.01																0.02	E	
Dichlofluanid	13	13	0.01																5.00	E	
Dicofol	13	13	0.01																0.02	E	
Dimethoate	13	13	0.01																0.02	E	
Endosulfan	13	13	0.01																0.05	E	
Folpet	13	13	0.10																xxxxxx		
Captan+ Folpet (Sum)	13	13	0.10																0.10	E	
Imazail	13	4	0.05			1	7	1									0.18		2.00	E	
Iprodione	13	13	0.02																3.00	E	
Lambda-cyhalothrin	13	13	0.01																0.02	E	
Malathion	13	13	0.01																0.50	E	
Maneb-group(##)	9	9	0.20																0.05	E	
Mecarbam	13	13	0.02																0.05	E	
Methamidophos	13	13	0.02																0.01	E	
Metalaxyl	13	13	0.05																0.05	E	
Methidathion	13	13	0.01																0.02	E	
Methiocarb	13	13	0.10																	W	
Methomyl	10	10	0.01																0.05	E	
Ormethoate	13	13	0.05																0.20	E	
Oxydemeton-methyl	10	10	0.01																0.02	E	
Parathion	13	13	0.01																0.05	E	
Permethrin	13	13	0.03																0.05	E	
Phorate	10	10	0.01																0.05	E	
Pirimiphos-methyl	13	13	0.01																0.05	E	
Procyimidone	13	13	0.01																0.02	E	
Propyzamide	13	13	0.02																0.02	E	
Thiabendazol	13	6	0.05			1	1	3	2								0.28		5.00	E	
Tolylfluanid	13	13	0.01																	W	
Triazophos	13	13	0.02																0.02	E	
Vinclozolin	13	13	0.01																0.05	E	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pulses		Food item: Beans (fresh or frozen)	
Reporting country: Finland	Year of sampling: 2002	Remark:	
Total number of samples analysed:	21	With residues above MRL (EC+national):	3
Without detectable residues:	7	With residues above EC-MRL:	3
With detectable residues at or below MRL or without MRL:	11	With residues above national MRL:	0

Only add information regarding beans and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Accephate	21	21	0.05																0.02	E
Aldicarb	11	11	0.01																0.05	E
Azinphos-methyl	21	21	0.01																0.50	N
Azoxystrobin	21	21	0.03																0.10	E
Benomyl group(†)	11	10	0.01				1										0.07		2.00	E
Bromopropylate	21	21	0.02																0.05	E
Captan	21	21	0.10																xxxxxx	
Chlorothalonil	21	21	0.01																0.01	E
Chlorpyrifos	21	21	0.01																0.05	E
Chlorpyrifos-methyl	21	21	0.01																0.05	E
Cypermethrin	21	19	0.03			1		1									0.23	1	0.05	E
Deltamethrin	21	21	0.10																1.00	E
Diazinon	21	21	0.01																0.02	E
Dichlofluanid	21	21	0.01																5.00	N
Dicofol	21	21	0.01																0.02	E
Dimethoate	21	19	0.01		1			1									0.3	1	0.02	E
Endosulfan	21	19	0.01		1	1											0.034		0.05	E
Folpet	21	21	0.10																xxxxxx	
Captan+ Folpet (Sum)	21	21	0.10																2.00	N
Imazail	21	21	0.05																0.02	E
Iprodione	21	21	0.02																0.20	E
Lambda-cyhalothrin	21	21	0.01																0.02	E
Malathion	21	21	0.01																3.00	N
Maneb-group(##)	7	7	0.20																0.05	E
Mecarbam	21	21	0.02																0.05	E
Methamidophos	21	21	0.02																0.01	E
Metalaxyl	21	21	0.05																0.05	E
Methidathion	21	21	0.01																0.02	E
Methiocarb	21	21	0.10																	W
Methomyl	11	11	0.01																0.05	E
Ormethoate	21	20	0.05			1											0.05		0.20	N
Oxydemeton-methyl	11	11	0.01																0.02	E
Parathion	21	21	0.01																0.05	E
Permethrin	21	21	0.03																0.05	E
Phorate	11	11	0.01																0.05	E
Pirimiphos-methyl	21	21	0.01																0.05	E
Procyimidon	21	20	0.01					1									0.24	1	0.02	E
Propyzamide	21	21	0.02																0.02	E
Thiabendazol	21	21	0.05																0.05	E
Tolylfluanid	21	21	0.01																	W
Triazophos	21	21	0.02																0.02	E
Vinclozolin	21	12	0.01	1	1	1	3	3									0.29		0.50	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Potatoes		Food item: Potatoes	
Reporting country: Finland		Year of sampling: 2002	Remark:
Total number of samples analysed:	37	With residues above MRL (EC+national):	0
Without detectable residues:	37	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding potatoes and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Accephate	37	37	0.05																0.02	E
Aldicarb	13	13	0.01																0.50	E
Azinphos-methyl	37	37	0.01																0.20	N
Azoxystrobin	37	37	0.03																0.05	E
Benomyl group(#)	13	13	0.01																0.10	E
Bromopropylate	37	37	0.02																0.05	E
Captan	37	37	0.10															xxxxxx		
Chlorothalonil	37	37	0.01																0.01	E
Chlorpyrifos	37	37	0.01																0.05	E
Chlorpyrifos-methyl	37	37	0.01																0.05	E
Cypermethrin	37	37	0.03																0.05	E
Deltamethrin	37	37	0.10																0.50	E
Diazinon	37	37	0.01																0.02	E
Dichlofluanid	37	37	0.01																	W
Dicofol	37	37	0.01																0.02	E
Dimethoate	37	37	0.01																0.02	E
Endosulfan	37	37	0.01																0.05	E
Folpet	37	37	0.10															xxxxxx		
Captan+ Folpet (Sum)	37	37	0.10															0.10	N	
Imazail	37	37	0.05																5.00	E
Iprodione	37	37	0.02																0.02	E
Lambda-cyhalothrin	37	37	0.01																0.02	E
Malathion	37	37	0.01																0.02	N
Maneb-group(##)	13	13	0.20																0.05	E
Mecarbam	37	37	0.02																0.05	E
Methamidophos	37	37	0.02																0.01	E
Metalaxyl	37	37	0.05																0.05	E
Methidathion	37	37	0.01																0.02	E
Methiocarb	37	37	0.10																	W
Methomyl	13	13	0.01																0.05	E
Ormethoate	37	37	0.05																0.05	N
Oxydemeton-methyl	13	13	0.01																0.02	E
Parathion	37	37	0.01																0.05	E
Permethrin	37	37	0.03																0.05	E
Phorate	13	13	0.01																0.05	E
Pirimiphos-methyl	37	37	0.01																0.05	E
Procyimidone	37	37	0.01																0.02	E
Propyzamide	37	37	0.02																0.02	E
Thiabendazol	37	37	0.05																15.00	E
Tolyfluanid	37	37	0.01																	W
Triazophos	37	37	0.02																0.02	E
Vinclozolin	37	37	0.01																0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Root and tuber vegetables		Food item: Carrots	
Reporting country: Finland		Year of sampling: 2002	Remark:
Total number of samples analysed:	39	With residues above MRL (EC+national):	0
Without detectable residues:	39	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0
Only add information regarding carrots and the 41 pesticides and do not change or delete rows or columns			

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	39	39	0.05																0.02	E	
Aldicarb	6	6	0.01																0.10	E	
Azinphos-methyl	39	39	0.01																0.50	E	
Azoxystrobin	39	39	0.03																0.20	E	
Benomyl group(##)	6	6	0.01																0.10	E	
Bromopropylate	39	39	0.02																0.05	E	
Captan	39	39	0.10																xxxxxx		
Chlorothalonil	39	39	0.01																1.00	E	
Chlorpyrifos	39	39	0.01																0.10	E	
Chlorpyrifos-methyl	39	39	0.01																0.05	E	
Cypermethrin	39	39	0.03																0.05	E	
Deltamethrin	39	39	0.10																0.05	E	
Diazinon	39	39	0.01																0.20	E	
Dichlofluanid	39	39	0.01																5.00	E	
Dicofol	39	39	0.01																0.02	E	
Dimethoate	39	39	0.01																0.02	E	
Endosulfan	39	39	0.01																0.05	E	
Folpet	39	39	0.10																xxxxxx		
Captan+ Folpet (Sum)	39	39	0.10																0.10	E	
Imazail	39	39	0.05																0.02	E	
Iprodione	39	39	0.02																0.30	E	
Lambda-cyhalothrin	39	39	0.01																0.02	E	
Malathion	39	39	0.01																0.50	E	
Maneb-group(##)	1	1	0.20																0.20	E	
Mecarbam	39	39	0.02																0.05	E	
Methamidophos	39	39	0.02																0.01	E	
Metalaxyl	39	39	0.05																0.10	E	
Methidathion	39	39	0.01																0.02	E	
Methiocarb	39	39	0.10																	W	
Methomyl	6	6	0.01																0.05	E	
Ormethoate	39	39	0.05																0.10	E	
Oxydemeton-methyl	6	6	0.01																0.02	E	
Parathion	39	39	0.01																0.05	E	
Permethrin	39	39	0.03																0.05	E	
Phorate	6	6	0.01																0.05	E	
Pirimiphos-methyl	39	39	0.01																1.00	E	
Procyimidine	39	39	0.01																0.02	E	
Propyzamide	39	39	0.02																0.02	E	
Thiabendazol	39	39	0.05																0.05	E	
Tolylfluanid	39	39	0.01																	W	
Triazophos	39	39	0.02																0.02	E	
Vinclozolin	39	39	0.01																0.50	E	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Citrus fruit		Food item: Oranges/mandarins	
Reporting country: Finland		Year of sampling: 2002	Remark:
Total number of samples analysed:	225	With residues above MRL (EC+national):	41
Without detectable residues:	5	With residues above EC-MRL:	41
With detectable residues at or below MRL or without MRL:	179	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	225	225	0.05																	1.00	E
Aldicarb	30	30	0.01																	0.20	E
Azinphos-methyl	225	225	0.01																	1.00	E
Azoxystrobin	225	225	0.03																	1.00	E
Benomyl group(†)	30	28	0.01				1	1									0.12			5.00	E
Bromopropylate	225	195	0.02		2	1	2	2	15	5	3						1.5	27		0.05	E
Captan	225	225	0.10																	xxxxxx	
Chlorothalonil	225	225	0.01																	0.01	E
Chlorpyrifos	225	145	0.01	5	5	11	31	17	11								0.31	1		0.30	E
Chlorpyrifos-methyl	225	224	0.01			1											0.047			0.50	E
Cypermethrin	225	225	0.03																	2.00	E
Deltamethrin	225	225	0.10																	0.05	E
Diazinon	225	225	0.01																	1.00	E
Dichlofuanid	225	225	0.01																	5.00	E
Dicofol	225	225	0.01																	2.00	E
Dimethoate	225	220	0.01		1		2	1	1								0.25	4		0.02	E
Endosulfan	225	224	0.01			1											0.035			0.50	E
Folpet	225	225	0.10																	xxxxxx	
Captan+ Folpet (Sum)	225	225	0.10																	0.10	E
Imazail	225	33	0.05		2		5	3	16	42	72	50	2				7.2	2		5.00	E
Iprodione	225	225	0.02																	0.02	E
Lambda-cyhalothrin	225	225	0.01																	0.10	E
Malathion	225	190	0.01	4	8	9	8	3	2	1							0.63			2.00	E
Maneb-group(##)	17	15	0.20					2									0.2			5.00	E
Mecarbam	225	224	0.02						1								0.33	1		0.05	E
Methamidophos	225	225	0.02																	0.20	E
Metalaxyl	225	225	0.05																	0.50	E
Methidathion	225	150	0.01	3	1	4	18	10	23	12	4									2.00	E
Methiocarb	225	225	0.10																		W
Methomyl	30	30	0.01																	0.50	E
Ormethoate	225	225	0.05																	0.20	E
Oxydemeton-methyl	30	30	0.01																	0.02	E
Parathion	225	222	0.01	1		1	1										0.052			0.50	E
Permethrin	225	225	0.03																	0.05	E
Phorate	30	30	0.01																	0.05	E
Pirimiphos-methyl	225	223	0.01				2										0.088			1.00	E
Procymidone	225	225	0.01																	0.02	E
Propyzamide	225	225	0.02																	0.02	E
Thiabendazol	225	103	0.05					7	10	23	38	38	5	1			11	6		5.00	E
Tolyfluanid	225	225	0.01																		W
Triazophos	225	225	0.02																	0.02	E
Vinclozolin	225	225	0.01																	0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL
 (†) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Stone fruit		Food item: Peaches/nectarines	
Reporting country: Finland		Year of sampling: 2002	Remark:
Total number of samples analysed:	20	With residues above MRL (EC+national):	0
Without detectable residues:	7	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	13	With residues above national MRL:	0

Only add information regarding peaches/nectarines and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	20	20	0.05																0.20	E	
Aldicarb	14	14	0.01																0.05	E	
Azinphos-methyl	20	20	0.01																0.50	E	
Azoxystrobin	20	20	0.03																0.05	E	
Benomyl group(##)	14	8	0.01				2	4									0.17		1.00	E	
Bromopropylate	20	20	0.02																0.05	E	
Captan	20	20	0.10																xxxxxx		
Chlorothalonil	20	20	0.01																1.00	E	
Chlorpyrifos	20	16	0.01	2	1	1											0.021		0.20	E	
Chlorpyrifos-methyl	20	20	0.01																0.50	E	
Cypermethrin	20	20	0.03																2.00	E	
Deltamethrin	20	20	0.10																0.10	E	
Diazinon	20	20	0.01																0.02	E	
Dichlofluanid	20	20	0.01																5.00	E	
Dicofol	20	20	0.01																0.02	E	
Dimethoate	20	20	0.01																0.02	E	
Endosulfan	20	20	0.01																0.50	E	
Folpet	20	20	0.10																xxxxxx		
Captan+ Folpet (Sum)	20	20	0.10																2.00	E	
Imazail	20	20	0.05																0.02	E	
Iprodione	20	18	0.02			1								1			2.3		5.00	E	
Lambda-cyhalothrin	20	20	0.01																0.20	E	
Malathion	20	20	0.01																0.50	E	
Maneb-group(##)	6	5	0.20					1									0.21		2.00	E	
Mecarbam	20	20	0.02																0.05	E	
Methamidophos	20	20	0.02																0.05	E	
Metalaxyl	20	20	0.05																0.05	E	
Methidathion	20	20	0.01																0.20	E	
Methiocarb	20	20	0.10																	W	
Methomyl	14	14	0.01																0.20	E	
Ormethoate	20	20	0.05																0.20	E	
Oxydemeton-methyl	14	14	0.01																0.02	E	
Parathion	20	20	0.01																0.05	E	
Permethrin	20	20	0.03																0.05	E	
Phorate	14	14	0.01																0.05	E	
Pirimiphos-methyl	20	20	0.01																0.05	E	
Procymidone	20	18	0.01				1	1									0.16		2.00	E	
Propyzamide	20	20	0.02																0.02	E	
Thiabendazol	20	20	0.05																0.05	E	
Tolylfluanid	20	20	0.01																	W	
Triazophos	20	20	0.02																0.02	E	
Vinclozolin	20	20	0.01																0.05	E	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Leafy vegetables		Food item: Spinach (fresh or frozen)	
Reporting country: Finland		Year of sampling: 2002	Remark:
Total number of samples analysed:	18	With residues above MRL (EC+national):	2
Without detectable residues:	14	With residues above EC-MRL:	2
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Only add information regarding spinach and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	18	18	0.05																	0.02	E
Aldicarb	15	15	0.01																	0.05	E
Azinphos-methyl	18	18	0.01																	0.50	E
Azoxystrobin	18	18	0.03																	0.05	E
Benomyl group(##)	15	15	0.01																	0.10	E
Bromopropylate	18	18	0.02																	0.05	E
Captan	18	18	0.10																	xxxxxx	
Chlorothalonil	18	18	0.01																	0.01	E
Chlorpyrifos	18	17	0.01		1												0.019			0.05	E
Chlorpyrifos-methyl	18	18	0.01																	0.05	E
Cypermethrin	18	18	0.03																	0.50	E
Deltamethrin	18	18	0.10																	0.50	E
Diazinon	18	18	0.01																	0.02	E
Dichlofluanid	18	18	0.01																	5.00	E
Dicofol	18	18	0.01																	0.02	E
Dimethoate	18	17	0.01			1											0.021	1		0.02	E
Endosulfan	18	17	0.01				1										0.19	1		0.05	E
Folpet	18	18	0.10																	xxxxxx	
Captan+ Folpet (Sum)	18	18	0.10																	0.10	E
Imazail	18	18	0.05																	0.02	E
Iprodione	18	18	0.02																	0.02	E
Lambda-cyhalothrin	18	17	0.01		1												0.011			0.50	E
Malathion	18	18	0.01																	3.00	E
Maneb-group(##)	16	15	0.20							1							0.563			0.05	E
Mecarbam	18	18	0.02																	0.05	E
Methamidophos	18	18	0.02																	0.01	E
Metalaxyl	18	18	0.05																	0.05	E
Methidathion	18	18	0.01																	0.02	E
Methiocarb	18	18	0.10																		W
Methomyl	15	15	0.01																	2.00	E
Ormethoate	18	18	0.05																	0.40	E
Oxydemeton-methyl	15	15	0.01																	0.02	E
Parathion	18	18	0.01																	0.05	E
Permethrin	18	18	0.03																	0.05	E
Phorate	15	15	0.01																	0.05	E
Pirimiphos-methyl	18	18	0.01																	0.05	E
Procyimidone	18	18	0.01																	0.02	E
Propyzamide	18	18	0.02																	0.02	N
Thiabendazol	18	18	0.05																	0.05	E
Tolylfluanid	18	18	0.01																		W
Triazophos	18	18	0.02																	0.02	E
Vinclozolin	18	18	0.01																	0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pome fruit		Food item: Pears	
Reporting country: Sweden	_____	Year of sampling: 2002	Remark:
Total number of samples analysed:	130	With residues above MRL (EC+national):	4
Without detectable residues:	48	With residues above EC-MRL:	4
With detectable residues at or below MRL or without MRL:	78	With residues above national MRL:	0

Only add information regarding pears and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acophate	130	130	0.02															1.00	E	
Aldicarb	40	40	0.03															0.05	E	
Azinphos-methyl	130	118	0.05				8	2	2								0.49	0.50	O	
Azoxystrobin	130	130	0.10															0.05	P	
Benomyl group(##)	101	88	0.10				5	5	1	2							1.46	2.00	E	
Bromopropylate	130	126	0.10				2	1	1								0.51	2.00	O	
Captan	130	112	0.05				2	4	7	5							0.76			
Chlorothalonil	130	130	0.02															1.00	E	
Chlorpyrifos	130	127	0.05				3										0.092	0.50	E	
Chlorpyrifos-methyl	130	130	0.05															0.50	E	
Cypermethrin	130	130	0.20															1.00	E	
Deltamethrin	130	130	0.05															0.10	E	
Diazinon	130	130	0.02															0.30	E	
Dichlofuanid	130	127	0.05				1	2									0.19	5.00	O	
Dicofol	130	126	0.20					4									0.175	4	0.02	E
Dimethoate	130	129	0.02			1											0.036		1.00	O
Endosulfan	130	129	0.01			1											0.036		0.30	E
Folpet	130	130	0.05																	
Captan+ Folpet (Sum)	130	112	0.05				2	4	7	5							0.76		3.00	O
Imazalil	130	130	0.1/0.2																5.00	E
Iprodione	130	127	0.02			1	1		1								0.5		10.00	E
Lambda-cyhalothrin	130	130	0.10																0.10	E
Malathion	130	130	0.05																0.50	O
Maneb-group(##)	54	26	0.03				3	9	8	4	3	1					1.27		3.00	E
Mecarbam	130	130	0.05																0.05	E
Methamidophos	130	130	0.02																0.05	E
Metalaxyl	130	130	0.10																1.00	E
Methidathion	130	130	0.02																0.30	E
Methiocarb	130	130	0.03/0.1																0.10	N
Methomyl	108	108	0.03/0.5																0.20	E
Omethoate	130	129	0.02			1											0.022		0.20	O
Oxydemeton-methyl	0	0																		
Parathion	130	130	0.03																0.50	O
Permethrin	130	130	0.05																1.00	E
Phorate	0	0																		
Primiphos-methyl	130	130	0.05																0.05	E
Procymsidone	130	122	0.02				2	3	2		1						0.81		1.00	E
Propyzamide	130	130	0.02																0.02	E
Thiabendazol	130	116	0.2/0.3							8	4	2					1.43		5.00	E
Tolylfluand	130	109	0.05				9	4	7	1							0.58		3.00	N
Triazophos	130	130	0.02																0.02	E
Vinclozolin	130	130	0.05																1.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Miscellaneous fruit		Food item: Bananas	
Reporting country: Sweden		Year of sampling: 2002	Remark:
Total number of samples analysed:	84	With residues above MRL (EC+national):	0
Without detectable residues:	47	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	37	With residues above national MRL:	0

Only add information regarding bananas and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acophate	84	84	0.02															0.02	E
Aldicarb	21	21	0.03															0.10	E
Azinphos-methyl	84	84	0.05															0.50	O
Azoxystrobin	84	84	0.10															2.00	E
Benomyl group(##)	70	70	0.10															1.00	E
Bromopropylate	84	84	0.10															3.00	O
Captan	84	84	0.05																
Chlorothalonil	84	84	0.05															0.10	O
Chlorpyrifos	84	84	0.02															0.20	E
Chlorpyrifos-methyl	84	84	0.05															3.00	E
Cypermethrin	84	84	0.05															0.05	E
Deltamethrin	84	84	0.20															0.05	E
Diazinon	84	84	0.05															0.05	E
Dichlofuanid	84	84	0.02															0.02	E
Dicofol	84	84	0.05															5.00	O
Dimethoate	84	84	0.20															0.02	E
Endosulfan	84	84	0.02															1.00	O
Folpet	84	84	0.01															0.05	E
Captan+ Folpet (Sum)	84	84	0.20																
Imazalil	84	54	0.20					1	17	9	3					1.3		2.00	E
Iprodione	84	84	0.02															3.00	E
Lambda-cyhalothrin	84	84	0.10															0.02	E
Malathion	84	84	0.05															0.50	O
Maneb-group(##)	12	10	0.03			2										0.036		0.05	E
Mecarbam	84	84	0.05															0.05	E
Methamidophos	84	84	0.02															0.01	E
Metalaxyl	84	84	0.10															0.05	E
Methidathion	84	84	0.02															0.02	E
Methiocarb	84	84	0.03/0.1															0.10	N
Methomyl	73	73	0.03/0.5															0.05	E
Omethoate	84	84	0.02															0.20	O
Oxydemeton-methyl	0	0																	
Parathion	84	84	0.03															0.50	O
Permethrin	84	84	0.05															0.05	E
Phorate	0	0																	
Phosphos-methyl	84	84	0.05															0.05	E
Procymidone	84	84	0.02															0.02	E
Propyzamide	84	84	0.02															0.02	E
Thiabendazol	84	61	0.2/0.3					1	15	6	1					1.52		5.00	E
Tolyfluanid	84	84	0.05															No MRL	
Triazophos	84	84	0.02															0.02	E
Vinclozolin	84	84	0.05															0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pulses		Food item: Beans (fresh or frozen)	
Reporting country: Sweden		Year of sampling: 2002	Remark:
Total number of samples analysed:	30	With residues above MRL (EC+national):	3
Without detectable residues:	13	With residues above EC-MRL:	3
With detectable residues at or below MRL or without MRL:	14	With residues above national MRL:	0

Only add information regarding beans and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acophate	30	30	0.02															3.00	E
Aldicarb	4	4	0.03															0.05	E
Azinphos-methyl	30	30	0.05															0.50	O
Azoxystrobin	30	30	0.1/0.1															1.00	P/T
Benomyl group(##)	25	25	0.10															0.10	E
Bromopropylate	30	30	0.10															1.00	O
Captan	30	30	0.05																
Chlorothalonil	30	30	0.02															0.01	E
Chlorpyrifos	30	30	0.05															0.05	E
Chlorpyrifos-methyl	30	30	0.05															0.05	E
Cypermethrin	30	28	0.20					1		1						0.85	1	0.50	E
Deltamethrin	30	30	0.05															0.20	E
Diazinon	30	30	0.02															0.02	E
Dichlofuanid	30	30	0.05															5.00	O
Dicofol	30	30	0.20															0.02	E
Dimethoate	30	28	0.02			1			1							0.22		1.00	O
Endosulfan	30	27	0.01			2		1								0.116	1	0.05	E
Folpet	30	30	0.05																
Captan+ Folpet (Sum)	30	30	0.05															2.00	O
Imazalil	30	30	0.20															0.02	E
Iprodione	30	30	0.02															5.00	E
Lambda-cyhalothrin	30	30	0.10															0.20	E
Malathion	30	30	0.05															3.00	O
Maneb-group(##)	17	13	0.03			1		2	1							0.395		1.00	E
Mecarbarn	30	30	0.05															0.05	E
Methamidophos	30	26	0.02			1			1	2						0.67	2	0.50	E
Metaxyl	30	30	0.10															0.05	E
Methidathion	30	30	0.02															0.02	E
Methiocarb	30	30	0.03/0.1															0.10	N
Methomyl	25	25	0.03/0.5															0.05	E
Omethoate	30	29	0.02			1										0.023		0.20	O
Oxydemeton-methyl	0	0																	
Parathion	30	30	0.03															0.50	O
Permethrin	30	30	0.05															0.50	E
Phorate	0	0																	
Phosphos-methyl	30	30	0.05															0.05	E
Procymidone	30	26	0.02			1	1	2								0.13		2.00	E
Proxypamide	30	30	0.02															0.02	E
Thiabendazol	30	30	0.2/0.3															0.05	E
Tolyfluand	30	30	0.05															No MRL	
Triazophos	30	30	0.02															0.02	E
Vinclozolin	30	23	0.05			1	2	4								0.42		2.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) The column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Potatoes		Food item: Potatoes	
Reporting country: Sweden _____	Year of sampling: <u>2002</u>	Remark:	
Total number of samples analysed:	93	With residues above MRL (EC+national):	0
Without detectable residues:	93	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding potatoes and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acephate	93	93	0.02															0.02	E
Aldicarb	1	1	0.03															0.50	E
Azinphos-methyl	93	93	0.05															0.20	N
Azoxystrobin	93	93	0.10															0.05	P
Benomyl group(##)	34	34	0.10															0.10	E
Bromopropylate	93	93	0.10															No MRL	
Captan	93	93	0.05																
Chlorothalonil	93	93	0.02															0.01	E
Chlorpyrifos	93	93	0.03															0.05	E
Chlorpyrifos-methyl	93	93	0.05															0.05	E
Cypermethrin	93	93	0.05															0.05	E
Deltamethrin	93	93	0.05															0.50	E
Diazinon	93	93	0.02															0.02	N
Dichlofuanid	93	93	0.05															No MRL	
Dicofol	93	93	0.20															0.02	E
Dimethoate	93	93	0.02															0.05	N
Endosulfan	93	93	0.01															0.05	N
Folpet	93	93	0.05																
Captan+ Folpet (Sum)	93	93	0.05															0.10	N
Imazalil	93	93	0.20															5.00	E
Iprodione	93	93	0.02															0.02	E
Lambda-cyhalothrin	93	93	0.10															0.02	E
Malathion	93	93	0.05															No MRL	
Maneb-group(##)	15	15	0.03															0.05	E
Mecarbam	93	93	0.05															0.05	E
Methamidophos	93	93	0.02															0.01	E
Metaxyl	93	93	0.10															0.05	E
Methidathion	93	93	0.02															0.02	E
Methiocarb	93	93	0.03/0.1															No MRL	
Methomyl	35	35	0.03/0.5															0.05	E
Omethoate	93	93	0.02															0.05	N
Oxydemeton-methyl	0	0																	
Parathion	93	93	0.03															0.05	N
Permethrin	93	93	0.05															0.05	E
Phorate	0	0																	
Phosphos-methyl	93	93	0.05															0.05	E
Procydione	93	93	0.02															0.02	E
Proprazine	93	93	0.02															0.02	E
Thiabendazol	93	93	0.2/0.3															15.00	E
Tolyfluand	93	93	0.05															No MRL	
Triazophos	93	93	0.02															0.02	E
Vinclozolin	93	93	0.05															0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Root and tuber vegetables		Food item: Carrots	
Reporting country: Sweden		Year of sampling: 2002	Remark:
Total number of samples analysed:	79	With residues above MRL (EC+national):	1
Without detectable residues:	69	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	9	With residues above national MRL:	0

Only add information regarding carrots and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acophate	77	77	0.02																0.02	E
Aldicarb	77	77	0.05																0.50	O
Azinphos-methyl	52	52	0.10																0.05	P
Azoxystrobin	25	25	0.10																0.20	P
Benomyl group(##)	40	40	0.10																0.10	E
Bromopropylate	77	77	0.10																1.00	O
Captan	77	77	0.05																	
Chlorothalonil	77	77	0.02																1.00	E
Chlorpyrifos	77	77	0.05																0.10	E
Chlorpyrifos-methyl	77	77	0.05																0.05	E
Cypermethrin	77	77	0.20																0.05	E
Deltamethrin	77	77	0.05																0.05	E
Diazinon	77	77	0.02																0.20	E
Dichlofuanid	77	77	0.05																5.00	O
Dicofol	77	77	0.20																0.02	E
Dimethoate	77	77	0.02																1.00	O
Endosulfan	77	77	0.01																0.05	E
Folpet	77	77	0.05																	
Captan+ Folpet (Sum)	77	77	0.05																0.10	O
Imazalil	77	77	0.20																0.02	E
Iprodione	77	69	0.02			6	2									0.076		0.30	E	
Lambda-cyhalothrin	77	77	0.10																0.02	E
Malathion	77	77	0.05																0.50	O
Maneb-group(##)	7	6	0.03			1										0.026		0.20	E	
Mecarbam	77	77	0.05																0.05	E
Methamidophos	77	77	0.02																0.01	E
Metaxyl	77	77	0.10																0.10	E
Methidathion	77	77	0.02																0.02	E
Methiocarb	77	77	0.10																0.10	N
Methomyl	40	40	0.50																0.05	E
Omethoate	77	77	0.02																0.10	O
Oxydemeton-methyl	0	0																		
Parathion	77	77	0.03																0.50	O
Permethrin	77	77	0.05																0.05	E
Phorate	0	0																		
Phosphos-methyl	77	77	0.05																1.00	E
Procymsidone	77	76	0.02													0.068	1	0.02	E	
Proprazine	77	77	0.02				1												0.02	E
Thiabendazol	77	77	0.2/0.3																0.05	E
Tolyfluand	77	77	0.05																No MRL	
Triazophos	77	77	0.02																0.02	E
Vinclozolin	77	77	0.05																0.50	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Citrus fruit		Food item: Oranges/Mandarins	
Reporting country: Sweden		Year of sampling: 2002	Remark:
Total number of samples analysed:	121	With residues above MRL (EC+national):	2
Without detectable residues:	6	With residues above EC-MRL:	2
With detectable residues at or below MRL or without MRL:	113	With residues above national MRL:	0

Only add information regarding oranges/mandarins and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acophate	121	121	0.02															1.00	E	
Aldicarb	7	7	0.03															0.20	E	
Azinphos-methyl	121	120	0.05				1										0.08	1.00	O	
Azoxystrobin	121	121	0.10															0.05/1	P/P	
Benomyl group(##)	121	115	0.10					1	5								0.42	5.00	E	
Bromopropylate	121	113	0.10					3	5								0.48	3.00	O	
Captan	121	121	0.05																	
Chlorothalonil	121	121	0.02															0.01	E	
Chlorpyrifos	121	82	0.05				17	14	7	1							0.62	0.30	E	
Chlorpyrifos-methyl	121	121	0.05															0.50	E	
Cypermethrin	121	121	0.20															2.00	E	
Deltamethrin	121	121	0.05															0.05	E	
Diazinon	121	121	0.02															1.00	E	
Dichlofuanid	121	121	0.05															5.00	O	
Dicofol	121	115	0.20					2	3	1							0.6	2.00	E	
Dimethoate	121	117	0.02			2	2										0.077	1.00	O	
Endosulfan	121	119	0.01			1			1								0.235	0.50	E	
Folpet	121	121	0.05																	
Captan+ Folpet (Sum)	121	121	0.05															0.10	O	
Imazalil	121	25	0.10					4	10	25	38	18	1				5.37	1	5.00	E
Iprodione	121	119	0.02			1		1									0.115	0.02	E	
Lambda-cyhalothrin	121	121	0.10															0.02/0,1	E/E	
Malathion	121	99	0.05				7	7	5	2	1						1.01	2.00	O	
Maneb-group(##)	0	0																		
Mecarbam	121	121	0.05															0.05	E	
Methamidophos	121	121	0.02															0.20	E	
Metalaxyl	121	121	0.10															0.50	E	
Methidathion	121	83	0.02			7	7	9	12	3							1	2.00	E	
Methiocarb	121	121	0.03/0,1															0.10	N	
Methomyl	121	121	0.03/0,5															0.50	E	
Omethoate	121	119	0.02			2											0.044	0.20	O	
Oxydemeton-methyl	0	0																		
Parathion	121	121	0.03															0.50	O	
Permethrin	121	121	0.05															0.50	E	
Phorate	0	0																		
Phosphos-methyl	121	117	0.05				2	2									0.16	1.00	E	
Procymsidone	121	121	0.02															0.02	E	
Proxymamide	121	121	0.02															0.02	E	
Thiabendazol	121	77	0.20						5	10	14	14	1				5.64	1	5.00	E
Tolyfluanid	121	121	0.05															No MRL		
Triazophos	121	121	0.02															0.02	N	
Vinclozolin	121	121	0.05															0.05	E	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Stone fruit		Food item: Peaches/nectarines	
Reporting country: Sweden		Year of sampling: 2002	Remark:
Total number of samples analysed:	54	With residues above MRL (EC+national):	5
Without detectable residues:	38	With residues above EC-MRL:	5
With detectable residues at or below MRL or without MRL:	11	With residues above national MRL:	0

Only add information regarding peaches/nectarines and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acophate	54	50	0.02		1	1	1									1.14	3	0.02/0.2	E/E	
Aldicarb	0	0																	0.05	E
Azinphos-methyl	54	53	0.05					1								0.18		0.50	O	
Azoxystrobin	54	54	0.10															0.05	P	
Benomyl group(##)	28	27	0.10										1			3.03	1	1.00	E	
Bromopropylate	54	54	0.10															2.00	O	
Captan	54	53	0.05					1								0.29			E	
Chlorothalonil	54	53	0.02			1										0.032		1.00	E	
Chlorpyrifos	54	54	0.05															0.20	E	
Chlorpyrifos-methyl	54	54	0.05															0.50	E	
Cypermethrin	54	53	0.20						1							0.675		2.00	E	
Deltamethrin	54	54	0.05															0.10	E	
Diazinon	54	54	0.02															0.02	E	
Dichlofuanid	54	54	0.05															5.00	O	
Dicofol	54	54	0.20															0.02	E	
Dimethoate	54	54	0.02															1.00	O	
Endosulfan	54	54	0.01															0.50	E	
Folpet	54	54	0.05							1						0.29		2.00	O	
Captan+ Folpet (Sum)	54	53	0.05																E	
Imazalil	54	54	0.1/0.2															0.02	E	
Iprodione	54	52	0.02					2								0.057		5.00	E	
Lambda-cyhalothrin	54	54	0.10															0.20	E	
Malathion	54	54	0.05															0.50	O	
Maneb-group(##)	11	10	0.03						1							0.305		2.00	E	
Mecarbam	54	54	0.05															0.05	E	
Methamidophos	54	48	0.02			4	1	1								0.23	2	0.05	E	
Metaxyl	54	54	0.10															0.05	E	
Methidathion	54	54	0.02															0.20	E	
Methiocarb	54	54	0.10															0.10	N	
Methomyl	28	28	0.50															0.20	E	
Omethoate	54	54	0.02															0.20	O	
Oxydemeton-methyl	0	0																		
Parathion	54	54	0.03															0.50	O	
Permethrin	54	54	0.05															1.00	E	
Phorate	0	0																		
Phosphos-methyl	54	54	0.05															0.05	E	
Procymsidone	54	53	0.02													0.16		2.00	E	
Proxymamide	54	54	0.02					1										0.02	E	
Thiabendazol	54	54	0.2/0.3															0.05	E	
Tolyfluand	54	54	0.05															3.00	N	
Triazophos	54	54	0.02															0.02	E	
Vinclozolin	54	54	0.05															0.05	E	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) The column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Leafy vegetables		Food item: Spinach (fresh or frozen)	
Reporting country: Sweden		Year of sampling: 2002	Remark:
Total number of samples analysed:	31	With residues above MRL (EC+national):	3
Without detectable residues:	26	With residues above EC-MRL:	3
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Only add information regarding spinach and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50						
Acophate	30	30	0.02																	0.02	E	
Aldicarb	0	0																			0.05	E
Azinphos-methyl	30	30	0.05																		0.50	O
Azoxystrobin	30	30	0.10																		0.05	P
Benomyl group(##)	26	26	0.10																		0.10	E
Bromopropylate	30	30	0.10																		1.00	O
Captan	30	30	0.05																			
Chlorothalonil	30	30	0.02																		0.01	E
Chlorpyrifos	30	30	0.05																		0.05	E
Chlorpyrifos-methyl	30	30	0.05																		0.05	E
Cypermethrin	30	29	0.20							1									0.3		0.50	E
Deltamethrin	30	29	0.05																0.135		0.50	E
Diazinon	30	30	0.02							1											0.02	E
Dichlofuanid	30	30	0.05																		5.00	O
Dicofol	30	30	0.20																		0.02	E
Dimethoate	30	29	0.02						1									0.068			1.00	O
Endosulfan	30	30	0.01																		0.05	E
Folpet	30	30	0.05																			
Captan+ Folpet (Sum)	30	30	0.05																		0.10	O
Imazalil	30	30	0.20																		0.02	E
Iprodione	30	30	0.02																		0.02	E
Lambda-cyhalothrin	30	30	0.10																		0.02/0.5	E/E
Malathion	30	30	0.05																		3.00	O
Maneb-group(##)	13	9	0.03				1	1										2	3		0.05	E
Mecarbarn	30	30	0.05																		0.05	E
Methamidophos	30	30	0.02																		0.01	E
Metaxyl	30	30	0.10																		0.05	E
Methidathion	30	30	0.02																		0.02	E
Methiocarb	30	30	0.10																		0.10	N
Methomyl	26	26	0.50																		2.00	E
Omethoate	30	29	0.02						1									0.098			0.40	O
Oxydemeton-methyl	0	0																				
Parathion	30	30	0.03																		0.50	O
Permethrin	30	30	0.05																		1.00	E
Phorate	0	0																				
Phosphos-methyl	30	30	0.05																		0.05	E
Proxymidone	30	30	0.02																		0.02	E
Proprazine	30	30	0.02																		0.02	E
Thiabendazol	30	30	0.2/0.3																		0.05	E
Tolyfluand	30	30	0.05																		No MRL	
Triazophos	30	30	0.02																		0.02	E
Vinclozolin	30	30	0.05																		0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) The column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Stone fruit		Food item: Peaches/nectarines	
Reporting country:	<u>UK</u>	Year of sampling:	<u>2002</u>
		Remark:	Only add information regarding peaches/nectarines and the 41 pesticides and do not change or delete rows or columns
Total number of samples analysed:	97	With residues above MRL (EC+national):	5
Without detectable residues:	45	With residues above EC-MRL:	5
With detectable residues at or below MRL or without MRL:	47	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Accephate	97	96	0.02				1											0.10	0	0.20	E
Aldicarb	73	73	0.05															0.10	0	4.00	E
Azinphos-methyl	73	69	0.05				4														
Azoxystrobin	73	73	0.05																		
Benomyl group(†)	73	66	0.05			1	3	1	2									0.5		1.00	E
Bromopropylate	73	73	0.05																		
Captan																				xxxxxx	
Chlorothalonil	73	72	0.05							1							0.9	0		1.00	E
Chlorpyrifos	73	73	0.05																		
Chlorpyrifos-methyl	73	73	0.05																		
Cypermethrin	73	73	0.05																		
Deltamethrin	73	73	0.05																		
Diazinon	73	73	0.02																		
Dichlofluanid	73	73	0.05																		
Dicofol	73	73	0.02																		
Dimethoate	73	73	0.02																		
Endosulfan	73	70	0.05			2	1										0.08	0	0.50	E	
Folpet																				xxxxxx	
Captan+ Folpet (Sum)	73	71	0.05				1	1									0.2	0	2.00	E	
Imazalil	73	73	0.02																		
Iprodione	73	41	0.05				13	3	7	7	2						1.4	0	5.00	E	
Lambda-cyhalothrin	73	73	0.02																		
Malathion	73	72	0.05				1										0.08	0	0.50	E	
Maneb-group(##)	73	71	0.05				1		1								0.3	0	2.00	E	
Mecarbam	73	73	0.05																		
Methamidophos	97	94	0.01			3											0.05	0	0.05	E	
Metalaxyl	73	73	0.05																		
Methidathion	73	73	0.02																		
Methiocarb	0																				
Methomyl	73	68	0.05					1	2	2							0.7	4	0.20	E	
Ormethoate	73	73	0.02																		
Oxydemeton-methyl	45	45	0.05																		
Parathion	73	73	0.05																		
Permethrin	73	73	0.05																		
Phorate	73	73	0.05																		
Pirimiphos-methyl	73	73	0.05																		
Procymidone	73	69				1	1	1	1								0.5	0	2.00	E	
Propyzamide	73	73	0.02																		
Thiabendazol	73	72	0.05					1									0.2	1	0.05	E	
Tolyfluanid	73	73	0.05																		
Triazophos	73	73	0.02																		
Vinclozolin	73	73	0.05																		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(†) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Leafy vegetables		Food item: Spinach (fresh or frozen)	
Reporting country: Iceland	Year of sampling: 2002	Remark:	
Total number of samples analysed:	1	With residues above MRL (EC+national):	
Without detectable residues:	1	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	

Only add information regarding spinach and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Accephate																				
Aldicarb																				
Azinphos-methyl	1	1	0.05																	
Azoxystrobin																				
Benomyl group(##)																				
Bromopropylate	1	1	0.03																	
Captan	1	1	0.20																xxxxxx	
Chlorothalonil	1	1	0.03																	
Chlorpyrifos	1	1	0.03																	
Chlorpyrifos-methyl	1	1	0.03																	
Cypermethrin																				
Deltamethrin																				
Diazinon	1	1	0.03																	
Dichlofluanid																				
Dicofof	1	1	0.03																	
Dimethoate	1	1	0.03																	
Endosulfan																				
Folpet	1	1	0.03																xxxxxx	
Captan+ Folpet (Sum)																				
Imazail	1	1	0.05																	
Iprodione	1	1	0.05																	
Lambda-cyhalothrin																				
Malathion	1	1	0.03																	
Maneb-group(##)																				
Mecarbam																				
Methamidophos	1	1	0.08																	
Metaxyl	1	1	0.03																	
Methidathion	1	1	0.08																	
Methiocarb																				
Methomyl																				
Ormethoate																				
Oxydemeton-methyl																				
Parathion																				
Permethrin	1	1	0.03																	
Phorate																				
Pirimiphos-methyl																				
Procymidone	1	1	0.03																	
Propyzamide																				
Thiabendazol	1	1	0.05																	
Tolyfluanid	1	1	0.05																	
Triazophos																				
Vinclozolin	1	1	0.03																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pome fruit		Food item: Pears	
Reporting country: Liechtenstein		Year of sampling: 2002	Remark:
Total number of samples analysed:	3	With residues above MRL (EC-national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding pears and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50					>50
Acephate	3	3	0.05															0		
Aldicarb	3	3	0.05															0		
Azinphos-methyl	3	3	0.05															0		
Azoxystrobin	3	3	0.02															0		
Benomyl group(#)	3	3	0.05															0		
Bromopropylate	3	3	0.01															0		
Captan																			xxxxxx	
Chlorothalonil	3	3	0.05															0		
Chlorpyrifos	3	3	0.01															0		
Chlorpyrifos-methyl	3	3	0.01															0		
Cypermethrin	3	3	0.01															0		
Deltamethrin	3	3	0.01															0		
Diazinon	3	3	0.01															0		
Dichlofluanid	3	3	0.01															0		
Dicofol	3	3	0.01															0		
Dimethoate	3	3	0.01															0		
Endosulfan	3	3	0.01															0		
Folpet																			xxxxxx	
Captan+ Folpet (Sum)	3	3	0.01															0		
Imazalil	3	3	0.02															0		
Iprodione	3	3	0.01															0		
Lambda-cyhalothrin	3	3	0.01															0		
Malathion	3	3	0.01															0		
Maneb-group(##)	3	3	0.05															0		
Mecarbam	3	3	0.01															0		
Methamidophos	3	3	0.01															0		
Metaxyl	3	3	0.01															0		
Methidathion	3	3	0.01															0		
Methiocarb	3	3	0.05															0		
Methomyl	3	3	0.05															0		
Ormethoate	3	3	0.02															0		
Oxydemeton-methyl	3	3	0.04															0		
Parathion	3	3	0.01															0		
Permethrin	3	3	0.01															0		
Phorate	3	3	0.01															0		
Pirimiphos-methyl	3	3	0.01															0		
Procymidone	3	3	0.01															0		
Propyzamide	3	3	0.01															0		
Thiabendazol	3	3	0.05															0		
Tolyfluanid	3	3	0.01															0		
Triazophos	3	3	0.05															0		
Vinclozolin	3	3	0.01															0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0,02 includes the range from 0,011... mg/kg upto 0,020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Miscellaneous fruit		Food item: Bananas	
Reporting country: Liechtenstein	Year of sampling: 2002	Remark:	
Total number of samples analysed:	3	With residues above MRL (EC-national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding bananas and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	3	3	< 0.05															0		
Aldicarb	3	3	< 0.05															0		
Azinphos-methyl	3	3	< 0.05															0		
Azoxystrobin	3	3	< 0.02															0		
Benomyl group(#)	3	3	< 0.05															0		
Bromopropylate	3	3	< 0.005															0		
Captan																			xxxxxx	
Chlorothalonil	3	3	< 0.005															0		
Chlorpyrifos	3	3	< 0.01															0		
Chlorpyrifos-methyl	3	3	< 0.01															0		
Cypermethrin	3	3	< 0.005															0		
Deltamethrin	3	3	< 0.005															0		
Diazinon	3	3	< 0.005															0		
Dichlofluanid	3	3	< 0.01															0		
Dicofol	3	3	< 0.005															0		
Dimethoate	3	3	< 0.005															0		
Endosulfan	3	3	< 0.01															0		
Folpet																			xxxxxx	
Captan+ Folpet (Sum)	3	3	< 0.005															0		
Imazalil	3	3	< 0.005															0		
Iprodione	3	3	< 0.02															0		
Lambda-cyhalothrin	3	3	< 0.005															0		
Malathion	3	3	< 0.01															0		
Maneb-group(##)	3	3	< 0.05															0		
Mecarbam	3	3	< 0.01															0		
Methamidophos	3	3	< 0.01															0		
Metaxyl	3	3	< 0.01															0		
Methidathion	3	3	< 0.01															0		
Methiocarb	3	3	< 0.05															0		
Methomyl	3	3	< 0.05															0		
Ormethoate	3	3	< 0.02															0		
Oxydemeton-methyl	3	3	< 0.04															0		
Parathion	3	3	< 0.01															0		
Permethrin	3	3	< 0.005															0		
Phorate	3	3	< 0.01															0		
Pirimiphos-methyl	3	3	< 0.01															0		
Procydione	3	3	< 0.005															0		
Propyzamide	3	3	< 0.01															0		
Thiabendazol	3	3	< 0.05															0		
Tolyfluanid	3	3	< 0.005															0		
Triazophos	3	3	< 0.05															0		
Vinclozolin	3	3	< 0.005															0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0,02 includes the range from 0,011... mg/kg upto 0,020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Pulses		Food item: Beans (fresh or frozen)	
Reporting country: Liechtenstein		Year of sampling: 2002	Remark:
Total number of samples analysed:	3	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding beans and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	3	3	<0.05															0		
Aldicarb	3	3	<0.05															0		
Azinphos-methyl	3	3	<0.05															0		
Azoxystrobin	3	3	<0.02															0		
Benomyl group(#)	3	3	< 0.05															0		
Bromopropylate	3	3	<0.005															0		
Captan																			xxxxxx	
Chlorothalonil	3	3	<0.005															0		
Chlorpyrifos	3	3	<0.01															0		
Chlorpyrifos-methyl	3	3	<0.01															0		
Cypermethrin	3	3	<0.005															0		
Deltamethrin	3	3	<0.005															0		
Diazinon	3	3	<0.005															0		
Dichlofluanid	3	3	<0.01															0		
Dicofol	3	3	<0.005															0		
Dimethoate	3	3	<0.005															0		
Endosulfan	3	3	<0.01															0		
Folpet																			xxxxxx	
Captan+ Folpet (Sum)	3	3	<0.005															0		
Imazalil	3	3	<0.005															0		
Iprodione	3	3	<0.02															0		
Lambda-cyhalothrin	3	3	<0.005															0		
Malathion	3	3	<0.01															0		
Maneb-group(##)	3	3	<0.05															0		
Mecarbam	3	3	<0.01															0		
Methamidophos	3	3	<0.01															0		
Metaxyl	3	3	<0.01															0		
Methidathion	3	3	<0.01															0		
Methiocarb	3	3	<0.05															0		
Methomyl	3	3	<0.05															0		
Ormethoate	3	3	<0.02															0		
Oxydemeton-methyl	3	3	<0.04															0		
Parathion	3	3	<0.01															0		
Permethrin	3	3	<0.005															0		
Phorate	3	3	<0.01															0		
Pirimiphos-methyl	3	3	<0.01															0		
Procyridone	3	3	<0.005															0		
Propyzamide	3	3	<0.01															0		
Thiabendazol	3	3	< 0.05															0		
Tolyfluanid	3	3	<0.005															0		
Triazophos	3	3	<0.05															0		
Vinclozolin	3	3	<0.005															0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0,02 includes the range from 0,011... mg/kg upto 0,020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Potatoes		Food item: Potatoes	
Reporting country: Liechtenstein	Year of sampling: 2002	Remark:	
Total number of samples analysed:	6	With residues above MRL (EC+national):	1
Without detectable residues:	5	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding potatoes and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	6	6	<0.05															0		
Aldicarb	6	6	<0.05															0		
Azinphos-methyl	6	6	<0.05															0		
Azoxystrobin	6	6	<0.02															0		
Benomyl group(#)	6	6	< 0.05															0		
Bromopropylate	6	6	<0.005															0		
Captan																			xxxxxx	
Chlorothalonil	6	6	<0.005															0		
Chlorpyrifos	6	6	<0.005															0		
Chlorpyrifos-methyl	6	6	<0.01															0		
Cypermethrin	6	6	<0.01															0		
Deltamethrin	6	6	<0.005															0		
Diazinon	6	6	<0.005															0		
Dichlofluanid	6	6	<0.005															0		
Dicofol	6	6	<0.01															0		
Dimethoate	6	6	<0.005															0		
Endosulfan	6	6	<0.005															0		
Folpet																			xxxxxx	
Captan+ Folpet (Sum)	6	6	<0.005															0		
Imazalil	6	6	<0.005															0		
Iprodione	6	6	<0.02															0		
Lambda-cyhalothrin	6	6	<0.005															0		
Malathion	6	6	<0.01															0		
Maneb-group(##)	6	6	<0.05															0		
Mecarbam	6	6	<0.01															0		
Methamidophos	6	6	<0.01															0		
Metaxyl	6	6	<0.01															0		
Methidathion	6	6	<0.01															0		
Methiocarb	6	6	<0.05															0		
Methomyl	6	6	<0.05															0		
Ormethoate	6	6	<0.02															0		
Oxydemeton-methyl	6	6	<0.04															0		
Parathion	6	6	<0.01															0		
Permethrin	6	6	<0.005															0		
Phorate	6	6	<0.01															0		
Pirimiphos-methyl	6	6	<0.01															0		
Procymidone	6	6	<0.005															0		
Propyzamide	6	6	<0.01															0		
Thiabendazol	6	5	< 0.05					1								0.19		1	0.05	E
Tolylfluanid	6	6	<0.005															0		
Triazophos	6	6	<0.05															0		
Vinclozolin	6	6	<0.005															0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0,02 includes the range from 0,011... mg/kg upto 0,020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Root and tuber vegetables		Food item: Carrots	
Reporting country: Liechtenstein	Year of sampling: 2002	Remark:	
Total number of samples analysed:	3	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding carrots and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	3	3	<0.05																0		
Aldicarb	3	3	<0.05																0		
Azinphos-methyl	3	3	<0.05																0		
Azoxystrobin	3	3	<0.02																0		
Benomyl group(#)	3	3	< 0.05																0		
Bromopropylate	3	3	<0.005																0		
Captan																				xxxxxx	
Chlorothalonil	3	3	<0.005																0		
Chlorpyrifos	3	3	<0.005																0		
Chlorpyrifos-methyl	3	3	<0.01																0		
Cypermethrin	3	3	<0.01																0		
Deltamethrin	3	3	<0.005																0		
Diazinon	3	3	<0.005																0		
Dichlofluanid	3	3	<0.005																0		
Dicofol	3	3	0.12																0		
Dimethoate	3	3	<0.005																0		
Endosulfan	3	3	<0.005																0		
Folpet																				xxxxxx	
Captan+ Folpet (Sum)	3	3	<0.005																0		
Imazalil	3	3	<0.005																0		
Iprodione	3	3	<0.02																0		
Lambda-cyhalothrin	3	3	<0.005																0		
Malathion	3	3	<0.01																0		
Maneb-group(##)	3	3	<0.05																0		
Mecarbam	3	3	<0.01																0		
Methamidophos	3	3	<0.01																0		
Metaxyl	3	3	<0.01																0		
Methidathion	3	3	<0.01																0		
Methiocarb	3	3	<0.05																0		
Methomyl	3	3	<0.05																0		
Ormethoate	3	3	<0.02																0		
Oxydemeton-methyl	3	3	<0.04																0		
Parathion	3	3	<0.01																0		
Permethrin	3	3	<0.005																0		
Phorate	3	3	<0.01																0		
Pirimiphos-methyl	3	3	<0.01																0		
Procyridone	3	3	<0.005																0		
Propyzamide	3	3	<0.01																0		
Thiabendazol	3	3	< 0.05																0		
Tolyfluanid	3	3	<0.005																0		
Triazophos	3	3	<0.05																0		
Vinclozolin	3	3	<0.005																0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0,02 includes the range from 0,011... mg/kg upto 0,020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Citrus fruit		Food item: Oranges/mandarins	
Reporting country: Liechtenstein	Year of sampling: 2002	Remark:	
Total number of samples analysed:	3	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding oranges/mandarins and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	3	3	<0.05																0		
Aldicarb	3	3	<0.05																0		
Azinphos-methyl	3	3	<0.05																0		
Azoxystrobin	3	3	<0.02																0		
Benomyl group(#)	3	3	< 0.05																0		
Bromopropylate	3	3	<0.005																0		
Captan																				xxxxxx	
Chlorothalonil	3	3	<0.005																0		
Chlorpyrifos	3	3	<0.005																0		
Chlorpyrifos-methyl	3	3	<0.01																0		
Cypermethrin	3	3	<0.01																0		
Deltamethrin	3	3	<0.005																0		
Diazinon	3	3	<0.005																0		
Dichlofluanid	3	3	<0.005																0		
Dicofol	3	3	<0.01																0		
Dimethoate	3	3	<0.005																0		
Endosulfan	3	3	<0.005																0		
Folpet																				xxxxxx	
Captan+ Folpet (Sum)	3	3	<0.005																0		
Imazalil	3	3	<0.005																0		
Iprodione	3	3	<0.02																0		
Lambda-cyhalothrin	3	3	<0.005																0		
Malathion	3	3	<0.01																0		
Maneb-group(##)	3	3	<0.05																0		
Mecarbam	3	3	<0.01																0		
Methamidophos	3	3	<0.01																0		
Metaxyl	3	3	<0.01																0		
Methidathion	3	3	<0.01																0		
Methiocarb	3	3	<0.05																0		
Methomyl	3	3	<0.05																0		
Ormethoate	3	3	<0.02																0		
Oxydemeton-methyl	3	3	<0.04																0		
Parathion	3	3	<0.01																0		
Permethrin	3	3	<0.005																0		
Phorate	3	3	<0.01																0		
Pirimiphos-methyl	3	3	<0.01																0		
Procymidone	3	3	<0.005																0		
Propyzamide	3	3	<0.01																0		
Thiabendazol	3	3	< 0.05																0		
Tolyfluanid	3	3	<0.005																0		
Triazophos	3	3	<0.05																0		
Vinclozolin	3	3	<0.005																0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0,02 includes the range from 0,011... mg/kg upto 0,020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Stone fruit		Food item: Peaches/nectarines	
Reporting country: Liechtenstein		Year of sampling: 2002	Remark:
Total number of samples analysed:	3	With residues above MRL (EC-national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding peaches/nectarines and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	3	3	< 0.05															0		
Aldicarb	3	3	< 0.05															0		
Azinphos-methyl	3	3	< 0.05															0		
Azoxystrobin	3	3	< 0.02															0		
Benomyl group(#)	3	3	< 0.05															0		
Bromopropylate	3	3	< 0.005															0		
Captan																			xxxxxx	
Chlorothalonil	3	3	< 0.005															0		
Chlorpyrifos	3	3	< 0.005															0		
Chlorpyrifos-methyl	3	3	< 0.01															0		
Cypermethrin	3	3	< 0.01															0		
Deltamethrin	3	3	< 0.005															0		
Diazinon	3	3	< 0.005															0		
Dichlofluanid	3	3	< 0.005															0		
Dicofol	3	3	< 0.01															0		
Dimethoate	3	3	< 0.005															0		
Endosulfan	3	3	< 0.005															0		
Folpet																			xxxxxx	
Captan+ Folpet (Sum)	3	3	< 0.005															0		
Imazalil	3	3	< 0.005															0		
Iprodione	3	3	< 0.02															0		
Lambda-cyhalothrin	3	3	< 0.005															0		
Malathion	3	3	< 0.01															0		
Maneb-group(##)	3	3	< 0.05															0		
Mecarbam	3	3	< 0.01															0		
Methamidophos	3	3	< 0.01															0		
Metaxyl	3	3	< 0.01															0		
Methidathion	3	3	< 0.01															0		
Methiocarb	3	3	< 0.05															0		
Methomyl	3	3	< 0.05															0		
Ormethoate	3	3	< 0.02															0		
Oxydemeton-methyl	3	3	< 0.04															0		
Parathion	3	3	< 0.01															0		
Permethrin	3	3	< 0.005															0		
Phorate	3	3	< 0.01															0		
Pirimiphos-methyl	3	3	< 0.01															0		
Procydione	3	3	< 0.005															0		
Propyzamide	3	3	< 0.01															0		
Thiabendazol	3	3	< 0.05															0		
Tolyfluanid	3	3	< 0.005															0		
Triazophos	3	3	< 0.05															0		
Vinclozolin	3	3	< 0.005															0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0,02 includes the range from 0,011... mg/kg upto 0,020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Leafy vegetables		Food item: Spinach (fresh or frozen)	
Reporting country: Liechtenstein		Year of sampling: 2002	Remark:
Total number of samples analysed:	3	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding spinach and the 41 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	3	3	< 0.05															0		
Aldicarb	3	3	< 0.05															0		
Azinphos-methyl	3	3	< 0.05															0		
Azoxystrobin	3	3	< 0.02															0		
Benomyl group(#)	3	3	< 0.05															0		
Bromopropylate	3	3	< 0.005															0		
Captan																			xxxxxx	
Chlorothalonil	3	3	< 0.005															0		
Chlorpyrifos	3	3	< 0.01															0		
Chlorpyrifos-methyl	3	3	< 0.01															0		
Cypermethrin	3	3	< 0.005															0		
Deltamethrin	3	3	< 0.005															0		
Diazinon	3	3	< 0.01															0		
Dichlofluanid	3	3	< 0.005															0		
Dicofol	3	3	< 0.005															0		
Dimethoate	3	3	< 0.01															0		
Endosulfan	3	3	< 0.005															0		
Folpet																			xxxxxx	
Captan+ Folpet (Sum)	3	3	< 0.005															0		
Imazalil	3	3	< 0.02															0		
Iprodione	3	3	< 0.005															0		
Lambda-cyhalothrin	3	3	< 0.005															0		
Malathion	3	3	< 0.01															0		
Maneb-group(##)	3	3	< 0.05															0		
Mecarbam	3	3	< 0.01															0		
Methamidophos	3	3	< 0.01															0		
Metaxyl	3	3	< 0.01															0		
Methidathion	3	3	< 0.01															0		
Methiocarb	3	3	< 0.05															0		
Methomyl	3	3	< 0.05															0		
Ormethoate	3	3	< 0.02															0		
Oxydemeton-methyl	3	3	< 0.04															0		
Parathion	3	3	< 0.01															0		
Permethrin	3	3	< 0.005															0		
Phorate	3	3	< 0.01															0		
Pirimiphos-methyl	3	3	< 0.01															0		
Procyridone	3	3	< 0.005															0		
Propyzamide	3	3	< 0.01															0		
Thiabendazol	3	3	< 0.05															0		
Tolyfluanid	3	3	< 0.005															0		
Triazophos	3	3	< 0.05															0		
Vinclozolin	3	3	< 0.005															0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0,02 includes the range from 0,011... mg/kg upto 0,020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2