

Designation of a Notified Body pursuant to the Construction Products Regulation

From : Federal Public Services Economy
- Quality and Innovation Division
NG III - 2nd floor-Bloc B,
Boulevard du Roi Albert II, 16
1000 Brussels
Belgium

To : **European Commission**
GROWTH Directorate-General
200 Rue de la Loi,
B-1049 Brussels.
Other Member States

Reference :

Regulation (EU) No 305/2011 - Construction products

Body name, address, telephone, fax, email, website :

WFRGENT N.V. (WARRINGTON FIRE GENT)
Ottergemsesteenweg-Zuid 711
9000 GENT
Belgium
Phone : +32:9:243 77 50
Fax : +32:9:243 77 51
Email : info@wfrgent.com
Website : www.wfrgent.com

Body :

NB 1173

Created : Unknown (Notifications pre-dating 2006 are not available in these lists) | **Last update :** 21/01/2013

The body is formally accredited against :

EN 45001 - EN ISO/IEC 17025

Name of National Accreditation Body (NAB) : BELAC - Belgian Accreditation Body

**Authorised contact person(s) in Body
Name, direct telephone, and personal email**

Sette B. - +32:9:243 77 60 - bart.sette@wfrgent.com

Tasks performed by the Body :

Created : 08/04/2015 | Last update : 08/04/2015

Decision	Product family, product/Intended use	AVCP system	Technical specification
95/467/EC	Gypsum products (1/4) : - Plasterboards and ceiling elements with thin laminations, fibrous gypsum boards, fibrous gypsum plaster casts, and composite panels (laminates), in which the incorporated material is placed on a face susceptible to be exposed to fire, including relevant ancillary products (in walls, partitions or ceilings (or lining thereof) subject to reaction to fire requirements).	Testing Laboratory (System 3)	EN 13950:2005 EN 14190:2005 EN 14209:2005 EN 14496:2005 EN 15283-1:2008+A1:2009 EN 15283-2:2008+A1:2009 EN 520:2004+A1:2009
95/467/EC	Gypsum products (2/4) : - Plasterboards, blocks, ceiling elements and gypsum plasters, fibrous gypsum plasters casts, including relevant ancillary products (in walls, partitions or ceilings, as relevant, intended for fire protection of structural elements and/or fire compartmentation in buildings).	Testing Laboratory (System 3)	EN 12859:2011 EN 12860:2001 EN 12860:2001/AC:2002 EN 13279-1:2008 EN 14195:2005 EN 14195:2005/AC:2006 EN 520:2004+A1:2009
96/580/EC	Curtain wallings (1/1) : - Curtain wall kits (as external walls subject to reaction to fire requirements).	Testing Laboratory (System 3)	EN 13830:2003
97/176/EC	Structural timber products (3/3) : - Fasteners for structural timber products (connectors for timber, split ring connectors, cylindrical steel and wood dowels, wood screws, threaded bolts, wood nails) (for structural timber products).	Testing Laboratory (System 3)	EN 14545:2008 EN 14592:2008+A1:2012
97/462/EC	Wood-based panels (2/2) : - Unfaced, overlaid and veneered or coated wood-based panels (for non structural elements in internal or external applications).	Testing Laboratory (System 3)	EN 13986:2004
97/740/EC	Masonry and related products (2/3) : - Bed joint reinforcement (in walls and partitions).	Testing Laboratory (System 3)	EN 845-3:2013
97/740/EC	Masonry and related products (2/3) : - Lintels (in walls and partitions).	Testing Laboratory (System 3)	EN 845-2:2013
97/808/EC	Floorings (2/2) : - Rigid flooring products (a) Components: paving units, tiles, mosaics, parquet, decking of mesh or sheet, floor gratings, rigid laminated floorings, wood based products (for internal uses including enclosed public transport premises).	Testing Laboratory (System 3)	EN 12057:2004 EN 12058:2004 EN 14342:2013
97/808/EC	Floorings (2/2) : - Floor screed materials (for internal uses).	Testing Laboratory (System 3)	EN 13454-1:2004 EN 13813:2002 EN 14016-1:2004
97/808/EC	Floorings (2/2) : - Resilient and textile floorings - homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings) (for internal uses).	Testing Laboratory (System 3)	EN 14041:2004 EN 14041:2004/AC:2006 EN 14904:2006
97/808/EC	Floorings (2/2) : - Resilient and textile floorings -	Testing Laboratory	EN 14041:2004

Decision	Product family, product/Intended use	AVCP system	Technical specification
	homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings) (for internal uses).	(System 3)	EN 14041:2004/AC:2006
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (1/6) : - Factory-bonded composite or sandwich panels (for uses subject to resistance to fire regulations (e.g. fire compartmentation)).	Testing Laboratory (System 3)	EN 14509:2013
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (1/6) : - Rooflights (for uses subject to resistance to fire regulations (e.g. fire compartmentation)).	Testing Laboratory (System 3)	EN 1873:2005
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Flat and profiled sheets (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 14782:2006 EN 494:2012
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Factory-bonded composite or sandwich panels (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 14509:2013
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Roofing tiles, slates, stones and shingles (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 1304:2005 EN 490: 2011 EN 492:2012 EN 494:2012 EN 544:2011
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Rooflights (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 1873:2005
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (3/6) : - Flat and profiled sheets (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 14782:2006 EN 14783:2013 EN 494:2012
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (3/6) : - Factory-bonded composite or sandwich panels (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 14509:2013
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (3/6) : - Roofing tiles, slates, stones and shingles (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 1304:2005 EN 490: 2011 EN 492:2012 EN 494:2012 EN 544:2011
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (3/6) : - Rooflights (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 1873:2005
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (5/6) : - All roof coverings, rooflights, roof windows and ancillary products (for uses subject to regulations on dangerous substances).	Testing Laboratory (System 3)	EN 12326-1:2014 EN 14509:2013 EN 1873:2005
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (6/6) : - Roof access systems, walkways and footholds (for uses other than those specified in families (1/6), (2/6), (3/6), (4/6), (5/6)).	Testing Laboratory (System 3)	EN 12951:2004 EN 516:2006
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (6/6) : - Roof safety hooks and anchorages (for uses other than those specified in families (1/6), (2/6), (3/6), (4/6), (5/6)).	Testing Laboratory (System 3)	EN 517:2006
98/436/EC	Roof coverings, rooflights, roof windows and ancillary products (6/6) : - Rooflights (for uses other than those specified in families (1/6), (2/6), (3/6), (4/6), (5/6)).	Testing Laboratory (System 3)	EN 1873:2005

Decision	Product family, product/Intended use	AVCP system	Technical specification
98/437/EC	Internal and external wall and ceiling finishes (1/5) : - Suspended ceilings (kits) (as internal or external finishes used for fire protection of ceilings).	Testing Laboratory (System 3)	EN 13964:2004 EN 13964:2004/A1:2006
98/437/EC	Internal and external wall and ceiling finishes (1/5) : - Panels (as internal or external finishes, as complete elements, used for fire protection of walls or ceilings).	Testing Laboratory (System 3)	EN 438-7:2005
98/437/EC	Internal and external wall and ceiling finishes (2/5) : - Suspended ceilings (kits) (as internal or external finish in ceilings subject to safety in use requirements).	Testing Laboratory (System 3)	EN 13964:2004 EN 13964:2004/A1:2006
98/437/EC	Internal and external wall and ceiling finishes (2/5) : - Panels (in internal or external suspended ceilings subject to safety in use requirements).	Testing Laboratory (System 3)	EN 438-7:2005
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Coverings in roll form (as internal finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 14716:2004 EN 15102:2007+A1:2011
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Suspended ceilings (kits) (as internal or external finishes in ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13964:2004 EN 13964:2004/A1:2006
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Cladding slabs (as external finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 1469:2004
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Sidings (as internal or external finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 14915:2013
98/437/EC	Internal and external wall and ceiling finishes (3/5) : - Panels (as internal or external finishes in walls or ceilings subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 15102:2007+A1:2011 EN 438-7:2005
98/437/EC	Internal and external wall and ceiling finishes (4/5) : - Suspended ceilings (kits) (as internal or external finishes in walls or ceilings subject to regulations on dangerous substances).	Testing Laboratory (System 3)	EN 13964:2004 EN 13964:2004/A1:2006
98/437/EC	Internal and external wall and ceiling finishes (4/5) : - Cladding slabs (as internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances).	Testing Laboratory (System 3)	EN 1469:2004 EN 14783:2013
98/437/EC	Internal and external wall and ceiling finishes (4/5) : - Panels (as internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances).	Testing Laboratory (System 3)	EN 438-7:2005
99/90/EC	Membranes (1/3) : - Damp proof courses (in buildings).	Testing Laboratory (System 3)	EN 14967:2006
99/90/EC	Membranes (1/3) : - Roof underlays (in buildings).	Testing Laboratory (System 3)	EN 13859-1:2010
99/90/EC	Membranes (1/3) : - Water vapour control layers (in buildings).	Testing Laboratory (System 3)	EN 13859-1:2010 EN 13859-2:2010 EN 13970:2004 EN 13970:2004/A1:2006 EN 13984:2013
99/90/EC	Membranes (2/3) : - Damp proofing sheets (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13967:2012 EN 13969:2004 EN 13969:2004/A1:2006
99/90/EC	Membranes (2/3) : - Damp proof courses (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 14909:2012 EN 14967:2006
99/90/EC	Membranes (2/3) : - Roof underlays (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13859-1:2010
99/90/EC	Membranes (2/3) : - Roof sheets (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13707:2004+A2:2009 EN 13956:2012

Decision	Product family, product/Intended use	AVCP system	Technical specification
99/90/EC	Membranes (2/3) : - Water vapour control layers (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 13859-1:2010 EN 13859-2:2010 EN 13970:2004 EN 13970:2004/A1:2006 EN 13984:2013
99/90/EC	Membranes (3/3) : - Roof underlays (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 13859-1:2010
99/90/EC	Membranes (3/3) : - Roof sheets (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 13707:2004+A2:2009 EN 13956:2012
99/91/EC	Thermal insulating products (2/2) : - Thermal insulating products (factory-made products and products intended to be formed in-situ) (for uses subject to regulations on reaction to fire).	Testing Laboratory (System 3)	EN 13162:2012 EN 13163:2012 EN 13164:2012 EN 13165:2012 EN 13166:2012 EN 13167:2012 EN 13168:2012 EN 13169:2012 EN 13170:2012 EN 13171:2012 EN 14063-1:2004 EN 14063-1:2004/AC:2006 EN 14064-1:2010 EN 14303:2009+A1:2013 EN 14304:2009+A1:2013 EN 14305:2009+A1:2013 EN 14306:2009+A1:2013 EN 14307:2009+A1:2013 EN 14308:2009+A1:2013 EN 14309:2009+A1:2013 EN 14313:2009+A1:2013 EN 14314:2009+A1:2013
99/93/EC	Doors, windows, shutters, blinds, gates and related building hardware (1/1) : - Doors and gates (with or without related hardware) (other declared specific uses and/or uses subject to other specific requirements, in particular noise, energy, tightness and safety-in-use (i.e. NOT for fire/smoke compartmentation, NOT for escape routes)).	Testing Laboratory (System 3)	EN 13241-1:2003+A1:2011 EN 14351-1:2006+A1:2010
99/93/EC	Doors, windows, shutters, blinds, gates and related building hardware (1/1) : - Windows (with or without related hardware) (any other).	Testing Laboratory (System 3)	EN 14351-1:2006+A1:2010
99/469/EC	Products related to concrete, mortar and grout (2/2) : - Concrete protection and repair products (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 1504-2:2004 EN 1504-3:2005 EN 1504-4:2004
99/470/EC	Construction adhesives (1/2) : - Adhesives for tiles (for internal and external uses in buildings and other civil engineering works).	Testing Laboratory (System 3)	EN 12004:2007+A1:2012
2000/245/EC	Flat glass, profiled glass and glass-block products (2/6) : - Flat or curved glass panels (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 1096-4:2004 EN 12150-2:2004 EN 12337-2:2004

Decision	Product family, product/Intended use	AVCP system	Technical specification
			EN 1279-5:2005+A2:2010 EN 13024-2:2004 EN 14178-2:2004 EN 1748-1-2:2004 EN 1748-2-2:2004 EN 1863-2:2004
2000/245/EC	Flat glass, profiled glass and glass-block products (2/6) : - Insulating glass units (for uses subject to reaction to fire regulations).	Testing Laboratory (System 3)	EN 1279-5:2005+A2:2010
2000/245/EC	Flat glass, profiled glass and glass-block products (3/6) : - Flat or curved glass panels (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 1096-4:2004 EN 12150-2:2004 EN 12337-2:2004 EN 1279-5:2005+A2:2010 EN 13024-2:2004 EN 14178-2:2004 EN 14449:2005 EN 14449:2005/AC:2005 EN 1748-1-2:2004 EN 1748-2-2:2004 EN 1863-2:2004 EN 572-9:2004
2000/245/EC	Flat glass, profiled glass and glass-block products (3/6) : - Insulating glass units (for uses subject to external fire performance regulations).	Testing Laboratory (System 3)	EN 1279-5:2005+A2:2010
2000/245/EC	Flat glass, profiled glass and glass-block products (4/6) : - Flat or curved glass panels (for other uses liable to present "safety-in-use" risks and subject to such regulations).	Testing Laboratory (System 3)	EN 12150-2:2004 EN 1279-5:2005+A2:2010 EN 14449:2005 EN 14449:2005/AC:2005 EN 1863-2:2004
2000/245/EC	Flat glass, profiled glass and glass-block products (4/6) : - Insulating glass units (for other uses liable to present "safety-in-use" risks and subject to such regulations).	Testing Laboratory (System 3)	EN 1279-5:2005+A2:2010
2000/245/EC	Flat glass, profiled glass and glass-block products (5/6) : - Flat or curved glass panels (specially treated) (for uses relating to energy conservation and/or noise reduction).	Testing Laboratory (System 3)	EN 12150-2:2004 EN 1279-5:2005+A2:2010 EN 14449:2005 EN 14449:2005/AC:2005 EN 1863-2:2004
2000/245/EC	Flat glass, profiled glass and glass-block products (5/6) : - Insulating glass units (for uses relating to energy conservation and/or noise reduction).	Testing Laboratory (System 3)	EN 1279-5:2005+A2:2010

Horizontal notification (CPR Annex V.3)

Essential characteristics	Specification	Body Function
Reaction to fire	EN 13823 EN ISO 1182 EN ISO 11925-2 EN ISO 1716	Testing Laboratory

Essential characteristics	Specification	Body Function
Resistance to fire	EN ISO 9239-1 EN 13381-1 EN 13381-4 EN 13381-6 EN 13381-8 EN 1364-1 EN 1364-2 EN 1364-3 EN 1364-4 EN 1365-2 EN 1365-3 EN 1365-4 EN 1366-1 EN 1366-10 EN 1366-2 EN 1366-3 EN 1366-4 EN 1366-6 EN 1366-7 EN 1366-8 EN 1366-9 EN 14135 EN 1634-1 EN 1634-3 ENV 13381-2 ENV 13381-3 ENV 13381-5 ENV 13381-7	Testing Laboratory
External fire performance	TS 1187	Testing Laboratory