

INDEX

A

absorption	129; 278; 299
Acarapis woodi.....	227; 229; 231; 232
Acarapis woodi parasitosis	227; 229
acceptable daily intake	22; 34
accuracy	16; 34; 107; 111; 132; 139; 143; 233; 272
active moiety	129
activity spectrum.....	147
acute toxicity test	304; 320; 325; 329
ADI	22; 23; 30; 33; 34; 35
ADR.....	105; 115
Adverse Drug Reaction.....	105; 114; 115
antagonism	165; 238
anthelmintics	147; 177; 179; 182; 183; 187; 194; 195; 197; 203; 205
antibiotic residues	260
anticoccidials	221; 222; 224
antigen	42; 43
antimicrobial	17; 20; 27; 132; 163; 165; 328
antimicrobial preservative	17
antiparasitic activity.....	180
applicability	34; 79
aquatic species	269; 271; 272; 273; 275; 279; 319; 320; 321; 325; 327
area under the concentration time curve.....	143
archiving	112
AUC	23; 37; 143; 144; 166; 278
audit.....	11; 59; 88; 106; 112; 113; 115
authorised product	174; 247; 253; 259

B

bacteriological response	250; 256; 262
bacteriological status.....	250
bee.....	227; 229; 230; 231; 232; 233
benefit/risk ratio.....	148; 156; 161
bioaccumulation measurements	328
bioavailability.....	32; 35; 37; 129; 131; 137; 138; 139; 140; 142; 143; 144; 147; 166; 223; 278; 312; 321; 323; 326
bioequivalence studies	37; 62; 67; 129; 135; 138; 141; 142
bovine spongiform encephalopathy	75
broad spectrum activity.....	172
brood-free colonies	231
BSE	73; 75; 76; 77; 78; 79

C

carcinogenicity	25; 26; 30
challenge studies.....	51
CJD	75
clinical mastitis	245; 247; 248; 250
clinical trial	38; 103; 104; 105; 107; 113; 114; 115; 116; 117; 119; 124; 138; 139; 153; 154; 155; 159; 160; 163; 165; 167; 168; 174; 180; 206; 214; 240; 276; 280; 281; 283
Cmax	37

■ Index

coccidiosis	217; 219; 220; 221; 222; 224; 225
cocciostat.....	220
competent authority	59; 104; 171; 173; 237; 240; 298
confidence interval	144
confidence limit	144; 175; 243
control group 109; 121; 153; 175; 180; 181; 188; 190; 191; 200; 206; 213; 215; 225; 230; 231; 232; 243; 253; 279; 280; 282; 283	
controlled battery experiment.....	220; 224
controlled floor pen studies	220
controlled test.....	172; 176; 179; 187; 197; 205; 239; 240
Creutzfeldt-Jakob-Disease.....	75
critical test.....	172; 179; 205

D

degradation in soil.....	319
depletion of residues	33
development pharmaceuticals	62
distribution 22; 23; 32; 37; 63; 68; 77; 129; 130; 132; 156; 166; 173; 249; 255; 261; 272; 278; 283; 301; 302; 303; 304; 306; 319; 320; 323; 325	
dosage regimen	132; 142; 154; 160; 223; 224; 280
dose confirmation.....	171; 172; 174; 179; 181; 190; 191; 197; 199; 200; 237; 238; 239
dose confirmation studies	190; 197; 199
dose determination studies	154; 160
dose response	313
dose titration.....	171; 172; 179; 190; 197; 200; 237; 239
dose/effect curve	131
Dose-dependent	166
dose-lethality relationship.....	232
dose-response	120; 144; 281; 312; 315
drug resistance	238
DT ₅₀	292; 295; 304; 306; 309; 311; 319
DT ₉₀	295; 309
dung fauna	298; 312; 313

E

EC ₅₀	239; 295; 306; 308; 311; 324
ecotoxicity	22; 28; 50; 331
ectoparasite	238; 239; 240; 243
ectoparasitic conditions.....	238
ectoparasiticide.....	237; 240; 243
egg identification	189; 199
eggs	32; 33; 49; 181; 233
elimination half-life	143
embryotoxic.....	25
endoparasitic infestation	174
environmental risk assessment.....	9; 53; 290; 295; 298; 306; 309; 312; 329; 330; 333; 334
ERA	290; 292
European Pharmacopoeia.....	17; 18; 19; 290
excipient	19; 27; 38; 41; 63; 67; 68
excretion 22; 23; 32; 50; 129; 130; 137; 139; 143; 166; 222; 278; 290; 292; 305; 308; 312; 320; 323; 325; 327; 334; 337	
experimentally induced infections.....	191; 195; 201
expert report	12; 16; 35; 63; 64; 290
exposure scenarios.....	287

extraneous agent 43; 44; 46; 76

F

faecal egg counts 174; 189; 199
 FDA 226; 290; 306; 320
 field studies 84; 174; 279; 281; 313; 328
 fixed combination 131; 147; 167
 fleas 237; 240
 fluid therapy 148; 211; 213; 214; 215
 food producing animal 22; 31; 49; 108; 115; 149; 167

G

Gastrointestinal nematode 190
 GCP 12; 59
 GLP 12; 22; 24; 33; 34; 35; 47; 59; 84; 85
 GMP 12; 16; 59; 105
 Good Clinical Practice 12; 38; 59; 103; 104; 151; 153; 157; 159; 160; 169; 171; 211; 213; 214; 217; 219; 227;
 229; 235; 237; 245; 251; 257; 279
 Good Laboratory Practice 12; 22; 38; 59; 83; 84; 85; 86; 87; 88; 98; 141; 295
 Good Manufacturing Practice 12; 59

H

hazard identification 335
 histopathology 24; 75; 92; 123; 220

I

IDF 247; 248; 253; 254; 259; 266
 immunotoxicity 26; 27
 in use shelf life 42
 in vitro 23; 24; 25; 27; 28; 139; 140; 165; 238; 239
 in vivo 23; 26; 28; 135; 137; 138; 139; 140; 165
 in vivo bioequivalence 135; 137; 138; 140
 Infected medicated group 222; 224
 informed consent 104; 106; 110
 inhalation toxicity 29
 in-process control 64; 69
 internal parasite 179
 International Dairy Federation 247; 253; 259; 266
 intramammary 37; 38; 121; 163; 165; 248; 254; 260; 263; 265
 investigator 104; 105; 173; 174; 205; 206; 224; 240; 255; 261; 266; 272; 273; 275; 276; 278; 281; 282; 289
 irritation 22; 26; 27; 29

K

K_{oc} 295; 304; 307; 308
 K_{ow} 295; 304

L

lactating 159; 248; 254; 260; 263; 265; 267
 larval arthropods 237
 larval culture 189; 199
 LC_{50} 295; 306; 308; 313; 316; 318; 324; 325; 329
 LD_{50} 316; 318; 329

■ Index

lesion scores	222; 224
lethal concentration.....	171; 275; 279
lice	237
light regimen.....	223
limit of detection	34; 35
limit of quantitation	34
local irritancy	215
local tolerance	38; 123; 124; 160; 214; 263; 265
local toxicity	123; 124
long-term	27; 122; 154; 159; 232; 233; 298; 308; 318; 320; 326
Long-Term.....	99
Long-term studies.....	233

M

margin of safety.....	119; 122; 273
marker residue.....	33
Master Seed.....	43
mastitis	147; 245; 247; 248; 249; 250; 251; 253; 254; 255; 257; 259; 261
maximum concentration	78; 143; 144; 313
MBC	165; 279
medicated feed	21; 131; 173; 182; 191; 200; 220; 221; 224; 278; 280
metabolism	37; 65; 66; 120; 129; 132; 155; 166; 278; 305; 318; 320; 325
metabolite.....	24; 32; 33; 130; 139; 144; 173; 220
MIC	37; 165; 279; 295; 328
milk withdrawal period	247; 253; 259
milk yield.....	249; 254; 255; 259; 261; 265; 266; 267
Minimum Bactericidal Concentration.....	165
Minimum Inhibitory Concentration.....	165
minor species	121
misuse.....	334
mites	229; 230; 231; 237
monitor	20; 109; 115
MRL.....	22; 33; 34; 35; 63; 68
mutagenicity.....	30

N

necropsy examination.....	123; 182; 189; 191; 199; 201; 205; 273
necropsy parasite count	172; 187
NOEL	22; 23; 25; 26; 30
Non-infected medicated controls.....	222; 224
Non-infected non-medicated controls	220; 222
non-lactating	263; 265
non-parametric statistics	175
nutritional efficiency.....	153; 154

O

oocyst.....	221; 222; 223
-------------	---------------

P

parametric statistics	175
PEC/PNEC.....	295; 304; 308; 309; 318; 320; 321; 325; 327; 328
PEC/PNEC ratio	304; 308; 309; 318; 320; 321; 325; 327; 328

percutaneous toxicity.....	22; 29
performance enhancer	38; 151; 153; 154; 155; 156
pharmacodynamic	23; 32; 117; 119; 120; 124; 148; 163; 165; 188; 241; 277
pharmacokinetic.....	23; 32; 34; 35; 37; 104; 119; 127; 129; 130; 131; 133; 143; 147; 148; 163; 165; 174; 238; 277; 279; 312
pharmacologically active metabolites	130
Phase I.....	24; 50; 287; 289; 290; 292; 293; 295; 298; 308; 312; 334
Phase II	50; 287; 289; 290; 292; 293; 295; 298; 334
phytotoxicity	311
pollen	230
post mortem	75; 124
potency	42; 45; 46; 47; 50; 51; 52
poultry	31; 159; 219; 337
pour-on products	124
P_{ow}	295
Powers et al	187
practicability	34
precision.....	16; 34; 132; 272
predicted environmental concentration	293; 295
Predicted No-Effect Concentration.....	308
pre-mix	278
preservative	17; 42; 49; 62; 67; 140; 337
process validation	18; 62; 63; 65; 67; 68; 69
prolonged toxicity test.....	275; 300
protocol.....	24; 45; 104; 105; 106; 107; 109; 110; 111; 112; 113; 115; 116; 121; 123; 142; 144; 154; 310; 313; 327

Q

quality of animal produce.....	153; 154; 155; 156; 161
--------------------------------	-------------------------

R

radioactive isotopes	131
randomised block design	181; 316
reference product.....	37; 130; 137; 140; 247; 253; 259
reference standard.....	140
regulatory authority	309; 310; 318; 327; 328
regulatory method	34; 35
repeated dose toxicity	275
reproductive capacity	231; 233
reproductive effect	25
reproductive function	114
residue studies	66; 70; 163
resistance	37; 148; 165; 167; 173; 189; 224; 229; 232; 238; 240; 279; 283; 284
resistant strain.....	173; 222; 240
risk management	289; 290; 293; 298; 311; 317; 321; 333; 335

S

sampling.....	17; 91; 92; 109; 131; 132; 143; 174; 240; 249; 255; 261; 278; 310; 311; 316
scrapie	75; 76; 77; 78
secondary pharmacodynamic actions.....	117; 120
secondary pharmacodynamic effect.....	120; 188; 241
shelf life	20; 21; 42; 45; 46; 62; 63; 65; 67; 68; 69; 105
side effects.....	50; 109; 124; 154; 174; 188; 241; 267; 272; 276; 277; 280
simulated use conditions	220; 223

■ Index

single dose studies	131; 143; 277
single dose study.....	131; 141
single dose toxicity.....	273; 275
Site Supervisor	105; 106; 107; 111; 113; 116
soil fauna.....	309; 311
soil microbial function	311
SOP	104
SPC.....	11; 12; 14; 15; 38; 40; 50; 52; 60; 61; 289
specificity.....	34; 224; 298; 335
spongiform encephalopathy.....	75; 76; 77; 78
Standard Operating Procedure	83; 85; 86; 87; 88; 90; 91; 92; 97; 98; 104; 116
statistical analysis.....	37; 65; 69; 112; 154; 174; 206; 224; 239; 241; 281; 282
steady-state experiments	132
subclinical mastitis.....	251; 253; 254; 257; 259
superavailable	137
survival capacity	337
survival/mortality	215
synergism	165
synchronisation of oestrus	159
systemic effect	130; 292

T

target population	38; 121; 130; 141; 159; 240
target species	22; 23; 31; 32; 37; 38; 43; 47; 48; 49; 50; 51; 52; 57; 59; 60; 63; 65; 66; 68; 69; 70; 76; 115; 119; 121; 127; 129; 131; 133; 138; 139; 153; 154; 159; 161; 166; 171; 197; 213; 272; 277; 279; 281; 317; 320; 325; 335; 336; 337; 338
target tissue.....	32; 37; 155; 278; 279
teat lesions.....	248; 254; 260; 265
teratogenicity.....	4
teratology	25; 30
terminal half-life.....	141; 143
therapeutic equivalence.....	62; 137
therapeutic index	37; 120; 168; 232; 276
therapeutic moiety.....	130; 137; 138; 139; 140; 141; 142
ticks	237
Tier A	287; 289; 290; 293; 295; 298; 304; 306; 308; 309; 311; 312; 316; 320
Tier B.....	287; 289; 290; 298; 307; 308; 309; 312; 313; 317; 319; 320; 325
Tier B Fish medicines	298
Time titration studies	222
Time to degradation.....	295
Tmax	37; 143; 144; 166; 278
tolerance	38; 63; 65; 66; 68; 119; 121; 122; 123; 124; 129; 147; 155; 160; 214; 215; 232; 263; 265; 269; 271; 272; 273; 276; 279; 283
tolerance studies	63; 68; 119; 122; 124
toxicokinetic	295
toxicology.....	22; 23; 24; 26; 27; 30; 32; 34; 63; 68; 119; 154; 160; 167
tracer methods	272
trigger values	306; 309; 313; 315

U

Urgent safety restriction	57; 60
urinalysis	123

V

VAR..... 57; 59; 60; 61; 62; 63; 65; 67; 71
 variation assessment report..... 57; 59
 virulence factors..... 165

W

wash-out period 143
 withdrawal period22; 33; 49; 60; 66; 70; 108; 129; 247; 253; 259; 260; 267; 272; 280

Y

yield of animal produce..... 154; 155; 161; 214

Z

zootechnical 157; 159; 160; 161; 265; 271