

The photographs, images and textual illustrations contained in this document have been developed for use on tobacco product packages in accordance with the Commission Decision of 5 September 2003 on the use of colour photographs or other illustrations as health warnings on tobacco packages (2003/641/EC).

All other uses are subject to the permission of the European Commission.

Les photographies, images et commentaires écrits apparaissant dans ce Document ont été créés pour figurer sur les emballages de produits du tabac, conformément à la décision de la Commission du 5 septembre 2003 sur l'utilisation de photographies en couleurs ou d'autres illustrations comme avertissements relatifs à la santé à faire figurer sur les conditionnements des produits du tabac (2003/641/CE).

Tout autre utilisation est soumise à l'autorisation préalable de la Commission européenne.

Die Fotografien, Abbildungen und Textillustrationen in diesem Dokument wurden zur Verwendung auf Verpackungen von Tabakerzeugnissen gemäß der Kommissionsentscheidung vom 5. September 2003 über die Verwendung von Farbfotografien und anderen Abbildungen als gesundheitsbezogene Warnhinweise auf Verpackungen von Tabakerzeugnissen (2003/0641) entwickelt.

Alle sonstigen Verwendungszwecke bedürfen der Genehmigung durch die Europäische Kommission.


ANNEX I

Library of selected source documents


Smokers die younger



Smoking clogs the arteries and causes heart attacks and strokes




Smoking causes fatal lung cancer



Smoking is highly addictive, don't start



Stopping smoking reduces the risk of fatal heart and lung diseases



Smoking can cause a slow and painful death



Smoking causes ageing of the skin



Smoking can damage the sperm and decreases fertility



Smoking may reduce the blood flow and causes impotence



Smoking may reduce
the blood flow
and causes impotence




Smoking may reduce
the blood flow
and causes impotence




Smoking may reduce
the blood flow
and causes impotence

Smoke contains benzene, nitrosamines, formaldehyde and hydrogen cyanide



Smoke contains benzene,
nitrosamines, formaldehyde
and hydrogen cyanide



Smoke contains benzene,
nitrosamines, formaldehyde
and hydrogen cyanide



Smoke contains benzene,
nitrosamines, formaldehyde
and hydrogen cyanide

Smoking when pregnant harms your baby



Smoking when pregnant
harms your baby



Smoking when pregnant
harms your baby



Smoking
when
pregnant
harms
your baby

Protect children: don't make them breathe your smoke



Protect children: don't make
them breathe your smoke




Protect children: don't make
them breathe your smoke



Protect
children:
don't make
them breathe
your smoke

Your doctor or your pharmacist can help you stop smoking



Get help to stop smoking



See for each Member State file:
http://europa.eu.int/comm/health/ph_determinants/life_style/Tobacco/ev_20041022_en.htm

ANNEX II

Technical specifications for printing

The combined warnings must be reproduced without any changes to their proportions or colours.

The combined warnings are conceived as a whole image and must not be amended.

The combined warnings must be printed in four-colour/-CMYK-/ screen 133 lines per inch, as a minimum requirement.