

ANNEX 6.2 QUESTIONS ON HEAVY DRINKING IN NATIONAL HEALTH INTERVIEW SURVEYS

B01 (Belgian "Health Interview Survey", 1997)

Indicate on the following list which alcoholic beverages you drank during the last twelve months (even if you drank it only once)?

- Beer (low alcohol level beer excluded)
- Wine, sherry, porto, vermouth
- Liquor, advocaat, kir
- Gin, brandy, cognac, whisky, vodka
- Long-drinks, cocktails
- Drinks with a low percentage of alcohol (for example low alcohol level beer)
- Other alcoholic beverages: Which ?.....

During the last six months, have you ever had 6 or more glasses (possible different) alcoholic beverages in one day? (yes/no)

During the last six months, how often have you had 6 or more (possible different) alcoholic beverages in one day?

- Every day
- 5 to 6 times a week
- 3 to 4 times a week
- 1 to 2 times a week
- 1 to 3 times a month
- 3 to 5 times in six months
- 1 to 2 times in six months

Do you usually drink alcoholic beverages during the days of the week (Monday till Thursday) (yes/no)

During how many days of the week (Monday till Thursday) do you usually drink alcoholic beverages?

- 1 day
- 2 days
- 3 days
- 4 days

How many glasses on average do you drink during weekdays (Monday till Thursday)?

- 1 glass
- 2 glasses
- 3 glasses
- 4 of 5 glasses
- 6 glasses
- 7 to 10 glasses
- More than 10 glasses

Which alcoholic beverage do you usually drink the most during weekdays (Monday till Thursday) ?

- Beer (low alcohol level beer excluded)
- Wine, sherry, porto, vermouth
- Liquor, advocaat, kir
- Gin, brandy, cognac, whisky, vodka
- Long-drinks, cocktails
- Drinks with a low percentage of alcohol (for example low alcohol level beer)
- Other alcoholic beverages: Which ?.....

Do you usually drink alcoholic beverages during the days of the weekend (Friday till Sunday)? (yes/no)

During how many days of the weekend (Friday till Sunday) do you usually drink alcoholic beverages?

- 1 day
- 2 days
- 3 days

How many glasses on average do you drink during the days of the weekend (Friday till Sunday)?

- 1 glass
- 2 glasses
- 3 glasses
- 4 of 5 glasses
- 6 glasses
- 7 to 10 glasses
- More than 10 glasses

Which alcoholic beverage do you usually drink the most during the days of the weekend (Friday till Sunday)?

- Beer (low alcohol level beer excluded)
- Wine, sherry, porto, vermouth
- Liquor, advocaat, kir
- Gin, brandy, cognac, whisky, vodka
- Long-drinks, cocktails
- Drinks with a low percentage of alcohol (for example low alcohol level beer)
- Other alcoholic beverages: Which ?.....

E01 (Spanish "National Health Survey", 1995)

Could you now tell me how often you drink alcoholic beverages of the following types: (INTERVIEWER: READ OUT EACH TYPE OF DRINK AND SHOW CARD G).

- Wine/sparkling wine
- Alcoholic beer
- Aperitifs
- Cider
- Brandy, liqueurs, cocktails
- Whisky

Frequency

- 3-4 times per day
- 2 times per day
- 1 time per day
- 5-6 times per week
- 3-4 times per week
- 1-2 times per week
- 2-3 times per month
- about once per month
- less than once per month, but more than once per year
- less than once per year
- never drinks alcoholic beverages

And how many glasses do you normally drink each time?

- Wine/sparkling wine
- Alcoholic beer
- Aperitifs
- Cider
- Brandy, liqueurs, cocktails
- Whisky

answer categories: Number of glasses each time ..

F06 (French "Health Barometer", 1999)

(For those who have ever drunk an alcoholic drink with little alcoholic content)

During the LAST 12 MONTHS, did you drink the following :

INTERVIEWER: LIST DOWN

- Daily
- Several times a week
- Once a week
- Once a month
- Less frequently
- Never

- wine (white, rosé, red)
- beer
- strong alcohols (vodka, pastis, whisky & coke, planter's punch, punch...)
- other alcohols (cider, champagne, port...)

(For those who drink circumspect amounts of alcohol (from every day to less frequently))

During the past 7 days, did you drink

INTERVIEWER: LIST DOWN

- Daily
- 3 to 6 days
- 1 to 2 days
- No

- wine? (white, rosé, red)
- beer?
- strong alcohols ? (vodka, pastis, whisky-cola, planter's punch, punch)
- other alcoholic drinks (cider, champagne, port...)

(For those having drunk circumspect amounts of alcohol (from 1 to 6 days the week))

Did you drink alcohol over the weekend, i.e. Friday evening, Saturday or Sunday ?

- YES
- NO

- wine ? (white, rosé, red)
- beer ?
- strong alcohols ? (vodka, pastis, whisky-coke, planter's punch, punch...)
- other alcoholic drinks ? (cider, champagne, port...)

(For those having drunk circumspect amounts of alcohol during the week)

YESTERDAY, how many glasses of ... did you drink ?

INTERVIEWER : RECORD IN PLAIN LANGUAGE. IF DON'T KNOW, ENTER 99

- wine (white, rosé, red)
- beer

- strong alcohols (vodka, pastis, whisky-coke, planter's punch, punch)
- other alcoholic drinks (cider, champagne, port)

(For those who drank every day during the week or those having drunk at the weekend).

How many glasses of alcohol did you drink last Saturday ?

INTERVIEWER : RECORD IN PLAIN LANGUAGE. IF DON'T KNOW, ENTER 99

FIN05 (Finnish "Health Care Survey", 1996)

HOW OFTEN HAVE YOU LATELY DRUNK SO MUCH ALCOHOLIC BEVERAGES THAT YOU HAVE GOTTEN DRUNK?

- Once a week or more often
- 2 - 3 times a month
- About once a month or less frequently
- Never

I02 (Italian "Aspects of Daily Life", 1996)

How much, in quantity, of the following drinks do you normally consume?
(one answer per line)

- Mineral water
- Fizzy drinks (except mineral water)
- Beer
- Wine

answer categories:

1, 2, 3, 4, 5, or 6

Do you drink wine or alcoholic beverages not during a meal?

- Every day
- Occasionally during the week
- Less often
- Never

IRL01 (Irish "Survey of Lifestyle, Attitudes and Nutrition", 1998)

On how many days during a typical week did you usually drink alcohol, on average?
Number of days _____

On the days that you drank alcohol, how many drinks did you have on average?
(A drink is a half pint/glass of beer, larger, stout or cider)

- a single measure of spirits (e.g. whiskey, rum, vodka, gin)
- a single glass of wine, sherry, port

Number of drinks _____

N01 (Norwegian "Survey on Living Conditions", 1998)

How many times during the past 12 months did you drink enough to feel under the influence of alcohol?

Two times a week or more

Approx. once a week

2-3 times per month

Approx. once a month

Less frequent than once a month

Have not felt under influence of alcohol

NL01 (Netherlands "Health Interview Survey", 1998)

Do you ever drink alcoholic beverages (beer, wine, liquor) or soft drinks mixed with alcohol (for example gin and coke)? (yes/no)

Do you do this:

- daily
- a few times per week
- once a week
- 1 to 3 times per month
- less than once per month

How many glasses of beer, wine, liquor or soft drinks mixed with alcohol, for example gin and coke, do you usually drink during the weekend between Friday evening and Sunday evening?

And how many during the week, excluding Friday evening?
(number of glasses, 0 to 80)...

Indicate on the following list which alcoholic beverages you ever drink?

- Beer
- Wine, sherry, porto, vermouth
- Liquor, advocaat, kir
- Gin, brandy, cognac, whisky, vodka
- Long-drinks, cocktails
- Drinks with a low percentage of alcohol
- Other alcoholic beverages
- I never drink

During the last six months, have you ever had 6 or more glasses alcoholic beverages in one day? (yes/no)

During the last six months how often have you had 6 or more alcoholic beverages in one day?

- Every day
- 5 to 6 times a week
- 3 to 4 times a week
- 1 to 2 times a week
- 1 to 3 times a month
- 3 to 5 times in six months
- 1 to 2 times in six months

P01 (Portuguese "National Health Survey", 1995)

ON HOW MANY OF THE LAST SEVEN DAYS DID YOU DRINK WINE?
HOW MANY GLASSES OF WINE PER DAY ON AVERAGE?
(At lunch, dinner, outside mealtimes)

ON HOW MANY OF THE LAST SEVEN DAYS DID YOU DRINK BEER?
HOW MANY GLASSES OF BEER PER DAY ON AVERAGE?
(At lunch, dinner, outside mealtimes)

ON HOW MANY OF THE LAST SEVEN DAYS DID YOU DRINK GRAPE MARC, SPIRITS OR BRANDY?
HOW MANY GLASSES OF GRAPE MARC, SPIRITS OR BRANDY PER DAY ON AVERAGE?
(At lunch, dinner, outside mealtimes)

ON HOW MANY OF THE LAST SEVEN DAYS DID YOU DRINK PORT, VERMOUTH OR LIQUEURS?
HOW MANY GLASSES OF PORT, VERMOUTH OR LIQUEURS PER DAY ON AVERAGE?
(At lunch, dinner, outside mealtimes)

LASTLY, ON HOW MANY OF THE LAST SEVEN DAYS DID YOU DRINK WHISKY OR GIN?
HOW MANY GLASSES OF WHISKY OR GIN PER DAY ON AVERAGE?
(At lunch, dinner, outside mealtimes)

UK01 (United Kingdom "General Household Survey", 2000)

(I'd like to ask you first about NORMAL STRENGTH beer or cider which has less than 6% alcohol.)
How often have you had a drink of NORMAL STRENGTH BEER, LAGER, STOUT, CIDER or SHANDY (excluding cans and bottles of shandy) during the last 12 months?

INTERVIEWER: (NORMAL = LESS THAN 6% ALCOHOL BY VOLUME)

- Almost every day
- 5 or 6 days a week
- 3 or 4 days a week
- once or twice a week
- once or twice a month
- once every couple of months
- once or twice a year
- not at all in last 12 months

How much NORMAL STRENGTH BEER, LAGER, STOUT, CIDER or SHANDY (excluding cans and bottles of shandy) have you usually drunk on any one day during the last 12 months?

- Half pints
- Small cans
- Large cans
- Bottles

How many (Answer 10) of NORMAL STRENGTH BEER, LAGER, STOUT OR CIDER/CIDER OR SHANDY (EXCLUDING CAN AND BOTTLES OF SHANDY) have you usually drunk on any one day during the last 12 months? 1...97

Now I'd like to ask you about STRONG BEER OR CIDER which has 6% or more alcohol (eg Tennants Extra, Special Brew, Diamond White).

How often have you had a drink of strong BEER, LAGER, STOUT or CIDER during the last 12 months? (STRONG=6% and over Alcohol by volume)

- Almost every day
- 5 or 6 days a week
- 3 or 4 days a week
- once or twice a week
- once or twice a month
- once every couple of months
- once or twice a year
- not at all in last 12 months

How much STRONG BEER, LAGER, STOUT or CIDER have you usually drunk on any one day during the last 12 months?

- Half pints
- Small cans
- Large cans
- Bottles

How many (ANSWER AT 15) of STRONG BEER, LAGER, STOUT or CIDER have you usually drunk on any one day during the last 12 months? 1..97

How often have you had a drink of SPIRITS or LIQUEURS, such as gin, whisky, brandy, rum, vodka, advocaat or cocktails during the last 12 months?

- Almost every day
- 5 or 6 days a week
- 3 or 4 days a week
- once or twice a week
- once or twice a month
- once every couple of months
- once or twice a year
- not at all in last 12 months

How much SPIRITS or LIQUEURS (such as gin, whisky, brandy, rum, vodka, advocaat or cocktails) have you usually drunk on any one day during the last 12 months? 1...97
CODE THE NUMBER OF SINGLES - COUNT DOUBLES AS TWO SINGLES.

How often have you had a drink of SHERRY or MARTINI including port, vermouth, Cinzano and Dubonnet, during the last 12 months?

- Almost every day
- 5 or 6 days a week
- 3 or 4 days a week
- once or twice a week
- once or twice a month
- once every couple of months
- once or twice a year
- not at all in last 12 months

How much SHERRY or MARTINI, including port, vermouth, Cinzano and Dubonnet have you usually drunk on any one day during the last 12 months? 1...97
CODE THE NUMBER OF GLASSES.

How often have you had a drink of WINE, including Babycham and champagne, during the last 12 months?

- Almost every day
- 5 or 6 days a week
- 3 or 4 days a week
- once or twice a week
- once or twice a month
- once every couple of months
- once or twice a year
- not at all in last 12 months

How much WINE, including Babycham and champagne, have you usually drunk on any one day during the last 12 months? 1...97
CODE THE NUMBER OF GLASSES. 1 BOTTLE = 6 GLASSES, 1 LITRE = 8 GLASSES

How often have you had a drink of ALCOPOPS (ie alcoholic lemonade, alcoholic colas or other alcoholic fruit- or herb-flavoured drinks (eg. Hooch, Two Dogs, Alcola etc), during the last 12 months?

- Almost every day
- 5 or 6 days a week
- 3 or 4 days a week
- once or twice a week
- once or twice a month
- once every couple of months

- once or twice a year
- not at all in last 12 months

How much alcopops (ie alcoholic lemonade, alcoholic colas or other alcoholic fruit- or herb-flavoured drinks) have you usually drunk on any one day during the last 12 months? 1...97

CODE THE NUMBER OF BOTTLES

UK02 (United Kingdom "Health Education Monitoring Survey", 1998)

Ask current drinkers

I'd like to ask you whether you have drunk different types of alcoholic drink in the last 12 months. I do not need to know about non-alcoholic or low alcohol drinks.

Shandy How often have you had a drink of SHANDY (exclude bottles/cans) during the last 12 months, that is since (today's date) 1997

- Almost every day
- 5 or 6 days a week
- 3 or 4 days a week
- once or twice a week
- once or twice a month
- once every couple of months
- once or twice a year
- not at all in the last 12 months

Ask respondents who have drunk shandy in the last 12 months

How much SHANDY (exclude bottles/cans) have you usually drunk on any one day during the last 12 months, that is since (today's date) 1997? ... ENTER NUMBER OF HALF PINTS.

Beer How often have you had a drink of BEER, LAGER, STOUT, CIDER during the last 12 months, that is since (today's date) 1997?

- Almost every day
- 5 or 6 days a week
- 3 or 4 days a week
- once or twice a week
- once or twice a month
- once every couple of months
- once or twice a year
- not at all in last 12 months

Ask respondents who have drunk beer in the last 12 months

How many HALF PINTS of BEER, LAGER,STOUT,CIDER have you usually drunk on any one day during the last 12 months, that is since (today's date) 1997? ENTER NUMBER OF HALF PINTS. IF YOU NORMALLY DRINK CANS OR BOTTLES, ENTER 97

(Please write in) How many bottles or cans (do) you normally drink on one day. For example, 3 large cans or 2 small cans.

How often have you had a drink of ... SPIRITS OR LIQUEURS (eg. gin, whisky, rum, brandy, vodka, advocaat, cocktails) during the last 12 months, that is since (today's date) 1997?

- Almost every day
- 5 or 6 days a week
- 3 or 4 days a week
- once or twice a week
- once or twice a month

- once every couple of months
- once or twice a year
- not at all in last 12 months

How much SPIRITS OR LIQUEURS (eg. gin, whisky, rum, brandy, vodka, advocaat, cocktails) have you usually drunk on any one day during the last 12 months, that is since (today's date) 1997? ... ENTER NUMBER OF SINGLES (COUNT DOUBLES AS TWO SINGLES).

How often have you had a drink of ... SHERRY OR MARTINI (including port, vermouth, cinzano, dubonnet) during the last 12 months, that is since (today's date) 1997?
SHOW CARD W

- Almost every day
- 5 or 6 days a week
- 3 or 4 days a week
- once or twice a week
- once or twice a month
- once every couple of months
- once or twice a year
- not at all in last 12 months

How much SHERRY OR MARTINI (including port, vermouth, cinzano, dubonnet) have you usually drunk on any one day during the last 12 months, that is since (today's date) 1997? ... ENTER NUMBER OF SMALL GLASSES

How often have you had a drink of ... WINE (including babycham, champagne) during the last 12 months, that is since (today's date) 1997?

- Almost every day
- 5 or 6 days a week
- 3 or 4 days a week
- once or twice a week
- once or twice a month
- once every couple of months
- once or twice a year
- not at all in last 12 months

Ask respondents who have drunk wine in the last 12 months

How much WINE (including babycham, champagne) have you usually drunk on any one day during the last 12 months, that is since (today's date) 1997? ... ENTER NUMBER OF GLASSES

How often have you had a drink of...ALCOHOLIC LEMONADE, ALCOHOLIC COLA OR OTHER ALCOHOLIC SOFT DRINKS during the last 12 months, that is since (today's date) 1997?

- Almost every day
- 5 or 6 days a week
- 3 or 4 days a week
- once or twice a week
- once or twice a month
- once every couple of months
- once or twice a year
- not at all in last 12 months

Ask respondents who have drunk alcoholic lemonade/cola or other alcoholic soft drinks in the last 12 months

How much ...ALCOHOLIC LEMONADE, ALCOHOLIC COLA OR OTHER ALCOHOLIC SOFT DRINKS have you usually drunk on any one day during the last 12 months, that is since (today's date) 1997? ...

Have you had any other alcoholic drinks during the last 12 months, that is since (today's date) 1997? (yes/no)

Please say which other kind of drink you have had

How often have you had a drink of (other) during the last 12 months, that is since (today's date) 1997?

- Almost every day
- 5 or 6 days a week
- 3 or 4 days a week
- once or twice a week
- once or twice a month
- once every couple of months
- once or twice a year
- not at all in last 12 months

How much of ...OTHER have you usually drunk on any one day during the last 12 months, that is since (today's date) 1997? ... ENTER AMOUNT IN HALF PINTS, GLASSES OR SINGLES

UK03 (United Kingdom " Health and Lifestyle Survey", 1991/92).

IF HAD DRINKS IN PAST WEEK

I would now like to learn what you had to drink last week. Let's start with yesterday and work backwards.

COMPLETE DRINK DIARY ON OPPOSITE PAGE. START WITH RELEVANT DAY OF WEEK (YESTERDAY) AND WORK BACKWARDS THROUGH PAST WEEK.

FIRST ASK ABOUT DRINK CONSUMED IN DAYTIME AND THEN IN EVENING.

FOR EACH TYPE OF DRINK CONSUMED, RECORD AMOUNT DRUNK. ASK FOR AMOUNTS IN PUB MEASURES (P = pints, M = measures, G = glasses). P, G or M TO SHQW MEASURE USED.

- None at that time
- Low Alcohol Beers
- Beer Cider Lager Shandy Stout
- Sherry Vermouth
- Wines
- Spirits e.g. Whisky, Gin, Rum Vodka
- Liqueurs e.g. Brandy TiaMaria etc.
- Other/ Mixed (Specify type as well as amount)

Answer categories:

per day: amount (day)

amount (evening)

UK05 (United Kingdom "Survey of Psychiatric Morbidity", 1993/94)

How often have you had a drink of (each of the below) during the last 12 months?
(Exclude any non-alcoholic drinks other than shandy)

- Shandy (exclude bottles/cans)
- Beer, lager, stout, cider
- Spirits or liqueurs (e.g. gin, whisky, rum, brandy, vodka, advocaat)
- Sherry or martini (including port, vermouth, Cinzano, dubonnet)

- Wine (including Babycham, champagne)
- Any other alcoholic drinks? (specify)

How much (of each of the above) have you usually drunk on any one day?

During the past year, how often did you have 12 or more units/8 to 11/5 to 7 units of alcoholic drink of any kind in a single day, that is any combination of beers, glasses of wine, or other alcoholic drinks?

UK09 (United Kingdom "Health Survey for England", 1998)

INTERVIEWER - READ OUT: I'd like to ask you (all) whether you have drunk different types of alcoholic drink in the last 12 months. I do not need to know about non-alcoholic or low alcohol drinks.

I'd like to ask you first about normal strength beer or cider which has less than 6% alcohol. How often have you had a drink of normal strength BEER, LAGER, STOUT, CIDER or SHANDY (excluding cans and bottles of shandy) during the last 12 months? (NORMAL = less than 6% Alcohol by volume)

- Almost every day
- Five or six days a week
- Three or four days a week
- Once or twice a week
- Once or twice a month
- Once every couple of months
- Once or twice a year
- Not at all in the last 12 months

How much NORMAL STRENGTH BEER, LAGER, STOUT, CIDER or SHANDY (excluding cans and bottles of shandy) have you usually drunk on any one day?

- Half pints
- Small cans
- Large cans
- Bottles

ASK OR CODE: How many half pints of NORMAL STRENGTH BEER, LAGER, STOUT, CIDER OR SHANDY (excluding cans and bottles of shandy) have you usually drunk on any one day? Range 1..97

ASK OR CODE: How many small cans of NORMAL STRENGTH BEER, LAGER, STOUT or CIDER have you usually drunk on any one day? Range:1..97

ASK OR CODE: How many large cans of NORMAL STRENGTH BEER, LAGER, STOUT or CIDER have you usually drunk on any one day? Range: 1..97

ASK OR CODE: How many bottles of NORMAL STRENGTH BEER, LAGER, STOUT or CIDER have you usually drunk on any one day? Range: 1..97

ASK OR CODE: What make of NORMAL STRENGTH BEER, LAGER, STOUT or CIDER do you usually drink from bottles?

Now I'd like to ask you about strong beer or cider which has 6% or more alcohol (e.g. Tennants Extra, Special Brew, Diamond White). How often have you had a drink of strong BEER, LAGER, STOUT or CIDER during the last 12 months? (STRONG=6% and over Alcohol by volume)

- Almost every day
- Five or six days a week
- Three or four days a week
- Once or twice a week

- Once or twice a month
- Once every couple of months
- Once or twice a year
- Not at all in the last 12 months

How much STRONG BEER, LAGER, STOUT or CIDER have you usually drunk on any one day? INTERVIEWER: CODE MEASURES THAT YOU ARE GOING TO USE.

- Half pints
- Small cans
- Large cans
- Bottles

ASK OR CODE: How many half pints of STRONG BEER, LAGER, STOUT or CIDER have you usually drunk on any one day? Range: 1..97

ASK OR CODE: How many small cans of STRONG BEER, LAGER, STOUT or CIDER have you usually drunk on any one day? Range: 1..97

ASK OR CODE: How many large cans of STRONG BEER, LAGER, STOUT or CIDER have you usually drunk on any one day? Range: 1..97

ASK OR CODE: How many bottles of STRONG BEER, LAGER, STOUT or CIDER have you usually drunk on any one day? Range: 1..97

ASK OR CODE: What make of STRONG BEER, LAGER, STOUT or CIDER do you usually drink from bottles?

How often have you had a drink of spirits or liqueurs, such as gin, whisky, brandy, rum, vodka, advocaat or cocktails during the last 12 months?

- Almost every day
- Five or six days a week
- Three or four days a week
- Once or twice a week
- Once or twice a month
- Once every couple of months
- Once or twice a year
- Not at all in the last 12 months

How much spirits or liqueurs (such as gin, whisky, brandy, rum, vodka, advocaat or cocktails) have you usually drunk on any one day? Range: 1..97

CODE THE NUMBER OF SINGLES - COUNT DOUBLES AS TWO SINGLES.

How often have you had a drink of sherry or martini including port, vermouth, Cinzano and Dubonnet, during the last 12 months?

- Almost every day
- Five or six days a week
- Three or four days a week
- Once or twice a week
- Once or twice a month
- Once every couple of months
- Once or twice a year
- Not at all in the last 12 months

How much sherry or martini, including port, vermouth, Cinzano and Dubonnet have you usually drunk on any one day? Range: 1..97 CODE THE NUMBER OF GLASSES

How often have you had a drink of wine, including Babycham and champagne, during the last 12 months?

- Almost every day
- Five or six days a week
- Three or four days a week
- Once or twice a week
- Once or twice a month
- Once every couple of months
- Once or twice a year
- Not at all in the last 12 months

How much wine, including Babycham and champagne, have you usually drunk on any one day? Range: 1..97 CODE THE NUMBER OF GLASSES. 1 BOTTLE = 6 GLASSES, 1 LITRE = 8 GLASSES

How often have you had a drink of alcoholic soft drink ('alcopop'), such as Hooch, Two Dogs or Alcola, in the last 12 months?

- Almost every day
- Five or six days a week
- Three or four days a week
- Once or twice a week
- Once or twice a month
- Once every couple of months
- Once or twice a year
- Not at all in the last 12 months

How much alcoholic soft drink ('alcopop') have you usually drunk on any one day? INTERVIEWER CODE THE MEASURE(S) THAT YOU ARE GOING TO USE.

- Small cans
- Bottles

ASK OR CODE: How many small cans of alcoholic soft drink ('alcopop') have you usually drunk on any one day? Range: 1..97

ASK OR CODE: How many bottles of alcoholic soft drink ('alcopop') have you usually drunk on any one day? Range: 1..97

Have you drunk any other types of alcoholic drink in the last 12 months? (yes/no)

What other type of alcoholic drink have you drunk in the last 12 months? CODE FIRST MENTIONED ONLY.

How often have you had a drink of (name of 'other' alcoholic drink) in the last 12 months?

- Almost every day
- Five or six days a week
- Three or four days a week
- Once or twice a week
- Once or twice a month
- Once every couple of months
- Once or twice a year
- Not at all in the last 12 months

How much (name of 'other' alcoholic drink) have you usually drunk on any one day?

- Half pints
- Singles
- Glasses
- Bottles
- Other

ASK OR CODE: How many (half pints/singles/glasses/bottles/'other' measures) of (name of 'other' alcoholic drink) have you usually drunk on any one day? Range: 1..97

UK10 (United Kingdom "The Scottish Health Survey", 1995)

I'd like to ask you whether you have drunk different types of alcoholic drink in the last 12 months. I do not need to know about non-alcoholic or low alcohol drinks. (EMPTY)

How often have you had a drink of shandy, excluding bottle or cans during the last 12 months?

- Almost every day/Every day
- Five or six days a week
- Three or four days a week
- Once or twice a week
- Once or twice a month
- Once every couple of months
- Once or twice
- Not at all in the last 12 months

On average, how much shandy, excluding bottles or cans, would you usually drink on any one day? Range : 0..97 (CODE THE NUMBER OF HALF PINTS)

How often have you had a drink of beer, lager, stout or cider during the last 12 months?

- Almost every day/Every day
- Five or six days a week
- Three or four days a week
- Once or twice a week
- Once or twice a month
- Once every couple of months
- Once or twice
- Not at all in the last 12 months

On average, how much beer, lager, stout or cider would you usually drink on any one day? INTERVIEWER: CODE MEASURES THAT YOU ARE GOING TO USE.

- Half pints
- Small cans
- Large cans
- Bottles

ASK OR CODE: On average, how many (half pints/small cans/large cans/bottles) of beer, lager, stout or cider would you usually drink on any one day? Range : 0..97

- Number of half pints
- Number of small cans
- Number of large cans
- Number of bottles

How often have you had a drink of spirits or liqueurs such as gin, whisky, rum, brandy, vodka, advocaat or cocktails in the last 12 months?

- Almost every day/Every day
- Five or six days a week
- Three or four days a week
- Once or twice a week
- Once or twice a month
- Once every couple of months
- Once or twice
- Not at all in the last 12 months

On average, how much spirits or liqueurs such as gin, whisky, brandy, rum, vodka, advocaat or cocktails would you usually drink on any one day? Range: 0..97
(CODE THE NUMBER OF SINGLES - COUNT DOUBLES AS TWO SINGLES)

How often have you had a question of sherry or martini, including port, vermouth, Cinzano and Dubonnet in the last 12 months?

- Almost every day/Every day
- Five or six days a week
- Three or four days a week
- Once or twice a week
- Once or twice a month
- Once every couple of months
- Once or twice
- Not at all in the last 12 months

On average, how much sherry or martini, including port, vermouth, Cinzano and Dubonnet would you usually drink on any one day? Range: 0..97 CODE THE NUMBER OF GLASSES

How often have you had a drink of wine, including Babycham and champagne in the last 12 months?

- Almost every day/Every day
- Five or six days a week
- Three or four days a week
- Once or twice a week
- Once or twice a month
- Once every couple of months
- Once or twice
- Not at all in the last 12 months

On average, how much wine, including Babycham and champagne, would you usually drink on any one day? Range: 0..97
CODE THE NUMBER OF GLASSES. 1 BOTTLE=6 GLASSES, 1 LITRE = 8 GLASSES

Have you drunk any other types of alcoholic drink in the last 12 months? (yes/no)

Which other type of alcoholic drink?

All other alcoholic drinks recorded under Other are backcoded into Shandy-Wine.

How often have you had a drink of (name of drink recorded) in the last 12 months?

- Almost every day/Every day
- Five or six days a week
- Three or four days a week
- Once or twice a week
- Once or twice a month
- Once every couple of months
- Once or twice
- Not at all in the last 12 months

On average, how much (name of drink recorded) would you usually drink on any one day? INTERVIEWER: CODE MEASURES THAT YOU ARE GOING TO USE.

- Half pints
- Singles
- Glasses
- Other

ASK OR CODE: On average, how many (type of measures) of (name of drink) would you usually drink on any one day? Range : 0..97

This report was produced by a contractor for Health & Consumer Protection Directorate General and represents the views of the contractor or author. These views have not been adopted or in any way approved by the Commission and do not necessarily represent the view of the Commission or the Directorate General for Health and Consumer Protection. The European Commission does not guarantee the accuracy of the data included in this study, nor does it accept responsibility for any use made thereof.