




Pandemic influenza preparedness planning

**Report on the second joint WHO/European Commission
workshop, 24–26 October 2005**



European Commission

Keywords

INFLUENZA – prevention and control
INFLUENZA IN BIRDS – prevention and control
DISEASE OUTBREAKS – prevention and control
INTERNATIONAL COOPERATION
NATIONAL HEALTH PROGRAMS
REGIONAL HEALTH PLANNING
HEALTH SYSTEMS PLANS
COMMUNICATIONS
ANTIVIRAL AGENTS
VACCINES
EUROPE

Address requests about publications of the WHO Regional Office to:

- *by e-mail* publicationrequests@euro.who.int (for copies of publications)
permissions@euro.who.int (for permission to reproduce them)
pubrights@euro.who.int (for permission to translate them)
- *by post* Publications
WHO Regional Office for Europe
Scherfigsvej 8
DK-2100 Copenhagen Ø, Denmark

© World Health Organization 2005

All rights reserved. The Regional Office for Europe of the World Health Organization welcomes requests for permission to reproduce or translate its publications, in part or in full.

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Where the designation “country or area” appears in the headings of tables, it covers countries, territories, cities, or areas. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers’ products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

The World Health Organization does not warrant that the information contained in this publication is complete and correct and shall not be liable for any damages incurred as a result of its use. The views expressed by authors or editors do not necessarily represent the decisions or the stated policy of the World Health Organization.

Neither the European Commission nor any person acting on the behalf of the Commission is responsible for the use which might be made of the information in this document. The opinions expressed by authors contributing to this document do not necessarily reflect the opinions of the European Commission.

CONTENTS

	Page
Acknowledgements	1
1. Introduction.....	1
Objectives of the workshop.....	2
Participants	2
2. Opening session.....	3
3. Summaries of presentations.....	4
Session 1: Overview of the pandemic threat and tools for the response.....	4
Session 2: Vaccines and antivirals: new developments	6
Session 3: Public health challenges	7
Session 4: Public health measures.....	7
Session 5: Regional and country preparedness	9
4. Workshops	10
5. Main conclusions and recommendations	10
5.1 Avian influenza	10
5.2 Pandemic influenza	12
6. Next steps	15
Annex 1	16
Programme.....	16
Annex 2	19
Working group sessions	19
Specific conclusions from working group sessions	20
Session 1: Operationalization	20
Session 2: Communications	22
Session 3: Intercountry collaboration and coordination	23
Annex 3	28
List of participants	28

Acknowledgements

The organizers of the workshop wish to stress the fruitful technical and financial collaboration between the European Commission (EC), Directorate-General for Health and Consumer Protection (DG SANCO), the Health Threat Unit in particular, the European Centre for Disease Prevention and Control (ECDC) and the WHO Regional Office for Europe. Collaboration in the communicable disease area has been deepened by the establishment of the ECDC in May 2005, and the response to the outbreaks of highly pathogenic H5N1 avian influenza in the WHO European Region has been a communal one between EC, ECDC and WHO. WHO, EC and ECDC have in common the goal of protecting the health of European citizens, and the work being developed jointly in the area of pandemic preparedness planning has a great impact on national systems and policies.

The workshop on pandemic influenza has seen the participation of nearly all the Member States in the European Region of WHO, proving that collaboration in this area is considered central to the partnership between Member States, EC, ECDC and WHO.

We would also like to thank participants from the Member States for their willingness to chair and facilitate the working groups (Dr Monique Coppens, Dr Steffan Glismann, Dr Kuulo Kutsar and Dr Anders Tegnell). The report of the meeting was prepared by Dr Caroline Brown, Dr Massimo Ciotti, Dr Angus Nicoll, Dr Denis Coloumbier, Dr Olaf Horstick and Dr Bernardus Ganter. We would also like to acknowledge the key role played by the administrative staff of DG SANCO and the WHO Regional Office for Europe.

1. Introduction

Influenza pandemics (worldwide epidemics) have occurred at irregular and unpredictable intervals and have been associated with substantial morbidity, mortality and economic cost. The influenza A virus can cause pandemics: these occur as a result of changes in the virus leading to a sub-type to which no one has immunity, which can spread easily among humans and which can give rise to serious disease. Appearance of such a subtype may lead to several simultaneous epidemics worldwide, resulting in high numbers of cases and deaths and placing an immense burden on health care systems. With increasing globalization and urbanization, epidemics caused by a new influenza virus are likely to spread rapidly around the world. The previous three pandemics occurred in 1918, 1957 and 1968 and although it is not possible to predict when an influenza pandemic is likely to occur, the risk is considered real enough to justify preparations being made.

Preparing for the next influenza pandemic requires multidisciplinary support and collaboration from partners at the local, national, regional and international levels. National preparedness planning is not a quick or simple process and will require time, a multisectoral approach, the involvement of communities and commitment from the highest political levels. The failure to control the H5N1 avian influenza (AI) outbreak in south-east Asia, including incidental human cases, and the introduction of this virus into the European Region have put the Region on alert. As a result, controlling AI outbreaks and preventing the spread of the H5N1 virus to humans have placed avian influenza firmly on the agenda of influenza preparedness planning.

In response to the potential of a pandemic occurring, WHO and the European Commission (EC) jointly organized a two-day workshop on national pandemic influenza preparedness planning in Luxembourg on 2 and 3 March 2005. EC hosted the workshop in Luxembourg, during which guidance was given to Member States on developing influenza pandemic preparedness plans using the WHO checklist for influenza pandemic preparedness planning. This checklist provides a framework for a systematic public health approach that addresses influenza preparedness planning in five areas:

1. Planning and coordination;
2. Situation monitoring and assessment;
3. Prevention and containment;
4. The health system response (organization and management of health services during influenza pandemics); and
5. Communication and information services for the public.

The goals of the second workshop described here were to assess the progress in preparedness planning and to identify ways of making the plans operational.

Objectives of the workshop

The objectives of the second pandemic planning workshop were to continue to improve understanding of the planning for and management of a possible future influenza pandemic. Planning for such an event may help to reduce transmission of the pandemic virus, decrease the number of cases, hospitalizations and deaths, reduce the impact on essential services and the economic and social impact of the pandemic, and improve the implementation of medical and non-medical interventions.

The specific objectives of the workshop were:

- to review the current AI situation and the pandemic threat, with special emphasis on surveillance and response in south-east Asia and the European Region;
- to review in detail the lessons from the assessment visits to six Member States;
- to continue work on national preparedness plans and, specifically, to focus on making the plans operational, as well as to further discuss and analyse topics such as intersectoral preparedness, risk communication, surveillance and laboratory objectives and systems, AI outbreaks and the handling of human cases;
- to analyse cooperation and harmonization of plans between neighbouring countries on travel and border measures, community-based measures and sharing of information and resources.

Participants

The 80 participants included public health specialists, epidemiologists, communicable disease specialists, microbiologists, virologists, immunologists, preparedness planning specialists and staff of funding agencies. They represented 48 of the 52 Member States in the European Region of WHO and several entities. Staff from the United Kingdom Department of Health, (the current

holders of the European Union (EU) presidency), EC, the European Centre for Disease Prevention and Control (ECDC), the European Food Safety Authority (EFSA), the European Medicines Agency (EMA), the European Vaccine Manufacturers (EVM), the World Organization for Animal Health (OIE), the United States Centers for Disease Control and Prevention (CDC) and WHO (headquarters and the regional offices for the Western Pacific and for Europe) also participated in this event.

2. Opening session

Representatives of the WHO Regional Office for Europe, EC, the United Kingdom presidency of the EU, the stability pact countries and ECDC welcomed workshop participants and gave opening speeches. All endorsed the continued close collaboration between EC, ECDC, WHO and other international agencies. It was also stressed that, although it was timely, this was a technical, not an emergency, meeting.

Gudjon Magnusson, WHO Regional Office for Europe, welcomed participants to the workshop on behalf of the Regional Director, Marc Danzon, and expressed the need to scale up the response to the pandemic threat. At the first joint workshop in Luxembourg in March 2005, 31 countries had had a pandemic plan and an increase in this number at the second workshop would be a measure of the success of these meetings. The need to implement plans, at both national and local levels, was stressed.

Fernand Sauer, European Commission, stated that progress in preparedness had been made since March 2005. A comparison of pandemic plans from EU countries showed convergence but also weaknesses with respect to operational issues, and contingency plans for non-health sectors were largely lacking. That comparison, together with the country assessments that had been performed and the EU desk-top exercise "Common ground" in November 2005, would give an overview of preparedness in the EU. The smallpox exercise to test communication had been useful, and the lessons learned would be incorporated in "Common ground". A draft of the reviewed EU working document on pandemic preparedness would be available at the beginning of November. To allay public concern about the arrival of the H5N1 virus in the European Region, it is crucial to distinguish between avian and pandemic influenza. Countries experiencing outbreaks of AI are in control of the situation and there is collaboration on many fronts, including between veterinary and medical authorities in the context of donor conferences. The EU is exploring ways to support actions outside the Community. In line with this, Member States have received a questionnaire addressing the issues of seasonal influenza vaccination uptake, backing the EC's efforts to develop pandemic vaccines, sharing antivirals and vaccines with countries where the pandemic strikes first, and exchanging recommendations on mask usage and hygiene.

Gerard Hetherington, the United Kingdom's presidency of the EU, stated that pandemic influenza exemplifies the need for collaboration; initiatives to that end under his country's presidency included the EU informal meeting of ministers in October and the "Friends of the Presidency" group. The Copenhagen workshop underscores the need for coordinated action and will provide input for the joint WHO, OIE and Food and Agriculture Organization of the United Nations (FAO) funding meeting in November. The adoption of the revised International Health Regulations in May 2005 provides the basis on which to strengthen surveillance.

Mila Vucic-Jankovic, Serbia and Montenegro, representing the Stability Pact countries, gave the (near) eradication of poliomyelitis and measles as examples of where collaboration has worked. Pandemic influenza represents a new challenge and governments must put resources into outbreak investigations, antivirals, vaccines and other health measures. We must not be caught sleeping.

Denis Coulombier, European Centre for Disease Prevention and Control, speaking on behalf of the Director, Ms Zsuzsanna Jakab, described ECDC's tasks relating to pandemic influenza: risk assessment, surveillance and assisting the EC in strengthening preparedness. Influenza has a high priority for the Centre, and close collaboration has been established in a short time between the EC, both public health and veterinary agencies, EFSA and WHO. Joint EC/ECDC/WHO country visits to assess pandemic preparedness in the Region have been carried out, using an assessment tool developed by ECDC and available to all Member States. ECDC has developed guidelines for limiting occupational exposure to AI and a risk assessment. Plans to expand seasonal influenza surveillance to include AI outbreaks and pandemic influenza are under discussion with the European Influenza Surveillance Scheme (EISS). Future activities include a bulletin of epidemiological influenza activity, additional country visits, development of a generic preparedness plan and continuous monitoring of the threat of emerging influenza viruses.

3. Summaries of presentations

Presentations made on the first day provided background information for workshop participants on the current situation regarding AI and the pandemic threat, on the tools needed to respond to that situation, on developments in pandemic vaccines and antivirals, including modelling studies, and on the challenges (both medical and non-medical) that would be faced during a pandemic. Presentations on the morning of the second day focused on regional and country preparedness, based on assessments and a questionnaire. A summary of these topics is provided below.

Session 1: Overview of the pandemic threat and tools for the response

Shigeru Omi (WHO Regional Office for the Western Pacific – WPRO), described the origin and extent of the current outbreak of H5N1 AI in south-east Asia, which was most likely due to the high concentration of poultry and people in the Region, the five-fold increase in poultry production in the past 20 years, unhygienic practices on backyard farms and the close proximity of ducks (which have become a silent reservoir), chickens and people. Although the virus has now spread via Mongolia and Kazakhstan to the European Region, Asia still has the largest reservoir of H5N1 and represents the greatest risk to human health. The 118 cases documented so far have been severe or fatal (62). Transmission from animals is likely by the respiratory and possibly mucosal route, via contaminated water, and two possible cases of human-to-human transmission have been reported. Exposure of poultry workers and their involvement in culling have so far not resulted in the development of disease. The speaker stressed that it is hard to control the virus once infection is established, even though outbreak control in industrial farms in Thailand has been successful. Europe, with chiefly industrialized animal husbandry practices, the still localized geographical spread of the virus and a high level of resources, is in a good position to prevent this virus from gaining a foothold.

Willem Droppers (OIE) described joint OIE/FAO/WHO short- and medium-term actions for AI control and capacity-building in south-east Asia. In the short term, the disease will be localized to several countries, with subsequent progressive eradication. In the medium to long term, vaccination and zoning will be introduced, and in the long term restructuring of the poultry industry will be undertaken. OIE has an early warning system and OFFLU, the FAO/OIE network for AI, provides expertise to assist countries in AI control and surveillance. The global framework for control of transboundary diseases (GF-TADS), which is a joint initiative of OIE and FAO and has regional support units, is currently under development. Sharing information and adopting an integrated approach at global and regional levels are critical for the global early warning system.

Alberto Laddomado (EC) described actions taken by the EU to prevent AI outbreaks subsequent to the first outbreaks of highly pathogenic avian influenza (HPAI) in Europe, which occurred in 1997 (H5N2) and 1999 (H7N1) in Italy and in 2003 (H7N7) in the Netherlands. These include an improved legal basis for dealing with outbreaks at Member State level, establishment of the European Food Safety Authority (EFSA), vaccination trials using the DIVA (Differentiating Infected from Vaccinated Animals) approach and the new European directive for surveillance of low pathogenic avian influenza (LPAI) in poultry. To combat the H5N1 threat, there is an embargo on poultry imports, increased surveillance in wild and domestic birds, tighter biosecurity on farms, and an expansion of laboratory capacity and technical support to affected countries. There is close cooperation between EU Member States and EC and a high level of preparedness.

Maria Pitman (EFSA) described the tasks being carried out by the Authority, which are to provide the scientific basis for measures to control AI in Europe and to review the risk of the introduction and spread of LPAI and HPAI in Europe by live birds and poultry products, together with the role of backyard farms. The endemicity of the H5N1 infection in Asia may have resulted in a “spill-over” to resident and migratory birds. The involvement of migratory birds in the spread of the outbreak suggests that the HP-H5N1 virus may behave as an LPAI virus in these birds. For control, EFSA endorses stamping out for limited outbreaks and vaccination for large outbreaks. Future tasks include wild bird epidemiology with respect to HPAI and ongoing updates on AI developments.

Angus Nicoll (ECDC) described the response of ECDC to the outbreaks of H5N1 in the European Region. A rapid assessment of AI risk to human health has been performed and occupational guidelines and advice have been given to those in affected areas. The guidelines emphasize that recommendations on the use of antiviral drugs for exposed persons should be based on a local risk assessment. ECDC and WHO occupational guidelines may differ, owing to differences in implementation between the European Region and globally. The fact that the number of human cases in south-east Asia has remained low, despite millions of people being exposed to H5N1, indicates that the virus is poorly adapted to humans, perhaps less so than the HP H7N7 virus of the Netherlands outbreak in 2003, where human-to-human transmission and asymptomatic infection were reported. The pandemic threat has not increased after the introduction of H5N1 to Europe, and there is a very low risk to humans if proper precautions are taken. The risk of infection can be minimized by good hygiene, avoiding unnecessary contact with live poultry and faeces, and avoiding contact with sick or dead birds and raw poultry products.

Guenael Rodier (WHO/EURO) gave an update on avian influenza outbreaks in the WHO European Region. Outbreaks of H5N1 in the eastern part of the Region have led to intensified

surveillance, and the likely dissemination by migratory birds means that more outbreaks can be expected. No significant spread in poultry and no human cases have been seen so far. The risk assessment performed by a joint WHO/ECDC team in the Danube delta in Romania endorsed the need for a multisectoral approach to control the animal/human interface, involving public health measures, agricultural and veterinary authorities, trade regulation, law enforcement and the education of hunters. This approach must be adapted according to the local situation, which in the Danube delta includes backyard poultry, industrial farms and the habits of the local population. The public must be educated and compensated for losses. Preventive measures for occupational exposure should include the use of personal protective equipment (PPE) and active follow-up of exposed individuals. Antiviral drug and seasonal vaccine use should be based on a local risk assessment. A case definition should use veterinary information from the area reporting the outbreak, and there should be immediate reporting linked to seasonal influenza surveillance. Case management requires isolation facilities at the national, regional and local levels, training in infection control, supplies of antiviral drugs (for prophylaxis of health care workers and treatment of cases) and guidelines for physicians. Samples from suspected cases must be transported safely to the national reference laboratory and isolates shared with WHO. The main challenges at the EU level are to control the wild bird/poultry interface and to mobilize resources for surveillance and vaccine development.

Session 2: Vaccines and antivirals: new developments

Neil Ferguson, United Kingdom, discussed the modelling studies performed on the effect of using antiviral drugs to contain a pandemic at source, using Thailand as an example. The results showed that there is a 90% chance of containing a pandemic at source if 3 million courses of antiviral prophylaxis in combination with stringent quarantine and social distancing measures are deployed within 2 to 3 weeks of detecting the first case. However, his presentation focused on modelling the spread of a pandemic if control at source failed, and on analysing the effect of control measures. For the United States, effective travel restrictions and border closures would delay spread by only 1 to 2 weeks, while antiviral treatment of all cases may reduce the attack rate by 10–15%, provided treatment is started on the first day of illness. Household contact prophylaxis may reduce transmission by 20% but would require much larger quantities of drugs. Closing schools on detection of the first case may reduce transmission. The speaker concluded that containment at source has the biggest effect and more resources need to be channelled into surveillance. Future research will consider staged policies, such as the use of a limited amount of vaccine at the start of a pandemic in combination with other measures.

Antiviral drug and vaccine developments were discussed by Fernand Sauer (EC), Eric Pelfrene and Patrick Celis (EMA). **Fernand Sauer (EC)** described EC-coordinated initiatives to facilitate the procurement of vaccines and antiviral drugs, including the public/private partnership for clinical vaccine trials, an EU solidarity fund for reimbursement to encourage pre-purchase agreements and Flusecure, a vaccine seed-strain bank. Member States' plans to increase seasonal vaccine uptake must be in line with industrial production capacity.

Eric Pelfrene (EMA) gave an overview of the different antiviral drugs and licenses for their use. At present, oseltamivir (Tamiflu) is licensed for prophylactic use but zanamivir (Relenza) is not. The use of neuraminidase inhibitors for groups currently excluded (pregnant women, children under 13 for oseltamivir prophylaxis) should be considered when the benefit outweighs the risk. More studies on the effectiveness of prophylaxis and treatment are urgently needed. An intravenous formulation may be beneficial during a pandemic, but realization requires EU Member State support. For large-scale use of antiviral drugs in a pandemic, a magistral

preparation of the active pharmaceutical ingredients of Tamiflu (20-litre batches) can be used: the reconstituted shelf life is 6 weeks and individual dosing is possible. The logistics of reconstituting and delivering this preparation need to be included in pandemic planning.

Patrick Celis (EMEA) described the provision of guidance documents for submitting mock-up vaccines (for which there is a 100% fee-waiver), which facilitates fast-track approval of a pandemic vaccine. An emergency pandemic crisis plan is under development, to allow assessment of the proposed strain variation for pandemic vaccine production in only three days. This plan also foresees post-authorization follow-up of antiviral drugs and vaccines and surveillance for side effects. The plan will be finalized in March 2006 and tested. Clinical trials performed so far with mock-up vaccines show the vaccine must be adjuvated, antigen-sparing and consist of whole virus. Consensus between EU Member States and industry on these issues would expedite development. Options for procuring vaccines are stockpiling (risky if the strain changes) or advance purchase agreements (APA), bearing in mind that production time will be 3 to 6 months. APA requires core dossier submission using EMEA guidelines.

Session 3: Public health challenges

Concessional and grant finances for surveillance and response were presented by **Patricio Marquez (World Bank)** and **Jacques Jeugmans (Asian Development Bank – ADB)**. Both the World Bank and ADB are supporting capacity-building for surveillance, containment and laboratory facilities in south-east Asia. ADB began supporting health projects related to emerging infectious diseases in Asia, and also in central Asian countries, after the outbreak of severe acute respiratory syndrome (SARS). Short- and medium-term actions are required to address the urgency of the situation, but sustainable solutions requiring a multisectoral approach also need to be funded. Highlighting the socioeconomic impact of avian influenza will maintain high visibility and political commitment. At the November WHO/OIE/FAO meeting in Geneva, the World Bank will announce a package of grants representing a window of opportunity for organizations committed to controlling the H5N1 virus in Asia.

Risk communication during outbreaks and pandemics, and expectations from the public, were presented by **Maria Cheng (WHO headquarters)**, **Ben Duncan (ECDC)** and **Joanne Yarwood (Health Protection Agency, United Kingdom)**. Messages about influenza need to be anticipated and planned beforehand, where possible. Having a set of messages ready (in the form of leaflets, on a website) for the different phases of a pandemic, for both national and international use, may avoid an information crisis that could occur in the event of an H5N1 outbreak. A trusted spokesperson should broadcast the message and be able to separate clearly the issues of avian and pandemic influenza. At each stage of a pandemic, tell the public what the government is doing and that there is a strategic plan. Be honest and transparent, even if the news is bad, as research shows that the public want to understand what a pandemic is, if there are antiviral drugs and what they can do themselves to help. Give them information that is applicable to the situation now, for example, travel advice in phase 4 or 5. At phase 5, it may be necessary to launch an advertising campaign to prepare people rationally and emotionally. The message must be serious, authoritative and clear, and even more so in phase 6.

Session 4: Public health measures

Shigeru Omi (WHO/WPRO) outlined the difficulties of controlling avian influenza H5N1 in Asia due to the backyard setting of the majority of outbreaks in poultry. Case studies from

countries that have or have not controlled the outbreak identified the following requirements for control: compensation of farmers to ensure reporting of outbreaks, collaboration between health and agriculture sectors including exchange of surveillance information and joint outbreak investigation and response, strong laboratory and epidemiological capacity, enforcement of public health measures and a strong public health infrastructure. Additionally, prompt action has allowed even resource-poor countries to control the outbreak. In Viet Nam, where culling has not been effective owing to insufficient compensation, large-scale vaccination of poultry is now underway. A good risk communication strategy is needed, to educate the public about the risk and avoid panic. Specimens need to be shared with WHO, a process that must be built on trust between WHO, OIE, FAO and Member States.

Angus Nicoll (ECDC) discussed the requirement for new parameters and expected overload on surveillance systems during a pandemic. For surveillance needs, pandemic phase 6 is divided into four scenarios: cases outside Europe; cases in a European country (pandemic imminent); outbreak(s) in European country(ies); widespread pandemic activity across Europe. Studies on seasonal influenza have shown a west-east spread in Europe which may buy time for countries to respond. The primary objectives of pandemic surveillance will be to detect the first cases in Europe or a country and to monitor the status of the pandemic, preferably by combined clinical and laboratory surveillance, as currently performed by the European Influenza Surveillance Scheme (EISS). Surveillance of new parameters needs to be rehearsed beforehand and could include hospital use, illness in essential workers, determination of transmission rates, case fatality rates, excess mortality and antiviral effectiveness, side effects and the development of resistance. Serosurveys will be required between the first and second waves to assess the level of immunity to the pandemic virus in the population. During the second wave, vaccine efficacy and adverse effects will need to be monitored.

Caroline Brown (WHO/EURO) discussed the requirements for laboratory surveillance. In the interpandemic phase, laboratories should ideally be able to detect all viruses known to infect humans and be prepared to detect newly emerged viruses in pandemic alert phase 3 and beyond. They are assisted in this by WHO collaborating centres (including centres for the confirmation of H5N1) who develop and distribute diagnostic reagents, advise on virus strains to be included in the seasonal vaccine and perform research. Laboratories must update protocols and biosafety procedures according to current knowledge of the virus, perform quality control assessments for detection of a new virus and have plans in place for enhanced surveillance in phases 4/5, including regional capacity if needed. They must collaborate with national veterinary laboratories and have communication channels for reporting in place. In pandemic alert phases 4/5, typing and subtyping of as many influenza viruses as possible may increase the chance of picking up the first clusters of cases. Routine testing of the new virus may be introduced at this stage, and daily reporting (tested in a normal influenza season) should be in place. Enhanced surveillance will continue into a pandemic until resources become overwhelmed. At this stage, diagnosis and treatment will be based on clinical symptoms, and laboratory surveillance will switch to monitoring a subset of viruses for evolution, antiviral resistance and emergence of other variants.

David Bell (CDC) discussed non-pharmaceutical interventions, such as quarantine and social distancing. These are a neglected area in pandemic planning, as few data are available on seasonal influenza virus transmission and none on a pandemic virus. Data from children on seasonal influenza that may mimic introduction of a new virus subtype show that the rapid spread is mainly due to the short serial interval of infection of 2–4 days. Virus shedding is maximal at the onset of symptoms, and low titer-virus shedding occurs in asymptomatic persons

but the relevance of this is not known. Plans to confine patients need to distinguish between clinically ill (require isolation, in hospital or at home) and exposed persons (quarantine at home, in an institution or “cordon sanitaire”) and provide sufficient care. Isolation measures will be more effective if patients receive health alert messages to call ahead instead of turning up at a hospital. International measures include information to travellers and various border measures. Nationally, deferred travel to an affected area is usually impractical. In 1918, entry screening and quarantine only delayed the pandemic in isolated countries. Infrared screening during the SARS outbreak was ineffective, missing all five cases entering Canada. Another option is exit screening from affected countries. National measures could include isolation of cases and social distancing with ill persons staying at home voluntarily (forced isolation did not work in 1918). The effectiveness of personal hygiene is plausible but not evidence-based. During the SARS outbreak, the effectiveness of masks in public was not proven, although an overall decrease in laboratory-confirmed respiratory illness in Hong Kong was seen. Mask-wearing should depend on a risk assessment, and more research is required.

Keiji Fukuda (WHO headquarters) discussed another neglected area of pandemic preparedness planning, the health system response. Health systems are critical and very visible, and their performance will be a gauge of preparedness. Since the reshaping of health systems and economic considerations has led to a reduced capacity to handle disease surges in some countries, surge capacity (personnel, equipment and supplies) must be planned for. Health systems will face an increase in severely ill people requiring hospitalization, an increase in outpatient demands and enquires from worried people. Staff must be protected by stringent infection control and protective equipment in some situations, and they must be monitored for illness and treated promptly if infection occurs. Staff-to-patient ratios can be relaxed and elective surgery postponed. Facilities may need to be reshaped or new ones (such as influenza clinics) established. Operational plans must be available. Hospital infection control should be based on the transmission characteristics of the virus and should include isolation of patients, the establishment of cohort patient groups, limiting social visits, physical separation of patients and stringent hand hygiene. Patients must practise respiratory hygiene and wear masks in common areas, though this may be difficult to enforce for children.

Session 5: Regional and country preparedness

Marja Esveld, (Dutch National Institute for Public Health and the Environment – RIVM) described the Dutch approach to pandemic planning as being the development of generic emergency plans that build on existing resources. The emergency committee translated the national plan into a local emergency plan for each of 24 safety regions. To estimate the impact of a pandemic on resources, the numbers of cases, hospitalizations and deaths were calculated based on a nine-week pandemic wave with no interventions. Progress indicators for health facilities included the possibility of postponing care, the availability of surge capacity, admission and triage criteria, and the use of other facilities such as home care. Management criteria included admission procedures, familiarization of the health services with the concept of new infrastructure, such as influenza clinics, diagnostic routing, procedures for antiviral drugs and vaccines, staffing (vaccinate if pandemic vaccine available, volunteers) and psychological support. The indicators were used to test the level of knowledge of the people involved, the awareness of the local network and commitment. The results showed that there was good collaboration between disaster management agencies and health services. However, even though all regions had plans, there was room for improvement. Implementation lagged behind, internal contingency plans were not tailored for a prolonged epidemic, the demand for care was underestimated although the absorption capacity was high, triage procedures were unclear, it

was difficult to engage the private health sector, there was under-usage of existing networks for acute care and there was a lack of internal contingency plans for personnel.

Reinhard Kaiser (ECDC) described the assessment of national preparedness plans in six countries using an assessment tool developed by ECDC. The tool is based on chiefly qualitative indicators to assess pandemic planning at national and regional levels, for which case scenarios are also used. The assessments showed that preparedness is moving forward in all six countries but contingency plans were generally missing and (multisectoral) exercises are needed. Country-specific scenarios are required for testing and should include non-health sectors. Although there was awareness of avian influenza, this needs to be translated into a preparedness plan. The next steps in assessment will be additional visits, self-assessment (involving independent national experts) or technical support by phone. The tool is available to all Member States and the speaker requested feedback to enable further refinement. During the discussion, the United Kingdom representative said how useful the assessment had been.

Massimo Ciotti (WHO/EURO, EC) described the progress in pandemic planning in the European Region since March 2005. Forty-six countries now have a pandemic plan compared to 31 in March, including all 25 EU countries (19 published and 6 with a final draft) and 21 non-EU countries (9 published and 12 with a final draft). Compared to March, progress in planning had been made in most components of the plan, although still only 58% of countries had plans for maintenance of essential community services, only 19% had recovery plans and only 10% had tested the plan. Sixteen EU and 6 non-EU countries plan to stockpile antiviral drugs, although the amount was not specified, and 18 EU countries have vaccine procurement plans as compared to 13 non-EU countries. Eastern European countries have paid more attention to non-medical interventions than EU countries. EU countries have paid more attention to surveillance and communication than non-EU countries. The next steps are for all countries to test, publish and implement their plans.

4. Workshops

The working groups on the second and third days discussed preparedness issues relevant to the current situation (H5N1 AI outbreaks in the European Region with possible transmission to humans) through to a pandemic. For summaries and details of the working group sessions, see Annex 2.

5. Main conclusions and recommendations

5.1 Avian influenza

General conclusions

The recent outbreaks of highly pathogenic H5N1 avian influenza in migratory and domestic birds in the European Region are a reason for concern, as the virus will most likely continue to circulate in the future.

Europe has an excellent opportunity to gain experience from the AI outbreaks in Asia, which have shown the unpredictability of the virus, and to put in place effective measures to avoid the

entrenchment of H5N1 in domestic flocks. Some countries implementing prompt actions in Asia have managed to contain the virus in commercial flocks.

One of the most effective ways of containing the virus in poultry is culling; in order to obtain the total cooperation of farmers, full compensation for culled poultry should be guaranteed.

Asia, because of its high population density and the high density of domestic birds, is still considered to be the area of highest risk for the possible emergence of a pandemic virus. However, within the European Region, opportunities for mixing of wild and domestic species, as a consequence of backyard farming, also pose the risk of such an event occurring.

Over 3000 outbreaks of H5N1 avian influenza in poultry have been recorded in Asia and 121 human cases (62 deaths) have been reported. So far, no human cases have been notified in the European Region.

There is substantial evidence that H5N1 is endemic in south-east Asia and that ducks, as silent reservoirs, may play an important role.

Transmission of H5N1 from affected animals to humans is still very sporadic and is most likely due to very close contact with dead or sick animals or their direct environment. Suspected human-to-human transmission has been reported only on rare occasions and WHO maintains pandemic alert phase 3. The risk assessment performed by ECDC has further emphasised the low risk of the H5N1 virus to humans in its current form.

Recommendations

To improve the surveillance and prompt laboratory confirmation of H5N1 avian influenza outbreaks in wild and domestic birds and improve collaboration and data-sharing between veterinary and human surveillance systems.

To improve the collaboration and immediate sharing of relevant information on new outbreaks in birds, the veterinary services should be in permanent contact with a public health service (Ministry of Health, Institute of Public Health). This would allow for timely protection of exposed persons, risk assessment and better coordination of messages.

Positive and negative samples from animal outbreaks and human cases of H5N1 infections need to be shared promptly at the international level with veterinary and human international reference laboratories.

An appropriate level of compensation for farmers and the poultry industry for culled animals should be implemented, to ensure adequate collaboration and timely notification of suspected outbreaks of H5N1.

Clear guidelines for personal protection and use of antiviral drugs for post-exposure treatment need to be made available at operational levels.

Clear guidelines and protocols need to be developed to detect and deal with suspected cases of H5N1 in humans. In addition, appropriate laboratory capacity needs to be developed.

Practical actions and support from the international community are needed for medium- and low-income countries, especially those that become affected.

5.2 Pandemic influenza

Important progress has been made on national preparedness plans, and 46 countries now have written plans compared to 31 at the time of the first preparedness planning workshop in March 2005.

Although more countries now have preparedness plans, some important aspects for appropriate implementation of these plans are missing, including adequate funding as well as the operational testing of these plans.

During the meeting, good progress was made on the exchange of knowledge on non-pharmaceutical interventions, including personal hygiene, appropriate infection control, the use of masks, social distancing, and entry and exit screening at country borders to delay the spread of a possible pandemic viral strain.

Important progress has been made on the exchange of information on considerations for scaling up the health care response at primary, secondary and tertiary levels.

Important progress has been made on the exchange of information on how to prepare the public for an eventual pandemic and the most effective means of communication.

The meeting recognizes that it is crucially important not to confuse the emergence of avian influenza in Europe and the start of a pandemic caused by a novel human influenza strain.

Honesty should guide communications with the general public. Even if the message carries bad news, this is preferable to losing credibility. Communication strategies should be part of preparedness plans and should identify the general public and other specific categories of people as the target of messages.

Some gaps in the overall knowledge of how the influenza virus behaves were identified; these included such issues as the importance of airborne and droplet transmission and the role of children and asymptomatic infection in the transmission of disease.

Interventions such as the use of antiviral drugs during a pandemic are untested and should complement the health system response. Current vaccine production capacity is insufficient for pandemic vaccine needs, and a pandemic vaccine may not be available from the start. Several initiatives at the EU level are aimed at speeding up pandemic vaccine production, such as the public/private partnership for clinical trials and the possibility for EMEA to fast-track approval by means of mock-up pandemic vaccines.

Recommendations at national level

National preparedness plans should aim to follow WHO's guidelines and phases, to ensure standardization and comparability.

Countries should take advantage of existing generic emergency plans when making preparedness plans for pandemic influenza. Where possible, plans should include indicators of implementation down to the peripheral level. Involvement in preparedness at the local level is crucial.

Progress has been made in pandemic preparedness planning but the plans now need to address collaboration with sectors outside the health sector, for example civil protection, military forces and transport services.

Countries should consider establishing emergency centres to assist in health care provision in the event that general practitioners are not able to cope with the increased workload.

National preparedness plans should strike a reasonable financial balance between acquiring antiviral drugs or vaccines and other crucial elements such as surveillance, laboratory capacity, scaling up the health system response and communication tools and messages.

Completed preparedness plans should be shared if not developed in collaboration with other sectors of the government, especially the ministry of finance and the national parliament or congress. These plans should be published in the public domain and made available to local and regional health authorities.

Member States should review their seasonal influenza vaccine policies with the aim of increasing seasonal vaccine uptake and thereby contributing to an increased global production capacity for influenza vaccine, as well establish a permanent infrastructure at national level. Member States are further encouraged to support the EU public/private partnership for clinical vaccine trials and to invest in the production of pandemic mock-up vaccines.

Countries should consider reviewing seasonal influenza surveillance and laboratory capacity, as this is an essential element in monitoring the circulation of influenza virus in the community.

Special attention should be paid to the most vulnerable sectors of society.

Protocols for the prevention and treatment of pandemic influenza need to be developed. Regarding non-pharmaceutical interventions, issues of appropriate home care, hygiene and social distancing measures need to be addressed.

For both pharmaceutical and non-pharmaceutical interventions, special needs may have to be addressed for certain population groups such as children.

Countries should engage in timely and pro-active communication about pandemic influenza issues such as the importance of hygiene and general information about the disease. Relevant information for the health sector can also be prepared in advance and include messages about clinical management, reporting of cases, sampling, general precautions, etc.

Recommendations at international level

The international inter-operability of preparedness plans and communications between countries needs to be addressed. The comparison of plans from EU countries performed by EC and an exercise (“Common ground”) organized for EU countries in November 2005 are important steps in this direction. Non-EU countries could benefit from the experience and design a similar exercise at a later stage.

International bodies are requested to consider preparing a set of guidelines to help countries set standards for the establishment of emergency centres, the usefulness of pneumococcus vaccination, the risk of occupational exposure for general practitioners and health care workers, the usefulness of masks, and the use of mathematical models for planning purposes.

There is a need for international bodies to make a list of priorities for non-pharmaceutical interventions, such as the use of surgical or N95 masks, ranked by evidence of effectiveness. Where there is a lack of evidence, research should be stimulated. EC has requested Member States to share any information from studies addressing the effectiveness of such measures.

International bodies should consider the specific situation of the private sector in east and south-east European countries and identify ways to engage that sector in pandemic preparedness planning.

International bodies should look at mechanisms and opportunities for stimulating the sharing of resources in the face of pandemic threats during phase 4 and 5, for instance the acquisition of stockpiles of antiviral drugs or vaccines to halt or delay the transmission of a novel pandemic virus at source. Both WHO and EC have started such discussions with the Member States.

International bodies should consider developing training modules for spokespersons and should develop a network of country spokespersons in order to harmonize communication messages. It is important to designate a trusted spokesperson, whether this is the chief medical officer, chief epidemiologist or government official. The EU exercise "Common ground" will test international communication in a pandemic situation.

International bodies are requested to provide additional training modules to address the strengthening of surveillance systems, laboratory capacity and other training as identified at country level.

International bodies are requested to improve and/or provide guidance on developing epidemic intelligence activities allowing the detection of rumours. Subregional networks and early warning systems in the appropriate language should be encouraged.

International bodies are requested to prepare guidelines for the complete epidemiological investigation of the pandemic virus as soon as possible after it emerges in Europe.

International bodies are requested by the Asian Republics to look into the possibility of establishing a subregional reference centre for human influenza.

International bodies are requested to continue to assist Member States in assessing their national influenza preparedness plans.

The meeting recommends that the international community, including bilateral and multilateral organizations, should mobilize financial resources to support short-term measures, e.g. compensation to farmers and purchase of antiviral drugs and vaccines. The initiative of WHO and EC to promote resource-sharing among the Member States supports this. In addition, resources should be mobilized for capacity-building in epidemiological expertise, surveillance systems and laboratories.

International bodies are preparing for a third technical meeting on pandemic influenza preparedness planning, the main objective of which will be to monitor national preparedness plans and operational aspects. The meeting will be hosted by ECDC in Stockholm.

The meeting recognized the importance and achievements of the partnership between WHO, EC and ECDC and calls for this to continue.

6. Next steps

- 6.1. The workshop report is available online at <http://www.euro.who.int/flu>.
- 6.2. The workshop report will be sent to participants, EU Member States, WHO Member States in the European Region and entities and other WHO regional offices.
- 6.3. The third joint EC/ECDC/WHO workshop on pandemic preparedness will be hosted by ECDC in Stockholm in 2006 and will focus on operationalization of pandemic plans and intercountry collaboration.
- 6.4. The progress made by Member States in pandemic preparedness planning will be reviewed by a questionnaire survey in six months' time. The survey will use essentially the same questionnaire as during the initial assessment. The progress made by Member States in pandemic preparedness planning will be reviewed by a questionnaire survey in six months' time, using indicators for a more detailed assessment of different components of preparedness plans, including contingency plans for scaling up the health system response and non-medical interventions.
- 6.5. Member States that are experiencing difficulty in finalizing plans will be provided with support, including country visits and training.
- 6.6. A review will be made of the lessons learned from the EU-wide exercise to test pandemic early warning and response measures to be held in November 2005.
- 6.7. Ties and collaborative links between EC, ECDC and WHO will be further strengthened.

Annex 1

Programme

Day 1 – Monday, 24 October

- 08:30–09:00 Registration
- 09:00–09:30 Opening
ECDC Zsuzsanna Jakab, EC Fernand Sauer, WHO Marc Danzon, UK
Presidency Gerard Hetherington
- Adoption of agenda, election of chairperson and rapporteurs
(Caroline Brown, Denis Coloumbier, Massimo Ciotti, Bernardus Ganter)
- Session 1: Overview of the pandemic threat and tools for the response**
Chair: Gudjon Magnusson, WHO/EURO
- 09:30–10:00 Update on avian influenza (H5N1) in south-east Asia
(WHO/WPRO, Shigeru Omi)
- 10:00–10:30 Short- and medium-term actions for avian influenza control worldwide
(OIE, Willem Droppers)
- 10:30–11:00 Coffee
(Press conference)
- 11:00–11:15 Risks posed by avian influenza to EU poultry flocks and birds
(EFSA, Maria Pittman)
- 11:15–11:30 Avian influenza: risk assessment and transmission to humans
(ECDC, Angus Nicoll)
- 11:30–12:00 Update of avian influenza outbreaks in the EURO region (WHO/EURO,
Guenaël Rodier)
- 12:00–12:30 Discussion
- 12:30–14:00 Lunch
- Session 2: Vaccines and anti-virals: new developments**
Chair: Fernand Sauer, EC
- 14:00–14:25 Modelling studies on antiviral drugs
(UK, Neil Ferguson)
- 14:25–14:50 Antivirals
(EMA, Eric Pelfrene)

14:50–15:15 Vaccines
(EMA, Patrick Celis)

15:15–15:30 Discussion

15:30–16:00 Coffee

Session 3: Public health challenges

Chair: Zsuzsanna Jakab, ECDC

16:00–16:25 Concessional and grant finances for surveillance and response
(World Bank, Patricio Marquez and Juergen Voegelé)

16:25–16:50 Risk communication during outbreaks and pandemics
(WHO/HQ, Maria Cheng)

16:50–17:15 Expectations from the Public
(UK, Joanne Yarwood)

17:15–17:30 Discussion

Day 2 – Tuesday, 25 October

Session 4: Public health measures

Chair: Gerard Hetherington, United Kingdom Department of Health

09:00–09:20 Operational issue from WHO's Western Pacific Region
(WHO/WPRO, Shigeru Omi)

09:20–09:40 Surveillance demands during a pandemic
ECDC, Angus Nicoll/WHO/EURO Caroline Brown

09:40–10:05 Non-medical interventions
(CDC, David Bell)

10:05–10:30 Infection control during a pandemic.
(WHO/HQ, Keiji Fukuda)

10:30–11:00 Coffee

Session 5: Regional and country preparedness

Chair: Gerard Hetherington, United Kingdom Department of Health

- 11:00–11:20 Impact of a pandemic at the local level and health response: an assessment from the Netherlands
(Netherlands, RIVM, Marja Esveld)
- 11:20–11:40 Assessment of national preparedness plans in six countries
(ECDC, Reinhard Kaiser)
- 11:40–12:00 Inventory of pandemic preparedness in WHO/EURO member states
(WHO/EURO, EC, Massimo Ciotti)
- 12:00–12:20 Discussion
- 12:20–12:30 Introduction to four technical working groups
(WHO/EURO, Bernardus Ganter)
- 12:30–14:00 Lunch
- 14:00–15:30 **Four working groups “operationalization”**
- 15:30–16:00 Coffee
- 16:00–17:30 **Four working groups “communications”**

Day 3 – Wednesday, 26 October

Session 6: Intercountry collaboration and coordination

- 09:00–09:30 **Introduction to working groups by the chairpersons**
- 09:30–10:30 **Three working groups “case scenario”**
- 10:30–11:00 Coffee
- 11:00–12:30 **Three working groups “case scenario”**
- 12:30–14:00 Lunch
- 14:00–15:00 Plenary presentation of meeting conclusions and recommendations
(WHO/EURO, Bernardus Ganter)
- 15:00–16:00 Final comments and closure by the chairs
- 16:00 End of meeting

Annex 2

Working group sessions

On the second day, participants were divided into four working groups in a random fashion but ensuring both east-west and north-south representation. Simultaneous translation in Russian was made available in three groups. Two major topics were discussed: firstly, what are the possible obstacles to make written plans operational in four of the five areas of the WHO pandemic influenza plan set-up, namely planning and coordination, situation assessment and monitoring, prevention and containment, and the health system response. A second session was oriented towards the fifth area of the WHO pandemic plan, namely communications.

On the third day, participants were divided into three working groups based on geographic proximity. Each working group discussed the five main components of pandemic preparedness in relation to two case scenarios. For each component, working group members were asked to identify the challenges to be addressed in order to implement actions required by an increase in the alert level (resources, funding, political commitment, etc.) and areas where guidance from international bodies (WHO/EC/ECDC) would be needed.

The first scenario describes a situation in which pandemic alert phase 4 has been declared by WHO. The second scenario describes a situation in which a pandemic has been declared by WHO (pandemic phase 6).

Case scenario: Moving to alert level 4

Starting about five weeks ago, small clusters of human cases of influenza A/H5 were confirmed in European Union member state A. As a consequence, WHO has raised the pandemic alert level to phase 4. Two days ago, three adults were admitted to a hospital in your country with symptoms that are suspected of being influenza. All three cases may have been in contact with confirmed influenza A/H5N1 cases in a neighbouring country. Your country has extensive trade and travel links with this country.

Case scenario: Moving to alert level 6

In recent weeks, increased and sustained transmission of influenza A/H5 in several of your neighbouring countries has forced WHO to raise the pandemic alert level to phase 6. Your country has been without cases so far, but in the past few days increasing numbers of patients with symptoms suspected of being influenza A/H5N1 have been admitted to hospitals in your area. The population has reacted with thousands of telephone calls to local authorities and health services about risks and recommendations to protect their families and themselves. Immediate action is required to control the situation.

Specific conclusions from working group sessions

Session 1: Operationalization

Participants were divided into four groups and the following issues were discussed:

Coordination and planning

- The finance ministry should be included in pandemic planning, for example for the procurement of antiviral drugs and the conclusion of (pre)purchase agreements for vaccines.
- It is recommended that WHO guidelines on preparedness planning are followed in all countries, in order to have similar structures and areas addressed. This is thought to promote standardization and intercountry collaboration.
- For operationalization and associated resource issues, countries have been made aware of the conference due to be held at WHO headquarters in November 2005.

Surveillance

Recommendations to countries

- There is a need of algorithms to identify which people to take samples and which safety procedures to follow when dealing with the first suspect cases (of influenza A/H5N1).
-

Recommendations to European international bodies (WHO/EC/ECDC)

- The establishment of an international task force may result in early detection of the first clusters of cases of infection with the pandemic virus (in phase 4/5). The task force could use the expertise of an EU team and include national experts.
- Clear guidelines need to be developed on the measures to be taken to protect persons exposed to avian influenza. For example, if antiviral prophylaxis is recommended in addition to the use of personal protective equipment, this should be clearly justified.
- Up-to-date control materials and protocols for detection of influenza A/H5N1 need to be distributed to national influenza centres by WHO as soon as possible.
- A protocol needs to be developed that defines which samples to take for serology studies of people exposed to influenza A/H5N1 or other viruses with pandemic potential.

Scaling up the health system response

Recommendations to countries

- Countries should build their preparedness plans for pandemic influenza on existing emergency structures. The approach to pandemic preparedness should attempt to be as generic as possible and include implementation indicators down to the peripheral level.
- General practitioners should be engaged in pandemic influenza preparedness planning. They should be guided to develop contingency plans for their practice and offered protective equipment to prevent them from becoming ill and infecting their families.

- Countries should consider the establishment of emergency centres to assist in health care provision in the event that general practitioners are not able to cope with the increased workload.
- Countries could consider a parallel health service network for pandemic influenza (specific influenza clinics).

Recommendations to European international bodies (WHO/EC/ECDC)

- European international bodies should develop guidelines to assist Member States in establishing emergency centres to cope with the increased health care workload.
- European international bodies should provide guidance on the usefulness of pneumococcus vaccination to reduce influenza-related mortality.
- European international bodies should assess the risk of general practitioners and health care workers becoming infected as a result of professional activities during an influenza pandemic.
- European international bodies should develop an assessment tool, based on the ECDC assessment tool, to assess general practitioners' state of preparedness, including indicators.
- European international bodies should provide advice on the usefulness of masks in preventing the transmission of influenza during a pandemic.
- European international bodies should provide guidance on recommendations for the public about seeking medical care during influenza pandemic situations. This should include case definitions about when to call a general practitioner and what to do for those who fall ill but do not need to seek medical attention.
- European international bodies should consider the specific situation of the private sector in eastern European countries and specific ways of engaging that sector in pandemic preparedness planning.

Non-pharmaceutical interventions

Recommendations to countries

- Countries should prioritize non-pharmaceutical interventions. Criteria for their implementation should be supported with scientific evidence of their effectiveness or with mathematical modelling. The interventions planned should be affordable at the local level.
- A checklist needs to be developed specifying what is expected from each institution (church, school, restaurant, etc.) regarding social distancing measures.
- Recommendations on the use of masks by the general public cannot be based on scientific evidence of their effectiveness in protecting against influenza infections. They should be based on the level of risk in various categories (e.g. ill, not-ill) and come as part of a hygiene package. Masks are especially an option when health resources are limited, provided there is a clear message about the lack of evidence of their effectiveness. Plans also need to cover the disposal of used masks.
- School closures, if considered, should be implemented as soon as the pandemic is declared. Their feasibility and impact on public health should be weighed against the increased risk of spread among children in other social settings. Plans to close schools should specify the duration.

Pharmaceutical interventions

Recommendations to countries

- Stockpiling strategies for antiviral drugs need to take into account available resources, which in turn are linked strongly to political commitment.
- Implementation of pandemic plans at the local level is crucial. Plans for other emergencies can be partially relied on, although a pandemic requires long-term planning. Hospital supplies, and vaccine availability where possible, need to be guaranteed.
- Possible inequities in access to health care and supplies for minority groups during the pandemic need to be addressed.

Session 2: Communications

Recommendations to countries

- There should be a web page to provide state-of-the-art knowledge on the avian influenza/pandemic influenza threat.
- Lessons learned from the recent avian influenza outbreaks show that communication materials should inform the public of the direct threat: people do not want to be informed about the pandemic until it is imminent.
- Communications should be phased to be specific and appropriate for the different pandemic phases.
- Countries should decide if communication includes information on policy decisions.
- Messages to health care workers are important for maintaining capacity during a pandemic.
- Countries should have strategies and messages targeted at minority groups using appropriate means of delivery, since many such groups constitute an important part of the public not reached by printed material or information on the Internet.
- Countries should engage in timely and pro-active communication about pandemic influenza issues.
- The media are part of the communication strategy and not the target of communication.
- Trust in the messenger is important: in some cases, a medical expert may enjoy more trust than a politician and should be the designated spokesperson.
- Most countries have communication plans which are adapted to the local situation. It is stressed that communication needs to have clear messages and should be open, with no secrets.
- Communication on antiviral use requires consensus on the correct usage of Tamiflu. Strains on production capacity, whereby the desired stockpile cannot be obtained, should be communicated to the public.
- Countries should have systems in place to rapidly inform the health sector, such as star-fax systems which can inform all clinics and hospitals in a country in one hour.

Recommendations to European international bodies (WHO/EC/ECDC)

- European international bodies should develop training modules for spokespersons, in particular for small countries which do not have a media officer in their national surveillance centre.
- European international bodies should develop a network of country spokespersons in order to harmonize communication messages in the Region.
- Influenza pandemic communication plans should include standard operating procedures for informing other Member States about communication strategies and messages.
- European international bodies should make an inventory of effective communication approaches for pandemic influenza.
- European international bodies should provide guidance on developing epidemic intelligence activities that allow for the detection of rumours.

Session 3: Intercountry collaboration and coordination

Group 1: EU countries

Both phase 4 and 6 scenarios were discussed for the five components of preparedness planning: planning and coordination, situation monitoring and assessment and prevention and containment, the health system response, and communications.

Planning and coordination

Recommendations to European international bodies (WHO/EC/ECDC)

- The recently adopted International Health Regulations incorporate lessons learned from SARS but it is not clear whether they already function as a tool or as a stimulus for further discussion. EC should clarify.
- Difficulties in contact tracing were highlighted in the SARS outbreak, for example not knowing the nationalities of persons on flights and the need for quick follow-up versus confidentiality. Clear international rules are required.
- The smallpox exercise exposed a flaw in the Early Warning and Response System (EWRS), namely the large volume of messages. ECDC could act as a filter and assist national authorities in this regard.
- Technical advice from WHO is being challenged by ECDC, possibly due to the different demands inherent in guidelines for Europe as opposed to the global level.
- The roles of WHO and ECDC in the event of an outbreak need to be clarified.

Situation monitoring and assessment

Recommendations to countries

- Structures need to be in place nationally to inform all key persons, down to the local level.
- Sentinel surveillance and surveillance of contacts need to be enhanced in alert phase 4.
- Contingency plans and infection control strategies need to be developed for all alert phases.

Recommendations to European international bodies (WHO/EC/ECDC)

- The exact mechanism used by WHO to alert governments to a new phase needs to be made known.
- Algorithms for case identification need to be reassessed and distributed by ECDC.
- Continuous updates from ECDC are needed on risk assessment regarding transmission, morbidity and mortality.

Prevention and containment

Recommendations to countries

- For infection control purposes and protection of health care workers, contacts of hospital patients need to be identified.
- Non-essential travel to the affected country should be postponed.
- Procedures need to be in place in the event that the public already knows about the suspect cases: should people who have been to the affected country visit a doctor? Should there be home-visiting groups?
- Laboratory confirmation plays a role in containment: samples from suspect cases should be subjected to specific (influenza A/H5N1) and wide differential diagnosis. Influenza A/H5N1 tests need to be validated and up-to-date reagents made available to avoid the risk of false negatives (WHO task).

Recommendations to European international bodies (WHO/EC/ECDC)

- Recommendations are needed on seasonal vaccination of contacts of cases.

Health system response

Recommendations to countries

- Dissemination of information to health services needs to be quicker and procedures need to be developed.
- Infection control procedures are well organized in hospitals but general practitioners are less well informed. Countries must decide if general practitioners should take samples or whether this should be done in a hospital where infection control procedures are in place.
- Baseline information on influenza-like illness, acute respiratory infections and hospitalizations due to seasonal influenza are needed.
- Surveillance should be enhanced in phase 4.
- The logistics of distributing antiviral drugs from a central depot to local distribution points needs to be addressed.
- Vaccination of health care workers with a current H5N1 strain vaccine is an option considered by some countries.

Recommendations to European international bodies (WHO/EC/ECDC)

- Guidelines for enhanced surveillance should be provided by ECDC/WHO.

Communication

Recommendations to countries

- All sectors should receive information on the approach that will be taken in the event that a phase escalation is declared *before* it actually happens.
- Pre-prepared messages and procedures should be available.
- There should be an offer to brief a trusted spokesperson, chief medical officer, minister, etc.
- A public information film should be released upon declaration of the pandemic.
- Be transparent: give the media concrete information, eg. *when* confirmation will be obtained, and describe plans put in place.
- Overriding messages should be sent to *all* sectors: increased alertness and hygiene, social distance, hygienic coughing – wherever we are.
- Specific messages should be sent to:
 - say that countries/WHO/ECDC are working together;
 - say whether cases have been confirmed or not and whether there are cases in other countries;
 - tell people where to go if they have *specific* symptoms;
 - confirm which country has cases, recommend sensible precautions such as postponing non-necessary travel and tell people what to do if they have been to the affected country and have symptoms.
- Ensure that contingency plans are on standby, ready to be taken “off the shelf”.
- Perform a telephone poll to obtain feedback on the public’s reaction to the situation.
- Inform surveillance and health care systems to be on standby and provide a hotline. Primary care and general practitioners should increase hygiene measures and be prepared to isolate suspected cases.
- Messages across borders should be similar but not identical, with differences appropriate for each country.
- Messages on border policies will be needed.

Recommendations to European international bodies (WHO/EC/ECDC)

- For international communiqués, a lead department or team should head communication and cross-government meetings should coordinate messages.
- WHO should take care not to surprise countries with messages.

Group 2: Stability Pact countries

The phase 4 scenario was discussed for the components of planning and coordination, situation monitoring and assessment, and prevention and containment.

Planning and coordination

Conclusions/recommendations to countries

- Every country should have a coordination team at both national and local levels (this is the case for most of the Stability Pact countries).
- There is multisectoral coordination between the Ministry of Health and Ministry of Emergencies.
- Communication facilities are sufficient for the relatively small countries in this group to physically meet rapidly with all the key players.
- Some professional relationships are already in place between some countries to facilitate cross-border coordination.
- Fear and media pressure are perceived as being likely to interfere with coordination of the plan/process.
- Agriculture and health sectors communicate but have their own separate system (e.g. Bosnia and Herzegovina).
- Some political elements may interfere with coordination.
- Some sectors (e.g. finance, trade, tourism) are not always, or only rarely, part of the coordination committee.
- Contact at international level (e.g. with WHO) for obtaining access to regional data, technical support, etc., is not always perceived as an immediate and important issue.
- The WHO Regional Office for Europe's Centralized Information System for Infectious Diseases (CISID) is used to share data but is currently not working properly.

Situation monitoring and assessment

- Laboratory procedures are in place in all countries up to WHO reference laboratory level, even if national diagnostic capacity is not available.
- An outbreak response unit is available in different formats but present in all countries.
- A surveillance system (various formats) is present in all countries based on routine influenza surveillance combined with an early warning system.
- A system exists to rapidly contact all health care workers (including general practitioners) to activate enhanced surveillance.

Prevention and containment

- All countries would rapidly provide infection control information to all health care workers and ensure proper isolation of suspected cases.
- Contact tracing is perceived to be extremely difficult (definition of "contact", problem of infectious asymptomatic individuals).
- Limitations on use of contact tracing in a phase 4 scenario or pandemic are aggregated data, sentinel system, case definition too sensitive (influenza-like illness), clinical surveillance only (no virological surveillance).

- Difficulties were encountered in discriminating between the responses to phase 4 and phase 6.
- Different views/policy regarding the use of antiviral drugs (post-exposure prophylaxis) were expressed in the phase 4 scenario.

Group 3: Countries in the Commonwealth of Independent States (CIS)

The main point discussed was laboratory capacity

- Laboratory isolation facilities need to be upgraded and are often present in capital cities only.
- Transport of samples internally and externally remains a problem. This includes air transportation to laboratories in other countries.
- Laboratory capacity in the region would be strengthened by designating a regional influenza reference laboratory in one of the central Asian republics.

Annex 3

List of participants

ALBANIA

Prof Eduard Kakarriqi
Head
Department of Epidemiology
Institute of Public Health
Rruga 'Alexander Moisiu' 80
Tirana
Albania

Telephone No.: +355 4 363553
Fax No.: +355 4 37 0058/9
Email: edikakarriqi@yahoo.com
ekakarriqi@ishp.gov.al, edikakarriqi@hotmail.com

Mr Aleksander Sallabanda
Deputy Minister of Health
Ministry of Health
Bulv Bajram Curri
Tirana
Albania

Telephone No.: +355 4 362937
Fax No.: +355 4 362554

ANDORRA

Dr Margarita Coll Armangue
Head of Promotion
Protection and Sanitary Planning
Ministry of Health
Av. Príncep Benlloch, 30, 4ème
AD 500 Andorre la Vella
Andorra

Telephone No.: +376 860 345
Fax No.: +376 861 933
Email: mc.sies-gov@andorra.ad

Dr Gemma Cumelles Bassols
Public Health Technician
Dept. of Epid. Surveillance
Ministry of Health
Av. Princip Benlloch 30 - 4 rt
AD-500 Andorra la Vella
Andorra

Telephone No.: +376 860 345
Fax No.: +376 861 933
Email: gcumelles@andorra.ad

ARMENIA

Dr Liana Torosyan
Ministry of Health
Government House, 3
Yerevan 375010
Armenia

Telephone No.: +374 56 50 85
Email: Liana_Torosyan@mail.arm

AUSTRIA

Dr Reinhild Strauss
Fachexpertin
Koordination und Seuchenbekämpfung
Generaldirektion Öffentliche Gesundheit
Bundesministerium für Gesundheit und
Frauen (BMGF)
Radetzkystrasse 2
1030 Wien
Austria

Telephone No.: +43 1 711 00-4367
Fax No.: +43 1 718 7183
Email: reinhild.strauss@bmgf.gv.at

AZERBAIJAN

Dr Akif Alibekov *
Deputy Head
Sanitary Surveillance Inspection Dept.
Ministry of Health
Kickik Daniz str. 4
Baku, 370014
Azerbaijan

Telephone No.: +994 12 93 10 33
Fax No.: +994 12 98 72 60
Email: fma@who.baku.az

BELARUS

Prof Michail Rimzha
Deputy Minister
Ministry of Health
ul. Myasnikova 39
220048 Minsk
Belarus

Telephone No.: +375 17 222 6297
Fax No.: +375 17 222 62 97
Email: mrimzha@belcmt.by

BELGIUM

Dr Monique Coppens
Health Warning Unit
Federal Public Service Public Health,
Food Chain Safety and Environment
EUROSTATION-BlocII-Bureau2D38
PlaceVictorHorta,40bte10
B - 1060 Brussels
Belgium

Telephone No.: +32 472 95 84 42
Email: monique.coppens@health.fgov.be

Dr Emmanuel Robesyn
Unit of communicable Diseases and
vaccination
Ministry of Flanders
Department of Health
Markiesstraat
BE-1000 Brussels
Belgium

Telephone No.: +32 2 553 35 86
Fax No.: +32 2 553 36 16
Email: emmanuel.robresyn@wvc.vlaanderen.be

Dr René Snacken
Head of Department
Department of Epidemiology-Toxicology
Scientific Institute of Public Health
Rue Juliette Wytzman, 14
1050 Brussels
Belgium

Telephone No.: +32 2 642 5111
Fax No.: +32264252254
Email : rene.snacken@iph.fgov.be

BOSNIA AND HERZEGOVINA

Dr Janja Bojanic
Public Health Institute of Republika
Srpska
Jovana Ducica 1
78000 Banja Luka
Bosnia and Herzegovina

Telephone No.: +387 51 216 509
Fax No.: +387 51 216 510
Email: higija2@inecco.net

Dr Jelena Ravlija
Epidemiologist, Federal Coord. for CD
Public Health Institute of Federation
of Bosnia and Herzegovina
Vukovarska 46
88000 Mostar
Bosnia and Herzegovina

Telephone No.: +387 36 347 137
Fax No. : +387 36 324 687
Email: jelena.ravlija@tel.net.ba

BULGARIA

Dr Mira Kojouharova
Head of Department
National Center for Infectious and
Parasitic Diseases
Ministry of Health
26 Yanko Sakazov Blvd.
1504 Sofia
Bulgaria

Telephone No.: +359 2 846 55 17
Fax No.: +359 2 846 55 17
Email: mkojouharova@ncipd.netbg.com

Dr Angel Kunchev
Head
Department of Communicable Disease
Control
Ministry of Health
5, Sveta Nedelya Square
Sofia 1000
Bulgaria

Telephone No.: +359 2 93 01 251
Fax No.: +359 2 988 34 13
Email: akunchev@mh.government.bg

CROATIA

Dr Ira Gjenero-Margan
Head
Epidemiology of Infectious Disease
NIPH
Croatian National Institute of Public
Health
Rockefellerova Str. 7
HR-10000 Zagreb
Croatia

Telephone No: +385 1 46 83 005
Fax No.: +385 1 46 83 877
Email: ira.gjenero-margan@hzjz.hr

Dr Valerija Stamenic
Senior Adviser
Health System Organisation and
Development Programs Department
Board of Professional Medical Affairs
Ministry of Health and Social Welfare
Ksaver 200a
10000 Zagreb
Croatia

Telephone No.: +385 1 46 07 558
Fax No.: +385 1 46 77 105
Email: valerija.stamenic@miz.hr

CYPRUS

Dr Emmelia Vounou
Medical Officer Class A
Medical and Public Health Services
Ministry of Health
10, Markou Drakou
1449 Nicosia
Cyprus

Telephone No.: +357 994 36 222
Fax No. : +357 2577 4700
Email: evounou@cytanet.com.cy

CZECH REPUBLIC

Dr Jitka Castkova
Head
Epidemiological Department
Center of Epidemiology and Microbiology
National Institute of Public Health
Srobarova 48
100 42 Prague 10
Czech Republic

Telephone No.: +420 2 67 082 486
Fax No.: +420 2 72 741 433
Email: jcastkova@szu.cz

Dr Jiri Wallenfels
Senior Officer
Department of Epidemiology
Ministry of Health of the Czech Republic
Palackeho Namésti 4
12801 Praha 2
Czech Republic

Telephone No.: +420 2 2497 2502
Fax No.: +420 2 2491 5996
Email: Jiri.Wallenfels@mzcr.cz

DENMARK

Dr Steffen Glismann
Department of Epidemiology
Statens Serum Institut
Artillerivej 5
2300 Copenhagen S
Denmark

Telephone No.: +45 3268 8414
Fax No.: +45 3268 3874
Email: stg@ssi.dk

Dr Sigrid Poulsen
Senior Medical Officer
Communicable Diseases
National Board of Health
Islands Brygge 67
DK-2300 Copenhagen S
Denmark

Telephone No.: +45 7222 7807
Fax No.: +45 7222 7413
Email: sp@sst.dk

ESTONIA

Mr Martin Kadai
Chief Specialist
Public Health Department
Ministry of Social Affairs
Gonsiori 29
15027 Tallinn
Estonia

Telephone No.: +372 6 269 124
Email: Martin.Kadai@sm.ee

Dr Kuulo Kutsar
Advisor in Epidemiology
Department of Communicable Diseases
Paldiski mnt. 81
10617 Tallinn

Telephone No.: +372 656 6932
Fax No.: +372 656 7702 / 6
Email: kuulo.kutsar@tervisekaitse.ee

Estonia

FINLAND

Dr Petri Ruutu
Chief
Department of Infectious Disease
Epidemiology
National Public Health Institute
Mannerheimintie 166
00300 Helsinki
Finland

Telephone No.: +358 9 47 441
Fax No.: +358 9 47 44 8468
Email: petri.ruutu@ktl.fi

Dr Thedi Ziegler
National Public Health Institute
Mannerheimintie 166
00300 Helsinki
Finland

Telephone No.: +358 9 4744 8348
Fax No.: +358 9 4744 8355
Email: thedi.ziegler@ktl.fi

FRANCE

Mr Olivier Laurens-Bernard
Département des Situations d' Urgence
Sanitaire Direction Générale de la Santé
Ministère des Solidariés de la Santé et
de la Famille
8 avenue de Ségur
75 350 Paris 07SP
France

Telephone No.: +33 1 4056 4944
Fax No.: +33 1 4056 5654
Email: olivier.laurens-bernard@santé.gov.fr

GEORGIA

Dr Paata Imnadze
Director and ETAGE Member
National Center for Disease Control
and Medical Statistics
M. Asatiani Str. 9
0177 Tbilisi
Georgia

Telephone No.: +995 32 39 89 46
Fax No.: +995 32 43 30 59
Email : pimnadze@ncdc.ge

Dr Nino Moroshkina
Deputy Minister
Ministry of Labour, Health and Social
Affairs
30 Gamsakhurdia Ave.
0160 Tbilisi
Georgia

Telephone No.: +995 32 387 078
Fax No.: +995 32 221 235
Email: nmoroshkina@moh.gov.ge

GERMANY

Dr Martin Küfer
Abteilung 3 - Gesundheit Ref. 33 -
Infektionsschutz, Hygiene
Bayerisches Staatsministerium für Um-
welt, Gesundheit u. Verbraucherschutz
Rosenkavalierplatz 2
D-81925 München
Germany

Telephone No.: +49 89 9214 2429
Email: martin.kuefer@stmugv.bayern.de

Dr Lars Schaade
Privat Dozent
Bundesministerium für Gesundheit
Am Propsthof 78a
53108 Bonn
Germany

Telephone No.: +49 1888 441 3252
Fax No.: +49 1888 441 4935
Email: lars.schaade@bmgs.bund.de

Dr Angela Wirtz
Referat für Seuchenhygiene
Hessisches Sozialministerium
Dostojewskistrasse 4
D-65187 Wiesbaden
Germany

Telephone No.: +49 0611/ 817 3336
Email: A.Wirtz@hsm.hessen.de

GREECE

Prof Angelos Hatzakis
Epidemiology and Preventive Medicine
Medical School Athens University
Hellenic Centre for Infectious Diseases
Control
Septemvriou Str. 3
Gr-104 33 Athens
Greece

Telephone No.: +30 210 52 12 010
Fax No.: +30 210 52 12 105
Email : president@keel.gr

Dr Dimitrios Iliopoulos
Hellenic Centre for Disease
Prevention and Control HCDPC
9 Polytechniou str
10433 Athens
Greece

Telephone No.: +30 210 5212 187
Email: d.ilopoulos@keel.gr

Dr Georgia Spala
Dept for Surveillance and Intervention
Office for Respiratory Diseases
Hellenic Centre for Infectious Diseases
Control
9 Polytechniou str
GR-104 33 Athens
Greece

Telephone No.: +30 210 8899 024
Fax No.: +30 210 8818 868
Email: georgia@keel.org.gr

HUNGARY

Dr György Berencsi
Head of Department
National Centre for Epidemiology
Gyali 6
1093 Budapest
Hungary

Telephone No.: +36 1 476 1264
Fax No.: +36 1 476 1368
Email: berencsgy@oek.antsz.hu

ICELAND

Dr Haraldur Briem
State Epidemiologist
Centre for Infectious Disease Control
Directorate of Health
Austurströnd 5
IS-170 Seltjarnarnes
Iceland

Telephone No.: +354 510 1900
Fax No. : +354 510 1920
Email: hbriem@landlaeknir.is

Dr Gudrun Sigmundsdottir
Centre for Infectious Disease Control
Directorate of Health
Austurströnd 5
IS-170 Seltjarnarnes
Iceland

Telephone No.: +354 510 1910
Fax No.: +354 510 1920
Email: Gudrun@Landlaeknir.is

IRELAND

Dr Derval Igoe
Specialist in Public Health Medicine
Health Protection Surveillance Centre
Middle Gardiner Str. 25-27
Dublin 1
Ireland

Telephone No.: +353 1 876 5300
Fax No.: +353 1 856 1299
Email: derval.igoe@mailx.hse.ie

ISRAEL

Mr Shemuel Reznikovich
Adviser to the Head of
Public Health Service
Ministry of Health
14, Adam Hacoheh Street 32714 Haifa
Israel

Telephone No.: +972 57 7242 319
Fax No.: +972 9 8355 897
Email: gnt_sreznik@matat.health.gov.il

ITALY

Dr Maria Grazia Pompa
Director
Communicable Diseases Unit
Directorate General Of Health Prevention
Ministry of Health
Via Della Civiltà Romana 7 I-00144 Rome
Italy

Telephone No.: +39 06 5994 3905
Fax No.: +39 06 5994 3096
Email: m.pompa@sanita.it

KAZAKHSTAN

Dr Botakoz Abdirova
Chief Specialist
Epidemiological Department
Ministry of Health
Moskovskaya Str. 66 473000 Astana
Kazakhstan

Telephone No.: +7 3172 31 72 62
Fax No.: +7 3172 31 72 62
Email : b.abdirova@minzdrav-rk.kz

KYRGYZSTAN

Dr Sabyrdjan Abdikarimov
Director General
State Department on Disease Surveillance
Ministry of Health
of the Kyrgyz Republic
535 Frunze Street
720033 Bishkek
Kyrgyzstan

Telephone No. : +996 312 66 11 07
Fax No. : +996 312 66 07 18
Email : dgsn@eleat.kg

LATVIA

Dr Dace Viluma
Head of Unit
Epid. Safety, Food Safety and Nutrition
Department of Public Health
Ministry of Health
Brivibas Str. 72 LV-1011 Riga
Latvia

Telephone No.: +371 78 76 080
Fax No.: +371 78 76 071
Email: dace_viluma@vm.gov.lv

LICHTENSTEIN

Dr Oskar Ospelt*
Office for Public Health
Liechtenstein

Email: Oskar.Ospelt@agd.llv.li

LITHUANIA

Dr Grazina Mirinaviciute
Public Health Specialist
Centre for Communicable Diseases
Prevention and Control
Kalvariju str. 153
08221
Lithuania

Telephone No.: +370 5 2159 273
Fax No.: +370 5 2778 761
Email: ulpkc@ulpkc.lt

Dr Danute Sidiskiene
Head of Health Security Subdivision
State Public Health Service
The Ministry of Health
Kalvariju str. 153
08221
Lithuania

Telephone No.: +370 5 277 8036
Fax No.: +370 5 277 8093
Email: danute.sidiskiene@vvspt.lt

LUXEMBOURG

Dr Robert Goerens
Direction de la Sante
Villa Louvigny Alle Marconi
L 2120
Luxembourg

Telephone No.: +352 478 5629
Fax No.: +352 46 79 60
Email: Robert.Goerens@ms.etat.lu

MALTA

Dr Tanya Melillo Fenech
Principal Medical Officer
Disease Surveillance Unit
Department of Public Health
37/39 Rue D'Argens
Msida
Malta

Telephone No.: +356 21 32 23 05
Fax No.: +356 21 31 92 43
Email: tanya.melillo@gov.mt

NORWAY

Dr Jan E. Fuglesang
Senior Adviser
Directorate for Health and Social Affairs
P.O. Box 7000 St. Olavs plass
N - 0130 Oslo
Norway

Telephone No.: +47 2416 3564
Fax No.: +47 2416 3581
Email : jfu@shdir.no

Dr Olav Hungnes
WHO National Influenza Center
Norwegian Institute of Public Health
POB 4404 Nydalen
N - 0403 Oslo
Norway

Telephone No.: +47 2 204 2520
Email: olav.hungnes@fhi.no

Dr Hilde Kruse
Deputy Director
Department for Health Surveillance
National Veterinary Institute
P.O.Box 8156 Dep.
NO - 0033 Oslo
Norway

Telephone No.: +47 23 216 480
Fax No.: +47 23 216 485
Email: Hilde.Kruse@vetinst.no

POLAND

Ms Magdalena Machala
National Influenza Center
National Institute of Hygiene
ul. Chocimska 24
00-791 Warsaw
Poland

Telephone No.: +48 22 54 21 313
Fax No.: +48 22 54 21 313
Email: nic@pzh.gov.pl

Ms Anna Swiatecka
Chief Sanitary Inspectorate
Długa Street 38-40
PL- 00 238 Warsaw
Poland

Telephone No. : +48 22 5361 344
Fax No. : +48 22 6356 194
Email: a.swiatecka@gis.gov.pl

PORTUGAL

Dr Maria da Graça de Freitas
Deputy Director of Health
General Directorate of Health
Ministry of Health
Alameda D. Afonso Henriques, 45
1049-005 Lisbon
Portugal

Telephone No. : +351 21 843 0606
Fax No. : +351 21 843 0620
Email: gracafreitas@dgsaude.min-saude.pt

REPUBLIC OF MOLDOVA

Dr P. Grigorievich Skofertsa
Head
National Centre of Scientific Practice
for Preventive Medicine
Ministry of Health
67A G. Asaki Str.
2028 Chisinau
Republic of Moldova

Telephone No. : +373 22 72 81 16
Fax No. : +373 22 23 73 46
Email: vcreclun.who@un.md

ROMANIA

Dr Emilia Lupulescu
Viral Respiratory Laboratory
'Cantacuzino'
National Institute of Research and
Dev. for Microbiology and Immunology
Splaiul Independentei 103 sector 5
CP 1-525 050096 Bucharest

Email: elupulescu@cantacuzino.ro

Romania

RUSSIAN FEDERATION

Mr Alexander E. Shaldin
Agricultural Attaché First Secretary
Embassy of the Russian Federation
Kristianiagade 5
2100 Copenhagen
Denmark

Telephone No. : +45 3542 5585
Fax No. : +45 3542 3741
Email: embrus@mail.dk

SERBIA AND MONTENEGRO

Dr Dragan Lausevic
Epidemiologist
Head of Center for Epidemiology
of IPH of Montenegro
Institute of Public Health of Montenegro
Ljubljanska bb
81000 Podgorica, Montenegro
Serbia and Montenegro

Telephone No. : +381 81 224 098
Fax No. : +381 81 243 728
Email: epid.iph.mn@cg.yu

Dr Mila Vucic-Jankovic
National EPI Manager
Head of Center for Prevention
and Control of Infectious Diseases
Institute of Public Health of Serbia
5 Dr Subotica Str.
11000 Belgrade
Serbia and Montenegro

Telephone No.: +381 112 684 566/132
Fax No.: +381 112 684 140
Email: vaccine@batut.org.yu

SLOVAKIA

Dr Zuzana Kristufkova
Department of control of infectious diseases
Public Health Institute of the Slovak
Republic
Trnavska 52
SK-826 45 Bratislava
Slovakia

Telephone No.: +421 2 492 843 30
Fax No.: +421 2 443 726 41
Email: kristufkova@uvzsr.sk

Mrs Katarina Palova*
Department of Epidemiology
Public Health Authority of the
Slovak Republic
Trnavska 54
826 45 Bratislava
Slovakia

Telephone No.: +421 2 49 284 323
Fax No.: +421 2 44 372 641
Email: palova@uvzsr.sk

SLOVENIA

Dr Mojca Gruntar Cinc
Secretary
Department for Prevention and
Development of Public Health
Ministry of Health
Stefanova 5
1000 Ljubljana
Slovenia

Telephone No. : +386 1 478 60 05
Fax No.: +386 1 478 60 79
Email: mojca.cinc@gov.si

Ms Maja Socan
Centre for Communicable Diseases
National Institute of Public Health
Trubarjeva 2
1000 Ljubljana
Slovenia

Telephone No.: +386 1 2441 522
Fax No.: +386 1 2441 471
Email: maja.socan@ivz-rs.si

SPAIN

Dr Carmen Amela Heras
Technical Advisor
General Direction of Public Health
Centro Nacional de Epidemiologia
Ministry of Health
Paseo Prado 18-20
E - 28071 Madrid
Spain

Telephone No.: +34 91 596 11 45
Fax No.: +34 91 596 44 09
Email: camela@msc.es

Dr Manuel Onorbe de Torre
Director General de Salud Pública
Ministry of Health & Consumer Affairs
Paseo del Prado 18-20
E-28071 Madrid
Spain

Telephone No. : +34 91 596 4409
Email: DGSP@msc.es

Ms Maria Jose Sierra Moros
Jefa Servicio
Subdireccion General de Promoción de la
Salud y Epidemiologia.
Ministerio de Sanidad y Consumo
Paseo del Prado, 18-20
E - 28071 Madrid
Spain

Telephone No.: +34 91-596-4386
Fax No.: +34 91-596-4409
Email : jsierra@msc.es

SWEDEN

Dr Anders Lindberg
National Board of Health and Welfare
SE-106 30 Stockholm
Sweden

Fax No.: +46 8 55 55 35 55
Email: Anders.Lindberg@socialstyrelsen.se

Dr Anders Tegnell
Senior Medical Officer
Communicable Disease Unit
SOS, National Board of Health and
Welfare
SE-10630 - Stockholm
Sweden

Telephone No.: +46 8 5555 3403
Fax No.: +46 8 5555 3555
Email: anders.tegnell@sos.se

Ms Inger Nilsson
Swedish Board of Agriculture
Sweden

Tel: +46 36 15 50 00
E-mail: inger.nilsson@sjv.se

SWITZERLAND

Dr Karim Boubaker*
Infectious Diseases Section
Division of Communicable Diseases
Public Health Directorate

Telephone No.: +41 31 323 87 06
Fax No.: +41 31 323 87 95
Email: karim.boubaker@bag.admin.ch

Swiss Federal Office of Public Health
Schwarztorstrasse 96
CH-3003 Berne
Switzerland

Dr Hans C. Matter
Deputy Head
Division of Communicable Diseases
Swiss Federal Office of Public Health,
SFOPH
CH-3003 Berne
Switzerland

Telephone No.: +41 31 323 87 06
Fax No.: +41 31 323 87 95
Email: Hans.Matter@bag.admin.ch

TAJKISTAN

Dr Aliev Samardin
Head Physician
Republican Sanitary and Epidemiological
Centre
Ministry of Health
Chapaeva Str. 8
Dushanbe
Tajikistan

Telephone No. : +992 372 274 947
Fax No. : +992 372 214 871
Email: lotjk.who@tajnet.com

THE FORMER YUGOSLAV REPUBLIC OF MACEDONIA

Dr Zarko Karadzovski
Head
Department for Epidemiology and
Microbiology
Public Health Institute
50 Divizija Str. No. 6
1000 Skopje
The former Yugoslav Republic of Macedonia

Telephone No. : +389 2 3 125 044
Fax No. : +389 2 3 223 354
Email: zkaradzovski@sonet.com.mk

TURKEY

Dr Yildirim Bayazit*
Chief
EPI and Vaccine Preventable Disease Unit
General Directorate of PHC
Ministry of Health
Saglik Bakanligi
06434 Sihhiye-Ankara
Turkey

Telephone No. : +90 312 435 3215
Fax No. : +90 312 432 2994
Email : ybayazit@saglik.gov.tr

Dr B. Kayaoğlu
Turkish Embassy
Rosbæksvej 15
2100 Copenhagen
Denmark

Telephone No.: +45 3920 2788
Fax No.: +45 3920 5166

TURKMENISTAN

Dr Annamurat Gurba Orazov*
Deputy Head
Sanitary Epidemiological Inspection
Ministry of Health and Medical Industry
Turkmenistan
Magtumkuli 90

Telephone No. : +99312 395707/390464
Fax No. : +993 32 35 58 38
Email: sei@online.tm

Ashgabat 744000
Turkmenistan

UKRAINE

Dr Sergey Berezhno*
Deputy Minister
Ministry of Health of Ukraine
7 Hrushevsky str.
01021 Kiev
Ukraine

Telephone No. : +380 44 253 61 65
Fax No. : +380 44 253 9484
Email: interdep@moz.gov.ua

Dr Ludmila Mukharskaya
Vice Director
State Department for Sanitary and
Epidemiological Surveillance
Ministry of Health
Grusjevskogo, 7
01021 Kiev
Ukraine

Telephone No. : +380 44 253 7452
Fax No. : +380 44 253 7452
Email: mukharska@moz.gov.ua

UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND

Mr Gerard Hetherington
Division Head
Health Protection Division
Department of Health
Richmond House Room 170 79 Whitehall
SW1A 2NS London
United Kingdom of Great Britain and Northern Ireland

Telephone No. : +44 207 210 5888
Email: gerard.hetherington@dh.gsi.gov.uk

Ms Siobhan Jones
Project Manager
General Health Protection Division
Department of Health
Wellington House
Area 503 133-155 Waterloo Road
SE1 8 UG London
United Kingdom of Great Britain and Northern Ireland

Telephone No. : +44 207 972 4135
Email: siobhan.jones@dh.gsi.gov.uk

Dr Karen Noakes*
Senior Scientist
General Health Protection Division
Department of Health
Wellington House
Area 506 133-155 Waterloo Road
SE1 8UG London
United Kingdom of Great Britain and Northern Ireland

Telephone No. : +44 207 972 4687
Email: karen.noakes@dh.gsi.gov.uk

Ms Joanne Yarwood
Head of Immunization Information
Department of Health
Wellington House
Waterloo Rd
SE1 6LH London
United Kingdom of Great Britain and Northern Ireland

Telephone No. : +44 2079724298
Fax No. : +44 2079725758
Email: joanne.yarwood@dh.gsi.gov.uk

UZBEKISTAN

Prof Erkin I. Musabayev *
Head of Reference Laboratory
Ministry of Health
Reshetov street 2
700133 Tashkent
Uzbekistan

Telephone No. : +998 712 432977
Fax No. : +998 712 418614
Email: reflab@sarkor.uz

Temporary Advisers

Dr David Bell
Senior Medical Officer
Office of Strategy and Innovation
Centers for Disease Control and
Prevention (CDC)
1600 Clifton Road NE
Atlanta, GA 30333
United States of America

Telephone No.: +1 (404) 639 5254
Fax No. : +1 404 639 4197
Email: dbell@cdc.gov

Dr Marja I. Esveld
Co-ordinator international affairs
Centre for Infectious Disease Control
P.O. Box 1
A.van Leeuwenhoeklaan 9
3720 BA Bilthoven
The Netherlands

Telephone No. : +31 30 2744 110
Fax No.: +31 30 2744 486
Email: marja.esveld@rivm.nl

Prof Neil M. Ferguson
Professon of Methemathical Biology
Division of Epidemiology
Public Health and Primary Care Medicine
Medical School St. Mary's Campus
St Mary's Hospital
Norfolk Place
W2 1PG London
United Kingdom of Great Britain and Northern Ireland

Telephone No. : +44 20 7589 5111
Email: neil.ferguson@imperial.ac.uk

Observers

Dr Silva Bino
Regional Project Manager for CDS Project
Director
Institute of Public Health
Rruga Alexander Moisiu No. 80
Tirana
Albania

Telephone No. : +355 43 74756
Fax No. : +355 43 700 58
Email: silvi@sanx.net

Dr Ken Earhart
Head
Virology Research Program
U.S. Naval Medical Research Unit No.3
NAMRU-3
Adj to Abbasiya Fever Hospital
Ramses Ext abbasiya
Cairo
Egypt

Telephone No. : +20 342 28505
Email: earkartk@namru3.med.navy.mil

Mr Sönke Hansen
Assistant
German Embassy
Stockholmsgade 57
DK-2100 Copenhagen
Denmark

Telephone No. : +45 3535 9986

Ms Beate Hintzen
Assistant
German Embassy
Stockholmsgade 57
DK-2100 Copenhagen
Denmark

Telephone No. : +45 3535 9986
Email address : Hosp5@kope.auswaertiges-amt.de

Ms Sue Jorgenson
First Secretary
Australian Embassy
Dampfaergevej 26, 2nd floor
DK-2100 Copenhagen
Denmark

Telephone No. : +45 3529 0104
Fax No. : +45 3538 2303
Email: sue.jorgenson@dfat.gov.au

Mr Niels Johan Juhl-Nielsen
Special Adviser
Copenhagen Fire Brigade
H.C. Andersens Boulevard 23
1553 Copenhagen
Denmark

Telephone No. : +45 33 662 926
Fax No. : +45 33 664 898
Email: njohan@112.dk

Mr Anders Laustsen
Assistant
Danish Shipowners Association
Amaliegade 33
1256 Copenhagen
Denmark

Telephone No. : +45 3311 4088
Fax No. : +45 3311 6210

Ms Sandra Mounier
Research Fellow
London School of Hygiene and Tropical
Medicine
European Centre on Health of Society in
Transition
London
United Kingdom of Great Britain and Northern Ireland

Telephone No. : +7 095 721 2036
Fax No. : +7 095 721 2040
Email: www.lshtm.ac.uk

Prof Naser Ramadani
Director
Department of Epidemiology
National Institute of Public Health
Mother Theresa Street nn.
Pristina, Kosovo-UNMIK

Telephone No.: +377 44 135 213
Fax No.: +381 38 549 217
Email: naser_ramadani@hotmail.com

Representatives

Asian Development Bank (ADB)

Dr Jacques Jeugmans
Principal Health & Nutrition Specialist

Telephone No : +632 632 6329
Direct: +632 632 6392

Asian Development Bank
6 ADB Avenue M.M.1550 Mandaluyong City
Philippines

Email: jjeugmans@adb.org

European Centre for Disease Prevention and Control (ECDC) (Co-organizers)

Dr Denis Coulombier
Head of Unit
Preparedness and Response
European Centre for Disease Prevention
and Control (ECDC)
Tomtebodavägen 11A
SE-171 83 Stockholm
Sweden

Telephone No.: +46 8 734 20 50
Fax No.: +46 8 734 2057
Email: denis.coulombier@ecdc.eu.int

Dr Benjamin Duncan
European Centre for Disease Prevention
and Control (ECDC)
Tomtebodavägen 11A
SE-171 83 Stockholm
Sweden

Telephone No.: +46 8 734 2050
Fax No.: +46 8 734 2057
Email: missions@ecdc.eu.int

Ms Zsuzsanna Jakab
Director
European Centre for Disease Prevention
and Control (ECDC)
Tomtebodavägen 11A
SE-171 83 Stockholm
Sweden

Telephone No.: +46 8 734 2050
Fax No.: +46 8 734 2057
Email: zsuzsanna.jakab@ecdc.eu.int

Mr Reinhard Kaiser
Senior Advisor
Outbreak Preparedness and Response Unit
European Centre for Disease Prevention
and Control (ECDC)
Tomtebodavägen 11A
SE-17183 Stockholm
Sweden

Telephone No : +46 8 734 20 50
Fax No.: +46 8 734 20 57
Email: reinhard.kaiser@ecdc.eu.int

Dr Angus Nicoll
European Centre for Disease Prevention
and Control (ECDC)
Tomtebodavägen 11A
171 83 Stockholm
Sweden

Telephone No.: +46 8 734 20 50
Fax No.: +46 8 734 20 57
Email: angus.nicoll@ecdc.eu.int

European Commission (EC) (Co-organizers)

Dr Massimo Ciotti
Medical Officer
C3 Health Threat Unit
Public Health Directorate
European Commission
Jean Monnet Building, office C3/042
Rue Alcide de Gasperi
L-2920 Luxembourg
Luxembourg

Telephone No.: +352 4301 33631
Fax No.: +352 4301 33449
Email: massimo.ciotti@cec.eu.int

Ms Sandra Franke
Secretary
C3 Health Threat Unit
Public Health Directorate
European Commission
Jean Monnet Building, office C3/28B
Rue Alcide de Gasperi
L-2920 Luxembourg
Luxembourg

Telephone No.: +352 4301 36068
Fax No.: +352 4301 33449
Email: sandra.franke@cec.eu.int

Mr Franz Karcher
C3 Health Threats Unit
Public Health Directorate
European Commission
Jean Monnet Building, office C3/28A
Rue Alcide de Gasperi
L-2920 Luxembourg
Luxembourg

Telephone No.: +352 4301 33162
Fax No.: +352 4301 33449
Email: franz.karcher@cec.eu.int

Mr Alberto Laddomada
DG Health and Consumer Protection
Directorate E - Unit E2
European Commission
Rue Froissart 101 3/60
BE-1040 Bruxelles
Belgium

Telephone No.: +32 229 95835
Email: alberto.laddomada@cec.eu.int

Mr Fernand Sauer
Director
European Commission
DG SANCO C
Public Health and Risk Assessment
Bâtiment Jean Monnet - Bureau C5/120
L-2920 Luxembourg
Luxembourg

Telephone No.: +32 2 296 96 67 (BEL)
Fax No.: +352 430134511
Email: Fernand.Sauer@cec.eu.int

European Food Safety Authority (EFSA)

Dr Maria Pittman
Assistant Scientific Co-ordinator
The Animal Health and Animal Welfare
Panel
European Food Safety Authority (EFSA)
Palazzo Ducale Parco Ducale no 3
IT-43100 Parma
Italy

Telephone No. : +39 0521 036 446
Fax No. : +39 0521 036 546
Email: maria.pittman@efsa.eu.int

European Medicines Agency (EMA)

Mr Patrick Celis
Scientific Administrator
European Medicines Agency (EMA)
7 Westferry Circus
E14 4HB London
United Kingdom of Great Britain and Northern Ireland

Telephone No.: +44 207 418 8656
Fax No.: +44 207 418 8545
Email: patrick.celis@emea.eu.int

Dr Eric Pelfrene
Safety and Efficacy

Telephone No. : +44 20 7418 8593
Fax No.: +44 20 7418 8613

European Medicines Agency EMEA
7 Westferry Circus Canary Wharf
London E14 4HB
United Kingdom of Great Britain and Northern Ireland

Email: eric.pelfrene@emea.eu.int

JSC OlainFarm

MD, Msc. pol. Liga GIBNERE
Medical Mana
Mob phone +371 9275757
JSC OlainFarm
Rupnicu str. 5, Olaine
LV 2114

Telephone No.: + 371 7013700
Fax No.: +371 7013777
Email: lgibnere@olainfarm.lvger

Medical and Public Affairs Europe

Dr Luc Hessel
Executive Director
Senofi Pasteur MSD
Medical and Public Affairs Europe
8 Rue Jonas Salk
FR-69367 Lyon Cedex 07
France

Telephone No. : +33 4 3728 4070
Fax No. : +33 4 3728 4411
Email: ihessel@spmsd.com

Novartis European Public Affairs

Ms Sandra GAISCH
Novartis European Public Affairs
Rue du Throne 108, b6
B-1050 Brussels
Belgium

Telephone No.: +32 2 246 19 77
Fax No.: +32 2 246 19 92
Email: sandra.gaisch@novartis.com

The World Bank

Mr Patricio Marquez
The World Bank
1818H Street N.W.
Washington, D.C. 20433
United States of America

Telephone No.: +202 473 0163
Email: pmarquez@worldbank.org

Dr Juergen Voegel*
Sector Manager
Rural and Social Development
Eastern Europe
The World Bank
1818 H. Street Washington DC
Washington DC
United States of America

Telephone No. : +1 202 4739 684

U.S. Agency for International Development (USAID)

Ms Harriett Destler
Chief Health
US Agency for International Development
USAID
E E DGSTRm 5.76 RBB

Telephone No. : +1 202 712 4908
Fax No. : +1 202 216 3009
Email: hdestler@usaid.gov

DC 20523 Washington
United States of America

UNICEF Regional Office for CEE CIS and the Baltics

Dr Sanjiv Kumar
Regional Programme Officer
Health and Nutrition
UNICEF Regional Office for CEE/CIS and
the Baltics
5-7 Avenue de la Paix
CH-1211 Geneva 10
Switzerland

Telephone No. : +41 229095549
Fax No. : +41 229095909
Email: ksanjiv@unicef.org

Dr Dragoslav Popovic
Project Officer
UNICEF Regional Office for CEE, CIS and
the Baltics
Palais des Nations
5-7 avenue de la Paix
CH-1211 Geneva 10
Switzerland

Telephone No. : +41 22 909 5547
Fax No. : +41 22 909 5909
Email: dpopovic@unicef.org

World Organization for Animal Health (OIE)

Mr Willem Droppers
Charge de mission
World Organization for Animal Health OIE
12 rue de Prony
Paris
France

Telephone No. : +33 1 44 15 1888
Fax No. : +33 1 42 67 0987
Email: w.droppers@oie.int

World Health Organization

Regional Office for Europe

Ms Anne-Marie Andersen
Programme Assistant

Telephone No. : +45 39 171717
Fax No. : +45 39 171818
Email: ama@who.dk

Dr Roberto Bertollini
Director, Special Programme on Health & Environment

Telephone No. : +39 06 487751
Fax No. : +39 06 4877599
Email: eceh@ecr.euro.who.int

Dr Caroline Sarah Brown
Technical Officer

Telephone No. : +45 39 171717
Fax No. : +45 39 171818
Email: postmaster@who.dk

Dr Marc Danzon
Regional Director

Telephone No. : +45 39 171717
Fax No. : +45 39 171818
Email: postmaster@who.dk

Dr Bernardus Ganter
Regional Adviser

Telephone No. : +45 39 171717
Fax No. : +45 39 171818
Email: postmaster@who.dk

Ms Krystyna Hagebro
Secretary

Telephone No. : +45 39 171363
Email: kha@who.dk

Dr Olaf Horstick
Technical Adviser

Telephone No. : +45 39 17 15 47
Fax No. : +45 39 171 869
Email address : oho@euro.who.int

Ms Britt Keson
Information Officer

Telephone No. : +45 39 171717
Fax No. : +45 39 171818
Email: postmaster@who.dk

Dr Gudjón Magnússon
Director, Division of Technical Support,
Reducing Disease Burden

Telephone No. : +45 39 171717
Fax No. : +45 39 171818
Email: postmaster@who.dk

Ms Hanne Matthiesen
Programme Assistant

Telephone No. : +45 39 171492
Email: ham@who.dk

Dr Guenael R.M. Rodier
Special Adviser for Communicable
Diseases to the Regional Director

Telephone No. : +45 39 171717
Fax No. : +45 39 171818
Email address : postmaster@who.dk

Dr Maria Cristina Tirado
Regional Adviser, Food Safety

Telephone No. : +39 06 487751
Fax No. : +39 06 4877599
Email address : eceh@ecr.euro.who.int

Headquarters

Ms Maria Cheng
Communications Officer

Telephone No.: +41 22 791 3982
Fax No.: +41 22 791 4821
Email: chengm@who.int

Dr Keiji Fukuda
Scientist

Telephone No.: +41 22 791 3871
Fax No.: +41 22 791 4878
Email: fukudak@who.int

Regional Office for Western-Pacific (WPRO)

Dr Richard Clive Brown
Epidemiologist Team Leader

Telephone No. : +63 2 528 9917
Fax No. : +63 2 528 9075
Email: Brownr@wpro.who.int

Dr Shigeru Omi
Regional Director

Telephone No. : +63 2 5218421
Fax No. : +63 2 5360279
Email: postmaster@who.org.ph

Interpreters

Mr Vladimir M. Ilyukhin
Simultaneous Interpreter

Telephone No. : +7 095 912 3801
Fax No. : +7 095 912 3801
Email: vladimirilyukhin@yahoo.com

Mr Georgy G. Pignastyy
Conference Interpreter/Translator

Telephone No. : +7 (095) 935-33-04
Fax No. : +7 (095) 935-33-04
Email: gpignastyy@yahoo.com

Mr Sten Jakobsen
Simultaneous Interpreter

Telephone No.: +45 3879 86 16
Email: sj@translarus.dk