













































































































17. Frosch, P., Pirker, C., Rastogi, S., Andersen, K.E., Bruze, M., Goossens, A., White, I.R., Uter, W., Johansen, J.D., Menne, T., 2004. The new fragrance mix II - test results of a multicentre European study. *Contact Dermatitis*, 50, 149. (Location # 44992)
18. Frosch, P.J., Pirker, C., Rastogi, S.C., Andersen, K.E., Bruze, M., Svedman, C., Goossens, A., White, I.R., Uter, W., Arnau, E.G., Lepoittevin, J.-P., Menne, T., Johansen, J.D., 2005a Patch testing with a new fragrance mix detects additional patients sensitive to perfumes and missed by the current fragrance mix. *Contact Dermatitis*, 52, 207-215. (Location # 48876)
19. Frosch, P.J., Rastogi, S.C., Pirker, C., Brinkmeier, T., Andersen, K.E., Bruze, M., Svedman, C., Goossens, A., White, I.R., Uter, W., Arnau, E.G., Lepoittevin, J.-P., Johansen, J.D., Menne, T., 2005b. Patch testing with a new fragrance mix – reactivity to the individual constituents and chemical detection in relevant cosmetic products. *Contact Dermatitis*, 52, 216-225. (Location # 48875)
20. Geier, J., Brasch, J., Schnuch, A., Lessmann, H., Pirker, C., Frosch, P.J., 2002. Lyrall<sup>®</sup> has been included in the patch test standard series in Germany. *Contact Dermatitis*, 46, 295-297. (Location # 40615)
21. Gerberick, G.F.; Robinson, M.K.; Felner, S.P. White, I., Basketter, D.A., 2001. Understanding fragrance allergy using an exposure-based risk assessment approach. *Contact Dermatitis*, 45, 333-340. (Location # 39601)
22. Gimenez-Arnau, A., Gimenez-Arnau, E., Serra-Baldrich, E., Lepoittevin, J.-P., Camarasa, J.G., 2002. Principles and methodology for identification of fragrance allergens in consumer products. *Contact Dermatitis*, 47, 345-352. (Location # 42381)
23. Handley J and Burrows D., 1994. Allergic contact dermatitis from the synthetic fragrances Lyrall<sup>®</sup> and acetyl cedrene in separate underarm deodorant preparations. *Contact Dermatitis*, 31, 288-290. (Location # 23467)
24. Hendriks, S.A., Bousema, M.T., van Ginkel, C.J.W., 1999. Allergic contact dermatitis from the fragrance ingredient Lyrall<sup>®</sup> in underarm deodorant. *Contact Dermatitis*, 41, 119. (Location # 34878)
25. Heras, M.F., Diaz-Recuero, J.L., Cabello, M.J., Conde-Salazar, L., 2006. Sensitization to Lyrall<sup>®</sup>. *Actas Dermosifiliograficas* 97, 374-378. (Location # 53711)
26. Heydorn, S., Johansen, J.D., Andersen, K.E., Basketter, D., Bruze, M., Karlberg, A.T., White, I., Menne, T., 2002. Identification of fragrances relevant to hand eczema. 6th Congress of the European Society of Contact Dermatitis, Abstract # 71, June 14-16, Rome Italy. *Contact Dermatitis*, 46(Supplement 4), 21-22. (Location # 40461)
27. Heydorn, S., Menne, T., Andersen, K.E., Bruze, M., Svedman, C., Basketter, D., Johansen, J.D., 2003a. The fragrance hand immersion study - An experimental model simulating real-life exposure for allergic contact dermatitis on the hands. *Contact Dermatitis*, 48, 324-330 (Location # 43275)
28. Heydorn, S., Johansen, J.D., Andersen, K.E., Bruze, M., Svedman, C., White, I.R., Basketter, D.A., Menne, T., 2003b. Fragrance allergy in patients with hand eczema - a clinical study. *Contact Dermatitis*, 48,317-323 (Location # 43274)
29. Hosoi, J. and Tsuchiya, T. 2000. Regulation of cutaneous allergic reaction by odorant inhalation. *Journal of Investigative Dermatology*, 114, 541-455. (Location # 37557)
30. IFRA (International Fragrance Association), 2008. Code of Practice. Standard on 3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde.
31. IFRA (International Fragrance Association), 2003a. Code of Practice. Standard on 3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde.
32. IFRA (International Fragrance Association), 2003b. Volume of Use Survey, 2003.
33. Ishihara, M., Itoh, S., Hayashi, S., Satake, T., 1979. Methods of diagnosis in cases of cosmetic dermatitis and facial melanosis in females. *Nishinihon J. Dermatology*, 41, 426-439. (Location # 6667)
34. Ishihara M., Itoh M., Hosono K. and Nishimura M., 1981. Some problems with patch tests using fragrance materials. *Skin Research*, 23, 808-817. (Location # 3264)
35. Johansen, J.D., Andersen, K.E., Menne, T., 1996. Quantitative aspects of isoeugenol contact allergy assessed by use and patch tests. *Contact Dermatitis*, 34, 414-418. (Location 28870)

36. Johansen, J.D., Bruze, M., Andersen, K.E., Frosch, P.J., Dreier, B., White, I.R., Rastogi, S., Lepoittevin, J.P., Menne, T., 1998. The repeated open application test: suggestions for a scale of evaluation. *Contact Dermatitis*, 39, 95-96.
37. Johansen, J.D., Frosch, P.J., Svedman, C., Andersen, K.E., Bruze, M., Pirker, C., Menne, T., 2003. Hydroxyisohexyl 3-cyclohexene carboxaldehyde - known as Lyrall<sup>®</sup>: Quantitative aspects and risk assessment of an important fragrance allergen. *Contact Dermatitis*, 48, 310-316. (Location # 43273)
38. Jorgensen, P.H., Jensen, C.D., Rastogi, S., Andersen, K.E., Johansen, J.D., 2007. Experimental elicitation with hydroxyisohexyl-3-cyclohexene carboxaldehyde-containing deodorants. *Contact Dermatitis* 56, 146-150. (Location 52750)
39. Kashani, M.N., Gorouhi, F., Behnia, F., Nazemi, M.J., Dowlati, Y., Firooz, A., 2005. Allergic contact dermatitis in Iran. *Contact Dermatitis*, 52, 154-158. (Location # 48936)
40. Larsen, W.G., 1983. Allergic contact dermatitis to the fragrance material lillial. *Contact Dermatitis*, 9, 158-159. (Location # 7038)
41. LeCoz, C.J., Goldberg, S., 2002. Identification of allergens by patch testing with fragrances in allergic contact dermatitis (ACD) to perfumes. 6th Congress of the European Society of Contact Dermatitis, Abstract # 66, June 14-16, Rome Italy. *Contact Dermatitis*, 46(Supplement 4), page 20. (Location # 40458)
42. Patlewicz, G., Roberts, D.W., Walker, J.D., 2003. QSARs for the skin sensitization potential of aldehydes and related compounds. *QSAR & Combinatorial Science* 22, 196-203. (Location # 52041)
43. RIFM (Research Institute for Fragrance Materials, Inc.), 1958a. Repeated insult patch test. Unpublished report from IFF, Inc., 10 July. Report number 6171. (RIFM, Woodcliff Lake, NJ, USA).
44. RIFM (Research Institute for Fragrance Materials, Inc.), 1958b. HICC Irritation test. Unpublished report from IFF, Inc., 10 March. Report number 6170. (RIFM, Woodcliff Lake, NJ, USA).
45. RIFM (Research Institute for Fragrance Materials, Inc.), 1960. Rabbit eye irritation test. Unpublished report from IFF, Inc., 8 February. Report number 14992. (RIFM, Woodcliff Lake, NJ, USA).
46. RIFM (Research Institute for Fragrance Materials, Inc.), 1963. Sensitization study of 3 and 4-(4-hydroxy-4-methylpentyl)-3-cyclohexane-1-carboxaldehyde in guinea pigs. Unpublished report from IFF, Inc., 3 January. Report number 6095. (RIFM, Woodcliff Lake, NJ, USA).
47. RIFM (Research Institute for Fragrance Materials, Inc.), 1964a. Repeated insult patch test. Unpublished report from IFF, Inc., 16 October. Report number 6096. (RIFM, Woodcliff Lake, NJ, USA).
48. RIFM (Research Institute for Fragrance Materials, Inc.), 1964b. Repeated insult patch test. Unpublished report from IFF, Inc., 8 June. Report number 6097. (RIFM, Woodcliff Lake, NJ, USA).
49. RIFM (Research Institute for Fragrance Materials, Inc.), 1965a. Eye irritation study of 3 & 4-(4-hydroxy-4-methylpentyl)-3-cyclohexane-1-carboxaldehyde in rabbits. Unpublished report from IFF, Inc., 10 March. Report number 6098. (RIFM, Woodcliff Lake, NJ, USA).
50. RIFM (Research Institute for Fragrance Materials, Inc.), 1965b. Eye irritation study of 3 & 4-(4-hydroxy-4-methylpentyl)-3-cyclohexane-1-carboxaldehyde in rabbits. Unpublished report from IFF, Inc., 6 April. Report number 6099. (RIFM, Woodcliff Lake, NJ, USA).
51. RIFM (Research Institute for Fragrance Materials, Inc.), 1971a. Primary skin irritation study of 3 & 4-(4-hydroxy-4-methylpentyl)-3-cyclohexane-1-carboxaldehyde in rabbits. Unpublished report from IFF, Inc., 10 June. Report number 52602. (RIFM, Woodcliff Lake, NJ, USA).
52. RIFM (Research Institute for Fragrance Materials, Inc.), 1971b. Eye irritation study of 3 & 4-(4-hydroxy-4-methylpentyl)-3-cyclohexane-1-carboxaldehyde in rabbits. Unpublished report from IFF, Inc., 14 June. Report number 52601. (RIFM, Woodcliff Lake, NJ, USA).

53. RIFM (Research Institute for Fragrance Materials, Inc.), 1977a. Acute oral and dermal toxicity studies. RIFM report number 1695, April 8. (RIFM, Woodcliff Lake, NJ, USA).
54. RIFM (Research Institute for Fragrance Materials, Inc.), 1977b. Report on human maximization studies. RIFM report number 1702, April 21a. (RIFM, Woodcliff Lake, NJ, USA).
55. RIFM (Research Institute for Fragrance Materials, Inc.), 1979. Guinea pig sensitization test with 3 and 4-(4-hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde. Unpublished report from Quest International, 10 July. Report number 46414. (RIFM, Woodcliff Lake, NJ, USA).
56. RIFM (Research Institute for Fragrance Materials, Inc.), 1980a. Primary skin irritation study in rabbits. Unpublished report from Quest International, 4 March. Report number 46413. (RIFM, Woodcliff Lake, NJ, USA).
57. RIFM (Research Institute for Fragrance Materials, Inc.), 1980b. Primary ocular irritation study in rabbits. Unpublished report from IFF, Inc., 13 June. Report number 6100. (RIFM, Woodcliff Lake, NJ, USA).
58. RIFM (Research Institute for Fragrance Materials, Inc.), 1980c. Rabbit eye irritation test. Unpublished report from Quest International, 8 April. Report number 46411. (RIFM, Woodcliff Lake, NJ, USA).
59. RIFM (Research Institute for Fragrance Materials, Inc.), 1980d. Rabbit eye irritation test. Unpublished report from Quest International, 8 April. Report number 46410. (RIFM, Woodcliff Lake, NJ, USA).
60. RIFM (Research Institute for Fragrance Materials, Inc.), 1980e. Rabbit eye irritation test. Unpublished report from Quest International, 8 April. Report number 46409. (RIFM, Woodcliff Lake, NJ, USA).
61. RIFM (Research Institute for Fragrance Materials, Inc.), 1980f. Phototoxicity study. Unpublished report from IFF, Inc., 13 June. Report number 14994. (RIFM, Woodcliff Lake, NJ, USA).
62. RIFM (Research Institute for Fragrance Materials, Inc.), 1981. Phototoxicity test. Unpublished report from IFF, Inc., 9 March. Report number 47075. (RIFM, Woodcliff Lake, NJ, USA).
63. RIFM (Research Institute for Fragrance Materials, Inc.), 1982. Oral LD50 study of Lyral® in the rat. Unpublished Report from IFF, Inc., 3 March. Report number 6102. (RIFM, Woodcliff Lake, NJ, USA).
64. RIFM (Research Institute for Fragrance Materials, Inc.). 1984a. Results of Human Patch Test. Unpublished Report from Takasago International Corporation, 6 November. Report number 34799. (RIFM, Woodcliff Lake, NJ, USA).
65. RIFM (Research Institute for Fragrance Materials, Inc.), 1984b. Primary irritation test in rabbits. RIFM report number 1795, June 1. (RIFM, Woodcliff Lake, NJ, USA).
66. RIFM (Research Institute for Fragrance Materials, Inc.), 1985. Acute dermal irritation study. RIFM report number 3099, June 1. (RIFM, Woodcliff Lake, NJ, USA).
67. RIFM (Research Institute for Fragrance Materials, Inc.), 1988a. Sensitization test in guinea pigs. Unpublished report from Quest International, 1 August. Report number 8049. (RIFM, Woodcliff Lake, NJ, USA).
68. RIFM (Research Institute for Fragrance Materials, Inc.), 1988b. Guinea pig sensitization test with 3 and 4-(4-hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde. Unpublished report from Quest International, 23 February. Report number 46412. (RIFM, Woodcliff Lake, NJ, USA).
69. RIFM (Research Institute for Fragrance Materials, Inc.), 1995a. Human repeated insult patch test. Report number 43055, 13 January. (RIFM, Woodcliff Lake, NJ, USA).
70. RIFM (Research Institute for Fragrance Materials, Inc.), 1995b. Human repeated insult patch test. Report number 43059, 14 February. (RIFM, Woodcliff Lake, NJ, USA).
71. RIFM (Research Institute for Fragrance Materials, Inc.), 1995c. Human repeated insult patch test. Report number 43061, 14 February. (RIFM, Woodcliff Lake, NJ, USA).
72. RIFM (Research Institute for Fragrance Materials, Inc.), 1996. Human repeated insult patch test. Report number 43060, 18 July. (RIFM, Woodcliff Lake, NJ, USA).
73. RIFM (Research Institute for Fragrance Materials, Inc.), 1997. Human repeated insult patch test. Report number 43056, 4 March. (RIFM, Woodcliff Lake, NJ, USA).

74. RIFM (Research Institute for Fragrance Materials, Inc.). 1999a. Kovanol: reverse mutation test "Ames test" with *S. typhimurium* and *E. coli*. Unpublished Report from Takasago International Corporation. Report number 34800, 25 June. (RIFM, Woodcliff Lake, NJ, USA).
75. RIFM (Research Institute for Fragrance Materials, Inc.), 1999b. Bacterial reverse mutation assay. RIFM report number, 35166, October 4. (RIFM, Woodcliff Lake, NJ, USA).
76. RIFM (Research Institute for Fragrance Materials, Inc.), 1999c. Repeated insult patch test. Unpublished report from IFF, Inc., 26 July. Report number 34773. (RIFM, Woodcliff Lake, NJ, USA).
77. RIFM (Research Institute for Fragrance Materials, Inc.), 1999d. Toxicology studies on Lyrall<sup>®</sup> in the guinea pig. Unpublished report from Takasago International Corporation, 24 June. Report number 34798. (RIFM, Woodcliff Lake, NJ, USA).
78. RIFM (Research Institute for Fragrance Materials, Inc.), 2000a. Mammalian erythrocyte micronucleus test. RIFM Report Number 35693, June 30. (RIFM, Woodcliff Lake, NJ, USA).
79. RIFM (Research Institute for Fragrance Materials, Inc.), 2000b. In vitro mammalian chromosome aberration test. RIFM Report Number 35687, May 19. (RIFM, Woodcliff Lake, NJ, USA).
80. RIFM (Research Institute for Fragrance Materials, Inc.), 2000c. Human repeated insult patch test. Report number 43057, 19 January. (RIFM, Woodcliff Lake, NJ, USA).
81. RIFM (Research Institute for Fragrance Materials, Inc.), 2001a. Primary irritation test with HICC. Unpublished report from Takasago International, 31 January. Report number 50966. (RIFM, Woodcliff Lake, NJ, USA).
82. RIFM (Research Institute for Fragrance Materials, Inc.), 2001b. Local lymph node assay (LLNA) in mice. Unpublished report from Unilever Research, 27 September. Report number 41235. (RIFM, Woodcliff Lake, NJ, USA).
83. RIFM (Research Institute for Fragrance Materials, Inc.), 2002. Human repeated insult patch test. Report number 43058, 22 November. (RIFM, Woodcliff Lake, NJ, USA).
84. RIFM (Research Institute for Fragrance Materials, Inc.), 2003. Human repeated insult patch test. RIFM report number 43346, November 11a. (RIFM, Woodcliff Lake, NJ, USA).
85. RIFM (Research Institute for Fragrance Materials, Inc.) 2006a. In vitro human skin penetration of fragrance material HICC (3 and 4-(4-hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde) under both in-use and occluded conditions. RIFM Report number 54458 (RIFM, Woodcliff Lake, NJ, USA).
86. RIFM (Research Institute for Fragrance Materials, Inc.) 2006b, Twenty-eight day repeated dose oral (gavage) toxicity study in the rat. RIFM Report number 50540, April 28. (RIFM, Woodcliff Lake, NJ, USA).
87. RIFM (Research Institute for Fragrance Materials, Inc.), 2007. Oral gavage one generation reproduction study in the rat (OECD 415) Unpublished study from IFF International and Takasago International Corporation, 3 October. Report number 54105. (RIFM, Woodcliff Lake, NJ, USA).
88. RIFM (Research Institute for Fragrance Materials, Inc.), 2009. Oral (gavage) repeated-dose toxicity study of HICC (3 and 4-(4-hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde) in adult rats, including neonatal evaluation. RIFM report number 56091, February 27. (RIFM, Woodcliff Lake, NJ, USA).
89. Roberts, D.W., Patlewicz, G., Kern, P.S., Gerberick, F., Kimber, I., Dearman, R.J., Ryan, C.A., Basketter, D.A. Aptula, A.O., 2007. Mechanistic applicability domain classification of a local lymph node assay dataset for skin sensitization. *Chemical Research in Toxicology* 20, 1019-1030. (Location # 53620)
90. SCCNFP (The Scientific Committee on Cosmetic Products and Non-Food Products Intended for Consumers), 2000. Notes Of Guidance For Testing Of Cosmetic Ingredients For Their Safety Evaluation, SCCNFP/0321/00 Final, SCCNFP, Brussels.
91. SCCNFP opinion 2003. Opinion of the Scientific Committee on Cosmetic Products and Non-Food Products intended for Consumers concerning Hydroxyisohexyl 3-cyclohexene

- carboxaldehyde (Lyr<sup>®</sup>). Adopted by the SCCNFP during the 26<sup>th</sup> plenary meeting of 9 December 2003. Doc n° SCCNFP/0743/03
92. Schnuch, A., Uter, W., Dickel, H., Szliska, C., Schliemann, S., Eben, R., Rueff, F., Gimenez-Arnau, A., Loffer, H., Aberer, W., Frambach, Y., Worm, M., Nieburh, M., Hillen, U., Martin, V., Jappe, U., Frosch, P.J., Mahler, V., 2007a. Quantitative patch and repeated open application testing in Hydroxyisohexyl 3-cyclohexene carboxaldehyde sensitive-patients. Results from the unpublished report to IFF, 16 November.
  93. Schnuch, A., Uter, W., Geier, J., Lessmann, H., Frosch, P.J., 2007b. Sensitization to 26 fragrances to be labelled according to current European regulation. *Contact Dermatitis* 57, 1-10. (Location # 52924)
  94. Tenenbaum, S.; DiNardo, J.; Morris, W.E.; Wolf, B.A.; Schnetzinger, R.W. 1984. A quantitative in vitro assay for the evaluation of phototoxic potential of topically applied materials. *Cell Biology and Toxicology* 1, 1-9. (Location # 3560)
  95. Uter, W., Lessmann, H.D., Geier, J.A., Schnuch, A., 2003. Contact allergy to ingredients of hair cosmetics in female hairdressers and clients - An 8-year analysis of IVDK\* data. *Contact Dermatitis*, 49, 236-240. (Location # 44745)
  96. Vermaat, H., Smienk, H., Smienk, F., Rustemeyer, T., Bruynzeel, D.P., G.Kirtschig, G., 2008. Anogenital allergic contact dermatitis, the role of spices and flavour allergy. *Contact Dermatitis*, 59, 233-237. (Location # 55703)
  97. Weinberg, E.H. and Springer, S.T. 1981. The evaluation in vitro of fragrance materials for phototoxicity activity. *Journal of the Society of Cosmetic Chemists*, 32, 303-315. (Location # 1114)
  98. Zirwas, M.J., Bechtel, M., 2008. Allergic contact dermatitis to a perfume containing Lyr<sup>®</sup>. *Journal of the American Academy of Dermatology*, 58(5 Suppl. 1), S97-S98. (Location # 55070)
  99. Lewis E.M. (2009) (Oral gavage) repeated dose toxicity study of HMPCC in adult rats with the deyttermination of milk levels, including neonatal evaluation and recovery period. Charles River Laboratories. Study n° TIF00040

References used in opinion SCCP/0838/04, but not included in submission II, 2009

100. Fisher, A.A., 1986. *Contact Dermatitis*. 3rd edition. page 26. Lea & Febiger, Philadelphia.
101. IFRA (International Fragrance Association), 1998. 1995/1996 Volume of Use Survey.
102. Kligman, A.M., 1966. The identification of contact allergens by human assay. III. The maximization test. A procedure for screening and rating contact sensitizers. *Journal of Investigative Dermatology* 47, 393-409.
103. Kligman, A.M., Epstein, W., 1975. Updating the maximization test for identifying contact allergens. *Contact Dermatitis* 1, 231-239.
104. Magnusson B. & Kligman A.M., 1969. The identification of contact allergens by animal assay. The guinea pig maximization test. *J. of Investigative Dermatology*, 52, 268-276.
105. NACDG (North American Contact Dermatitis Group), 2003. Priv. comm. to RIFM, 21 July.
106. Schuerer N, Schwanitz HJ (2004) Fragrance sensitisation in geriatric nurses. *Contact Dermatitis* Vol 50, issue 3, p. 148

#### **Additional references added by SCCS**

- AR.1. Maria V Heisterberg MV, Andersen KE, Avnstorp C, Kristensen B, Kristensen O, Kaaber K, Laurberg G, Menné T, Nielsen NK, Sommerlund M, Thormann J, Veien NK, Vissing S, Johansen JD. (2010) Fragrance mix II in the baseline series contributes significantly to detection of fragrance allergy. *Contact Dermatitis*: **63; 270-276**

- AR.2. Schnuch A, Uter W, Dickel H, Szliska C, Schliemann S, Eben R, Rueff F, Gimenez-Arnau A, Loffler H, Aberer W, Frambach Y, Worm M, Niebuhr M, Hillen U, Martin V, Jappe U, Frosch P J, Mahler V 2009. Quantitative patch and repeated open application testing in hydroxyisohexyl 3-cyclohexene carboxaldehyde sensitive-patients. *Contact Dermatitis*: **61**: 152-62.
- AR.3. Api A M, Vey M, 2010. A new IFRA Standard on the fragrance ingredient, hydroxyisohexyl 3-cyclohexene carboxaldehyde. *Contact Dermatitis*: **62**: 254-5.
- AR.4. SSCNF (1999) Opinion concerning fragrance allergy in consumers. A review of the the problem. Analysis of the need for appropriate consumer information and identification of consumer allergens. Adopted by the SCCNFP during the plenary session of 8 December 1999
- AR.5. SCCNFP (2003) Opinion of the Scientific Committee on Cosmetic Products and Non-Food Products Intended for Consumers concerning Hydroxyisohexyl 3-cyclohexene carboxaldehyde (Lyrall<sup>®</sup>). adopted by the SCCNFP during the 26th plenary meeting of 9 December 2003
- AR.6. Krautheim, A., Uter, W., Frosch, P.J., Schnuch, A., Geier, J., 2010. Patch testing with fragrance mix II: results of the IVDK 2005–2008. *Contact Dermatitis*, 63, 262-269
- AR.7. Schnuch A, Geier J, Uter W. Is hydroxyisohexyl 3-cyclohexene carboxaldehyde sensitisation declining in central Europe? *Contact Dermatitis* 2012: 67: 47-49.
- AR.8. Heisterberg M V, Laurberg G, Veien N, Menné T, Avnstorp C, Kaaber K, Andersen K A, Sommerlund M, Danielsen A, Andersen B, Kristensen B, Kristensen O, Nielsen N H, Thormann J, Vissing S, Johansen J D. Prevalence of allergic contact dermatitis caused by hydroxyisohexyl 3-cyclohexene carboxaldehyde has not changed in Denmark. *Contact Dermatitis* 2012: 67: 49-51.