

## **APPENDIX 3**

### **LITERATURE SEARCH TO SUPPORT GENERAL SURVEILLANCE OF 2022/2023 ANNUAL POST MARKET ENVIRONMENTAL MONITORING REPORTS OF BAYER GM MAIZE PRODUCTS**

**Data protection.**

This application contains scientific data and other information which are protected in accordance with Art. 31 of Regulation (EC) No 1829/2003.

**© 2023 Bayer Group. All Rights Reserved.**

This document is intellectual property of Bayer protected under national and international intellectual property laws. This document and any accompanying materials shall only be used by the regulatory authority to which it has been submitted by Bayer and only in support of or in conjunction with actions and/or applications requested and/or submitted by Bayer. Any other use, copying or transmission, including internet posting or scientific peer-reviewed publications, of this document and any materials described in or accompanying hereof, without prior consent of Bayer, is strictly prohibited, save for the cases where has expressly granted such consent to the regulatory authority, by virtue of law or in writing. The information, materials or data described in or accompanying this document are owned by Bayer holding exclusive rights to such intellectual property. By submitting this document and any accompanying materials, Bayer does not grant any person and/or entity any right or license to either of the information, materials, data or intellectual property described or contained herein.

## Table of contents

<b>SUMMARY</b>	<b>4</b>
<b>1. INTRODUCTION</b>	<b>5</b>
<b>2. FORMULATING THE REVIEW QUESTION AND CLARIFYING ITS PURPOSE</b>	<b>5</b>
<b>3. SEARCHING FOR/ IDENTIFYING RELEVANT PUBLICATIONS</b>	<b>7</b>
<b>3.1. Sources of scientific literature</b>	<b>7</b>
3.1.1. Electronic bibliographic databases	7
3.1.2. Internet (world-wide-web) pages of relevant key organisations	8
<b>3.2. Search strategy (electronic databases)</b>	<b>8</b>
3.2.1. Search terms and search strings	8
3.2.2. Limits applied	9
3.2.3. Language	9
3.2.4. Time period	10
3.2.5. Reference publications	10
<b>3.3. Search strategy (relevant key organisations)</b>	<b>10</b>
<b>4. SELECTING PUBLICATIONS</b>	<b>10</b>
<b>4.1. Eligibility screening process</b>	<b>10</b>
<b>4.2. Reviewers</b>	<b>11</b>
4.2.1. Number of reviewers	11
4.2.2. Expertise of reviewers	11
4.2.3. Inter-reviewer agreement	11
<b>4.3. Classification of publications</b>	<b>12</b>
<b>4.4. Quality appraisal of the relevant publications</b>	<b>12</b>
<b>5. SUMMARISING AND REPORTING THE DATA, AND CONSIDERING THE IMPLICATIONS OF THE FINDINGS</b>	<b>13</b>
<b>5.1. Search outcomes</b>	<b>13</b>
5.1.1. Outcomes of literature search (electronic databases)	13
5.1.2. Outcomes of literature search (relevant key organisations)	13
<b>5.2. Results of the publication selection process</b>	<b>13</b>
5.2.1. Results of the publication selection process (electronic databases)	13
5.2.2. Results of the publication selection process (relevant key organisations)	13
<b>5.3. Considering the implications of the findings</b>	<b>13</b>
<b>6. CONCLUSION</b>	<b>14</b>

<b>Annex I. Translation of intervention/exposure key elements into search terms for Bayer GM maize products literature search in STN® database catalogue .....</b>	<b>15</b>
<b>Annex II. The search string used for Bayer GM maize products literature search in SciSearch and CABA databases using STN® database catalogue, and outcomes of the search (2022-2023) .....</b>	<b>22</b>
<b>Annex III. List of reference publications used in identifying search terms and in validating the literature search strategy for Bayer GM maize products literature search .....</b>	<b>27</b>
<b>Annex IV. Literature search in internet pages of relevant key organisations for Bayer GM maize products covering time span 2022 - 2023 .....</b>	<b>29</b>
<b>Annex V. Results of the publication selection process for Bayer GM maize products literature search in SciSearch and CABA databases using STN® database catalogue .....</b>	<b>32</b>
<b>Annex VI. List of relevant publications retrieved from SciSearch and CABA databases using STN® database catalogue (provided in .RIS format).....</b>	<b>38</b>

## SUMMARY

The literature search was conducted in accordance with the 2019 EFSA explanatory note on literature searching conducted in the context of GMO applications<sup>1,2</sup> to support general surveillance of 2022/2023 annual post market environmental monitoring reports. It addresses the review question “Do Bayer GM maize products, derived food/feed products and their respective introduced traits have adverse effects on human and animal health and the environment?”.

Eligibility/inclusion criteria to establish the relevance of retrieved publications was determined following the criteria described in the 2019 EFSA explanatory note on literature searching<sup>2</sup>. Literature searching for Bayer GM maize products was conducted in electronic bibliographic databases and internet pages of relevant key organisations.

In line with the requirements in the 2019 EFSA explanatory note on literature searching<sup>2</sup> the literature search covered the time span 2022 – 2023 to capture any publication published during the annual general surveillance of 2022/2023 post market environmental monitoring season.

The literature search retrieved three publications as relevant. These publications did not have any implication on the risk assessment, because no new hazard, modified exposure, or new scientific uncertainty is reported.

The comprehensive literature search found no new information that would invalidate the conclusions of the risk assessment for Bayer GM maize products.

---

<sup>1</sup> Hereafter referred to as 2019 EFSA explanatory note on literature searching.

<sup>2</sup> EFSA, 2019. [Explanatory note on literature searching conducted in the context of GMO applications for \(renewed\) market authorisation and annual post-market environmental monitoring reports on GMOs authorised in the EU market - Note on literature searching to GMO risk assessment guidance. EFSA journal, 2019:EN-1614, 1-62.](#) – Accessed on 15 September 2023

## 1. INTRODUCTION

As part of the general surveillance requirements for Bayer GM maize products authorised in the European Union (EU) market under regulation (EC) No 1829/2003, Bayer Agriculture BV<sup>3</sup> has actively monitored the maize products by conducting quarterly literature searches covering the time span between June 2022 and May 2023.

The results of the literature search that were analysed in detail according to the relevance for the risk assessment of the Bayer GM maize products are presented here.

The Appendix completeness checklist is provided with this report.

## 2. FORMULATING THE REVIEW QUESTION AND CLARIFYING ITS PURPOSE

This literature search has been conducted to address the review question “Do Bayer GM maize products, derived food/feed products and respective introduced traits have adverse effects on human and animal health and the environment?”

The purpose for undertaking this literature search is to support general surveillance of 2022/2023 annual post market environmental monitoring (PMEM) reports in accordance with the 2019 EFSA explanatory note on literature searching<sup>2</sup>.

Key elements used for the review question are humans, animals, and/or the environment (= population), Bayer GM maize products, derived food/feed products and respective introduced traits (= intervention/exposure), conventional counterpart or non-GM (= comparator), and adverse effect on human and animal health, and the environment (= outcomes). Accordingly, the eligibility criteria for assessing the relevance of publications for inclusion in the literature review are provided in **Table 1**.

---

<sup>3</sup> Hereafter referred to as Bayer.

**Table 1. Eligibility/inclusion criteria to establish the relevance of publications**

<b>Key elements</b>	<b>Criteria</b>
Population	Humans, animals and the environment (taking into account the scope of the applications) <i>i.e.</i> authorisation for all uses as any other maize but excluding the cultivation of Bayer GM maize products are addressed as general protection goals.
Intervention/exposure	Bayer GM maize products derived food/feed products and corresponding introduced traits addressed in the publication are identical or similar to those under scientific review by the EFSA.
Comparator	In case of a comparative study that uses the GM plant material as test material, eligible publications must report a non-GM maize as a comparator.
Outcomes	Adverse effects on human and animal health and the environment are addressed (taking into consideration the scope of the applications).
<b>Additional key elements</b>	
Stacked events / sub-combinations	The single event(s) addressed in the publication is/are the single event(s) in stacked Bayer GM maize products. Stacked Bayer GM maize product(s) or any of its/their sub-combinations are/is addressed in the study.
Information/ data requirements, including source of publications data	The publication potentially contributes to the knowledge of the risk assessment of Bayer GM maize products for all uses as any other maize but excluding cultivation. Original/primary data are presented in the publication.

The eligibility/inclusion criteria implemented by Bayer for assessing the relevance of publications follow the recommendations described in the 2019 EFSA explanatory note on literature searching<sup>2</sup>. Following a conservative approach, Bayer selected the broad inclusion/eligibility criteria that align with the review question and the scope of the Bayer GM maize products' authorisations. Hence, given the conservative approach taken when selecting the eligibility/inclusion criteria, conducting a pilot study was considered unwarranted.

When necessary, the eligibility criteria and/or process may be modified/reviewed as a result of for example new regulatory guidance or novel topics on literature regarding the risk assessment of GM plants.

### 3. SEARCHING FOR/ IDENTIFYING RELEVANT PUBLICATIONS

In accordance with the 2010 EFSA Guidance on application of systematic review methodology to food and feed safety assessments to support decision making<sup>4</sup> and the 2019 EFSA explanatory note on literature searching<sup>2</sup>, identification of bibliographic sources and development of search strategies were developed together with an information specialist who subsequently performed the literature search. The approach used to develop the search strategy follows a lumping method and includes a wide range of free-text terms and, where available, controlled vocabulary that defines search terms.

#### 3.1. Sources of scientific literature

##### 3.1.1. Electronic bibliographic databases

Bayer selects the SciSearch (Science Citation Index)<sup>5</sup> and the CABA<sup>6</sup> (CAB Abstracts<sup>®</sup>)<sup>7</sup> databases to perform the literature search based on the coverage and relevance of the journals included in these databases. The literature search was conducted using the STN<sup>®</sup> database catalogue<sup>8</sup>.

The SciSearch, produced by from Clarivate Analytics (UK) Limited, includes over 45 million records in Science and technology published since 1974. It includes literatures captured under Science Citation Index Expanded<sup>™</sup>, a largest multidisciplinary scientific database and an international index covering all scientific topics. It contains also all the records published from the Current Contents series of publications as well as bibliographic information and cited references from over 5 600 scientific, technical and medical journals. In addition, “*Records from January 1991 on include abstracts, author keywords, and KeyWords Plus<sup>®</sup>. Bibliographic information, authors, cited references, and KeyWords Plus<sup>®</sup> are searchable*”<sup>5</sup>. The database is updated on a weekly basis.

The CABA, produced by CAB international (UK), includes over 8.9 million records in agriculture and life sciences published since 1973. The database “*covers worldwide literature from all areas of agriculture and related sciences including biotechnology, forestry, and veterinary medicine. Sources for CABA include journals, books, reports, published theses, conference proceedings, and patents. Bibliographic information, indexing terms, abstracts, and CAS Registry Numbers are searchable. An online thesaurus is available for the Con-trolled Term (/CT), the Geographic term (/GT), and the Organism (/ORGN) fields*”<sup>6</sup>. The database is updated on a weekly basis.

All journals included in the two databases must go through a verification process and as a minimum requirement, non-English language journals must include English-language bibliographic information (title, abstract, keywords) and be peer-reviewed<sup>7,9</sup>. In general, English is considered the universal language of science. For this reason, the journals most important to the international research community will publish either full text or a

---

<sup>4</sup> EFSA, 2010. [Application of systematic review methodology to food and feed safety assessments to support decision making](#) *The EFSA Journal*, 1637, 1-90 - Accessed on 15 September 2023

<sup>5</sup> STN/SciSearch: <https://www.stn-international.com/sites/default/files/stn/dbss/SCISEARCH.pdf> - Accessed 15 September 2023

<sup>6</sup> STN/CABA: <https://www.stn-international.com/sites/default/files/stn/dbss/CABA.pdf> – Accessed on 15 September 2023

<sup>7</sup> CAB Abstracts<sup>®</sup>: <https://www.cabi.org/publishing-products/online-information-resources/cab-abstracts/> - Accessed on 15 September 2023

<sup>8</sup> STN<sup>®</sup>: <http://stn-international.de/sites/default/files/STN/brochures/stnfile-kat.pdf>- Accessed on 15 September 2023

<sup>9</sup> Web of Science group; <https://clarivate.com/webofsciencelibrary/solutions/webofscience-core-collection-editorial-selection-process/> - Accessed on 15 September 2023

minimum of bibliographic information in English, which is especially true in the scientific domain of natural sciences. Full text in English is highly desirable if the journal intends to serve an international community of researchers. Therefore, it is expected that even if there is a relevant article for the food and feed safety of GM plants in a language different than English, the article will include title/abstract/keywords in English, which will guarantee the retrievability of these articles when using keywords and keyword combinations in English.

Based on the above, the selected databases are, to our knowledge, comprehensive, multidisciplinary, conservative sources for literature searching and offer the broadest coverage to retrieve a largest breadth of possible relevant publications. Therefore, additional search sources are not deemed necessary.

### **3.1.2. Internet (world-wide-web) pages of relevant key organisations**

In accordance with the 2019 Explanatory note on literature searching for GMO applications<sup>2</sup>, the search in electronic bibliographic databases has been complemented with internet search in webpages of relevant key organisations involved in the risk assessment of GM plants.

Of the 14 key organisations cited in the 2019 Explanatory note on literature searching for GMO applications<sup>2</sup>, nine<sup>10</sup> are involved in risk assessment of Bayer GM maize products. Three of the remaining five (CIBIOGEM, Environment and Climate Change Canada and OECD) are not involved in GM risk assessment while the other two (OGTR and GEAC), for the time being, only assess GM cotton and oilseed rape. Therefore, the internet search focused on the nine key organisations relevant for Bayer GM maize products.

## **3.2. Search strategy (electronic databases)**

### **3.2.1. Search terms and search strings**

The intervention/exposure key elements were defined and translated into search terms. These search terms were identified following the below listed approaches in line with the 2019 EFSA explanatory note on literature searching<sup>2</sup>:

- assessing words in reference publications,
- assessing subject indexing terms,
- searching for synonyms and related terms and
- consulting experts and stakeholders.

Following the aforementioned approaches, possible synonyms, related terms, abbreviations including acronyms and truncations, old and new as well as lay and scientific terminologies, brand and generic names, and spelling variants including common typos of the search terms were considered. Where applicable, the search was also adapted to controlled vocabulary

---

<sup>10</sup> Internet pages of the relevant key organisations for Bayer GM maize products:  
US EPA (<https://www.epa.gov/environmental-topics/science-topics>) - Accessed on 15 September 2023;  
USDA (<https://www.usda.gov/media>) - Accessed on 15 September 2023;  
US FDA (<https://www.fda.gov/>) - Accessed on 15 September 2023;  
CFIA (<http://www.inspection.gc.ca/eng/1297964599443/1297965645317>) - Accessed on 15 September 2023;  
Health Canada (<https://www.canada.ca/en/health-canada.html>) - Accessed on 15 September 2023;  
FSANZ (<http://www.foodstandards.gov.au/Pages/default.aspx>) - Accessed on 15 September 2023;  
CTNBio (<http://ctnbio.mctic.gov.br/>) - Accessed on 15 September 2023;  
CONABIA (<https://www.argentina.gob.ar/>) - Accessed on 15 September 2023;  
Japan MAFF (<http://www.maff.go.jp/e/>) - Accessed on 15 September 2023.

(subject indexing). The search terms were designed to give an excellent coverage and retrieve the broadest possible number of articles related to Bayer GM maize products.

The translation of the intervention key elements into search terms are presented in **Annex I**. The search terms, the fields and the Boolean operators used to combine them were defined as shown in **Annex II**. The search strings were built following the STN<sup>®</sup> commands<sup>11</sup> to allow the literature search in the STN<sup>®</sup> database catalogue. The free-text search terms, controlled vocabulary and the search strings are updated upon identification of a new search term.

The search sets belonging to each key element as described in **Annex I** and **Annex II** were combined by ‘OR’ to retrieve all the identified publications excluding duplicates. The separate assessment of these search sets, including those yielding only a small number of publications, was considered not necessary as this would duplicate the literature screening process and alter the consistency and comprehensiveness used in the literature search strategies.

### **3.2.2. Limits applied**

An advanced literature search was conducted using the web-based STN<sup>®</sup> database catalogue for both the selected electronic databases (*see* section 3.1.1). STN<sup>®</sup> enables searching in each electronic database by making use of pre-defined fields, set combinations based on Boolean operators or a combination of both<sup>12</sup>. In STN<sup>®</sup>, the results of the search from each database can be merged and duplicates can be removed by de-duplication.

The STN<sup>®</sup> literature search utilised “Basic Index” (None (or /BI)) field which utilises free-text search terms and enables comprehensive searching in different sections (*e.g.* title, abstract, keywords, supplementary terms, controlled terms) within a record<sup>5,6,11</sup>. Where applicable, controlled vocabulary (subject indexes) offered by CABA (controlled terms (CT)) were also included in the search strategy. Controlled vocabulary is assigned by subject specialists to CAB records to represent the content of the source documents. It allows users to use only one term to search for a concept rather than using lots of terms<sup>13</sup>. The most relevant, broad and controlled terms in the hierarchy of CAB Thesaurus terms and that were listed as preferred terms by CAB for a search query were selected and added to the search string, as shown in **Annex I** and **Annex II**.

### **3.2.3. Language**

The search terms and their combinations are established in English. Therefore, the search is expected to result in a list of titles, abstracts or keywords written in English, covering also articles written in other languages with at least a title, abstract or keywords in English. Also, as technical terms on proteins names, event codes, trade names and Latin names are common in all languages, the search is expected to retrieve articles in all languages.

---

<sup>11</sup> STN. [Command summary chart for bibliographic and full-text databases](#). – Accessed on 15 September 2023

<sup>12</sup> STNindex user guide: <https://stn.products.fiz-karlsruhe.de/training-center/documentation/stn-index-user-guide> - Accessed on 15 September 2023

<sup>13</sup> CAB Direct advanced searching of CAB abstracts: <https://www.cabi.org/Uploads/CABI/publishing/training-materials/resources-by-interface/cab-direct-user-guides/advanced-searching-cab-abstracts.pdf> - Accessed on 15 September 2023

### 3.2.4. Time period

The literature searches covered the time span 1 June 2022 - 31 May 2023.

The literature search in the electronic databases was conducted on a quarterly basis considering the entry dates in the STN<sup>®</sup> database catalogue.

**Table 2** shows the search dates and the time span of each search.

**Table 2. Description of literature search periods in the electronic databases**

Date of the search	Last database update dates	Search period
10 October 2022	SciSearch: 03 October 2022	06 June 2022– 03 October 2022
	CABA: 04 October 2022	06 June 2022– 03 October 2022
01 February 2023	SciSearch: 01 February 2023	03 October 2022 - 30 January 2023
	CABA: 31 January 2023	03 October 2022 - 30 January 2023
06 June 2023 <sup>14</sup>	SciSearch: 06 June 2023	06 June 2022– 06 June 2023
	CABA: 30 May 2023	06 June 2022– 06 June 2023

### 3.2.5. Reference publications

In accordance with the 2019 EFSA explanatory note on literature searching<sup>2</sup>, a list of reference publications is provided in **Annex III**. The reference publications were tested and retrieved using the search terms and strategy developed for Bayer GM maize products.

### 3.3. Search strategy (relevant key organisations)

All records related to GMO applications and approvals published in the webpage of each relevant key organisation were screened based on ‘limits applied’ as described in the **Annex IV** and assessed for their relevance to Bayer GM maize products.

The literature search in the internet pages of the relevant key organisations was conducted on 17 August 2023 and covered the time span 01 June 2022 – 17 August 2023

## 4. SELECTING PUBLICATIONS

Publications retrieved from the literature search were screened for their relevance first and then the selected ones were evaluated for their reliability through detailed assessments. Relevance to the search scope and scientific reliability were rigorously assessed by internal and external technical experts.

### 4.1. Eligibility screening process

The process of selecting relevant publications was undertaken in two stages:

- **Rapid assessment** for the relevance based on information in the title and abstract of the publications, to exclude publications that are obviously irrelevant.
- **Detailed assessment** of full-text document if required. Full-text documents were obtained for those publications not excluded in the rapid assessment and those documents were assessed in detail for their relevance to the review question. Publications not excluded by the detailed assessment were classified as relevant. At

<sup>14</sup> Note the search was revised on 06 June 2023 as the search scripts were modified to address some errors.

this stage, publications must comply with all the eligibility/inclusion criteria and meet all key elements of the review question.

Experts with a solid experience in GM plants risk assessment performed the screening process. Based on the available comprehensive weight of evidence, the experts assessed if the conclusions of the risk assessment are still valid.

## **4.2. Reviewers**

### **4.2.1. Number of reviewers**

All publications that were identified by the search described in **Section 3** have been screened by three different reviewers (one internal and two external experts) with solid experience in the risk assessment of GM plants.

### **4.2.2. Expertise of reviewers**

Besides their academic background, the reviewers have adequate expertise in the risk assessment areas of GM crops (molecular characterisation, food and feed safety, environmental safety) and several years of experience in the analysis and selection of relevant publications in literature searches for GM applications.

### **4.2.3. Inter-reviewer agreement**

Reviewers (internal and external) perform their assessment in an independent sequential manner. They are in communication and meet on a regular basis to ensure consistent interpretation and implementation of eligibility/inclusion criteria and/or screening process. During the rapid assessment stage, retrieved abstracts and titles of publications are screened by each reviewer independently and assessed against each other to conclude on inclusion or exclusion based on eligibility/inclusion criteria. If opinions on relevance differ, the discrepancies are discussed between the reviewers and if a disagreement persists, the publication under discussion is *de facto* included in the next stage for further consideration. In summary, publications which appear to be relevant and those of unclear relevance, are progressed to the next stage.

During the detailed assessment, the selected publications are assessed in detail, independently and sequentially by the two external reviewers based on the full text of the publications. The publications screened by each reviewer are assessed against each other to conclude on inclusion or exclusion based on eligibility/inclusion criteria. If opinions on relevance differ between reviewers, all reviewers (external and internal) discuss the discrepancy as necessary and, if needed, consult additional internal reviewers to resolve the discrepancy.

If uncertainty remains, the publication is *de facto* reported as unclear providing a justification as suggested by the reviewers. In summary, publications, which appear to be relevant and those of unclear relevance, are reported.

This approach ensures a high-quality process as it allows a harmonised continuous publication screening process across different GM applications in accordance with the 2019 EFSA explanatory note on literature searching<sup>2</sup> and avoids missing publications due to bias towards certain eligibility criteria.

### 4.3. Classification of publications

Taking account of i) the review question, ii) the scope of the application, *i.e.* authorisation of Bayer GM maize products for all uses as any other maize but excluding cultivation in the EU and iii) the eligibility criteria to establish the relevance of retrieved publications, the list of retrieved hits were assessed to conclude whether a certain publication was considered relevant or not. When a publication was considered relevant, the category the publication belongs to is indicated. The following is a non-exhaustive list of categories publications may belong to:

#### *Food/Feed safety assessment*

- Molecular characterisation
- Protein expression
- Crop composition
- Agronomic and phenotypic characteristics
- Toxicology - Animal feeding / *In vitro*
- Allergenicity of the protein or the whole food/feed
- Nutrition
- Protein / DNA/ RNA fate in digestive tract

#### *Environmental safety assessment*

- Spillage and consequences thereof

It should be noted that the selection criteria are well defined and reassessed annually.

### 4.4. Quality appraisal of the relevant publications

The relevant publications, if identified, are appraised in terms of reliability in accordance with the 2019 EFSA explanatory note on literature searching<sup>2</sup> by at least two individuals with technical expertise on the topic using the following steps categorised in two main areas:

#### Credibility of the publication

1. ***Does the publication include sufficient information to establish the reliability of the research?*** Publications with insufficient information (e.g., incomplete experimental design, publications for which only an abstract is publicly available) are categorised as “**not assignable**”. Others go to step 2.
2. ***Is the publication scientifically sound/reliable?*** Publications that do not contain scientifically sound/reliable information (e.g., inadequate methodology, test/control materials) are categorised as “**not reliable**”. Others go to step 3.

#### Appropriateness of the publication for the EFSA risk assessment

3. ***What is the relevance level of the publication for the EFSA risk assessment?*** Publications with low relevance for the EFSA risk assessment (e.g. publications dealing with wild relatives or pests not found in the EU) are categorised as “**low reliable**”. Publications with moderate relevance for the EFSA risk assessment (e.g., exploratory studies, research with limited focus on risk assessment) are categorised as “**moderately reliable**”. Whereas publications with high relevance for the EFSA risk assessment (e.g. research based on data collected for regulatory studies) are categorised as “**highly reliable**”.

In cases of disagreements, the evaluators discuss together and collectively determine the reliability of the publication.

## **5. SUMMARISING AND REPORTING THE DATA, AND CONSIDERING THE IMPLICATIONS OF THE FINDINGS**

### **5.1. Search outcomes**

#### **5.1.1. Outcomes of literature search (electronic databases)**

The literature searches identified 224 and 266 hits in SciSearch and CABA databases, respectively (see **Annex II**). After de-duplication<sup>15</sup>, the total number resulted in 407 hits (see **Annex V**).

#### **5.1.2. Outcomes of literature search (relevant key organisations)**

The literature search in the internet pages of the nine relevant key organisations retrieved a total of 80 records. The links to the results of the literature search and the summary of the retrieved data are shown in **Annex IV**.

### **5.2. Results of the publication selection process**

#### **5.2.1. Results of the publication selection process (electronic databases)**

The results of the publication selection process for the retrieved hits from the electronic databases are provided in **Annex V**. One relevant publication was retrieved after detailed assessment of the full text documents.

For bibliographic details regarding this publication in .RIS format, see **Annex VI**.

For the full-text document of the relevant publication, see the references folder within the Appendix 3\_Literature search folder.

#### **5.2.2. Results of the publication selection process (relevant key organisations)**

The results of the publication selection process for the retrieved records from the relevant key organisations are provided in **Annex IV**. Two records were identified as relevant. For the full-text documents of the relevant publications, see **Annex IV**.

### **5.3. Considering the implications of the findings**

The reliability assessment for the relevant publications is provided in **Annex V**. The two relevant records retrieved from the relevant key organisations (see **Annex IV**) are reliable since the rationale for the positive conclusions in those records are consistent with the results reported in the data package provided by Bayer. All the relevant publications have no implications for the risk assessment of Bayer GM maize products because no new hazards, modified exposure, or new uncertainties are reported.

The comprehensive literature search for publications relevant to the food, feed, and environmental safety of Bayer GM maize products found no new information that would invalidate the conclusions of the risk assessment Bayer GM maize products.

---

<sup>15</sup> Corresponds to the unique publications after STN® and manual de-duplication.

## 6. CONCLUSION

Taking into consideration all the above, Bayer confirms that this literature search, conducted in accordance with the 2019 EFSA explanatory note on literature searching<sup>2</sup> to support the general surveillance in the context of 2022/2023 annual PMEM for Bayer GM maize products, identified no relevant publications that would invalidate the conclusions of the Bayer GM maize products previous risk assessments. Therefore, the conclusions of the risk assessment as presented in the initial applications of the Bayer GM maize products remain unchanged.

## Annex I. Translation of intervention/exposure key elements into search terms for Bayer GM maize products literature search in STN® database catalogue

### 1. Free-text search terms for Bayer GM maize products

Key elements	Search terms	Synonyms, related terms, abbreviations/ acronyms/ truncations, lay/ scientific terms, brand/ generic names and spelling variants/ typos (adapted for performing search in STN® database catalogue)
Event names	MON 810 or MON-ØØ81Ø-6 NK603 or MON-ØØ6Ø3-6 MON 88017 or MON-88Ø17-3 MON 89034 or MON-89Ø34-3 MON 87460 or MON 8746Ø-4 MON 87427 or MON-87427-7 MON 87411 or MON-87411-9 MON 87403 or MON-874Ø3-1 TC1507 or 1507 or DAS-Ø15Ø7-1 59122 or DAS-59122-7 T25 or ACS-ZMØØ3-2 MIR162 or SYN-IR162-4	MON 810? OR MON810? OR MON!810? OR MON 00810? OR MON00810? OR MON!00810? OR MON OO810? OR MONOO810? OR MON!OO810? OR MON EMPTY SETEMPTY SET81EMPTY SET? OR MON!EMPTY SETEMPTY SET81EMPTY SET? OR MONEMPTY SETEMPTY SET81EMPTY SET? OR NK603 OR NK 603  OR MON 00603? OR MON!00603? OR MON00603? OR MON OO603? OR MONOO603? OR MON!OO603? OR MON EMPTY SETEMPTY SET6EMPTY SET3? OR MON!EMPTY SETEMPTY SET6EMPTY SET3? OR MONEMPTY SETEMPTY SET6EMPTY SET3?  OR MON 88017? OR MON!88017? OR MON88017? OR MON 88017? OR MON!88017? OR MON88017? OR MON 88EMPTY SET17? OR MON!88EMPTY SET17? OR MON88EMPTY SET17?  OR MON 89034? OR MON!89034? OR MON89034? OR MON 89034? OR MON!89034? OR MON89034? OR MON 89EMPTY SET34? OR MON!89EMPTY SET34? OR MON89EMPTY SET34?  OR MON 87460? OR MON!87460? OR MON87460? OR MON 87460? OR MON!87460? OR MON87460? OR MON 8746EMPTY SET? OR MON!8746EMPTY SET? OR MON8746EMPTY SET? OR MON 87427? OR MON!87427? OR MON87427? OR ((1507 OR 1507 OR 15EMPTYSET7) AND (MAIZE? OR CORN? OR "ZEA MAYS" OR "Z. MAYS")) OR TC1507 OR TC1507 OR TC15EMPTYSET7  OR MON 87411? OR MON!87411? OR MON87411?

		<p>OR MON 87403? OR MON!87403? OR MON87403? OR MON 87403? OR MON!87403? OR MON87403? OR MON 874EMPTY SET3? OR MON!874EMPTY SET3? OR MON874EMPTY SET3?</p> <p>MON8746EMPTY SET? OR MON 87427? OR MON!87427? OR MON87427? OR 1507 OR 1507 OR 15EMPTYSET7 OR TC1507 OR TC1507 OR TC15EMPTYSET7</p> <p>OR MON 87411? OR MON!87411? OR MON87411?</p> <p>OR MON 87403? OR MON!87403? OR MON87403? OR MON 87403? OR MON!87403? OR MON87403? OR MON 874EMPTY SET3? OR MON!874EMPTY SET3? OR MON874EMPTY SET3?</p> <p>OR DAS 01507? OR DAS!01507? OR DAS01507? OR DAS O1507? OR DAS!O1507? OR DASO1507? OR DAS EMPTY SET15EMPTY SET7? OR DAS!EMPTY SET15EMPTY SET7? OR DASEMPTY SET15EMPTY SET7? OR 59122 OR DAS 59122? OR DAS!59122? OR DAS59122? OR T25</p> <p>OR ACS ZM003? OR ACS!ZM003? OR ACSZM003? OR ACS ZMOO3? OR ACS!ZMOO3? OR ACSZMOO3? OR ACS ZMEMPTY SET EMPTY SET3? OR ACS!ZMEMPTY SET EMPTY SET3? OR ACSZMEMPTY SET EMPTY SET3?</p> <p>OR MIR!162? OR MIR 162? OR MIR162? OR SYN!IR162? OR SYN IR162? OR SYNIR162?</p>
Trade name	<p>YieldGard® Corn Borer</p> <p>Roundup Ready® 2</p> <p>YieldGard VT Rootworm/RR2®</p> <p>YieldGard® VT® PRO®</p> <p>DroughtGard® Hybrids</p> <p>Herculex™ I, Herculex™ CB</p> <p>Herculex™ RW</p> <p>Liberty Link™ Maize</p> <p>YieldGard® VT ® Triple®</p> <p>Genuity® VT Triple PRO®</p>	<p>YIELD GARD? OR YIELDG? OR YIELD!GARD? OR YIELDGARD? OR ROUNDUPREADY? OR ROUND UP READY? OR ROUND!UP!READY? OR ROUND!UP READY? OR ROUNDUP READY? OR RR2? OR RRII? OR VT? PRO? OR VT! PRO OR VT PRO? OR VT!PRO? OR VTPRO? OR DROUGHTGARD? OR DROUGHT GARD? OR HERCULEX?</p> <p>LIBERTY LINK? OR LIBERTYLINK? OR LIBERTY!LINK OR VT? TRIPLE? OR VTTRIPLE? OR VT!TRIPLE? OR VT TRIPLE? OR VT DOUBLE PRO? OR VT DOUBLEPRO? OR VTDOUBLE PRO? OR VTDOUBLEPRO? OR VT!DOUBLE PRO? OR VT DOUBLEPRO? OR VT!DOUBLEPRO? OR VT!2!PRO?</p> <p>SMARTSTAX? OR SMART STAX? OR SMART!STAX? OR RHS OR HYBRIDIZATION SYSTEM OR VT 2 PRO? OR POWER CORE? OR POWERCORE? OR AGRISURE? OR VIPTERA? OR TRECEPTA?</p>

	<p>Genuity® VT Double PRO™</p> <p>Genuity® PowerCore®</p> <p>SmartStax®</p> <p>Genuity® VT Double Pro® with Roundup® Hybridization System</p> <p>VTPRO4®</p> <p>Trecepta™</p> <p>Agrisure™ Viptera</p>	
Newly expressed proteins	<p>CP4 EPSPS</p> <p>CP4 EPSPS L214P</p> <p>PAT</p> <p>Cry1Ab</p> <p>Cry1A.105</p> <p>Cry2Ab2</p> <p>Cry1F</p> <p>Cry3Bb1</p> <p>Cry34/35Ab1</p> <p>Cold shock protein B (cspB)</p> <p>ATHB-17</p> <p>Vip3Aa20</p>	<p>CP4EPSPS? OR CP4 EPSPS? OR 5(W)(ENOLPYRUVYLSHIKIMATE OR ENOL PYRUVYL SHIKIMATE OR ENOLPYRUVYL SHIKIMATE OR ENOL PYRUVYLSHIKIMATE OR ENOL!PYRUVYL! SHIKIMATE!)(W)3 PHOSPHATE SYNTHASE OR</p> <p>OR (PAT AND (GENE OR ENZYME OR PROTEIN)) OR (PHOSPHINOTHRICIN AND (ACETYL TRANSFERASE OR ACETYL!TRANSFERASE OR ACETYLTRANSFERASE ))</p> <p>CRY1AB OR CRY1 AB OR CRY 1 AB OR CRY 1AB OR CRYIAB OR CRYI AB OR CRY I AB OR CRY IAB OR CRY1A105 OR CRY1A 105 OR CRY 1A 105 OR CRY 1A105 OR CRYIA105 OR CRYIA 105 OR CRY IA 105 OR CRY IA105 OR CRY1A.105</p> <p>OR CRY2AB? OR CRY2 AB? OR CRY 2 AB? OR CRY 2AB? OR CRYIIAB? OR CRYII AB? OR CRY II AB? OR CRY IAB? OR CRY1F OR CRY1 F OR CRY 1 F OR CRY 1F OR CRYIF OR CRYI F OR CRY I F OR CRY IF</p> <p>OR CRY3BB? OR CRY3 BB? OR CRY 3 BB? OR CRY 3BB? OR CRYIIIAB? OR CRYIII BB? OR CRY III BB? OR CRY IIIBB? OR CRY34AB1? OR CRY34AB 1? OR CRY 34AB 1? OR CRY 34AB1? OR GPP34AB1? OR GPP34AB 1? OR GPP 34AB 1? OR GPP 34AB1?</p> <p>OR CRY35AB1? OR CRY35AB 1? OR CRY 35AB 1? OR CRY 35AB1? OR TPP35AB1? OR TPP35AB 1? OR TPP 35AB 1? OR TPP 35AB1?</p> <p>OR CSPB OR CSP B OR COLD SHOCK PROTEIN B OR COLD!SHOCKPROTEIN!B OR COLD!SHOCK PROTEIN!B OR COLD!SHOCK!PROTEIN!B OR ATHB17? OR ATHB!17? OR ATHB 17? OR HB17? OR HB!17? OR HB 17?</p>

		OR VIP3AA20 OR VIP3!AA20 OR VIP3 AA20
Newly expressed RNA	DvSnf7 RNA	(RNA? OR DSRNA? OR SIRNA?)(5A)(DVSNF7 OR WCR SNF7 OR CRW SNF7 OR DV SNF7 OR DVSNF 7 OR DV SNF 7 OR DV.SNF7 OR SNF7)
Intended traits: Herbicide tolerance traits	Glyphosate/ roundup tolerance, Glufosinate tolerance	(TOLERAN? OR RESISTAN? OR PROTEC?)( 5A)(GL!PHOSATE OR GL!FOSATE OR ROUNDUP? OR ROUND UP? OR ROUND!UP OR GLUFOSINATE OR GLUPHOSINATE OR BASTA OR IGNITE OR LIBERTY)
Intended traits: Insect protection traits	Bt maize (corn) / <i>Bacillus thuringiensis</i> maize (corn) providing Lepidopteran protection or protection against Noctuidae and Crambidae insect pest families or corn/stem borer or European corn borer (ECB) or Mediterranean corn borer (MCB) or Pink stalk borer or West African pink borer or Asian corn borer (ACB) or Spotted stem borer (SSB) or Southwestern corn borer (SWCB) or Sugarcane borer (SCB) or fall armyworm (FAW) or African maize stalk borer (AMSB) or corn earworm or cotton bollworm (CEW; CBW) or Old World bollworm or African bollworm or American cotton bollworm or cotton bollworm or corn earworm (OBW; CBW; CEW) or western bean cutworm (WBC) or <i>Ostrinia nubilalis</i> or <i>Ostrinia furnacalis</i> or <i>Spodoptera frugiperda</i> or <i>Spodoptera exigua</i> or <i>Sesamia nonagrioides</i> or <i>Chilo partellus</i> or <i>Diatraea grandiosella</i> or <i>Diatraea saccharalis</i> or <i>Busseola fusca</i> or <i>Helicoverpa zea</i> or <i>Helicoverpa armigera</i> or <i>Striacosta albicosta</i> or <i>Agrotis ipsilon</i> or <i>Feltia jaculifera</i> or <i>Pseudaletia unipuncta</i>	(BTMAIZE OR BTCORN OR BT MAIZE OR BT CORN OR BT!MAIZE OR BT!CORN OR THURINGIENSIS!MAIZE OR THURINGIENSISMAIZE OR THURINGIENSIS MAIZE OR THURINGIENSIS!CORN OR THURINGIENSISCORN OR THURINGIENSIS CORN)  (TOLERAN? OR RESISTAN? OR PROTEC?)( 5A)(BORER? OR EARWORM? OR BOLLWORM? OR ARMYWORM? OR EAR WORM? OR BOLL WORM? OR ARMY WORM? OR LEPIDOPTERA? OR NOCTUIDAE)  (TOLERAN? OR RESISTAN? OR PROTEC?)( 5A)(CRAMBIDAE OR OSTRINIA OR SESAMIA OR CHILO OR DIATRAEA OR SPODOPTERA OR BUSSEOLA OR HELICOVERPA OR FURNACALIS OR NUBILALIS OR NONAGRIOIDES OR PARTELLUS)  (TOLERAN? OR RESISTAN? OR PROTEC?)( 5A)(GRANDIOSELLA OR SACCHARALIS OR FRUGIPERDA OR FUSCA OR ZEA OR ARMIGERA OR ECB OR MCB OR ACB OR SSB OR SWCB OR SCB OR FAW OR AMSB OR CEW OR CBW OR OBW)  (TOLERAN? OR RESISTAN? OR PROTEC?)(5A)(EXIGUA OR CUTWORM? OR CUT WORM? OR STRIACOSTA OR AGROTIS OR FELTIA OR PSEUDALETIA OR ALBICOSTA OR IPSILON OR JACULIFERA OR UNIPUNCTA OR WBC)
	Bt maize (corn) / <i>Bacillus thuringiensis</i> maize providing Coleopteran protection, or protection against Chrysomel insect pest families or western corn rootworm (WCR / WCRW) or Northern corn rootworm (NCR) or Southern corn rootworm (SCR) or Mexican corn rootworm	(BTMAIZE OR BTCORN OR BT MAIZE OR BT CORN OR BT!MAIZE OR BT!CORN OR THURINGIENSIS!MAIZE OR THURINGIENSISMAIZE OR THURINGIENSIS MAIZE OR THURINGIENSIS!CORN OR THURINGIENSISCORN OR THURINGIENSIS CORN)

	(MCR) or <i>Diabrotica virgifera virgifera</i> or <i>Diabrotica barberi</i> ( <i>D barberi</i> ) or <i>Diabrotica undecimpunctata</i> ( <i>D undecimpunctata</i> ) or <i>Diabrotica virgifera zea</i> ( <i>D. virgifera zea</i> )	(TOLERAN? OR RESISTAN? OR PROTEC?)(5A)(ROOTWORM? OR ROOT WORM? OR COLEOPTERA? OR CHRYSOMEL? OR DIABROTICA OR VIRGIFERA OR BARBERI OR UNDECIMPUNCTATA OR CRW OR WCR? OR NCR? OR SCR? OR MCR?)
Intended traits: Drought tolerance traits	Drought tolerant or water efficient maize	(TOLERAN? OR RESISTAN? OR PROTEC?)(5A)DROUGHT OR (EFFICIEN? OR REDUC? OR LIMIT? OR DECRE? OR LOW?)(5A)WATER
Intended traits: Hybridisation system traits	Glyphosate based hybridization system	HYBRID? OR CROSS? OR POLLEN? OR POLLINAT? OR STERIL?(5A)MALE) AND (GL!PHOSATE OR GL!FOSATE OR ROUNDUP? OR ROUND UP? OR ROUND!UP?
Intended traits: Increased biomass traits	Increased ear biomass	(INCRE? OR ENHANCE?)(5A)(EAR SIZE OR EAR BIOMASS OR EAR GROWTH OR EAR WEIGHT OR EAR MASS OR SINK CAPACITY OR SINK POTENTIAL)
Crop name	maize, corn, <i>Zea mays</i>	MAIZE? OR CORN? OR "ZEA MAYS" OR "Z. MAYS"
GMO general terms	Genetically modified organism (GMO, GM); Living modified organism (LMO); biotechnology-derived organism (biotech-derived); Genetic engineering (GE); transgenesis (transgene); genetic transformation; genetic manipulation; genetic improvement.	GMO? OR LMO? OR GM OR GE OR TRANSGEN? OR ((GENETIC? OR LIVING OR BIOTECH?)(5A)(MODIF? OR TRANSFORM? OR MANIPULAT? OR IMPROV? OR ENGINEER? OR DERIV?))

## 2. Controlled vocabulary, if applicable, for Bayer GM Maize products

Key elements	Search terms	Controlled terms offered by CABA (adapted for performing search in STN® database catalogue)
Event name	Not applicable	
Trade name	Not applicable	
Newly expressed proteins	Not applicable	
Intended traits : Insect protection and herbicide tolerance traits	Bt maize (corn) / <i>Bacillus thuringiensis</i> maize (corn) providing Lepidopteran protection or protection against Noctuidae and Crambidae insect pest families or corn/stem borer or European corn borer (ECB) or Mediterranean corn borer (MCB)	(WEED CONTROL+UF,NT/CT OR INSECT CONTROL+UF,NT/CT) AND (LEPIDOPTERA+UF,NT2/CT,ORGN OR NOCTUIDAE+UF/CT,ORGN OR CRAMBIDAE+UF/CT,ORGN OR COLEOPTERA+UF,NT2/CT,ORGN OR CHRYSOMELIDAE+UF/CT,ORGN OR DIABROTICA+UF,NT1/CT,ORGN OR GLYPHOSATE+UF,NT/CT OR GLUFOSINATE+UF,NT/CT)

	<p>or Pink stalk borer or West African pink borer or Asian corn borer (ACB) or Spotted stemborer (SSB) or Southwestern corn borer (SWCB) or Sugarcane borer (SCB) or fall armyworm (FAW) or African maize stalk borer (AMSB) or corn earworm or cotton bollworm (CEW; CBW) or Old World bollworm or African bollworm or American cotton bollworm or cotton bollworm or corn earworm (OBW; CBW; CEW) or western bean cutworm (WBC) or <i>Ostrinia nubilalis</i> or <i>Ostrinia furnacalis</i> or <i>Spodoptera frugiperda</i> or <i>Spodoptera exigua</i> or <i>Sesamia nonagrioides</i> or <i>Chilo partellus</i> or <i>Diatraea grandiosella</i> or <i>Diatraea saccharalis</i> or <i>Busseola fusca</i> or <i>Helicoverpa zea</i> or <i>Helicoverpa armigera</i> or <i>Striacosta albicosta</i> or <i>Agrotis ipsilon</i> or <i>Feltia jaculifera</i> or <i>Pseudaletia unipuncta</i></p> <p>Bt maize (corn) / <i>Bacillus thuringiensis</i> maize providing Coleopteran protection, or protection against Chrysomel insect pest families or western corn rootworm (WCR / WCRW) or Northern corn rootworm (NCR) or Southern corn rootworm (SCR) or Mexican corn rootworm (MCR) or <i>Diabrotica virgifera virgifera</i> or <i>Diabrotica barberi</i> (<i>D barberi</i>) or <i>Diabrotica undecimpunctata</i> (<i>D undecimpunctata</i>) or <i>Diabrotica virgifera zea</i> (<i>D. virgifera zea</i>)</p> <p>Glyphosate/ roundup tolerance, Glufosinate tolerance</p>	<p>(OSTRINIA+UF,NT1/CT,ORGN OR SESAMIA+UF,NT1/CT,ORGN OR CHILO+UF,NT1/CT,ORGN OR DIATRAEA+UF,NT1/CT,ORGN OR HELICOVERPA+UF,NT1/CT,ORGN OR SPODOPTERA+UF,NT1/CT,ORGN)</p> <p>(BUSSEOLA+UF,NT1/CT,ORGN OR AGROTIS+UF,NT1/CT,ORGN OR STRIACOSTA+UF,NT1/CT,ORGN OR FELTIA+UF,NT1/CT,ORGN OR PSEUDALETIA+UF,NT1/CT,ORGN)</p>
--	--	---

Intended traits: Hybridisation system traits	Glyphosate based hybridization system	(HYBRIDIZATION+UF,NT/CT OR CROSSING+UF,NT/CT OR PLANT BREEDING METHODS+UF,NT/CT OR POLLINATION+UF,NT/CT OR MALE STERILITY+UF,NT/CT) AND GLYPHOSATE+UF,NT/CT
Intended traits: Drought tolerance and increased ear biomass traits	Drought tolerance and increased ear biomass	DROUGHT RESISTANCE+UF,NT/CT OR BIOMASS PRODUCTION+UF,NT/CT
Crop name	maize, corn, <i>Zea mays</i>	ZEA MAYS+UF,NT/CT,ORGN OR MAIZE+UF, NT/CT,ORGN
GMO general terms	Genetically modified organism (GMO, GM); Living modified organism (LMO); biotechnology-derived organism (biotech-derived); Genetic engineering (GE); transgenesis (transgene); genetic transformation; genetic manipulation; genetic improvement	GENETIC ENGINEERING+UF,NT/CT OR GENETIC TRANSFORMATION+UF,NT/CT OR GENETICALLY ENGINEERED FOODS+UF,NT/CT OR GENETICALLY ENGINEERED ORGANISMS+UF,NT/CT OR FOOD BIOTECHNOLOGY+UF,NT/CT

## Annex II. The search string used for Bayer GM [CROP NAME] products literature search in SciSearch and CABA databases using STN® database catalogue, and outcomes of the search (2022-2023)

This alert run covers the time range from 20220606 until 20230606

This alert will only include literature published from 2022 onwards

and his full

```
(FILE 'STNGUIDE' ENTERED AT 14:45:23 ON 06 JUN 2023)
      DEL HIS Y
L1      QUE SPE=ON  ABB=ON  PLU=ON  MON 810? OR MON810? OR MON!810? OR
      MON 00810? OR MON00810? OR MON!00810? OR MON 00810? OR
      MON00810? OR MON!00810? OR MON EMPTY SETEMPTY SET81EMPTY SET?
      OR MON!EMPTY SETEMPTY SET81EMPTY SET? OR MONEMPTY SETEMPTY
      SET81EMPTY SET? OR NK603 OR NK 603
L2      QUE SPE=ON  ABB=ON  PLU=ON  MON 00603? OR MON!00603? OR
      MON00603? OR MON 00603? OR MON00603? OR MON!00603? OR MON
      EMPTY SETEMPTY SET6EMPTY SET3? OR MON!EMPTY SETEMPTY SET6EMPTY
      SET3? OR MONEMPTY SETEMPTY SET6EMPTY SET3?
L3      QUE SPE=ON  ABB=ON  PLU=ON  MON 88017? OR MON!88017? OR
      MON88017? OR MON 88017? OR MON!88017? OR MON88017? OR MON
      88EMPTY SET17? OR MON!88EMPTY SET17? OR MON88EMPTY SET17?
L4      QUE SPE=ON  ABB=ON  PLU=ON  MON 89034? OR MON!89034? OR
      MON89034? OR MON 89034? OR MON!89034? OR MON89034? OR MON
      89EMPTY SET34? OR MON!89EMPTY SET34? OR MON89EMPTY SET34?
L5      QUE SPE=ON  ABB=ON  PLU=ON  MON 87460? OR MON!87460? OR
      MON87460? OR MON 87460? OR MON!87460? OR MON87460? OR MON
      8746EMPTY SET? OR MON!8746EMPTY SET? OR MON8746EMPTY SET? OR
      MON 87427? OR MON!87427? OR MON87427?
L6      QUE SPE=ON  ABB=ON  PLU=ON  ((1507 OR 1507 OR 15EMPTYSET7) AND
      (MAIZE? OR CORN? OR "ZEA MAYS" OR "Z. MAYS")) OR TC1507 OR
      TC1507 OR TC15EMPTYSET7
L7      QUE SPE=ON  ABB=ON  PLU=ON  DAS 01507? OR DAS!01507? OR
      DAS01507? OR DAS 01507? OR DAS!01507? OR DAS01507? OR DAS
      EMPTY SET15EMPTY SET7? OR DAS!EMPTY SET15EMPTY SET7? OR
      DASEMPTY SET15EMPTY SET7?
L8      QUE SPE=ON  ABB=ON  PLU=ON  (59122 AND (MAIZE? OR CORN? OR
      "ZEA MAYS" OR "Z. MAYS")) OR DAS 59122? OR DAS!59122? OR
      DAS59122? OR (T25 AND (MAIZE? OR CORN? OR "ZEA MAYS" OR "Z.
      MAYS"))
L9      QUE SPE=ON  ABB=ON  PLU=ON  ACS ZM003? OR ACS!ZM003? OR
      ACSZM003? OR ACS ZMO03? OR ACS!ZMO03? OR ACSZMO03? OR ACS
      ZMEMPTY SET EMPTY SET3? OR ACS!ZMEMPTY SET EMPTY SET3? OR
      ACSZMEMPTY SET EMPTY SET3? OR MON 87411? OR MON!87411? OR
      MON87411?
L10     QUE SPE=ON  ABB=ON  PLU=ON  MON 87403? OR MON!87403? OR
      MON87403? OR MON 87403? OR MON!87403? OR MON87403? OR MON
      874EMPTY SET3? OR MON!874EMPTY SET3? OR MON874EMPTY SET3?
L11     QUE SPE=ON  ABB=ON  PLU=ON  MIR!162? OR MIR 162? OR MIR162? OR
      SYN!IR162? OR SYN IR162? OR SYNIR162?
L12     QUE SPE=ON  ABB=ON  PLU=ON  YIELD GARD? OR YIELDG? OR YIELD!GAR
```

D? OR YIELDGARD? OR ROUNDUPREADY? OR ROUND UP READY? OR ROUND!UP!READY? OR ROUND!UP READY? OR ROUNDUP READY? OR RR2? OR RRII? OR VT? PRO? OR VT! PRO OR VT PRO? OR VT!PRO? OR VTPRO? OR DROUGHTGARD? OR DROUGHT GARD? OR HERCULEX?

L13 QUE SPE=ON ABB=ON PLU=ON LIBERTY LINK? OR LIBERTYLINK? OR LIBERTY!LINK OR VT? TRIPLE? OR VTTRIPLE? OR VT!TRIPLE? OR VT TRIPLE? OR VT DOUBLE PRO? OR VT DOUBLEPRO? OR VTDDOUBLE PRO? OR VTDDOUBLEPRO? OR VT!DOUBLE PRO? OR VT DOUBLEPRO? OR VT!DOUBLEPRO ? OR VT!2!PRO?

L14 QUE SPE=ON ABB=ON PLU=ON SMARTSTAX? OR SMART STAX? OR SMART!STAX? OR RHS OR HYBRIDIZATION SYSTEM OR VT 2 PRO? OR POWER CORE? OR POWERCORE? OR AGRISURE? OR VIPTERA? OR TRECEPTA?

L15 QUE SPE=ON ABB=ON PLU=ON MAIZE? OR CORN? OR "ZEA MAYS" OR "Z. MAYS"

L16 QUE SPE=ON ABB=ON PLU=ON (CP4EPSPS? OR CP4 EPSPS? OR 5(W) (ENOL PYRUVYL SHIKIMATE OR ENOLPYRUVYL SHIKIMATE OR ENOL PYRUVYLSHIKIMATE OR ENOL!PYRUVYL!SHIKIMATE OR ENOLPYRUVYLSHIKIMATE) (W) 3 PHOSPHATE(1W) SYNTHASE)

L17 QUE SPE=ON ABB=ON PLU=ON (PAT AND (GENE OR ENZYME OR PROTEIN)) OR (PHOSPHINOTHRICIN AND (ACETYL TRANSFERASE OR ACETYL!TRANSFERASE OR ACETYLTRANSFERASE ))

L18 QUE SPE=ON ABB=ON PLU=ON CRY1AB OR CRY1 AB OR CRY 1 AB OR CRY 1AB OR CRYIAB OR CRYI AB OR CRY I AB OR CRY IAB OR CRY1A105 OR CRY1A 105 OR CRY 1A 105 OR CRY 1A105 OR CRYIA105 OR CRYIA 105 OR CRY IA 105 OR CRY IA105 OR CRY1A.105

L19 QUE SPE=ON ABB=ON PLU=ON CRY2AB? OR CRY2 AB? OR CRY 2 AB? OR CRY 2AB? OR CRYIIAB? OR CRYII AB? OR CRY II AB? OR CRY IIAB? OR CRY1F OR CRY1 F OR CRY 1 F OR CRY 1F OR CRYIF OR CRYI F OR CRY I F OR CRY IF OR VIP3AA20 OR VIP3!AA20 OR VIP3 AA20

L20 QUE SPE=ON ABB=ON PLU=ON CRY3BB? OR CRY3 BB? OR CRY 3 BB? OR CRY 3BB? OR CRYIIIIBB? OR CRYIII BB? OR CRY III BB? OR CRY IIIIBB? OR CRY34AB1? OR CRY34AB 1? OR CRY 34AB 1? OR CRY 34AB1? OR GPP34AB1? OR GPP34AB 1? OR GPP 34AB 1? OR GPP 34AB1?

L21 QUE SPE=ON ABB=ON PLU=ON CRY35AB1? OR CRY35AB 1? OR CRY 35AB 1? OR CRY 35AB1? OR TPP35AB1? OR TPP35AB 1? OR TPP 35AB 1? OR TPP 35AB1?

L22 QUE SPE=ON ABB=ON PLU=ON (CSPB AND (GENE OR ENZYME OR PROTEIN)) OR (CSP B AND (GENE OR ENZYME OR PROTEIN))

L23 QUE SPE=ON ABB=ON PLU=ON COLD SHOCK PROTEIN B OR COLD!SHOCK! PROTEIN!B OR COLD SHOCKPROTEIN B OR COLD!SHOCKPROTEIN!B OR COLD!SHOCK PROTEIN B OR COLD!SHOCK PROTEIN!B OR (ATHB17? OR ATHB!17? OR ATHB 17? OR HB17? OR HB!17? OR HB 17?)

L24 QUE SPE=ON ABB=ON PLU=ON (RNA? OR DSRNA? OR SIRNA?) (5A) (DVSN F7 OR WCR SNF7 OR CRW SNF7 OR DV SNF7 OR DVSNF 7 OR DV SNF 7 OR DV.SNF7 OR SNF7)

L25 QUE SPE=ON ABB=ON PLU=ON GMO? OR LMO? OR GM OR GE OR TRANSGEN? OR ((GENETIC? OR LIVING OR BIOTECH?) (5A) (MODIF? OR TRANSFORM? OR MANIPULAT? OR IMPROV? OR ENGINEER? OR DERIV?))

L26 QUE SPE=ON ABB=ON PLU=ON (TOLERAN? OR RESISTAN? OR PROTEC?) (5A) (GL!PHOSATE OR GL!FOSATE OR ROUNDUP? OR ROUND UP? OR ROUND!UP OR GLUFOSINATE OR GLUPHOSINATE OR PHOSPHINOTHRICIN OR ?BUTANOIC ACID OR BASTA OR IGNITE OR LIBERTY)

L27 QUE SPE=ON ABB=ON PLU=ON (TOLERAN? OR RESISTAN? OR PROTEC?) (5A) (BORER? OR EARWORM? OR BOLLWORM? OR ARMYWORM? OR EAR WORM? OR BOLL WORM? OR ARMY WORM? OR LEPIDOPTERA? OR NOCTUIDAE)

L28 QUE SPE=ON ABB=ON PLU=ON (TOLERAN? OR RESISTAN? OR PROTEC?) (5A) (CRAMBIDAE OR OSTRINIA OR SESAMIA OR CHILO OR DIATRAEA OR SPODPTERA OR BUSSEOLA OR HELICOVERPA OR FURNACALIS OR

NUBILALIS OR NONAGRIOIDES OR PARTELLUS)

L29 QUE SPE=ON ABB=ON PLU=ON (TOLERAN? OR RESISTAN? OR PROTEC?) (5A) (GRANDIOSELLA OR SACCHARALIS OR FRUGIPERDA OR FUSCA OR ZEA OR ARMIGERA OR ECB OR MCB OR ACB OR SSB OR SWCB OR SCB OR FAW OR AMSB OR CEW OR CBW OR OBW)

L30 QUE SPE=ON ABB=ON PLU=ON (TOLERAN? OR RESISTAN? OR PROTEC?) (5A) (EXIGUA OR CUTWORM? OR CUT WORM? OR STRIACOSTA OR AGROTIS OR FELTIA OR PSEUDALETIA OR ALBICOSTA OR IPSILON OR JACULIFERA OR UNIPUNCTA OR WBC)

L31 QUE SPE=ON ABB=ON PLU=ON (TOLERAN? OR RESISTAN? OR PROTEC?) (5A) (ROOTWORM? OR ROOT WORM? OR COLEOPTERA? OR CHRYSOMEL? OR DIABROTICA OR VIRGIFERA OR BARBERI OR UNDECIMPUNCTATA OR CRW OR WCR? OR NCR? OR SCR? OR MCR?)

L32 QUE SPE=ON ABB=ON PLU=ON (BTMAIZE OR BTCORN OR BT MAIZE OR BT CORN OR BT!MAIZE OR BT!CORN OR THURINGIENSIS!MAIZE OR THURINGIENSISMAIZE OR THURINGIENSIS MAIZE OR THURINGIENSIS!CORN OR THURINGIENSISCORN OR THURINGIENSIS CORN)

L33 QUE SPE=ON ABB=ON PLU=ON (TOLERAN? OR RESISTAN? OR PROTEC?) (5A) DROUGHT OR (EFFICIEN? OR REDUC? OR LIMIT? OR DECRE? OR LOW?) (5A) WATER

L34 QUE SPE=ON ABB=ON PLU=ON (HYBRID? OR CROSS? OR POLLEN? OR POLLINAT? OR STERIL? (5A) MALE) AND (GL!PHOSATE OR GL!FOSATE OR ROUNDUP? OR ROUND UP? OR ROUND!UP?)

L35 QUE SPE=ON ABB=ON PLU=ON (INCRE? OR ENHANCE?) (5A) (EAR SIZE OR EAR BIOMASS OR EAR GROWTH OR EAR WEIGHT OR EAR MASS OR SINK CAPACITY OR SINK POTENTIAL)

L36 QUE SPE=ON ABB=ON PLU=ON ZEA MAYS+UF,NT/CT,ORGN OR MAIZE+UF,NT/CT,ORGN

L37 QUE SPE=ON ABB=ON PLU=ON GENETIC ENGINEERING+UF,NT/CT OR GENETIC TRANSFORMATION+UF,NT/CT OR GENETICALLY ENGINEERED FOODS+UF,NT/CT OR GENETICALLY ENGINEERED ORGANISMS+UF,NT/CT OR FOOD BIOTECHNOLOGY+UF,NT/CT

L38 QUE SPE=ON ABB=ON PLU=ON (WEED CONTROL+UF,NT/CT OR INSECT CONTROL+UF,NT/CT)

L39 QUE SPE=ON ABB=ON PLU=ON (COLEOPTERA+UF/CT,ORGN OR CHRYSOMELIDAE+UF/CT,ORGN OR DIABROTICA+UF,NT1/CT,ORGN OR LEPIDOPTERA+UF/CT,ORGN OR NOCTUIDAE+UF/CT,ORGN OR CRAMBIDAE+UF/CT,ORGN OR GLYPHOSATE+UF,NT/CT OR GLUFOSINATE+UF,NT/CT)

L40 QUE SPE=ON ABB=ON PLU=ON (OSTRINIA+UF,NT1/CT,ORGN OR SESAMIA+UF,NT1/CT,ORGN OR CHILO+UF,NT1/CT,ORGN OR DIATRAEA+UF,NT1/CT,ORGN OR HELICOVERPA+UF,NT1/CT,ORGN OR SPODOPTERA+UF,NT1/CT,ORGN)

L41 QUE SPE=ON ABB=ON PLU=ON (BUSSEOLA+UF,NT1/CT,ORGN OR AGROTIS+UF,NT1/CT,ORGN OR STRIACOSTA+UF,NT1/CT,ORGN OR FELTIA+UF,NT1/CT,ORGN OR PSEUDALETIA+UF,NT1/CT,ORGN)

L42 QUE SPE=ON ABB=ON PLU=ON (HYBRIDIZATION+UF,NT/CT OR CROSSING+UF,NT/CT OR PLANT BREEDING METHODS+UF,NT/CT OR POLLINATION+UF,NT/CT OR MALE STERILITY+UF,NT/CT) AND GLYPHOSATE+UF,NT/CT

L43 QUE SPE=ON ABB=ON PLU=ON DROUGHT RESISTANCE+UF,NT/CT OR BIOMASS PRODUCTION+UF,NT/CT

FILE 'SCISEARCH' ENTERED AT 14:46:00 ON 06 JUN 2023

L44 29 SEA SPE=ON ABB=ON PLU=ON (L1 OR L2 OR L3 OR L4 OR L5 OR L6 OR L7 OR L8 OR L9 OR L10 OR L11) AND ED>=20220606 AND ED<=20230606 AND PY>=2022

L45 522 SEA SPE=ON ABB=ON PLU=ON (L12 OR L13 OR L14) AND ED>=20220606 AND ED<=20230606 AND PY>=2022

L46 26519 SEA SPE=ON ABB=ON PLU=ON L15 AND ED>=20220606 AND ED<=20230606

06 AND PY>=2022

L47 12 SEA SPE=ON ABB=ON PLU=ON L45 AND L46  
L48 224 SEA SPE=ON ABB=ON PLU=ON (L16 OR L17) AND ED>=20220606 AND  
ED<=20230606 AND PY>=2022  
L49 101 SEA SPE=ON ABB=ON PLU=ON (L18 OR L19) AND ED>=20220606 AND  
ED<=20230606 AND PY>=2022  
L50 13 SEA SPE=ON ABB=ON PLU=ON (L20 OR L21) AND ED>=20220606 AND  
ED<=20230606 AND PY>=2022  
L51 13 SEA SPE=ON ABB=ON PLU=ON (L22 OR L23) AND ED>=20220606 AND  
ED<=20230606 AND PY>=2022  
L52 3 SEA SPE=ON ABB=ON PLU=ON L24 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L53 343 SEA SPE=ON ABB=ON PLU=ON L48 OR L49 OR L50 OR L51 OR L52  
L54 29150 SEA SPE=ON ABB=ON PLU=ON L25 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L55 134 SEA SPE=ON ABB=ON PLU=ON L53 AND (L54 OR L46)  
L56 197 SEA SPE=ON ABB=ON PLU=ON L26 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L57 319 SEA SPE=ON ABB=ON PLU=ON (L27 OR L28 OR L29 OR L30) AND  
ED>=20220606 AND ED<=20230606 AND PY>=2022  
L58 2245 SEA SPE=ON ABB=ON PLU=ON L31 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L59 75 SEA SPE=ON ABB=ON PLU=ON L32 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L60 30316 SEA SPE=ON ABB=ON PLU=ON L33 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L61 104 SEA SPE=ON ABB=ON PLU=ON L34 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L62 40 SEA SPE=ON ABB=ON PLU=ON L35 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L63 33042 SEA SPE=ON ABB=ON PLU=ON L56 OR L57 OR L58 OR L60 OR L61 OR  
L62  
L64 146 SEA SPE=ON ABB=ON PLU=ON L63 AND L54 AND L46  
L65 55 SEA SPE=ON ABB=ON PLU=ON L59 AND L54  
L66 177 SEA SPE=ON ABB=ON PLU=ON L65 OR L64  
L67 281 SEA SPE=ON ABB=ON PLU=ON L44 OR L47 OR L55 OR L66

FILE 'CABA' ENTERED AT 15:46:44 ON 06 JUN 2023

L68 30 SEA SPE=ON ABB=ON PLU=ON (L1 OR L2 OR L3 OR L4 OR L5 OR L6  
OR L7 OR L8 OR L9 OR L10 OR L11) AND ED>=20220606 AND ED<=20230  
606 AND PY>=2022  
L69 116 SEA SPE=ON ABB=ON PLU=ON (L12 OR L13 OR L14) AND ED>=2022060  
6 AND ED<=20230606 AND PY>=2022  
L70 13974 SEA SPE=ON ABB=ON PLU=ON L15 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L71 8959 SEA SPE=ON ABB=ON PLU=ON L36 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L72 13980 SEA SPE=ON ABB=ON PLU=ON L70 OR L71  
L73 14 SEA SPE=ON ABB=ON PLU=ON L69 AND L72  
L74 94 SEA SPE=ON ABB=ON PLU=ON (L16 OR L17) AND ED>=20220606 AND  
ED<=20230606 AND PY>=2022  
L75 85 SEA SPE=ON ABB=ON PLU=ON (L18 OR L19) AND ED>=20220606 AND  
ED<=20230606 AND PY>=2022  
L76 9 SEA SPE=ON ABB=ON PLU=ON (L20 OR L21) AND ED>=20220606 AND  
ED<=20230606 AND PY>=2022  
L77 5 SEA SPE=ON ABB=ON PLU=ON (L22 OR L23) AND ED>=20220606 AND  
ED<=20230606 AND PY>=2022  
L78 1 SEA SPE=ON ABB=ON PLU=ON L24 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022

L79 186 SEA SPE=ON ABB=ON PLU=ON L74 OR L75 OR L76 OR L77 OR L78  
L80 11384 SEA SPE=ON ABB=ON PLU=ON L25 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L81 6177 SEA SPE=ON ABB=ON PLU=ON L37 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L82 12121 SEA SPE=ON ABB=ON PLU=ON L80 OR L81  
L83 121 SEA SPE=ON ABB=ON PLU=ON L79 AND (L72 OR L82)  
L84 193 SEA SPE=ON ABB=ON PLU=ON L26 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L85 377 SEA SPE=ON ABB=ON PLU=ON (L27 OR L28 OR L29 OR L30) AND  
ED>=20220606 AND ED<=20230606 AND PY>=2022  
L86 1257 SEA SPE=ON ABB=ON PLU=ON L31 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L87 52 SEA SPE=ON ABB=ON PLU=ON L32 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L88 16590 SEA SPE=ON ABB=ON PLU=ON L33 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L89 66 SEA SPE=ON ABB=ON PLU=ON L34 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L90 37 SEA SPE=ON ABB=ON PLU=ON L35 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L91 3065 SEA SPE=ON ABB=ON PLU=ON L38 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L92 3033 SEA SPE=ON ABB=ON PLU=ON (L39 OR L40 OR L41) AND ED>=2022060  
6 AND ED<=20230606 AND PY>=2022  
L93 423 SEA SPE=ON ABB=ON PLU=ON L91 AND L92  
L94 5 SEA SPE=ON ABB=ON PLU=ON L42 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L95 4901 SEA SPE=ON ABB=ON PLU=ON L43 AND ED>=20220606 AND ED<=202306  
06 AND PY>=2022  
L96 19421 SEA SPE=ON ABB=ON PLU=ON L84 OR L85 OR L86 OR L88 OR L89 OR  
L90 OR L93 OR L94 OR L95  
L97 145 SEA SPE=ON ABB=ON PLU=ON L96 AND L82 AND L72  
L98 45 SEA SPE=ON ABB=ON PLU=ON L87 AND L82  
L99 166 SEA SPE=ON ABB=ON PLU=ON L97 OR L98  
L100 266 SEA SPE=ON ABB=ON PLU=ON L68 OR L73 OR L83 OR L99

FILE 'STNGUIDE' ENTERED AT 15:48:14 ON 06 JUN 2023

FILE 'CABA, SCISEARCH' ENTERED AT 15:48:15 ON 06 JUN 2023

L101 490 DUP REM L100 L67 (57 DUPLICATES REMOVED)  
ANSWERS '1-266' FROM FILE CABA  
ANSWERS '267-490' FROM FILE SCISEARCH  
D L101 1-490 ALL PY

FILE SCISEARCH

FILE COVERS 1974 TO 6 Jun 2023 (20230606/ED)

To bring you the most up-to-date SciSearch information,  
SciSearch SDIs now run on Mondays.

FILE CABA

FILE LAST UPDATED: 30 MAY 2023 <20230530/UP>

FILE COVERS 1973 TO DATE

### **Annex III. List of reference publications used in identifying search terms and in validating the literature search strategy for Bayer GM maize products literature search**

The list below includes reference publications used for each relevant key element, namely event name, trade name, newly expressed proteins and intended traits. For GMO general and crop name search terms, given the breadth of the terms and as they are used to focus the search to GM crops, reference publications were considered not applicable.

Castañera P, Farinós G, Ortego F and Andow D. (2016). Sixteen Years of Bt Maize in the EU Hotspot: Why Has Resistance Not Evolved? *Plos One*, 1-13. Farinós GP, Hernández-Crespo P, Ortego F and Castañera P, 2017. Monitoring of *Sesamia nonagrioides* resistance to MON 810 maize in the European Union: lessons from a long-term harmonized plan. *Pest Management Science*, 74, 557-568.

Castillo-Lopez E, Clark KJ, Paz HA, Ramirez Ramirez HA, Klusmeyer TH, Hartnell GF, Kononoff PJ. (2014). Performance of dairy cows fed silage and grain produced from second-generation insect-protected (*Bacillus thuringiensis*) corn (MON 89034), compared with parental line corn or reference corn. *J. Dairy Sci.*, 97, 3832–3837.

Curran KL, Festa AR, Goddard SD, Harrigan GG, Taylor ML. (2015). Kernel compositions of glyphosate-tolerant and corn rootworm-protected MON 88017 sweet corn and insect-protected MON 89034 sweet corn are equivalent to that of conventional sweet corn (*Zea mays*). *Agricultural and Food Chemistry*, 63, 3046-3052.

Drury SM, Reynolds TL, Ridley WP, Bogdanova N, Riordan S, Nemeth MA, Sorbet R, Trujillo WA, Breeze ML. (2008). Composition of forage and grain from second-generation insect-protected corn MON 89034 is equivalent to that of conventional corn (*Zea mays* L.). *Journal of Agricultural and Food Chemistry*, 56(12), 4623-4630.

Hammond BG, Dudek R, Lemen JK and Nemeth MA. (2006). Results of a 90-day safety assurance study with rats fed grain from corn borer-protected corn. *Food and Chemical Toxicology*, 44, 1092-1099.

Harrigan GG, Ridley WP, Miller KD, Sorbet R, Riordan SG, Nemeth MA, Reeves W, Pestert TA (2009). The forage and grain of MON 87460, a drought-tolerant corn hybrid, are compositionally equivalent to that of conventional corn. *JOURNAL OF AGRICULTURAL AND FOOD CHEMISTRY*. Volume: 57, Issue: 20, Pages: 9754-9763, DOI: 10.1021/jf9021515

Healy C, Hammond B, Kirkpatrick J. (2008). Results of a 13-week safety assurance study with rats fed grain from corn rootworm-protected, glyphosate-tolerant MON 88017 corn. *Food and Chemical Toxicology*, 46, 2517-2524.

Heck GR, Armstrong CL, Astwood JD, Behr CF, Bookout JT, BrownSM, Cavato TA, DeBoer DL, Deng MY, George C (2005). Development and characterization of a CP4 EPSPS-based, glyphosate-tolerant corn event. *CROP SCIENCE*. Volume: 45, Issue: 1, Pages: 329-339, DOI: 10.2135/cropsci2005.0329

Hyun Y, Bressner GE, Ellis M, Lewis AJ, Fischer R, Stanisiewski EP, Hartnell GF. (2004). Performance of growing-finishing pigs fed diets containing Roundup Ready corn (event NK603), a nontransgenic genetically similar corn, or conventional corn lines. *JOURNAL OF ANIMAL SCIENCE*. Volume: 82, Issue: 2. Pages: 571-580

Lundry DR, Burns A, Nemeth MA and Riordan SG (2013). Composition of grain and forage from insect-protected and herbicide-tolerant corn, MON 89034 × TC1507 × MON 88017 × DAS-59122 7

(SmartStax), is equivalent to that of conventional corn (*Zea mays* L.). [dx.doi.org/10.1021/jf304005n](https://doi.org/10.1021/jf304005n) | J. AGRIC. FOOD CHEM., 61, 1991–1998

Ridley WP, Hartnell GF, Hammond BG. (2005). Role of composition and animal feeding studies in the safety assessment of biotech crops. *NEW DISCOVERIES IN AGROCHEMICALS*. Edited by: Clark, JM, Ohkawa, H. Book Series: ACS SYMPOSIUM SERIES. Volume: 892. Pages: 28-39

Ridley WP, Harrigan GG, Breeze ML, Nemeth MA, Sidhu RS, Glenn KC (2011). Evaluation of compositional equivalence for multitrail biotechnology crops. *JOURNAL OF AGRICULTURAL AND FOOD CHEMISTRY*. Volume: 59, Issue: 11, Pages: 5865-5876, DOI: 10.1021/jf103874t

Taylor ML, Hartnell GF, Riordan SG, Nemeth MA, Karunanandaa K, George B, Astwood, JD. (2003). Comparison of broiler performance when fed diets containing grain from Roundup Ready (NK603), YieldGard x Roundup Ready (MON810 x NK603), non-transgenic control, or commercial corn. *POULTRY SCIENCE*. Volume: 82, Issue: 3, Pages: 443-453, DOI: 10.1093/ps/82.3.443

Taylor M, Hartnell G, Nemeth M, Lucas D, Davis S. (2007). Comparison of broiler performance when fed diets containing grain from second-generation insect-protected and glyphosate-tolerant, conventional control or commercial reference corn. *POULTRY SCIENCE*, 86(9), 1972-1979, DOI: 10.1093/ps/86.9.1972.

Taylor M, Lucas D, Nemeth M, David S, Hartnell G (2007). Comparison of broiler performance and carcass parameters when fed diets containing combined trait insect-protected and glyphosate-tolerant corn (MON 89034 x NK603), control, or conventional reference corn. *POULTRY SCIENCE*, 86(9), 1988-1994, DOI: 10.1093/ps/86.9.1988

Thieme T, Buuk C, Gloyna K, Ortego F and Farinós G, (2017). Ten years of MON 810 resistance monitoring of field populations of *Ostrinia nubilalis* in Europe. *Journal of Applied Entomology*, 00, 1-9.

Venkatesh TV, Breeze ML, Liu K, Harrigan GG, Culler AH (2014). Compositional analysis of grain and forage from MON 87427, an inducible male sterile and tissue selective glyphosate-tolerant maize product for hybrid seed production. *JOURNAL OF AGRICULTURAL AND FOOD CHEMISTRY*. Volume: 62, Issue: 8, Pages: 1964-1973, DOI: 10.1021/jf4041589

Venkatesh TV, Cook K, Liu B, Perez T, Willse A, Tichich R, Feng P, Harrigan GG. (2015). Compositional differences between near-isogenic GM and conventional maize hybrids are associated with backcrossing practices in conventional breeding. *PLANT BIOTECHNOLOGY JOURNAL*. Volume: 13, Issue: 2, Pages: 200-210, DOI: 10.1111/pbi.12248

Venkatesh TV, Cook K, Liu B, Perez T, Willse A, Tichich R, Feng P, Harrigan G. (2015). Compositional differences between near-isogenic GM and conventional maize hybrids are associated with backcrossing practices in conventional breeding. *Plant Biotechnology Journal*, 13, 200–210.

Xu Y, Goodacre R, Harrigan GG. (2014). Compositional equivalence of grain from multi-trait drought-tolerant maize hybrids to a conventional comparator: univariate and multivariate assessments. *JOURNAL OF AGRICULTURAL AND FOOD CHEMISTRY*. Volume: 62, Issue: 39, Pages: 9597-9608, DOI: 10.1021/jf501960

## Annex IV. Literature search in internet pages of relevant key organisations for Bayer GM maize products covering time span 2022 - 2023

Relevant key organisations	Link to the relevant information and summary of the retrieved records
US EPA	<p><a href="https://www.epa.gov/ingredients-used-pesticide-products/current-and-previously-registered-section-3-plant-incorporated">https://www.epa.gov/ingredients-used-pesticide-products/current-and-previously-registered-section-3-plant-incorporated</a> – Accessed on 17 August 2023. The webpage dedicated to PIP registrations was checked.</p> <p><i>Date of the most recent website update at the time of the search:</i> 14 July 2020</p> <p><i>Limits applied:</i> The list of PIP active ingredients registered was sorted by ‘Year Registered’ and those registered starting from 2022 were assessed.</p> <p><i>Number of records retrieved matching the abovementioned criteria:</i> “Zero”.</p> <p><i>Number of relevant records or full-text documents retrieved:</i> No record was retrieved.</p>
USDA	<p><a href="https://www.aphis.usda.gov/aphis/ourfocus/biotechnology/regulatory-processes/petitions/petition-status/petitions-table">https://www.aphis.usda.gov/aphis/ourfocus/biotechnology/regulatory-processes/petitions/petition-status/petitions-table</a> - Accessed on 17 August 2023. The webpage dedicated to petitions for determination of nonregulated status was checked.</p> <p><i>Date of the most recent website update at the time of the search:</i> 21 April 2023</p> <p><i>Limits applied:</i> The list of the petitions was sorted by ‘Effective Date’ and those deregulated starting from 01/01/2022 were assessed.</p> <p><i>Number of records retrieved matching the abovementioned criteria:</i> “One”.</p> <p><i>Number of relevant records or full-text documents retrieved:</i> The retrieved record is not relevant to Bayer GM maize products.</p>
US FDA	<p><a href="https://www.accessdata.fda.gov/scripts/fdcc/?set=Biocon">https://www.accessdata.fda.gov/scripts/fdcc/?set=Biocon</a> – Accessed on 17 August 2023. The webpage dedicated to biotechnology consultations on food from GE plant varieties was checked.</p> <p><i>Date of the most recent website update at the time of the search:</i> 31 July 2023</p> <p><i>Limits applied:</i> The list of the consultations starting from the ‘FDA Letter Date’ of 01 01, 2022 was assessed.</p> <p><i>Number of records retrieved matching the abovementioned criteria:</i> “11”.</p> <p><i>Number of relevant records or full-text documents retrieved:</i> The retrieved records are not relevant to Bayer GM maize products.</p>

CFIA	<p><a href="https://inspection.canada.ca/industry-guidance/eng/1374161650885/1374161737236?gp=3&amp;gc=25&amp;ga=4#gdr_results">https://inspection.canada.ca/industry-guidance/eng/1374161650885/1374161737236?gp=3&amp;gc=25&amp;ga=4#gdr_results</a> - Accessed on 17 August 2023. The webpage dedicated to repository documents referring to plants with novel traits was checked.</p> <p><i>Date of the most recent website update at the time of the search:</i> not clear</p> <p><i>Limits applied:</i> The list of repository documents referring to plants with novel traits starting from ‘Date modified’ of 2023-03-01 was assessed.</p> <p><i>Number of records retrieved matching the abovementioned criteria:</i> “30”.</p> <p><i>Number of relevant records or full-text documents retrieved:</i> Two of the retrieved records were relevant for MON 87411 and MON 87403<sup>16</sup>. They do not have any implication on the risk assessment, because no new hazards, modified exposure, or new scientific uncertainties are reported.</p>
Health Canada	<p><a href="https://www.canada.ca/en/health-canada/services/food-nutrition/genetically-modified-foods-other-novel-foods/approved-products.html">https://www.canada.ca/en/health-canada/services/food-nutrition/genetically-modified-foods-other-novel-foods/approved-products.html</a> - Accessed on 17 August 2023. The webpage dedicated to approved products of genetically modified (GM) foods and other novel foods was checked.</p> <p><i>Date of the most recent website update at the time of the search:</i> 11 August 2023</p> <p><i>Limits applied:</i> The list of novel food decisions starting from the ‘Decision Date (20YY/MM/DD)’ of 2022/01/01 was assessed.</p> <p><i>Number of records retrieved matching the abovementioned criteria:</i> “Seven”.</p> <p><i>Number of relevant records or full-text documents retrieved:</i> The retrieved records are not relevant to Bayer GM maize products.</p>
FSANZ	<p><a href="http://www.foodstandards.gov.au/consumer/gmfood/applications/Pages/default.aspx">http://www.foodstandards.gov.au/consumer/gmfood/applications/Pages/default.aspx</a> - Accessed on 16 August 2023. The webpage dedicated to current GM applications and approvals was checked.</p> <p><i>Date of the most recent website update at the time of the search:</i> May 2023</p> <p><i>Limits applied:</i> The list for GM applications and approvals with ‘Status’ approved or under assessment starting from 2022 was assessed.</p> <p><i>Number of records retrieved matching the abovementioned criteria:</i> “Three”.</p> <p><i>Number of relevant records or full-text documents retrieved:</i> The retrieved records are not relevant to Bayer GM maize products.</p>
CTNBio	<p><a href="http://ctnbio.mctic.gov.br/liberacao-comercial#/liberacao-comercial/consultar-processo">http://ctnbio.mctic.gov.br/liberacao-comercial#/liberacao-comercial/consultar-processo</a> – Accessed on 17 August 2023. The webpage dedicated to commercial releases (= Liberações Comerciais) was checked.</p> <p><i>Date of the most recent website update at the time of the search:</i> Not clear (several dates mentioned)</p> <p><i>Limits applied:</i> The list of commercial releases for plants (= plantas) starting from 2022 was assessed.</p> <p><i>Number of records retrieved matching the abovementioned criteria:</i> “13”.</p> <p><i>Number of relevant records or full-text documents retrieved:</i> The retrieved records are not relevant to Bayer GM maize products.</p>

CONABIA	<p><a href="https://www.argentina.gob.ar/agroindustria/alimentos-y-bioeconomia/ogm-comerciales">https://www.argentina.gob.ar/agroindustria/alimentos-y-bioeconomia/ogm-comerciales</a> – Accessed on 17 August 2023. The webpage of the national advisory commission on agricultural biotechnology (= Comisión Nacional Asesora de Biotecnología Agropecuaria) was checked.</p> <p><i>Date of the most recent website update at the time of the search:</i> Not available</p> <p><i>Limits applied:</i> The list of events with commercial authorisation (= Eventos con autorización comercial) starting from 2022 were checked.</p> <p><i>Number of records retrieved matching the abovementioned criteria:</i> “Four”.</p> <p><i>Number of relevant records or full-text documents retrieved:</i> The retrieved records are not relevant to Bayer GM maize products.</p>
MAFF	<p><a href="https://www.maff.go.jp/j/syouan/nouan/carta/torikumi/attach/pdf/index-41.pdf">https://www.maff.go.jp/j/syouan/nouan/carta/torikumi/attach/pdf/index-41.pdf</a> Accessed on 16 August 2023. The weblink dedicated to list of approved genetically modified agricultural crops was checked.</p> <p><i>Date of the most recent website update at the time of the search:</i> 13 July 2023</p> <p><i>Limits applied:</i> The list of GM agricultural crops with approval date (‘承認日’) starting from 01 01, 2022 was assessed.</p> <p><i>Number of records retrieved matching the abovementioned criteria:</i> “11”.</p> <p><i>Number of relevant records or full-text documents retrieved:</i> The retrieved records are not relevant to Bayer GM maize products.</p>

---

<sup>16</sup> CFIA 2022a. Decision document DD2015-111: Determination of the safety of Monsanto Canada Inc.'s corn (*Zea mays* L.) event MON 87411 - <https://inspection.canada.ca/plant-varieties/plants-with-novel-traits/approved-under-review/decision-documents/dd2015-111/eng/1474581080652/1474581194137>

CFIA 2022b. Decision document DD2015-112: Determination of the safety of Monsanto Canada Inc.'s corn (*Zea mays* L.) event MON 87403 - <https://inspection.canada.ca/plant-varieties/plants-with-novel-traits/approved-under-review/decision-documents/dd2015-112/eng/1498591465325/1498591516624>

## **Annex V. Results of the publication selection process for Bayer GM maize products literature search in SciSearch and CABA databases using STN® database catalogue**

**Table 1. Results of the publication selection process.**

<b>Review question captured in the search</b>	<b>Number of publications</b>
Publications identified after searches of the scientific literature in SciSearch and CABA databases (following de-duplication)	407
Publications excluded after rapid assessment for relevance	393
Publications screened using full-text documents	14
Publications excluded after detailed assessment for relevance	12
Unobtainable publications	0
Unclear publications	1
Publications considered relevant	1

**Table 2. List of all relevant publications for Bayer GM maize products retrieved after detailed assessment of full-text documents for relevance: ordered by category of information.**

<b>Products<sup>1</sup></b>	<b>Study (author(s) and year)</b>	<b>Title</b>	<b>Source</b>
<b>Food/Feed safety assessment</b>			
Composition			
MON 89034	(Mendes <i>et al.</i> , 2022)	Effect of earworm injuries on fumonisins production in <i>Bt</i> and non- <i>Bt</i> maize.	Revista Brasileira de Milho e Sorgo

<sup>1</sup> Products not listed above don't have relevant publication retrieved in this monitoring season.

**Table 3. List of publications excluded from the risk assessment after detailed assessment of full-text documents, with the reason(s) for exclusion**

Study authors	Year	Title	Source	Reasons for exclusion based on the eligibility/ inclusion criteria
Aglasan <i>et al</i>	2023	Risk effects of GM corn: Evidence from crop insurance outcomes and high-dimensional methods.	Agricultural Economics	Original/primary data were not presented in the publication
Albrecht <i>et al</i>	2022	Growth, development, and chlorophyll indexes of glyphosate and glufosinate-tolerant maize under herbicide application.	Agronomia Colombiana	Comparative study without the use of a non-GM comparator
Bekelja <i>et al</i>	2023	Removing neonicotinoid seed treatments has negligible effects on refuge function and crop protection in transgenic maize targeting western corn rootworm ( <i>Coleoptera: Chrysomelidae</i> ).	Journal of Economic Entomology	It is not a safety study on Bayer's GM maize products
Cagan <i>et al</i>	2022	Could the presence of thrips affect the yield potential of genetically modified and conventional maize?	Toxins	It is not a safety study on Bayer's GM maize products
Feng <i>et al</i>	2022	Effects of exogenous salicylic acid application to aboveground part on the defense responses in <i>Bt</i> ( <i>Bacillus thuringiensis</i> ) and non- <i>Bt</i> corn ( <i>Zea mays</i> L) seedlings.	Plants	It is not a safety study on Bayer's GM maize products
García <i>et al</i>	2023	Monitoring insect resistance to <i>Bt</i> maize in the European Union: Update, challenges, and future prospects.	Journal of Economic Entomology	It is not a safety study on Bayer's GM maize products
Ge <i>et al</i>	2023	Evaluating response mechanisms of soil microbiomes and metabolomes to <i>Bt</i> toxin additions	Journal of Hazardous Materials	It is not a safety study on Bayer's GM maize products
Neto <i>et al</i>	2023	Impact of glyphosate on morphophysiological traits of RR corn plants under drought stress	Acta Physiologiae Plantarum	Comparative study without the use of a non-GM comparator

<b>Study authors</b>	<b>Year</b>	<b>Title</b>	<b>Source</b>	<b>Reasons for exclusion based on the eligibility/ inclusion criteria</b>
<i>Svobodova et al</i>	2023	No bioaccumulation of <i>Cry</i> protein in the aphidophagous predator <i>Harmonia axyridis</i>	Environmental Toxicology and Pharmacology	It is not a safety study on Bayer's GM maize products
<i>Twardowski et al</i>	2022	An assessment of environmental risk of <i>Bt</i> -maize on rove beetle communities	Ecological Chemistry and Engineering	It is not a safety study on Bayer's GM maize products
<i>Ureta et al</i>	2023	A data mining approach gives insights of causes related to the ongoing transgene presence in Mexican native maize populations	Agroecology and Sustainable Food Systems	It is not a safety study on Bayer's GM maize products
<i>Zuim et al</i>	2022	<i>Bt</i> -maize in neotropical arthropod food webs: community-stress or lack thereof?	Entomologia Experimentalis et Applicata	It is not a safety study on Bayer's GM maize products

**Table 4. List of unclear publications, with explanation why they could not be classified**

Study authors	Year	Title	Source	Explanation of why the publication could not be classified, with a description of methods used to resolve the remaining uncertainty
Ferreira <i>et al</i>	2023	Decrease in faeces removal and soil bioturbation by dung beetles in genetically modified maize plantations in southern Brazil.	Entomologia Experimentalis et Applicata	Based on the publicly available information, it was not possible to determine whether the event used in the study was a Bayer GM maize

**Table 5. Report of the reliability and implications for the risk assessment of the relevant publication retrieved after detailed assessment of full-text document for relevance.**

Study author(s) and year	Reliability appraisal	Implications for the risk assessment <sup>1</sup>
<b>Food/Feed Safety assessment</b>		
Composition		
(Mendes <i>et al.</i> , 2022)	Moderate	None, because no new hazards, modified exposure, or new scientific uncertainties are reported

<sup>1</sup> Identification of a new hazard, modified exposure, or new scientific uncertainty requiring further consideration in the risk assessment; **None**, because no new hazards, modified exposure, or new scientific uncertainties are reported; **None**, because the findings reported in the study are not reliable; Implications for risk assessment were previously considered by EFSA and/or its GMO Panel, and are therefore not addressed further here (EFSA, 2019)<sup>2</sup>.

## REFERENCE

Mendes SM, Pimentel MAG, Queiroz VAV, Da Silva DD and Da Costa RV, 2022. Effect of earworm injuries on fumonisins production in Bt and non-Bt maize. *Revista Brasileira de Milho e Sorgo*, 21.

**Annex VI. List of relevant publications retrieved from SciSearch and CABA databases using STN® database catalogue (provided in .RIS format)**

The list of the relevant publications is enclosed with this report (*see maize txt file*).