



Test Report

Test Group: e-SENS SMP Test Assertions

The terms and conditions applicable to this report are described in the Service Offering Description document of the Conformance Test Service, available via <https://ec.europa.eu/cefdigital/wiki/display/CEFDIGITAL/eDelivery+Conformance+testing>

2018.04.26 08:30:59

Summary

eSENS_SMP_TA01	✓
eSENS_SMP_TA02	✓
eSENS_SMP_TA03	✓
eSENS_SMP_TA04	✓
eSENS_SMP_TA05	✓
eSENS_SMP_TA06	✓
eSENS_SMP_TA07	✓
eSENS_SMP_TA08	✓
eSENS_SMP_TA09a	✓
eSENS_SMP_TA09b	✓
eSENS_SMP_TA10	✓
eSENS_SMP_TA10	✓
eSENS_SMP_TA11	✓
eSENS_SMP_TA11	✓
eSENS_SMP_TA12	✓
eSENS_SMP_TA13	✓
eSENS_SMP_TA14	✓
eSENS_SMP_TA15	✓
eSENS_SMP_TA16	✓
eSENS_SMP_TA17	✓
eSENS_SMP_TA18	✓
eSENS_SMP_TA19	✓
eSENS_SMP_TA20	✓
eSENS_SMP_TA21	✓
eSENS_SMP_TA22	✓
eSENS_SMP_TA23	✓
eSENS_SMP_TA24	✓
eSENS_SMP_TA25	✓
eSENS_SMP_TA26	✓

Test Report - eSENS_SMP_TA01

Overview

Test Group:	e-SENS SMP Test Assertions
Test Assertion:	eSENS_SMP_TA01
Test Case:	eSENS_SMP_TA01_TC01
User:	Jose Escobar
Date:	2018.04.16 10:58:01
System(s) Tested:	

Result:	Successful 
----------------	--

Test Assertion Details

TAID:	eSENS_SMP_TA01
Target:	SMP – Service Metadata
Normative Source:	[OASIS SMP 3.4] “If the sender client performs a service metadata request, he receives a response containing the URL and other properties of the recipient”
Prescription Level:	Mandatory
Prerequisite:	- the sender client sends a ServiceMetadata request for a recipient to an SMP - the expected status code in the response is 200 - the URI is constructed like: <code>/{{identifier scheme}}::{{id}}</code>
Predicate:	the sender client receives a response from the SMP which contains a Service Metadata entity that holds all of the metadata about a Service, or a redirection URL to another Service Metadata Publisher holding this information
Variables:	
Tag:	SMP, Service Metadata

Log

```
2018-04-16 10:58:02,871: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:58:02,876: INFO - Start Test
2018-04-16 10:58:02,881: INFO - Initialize test case
2018-04-16 10:58:02,887: DEBUG - Parameters
2018-04-16 10:58:02,892: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:usuariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:usuariominderredirect
ID_MULTIPLE_ENDPOINTS:usuariominderendpoint
ID_IDENTIFIER:usuariominder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_IDENTIFIER_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIBAgIQA5b3TNSKa7/94uocarI0WTANBqkqhkiG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeT�FUSU9OQUwqSVQgQU5EIFRFE
VDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IyVEVTVCBQVWVJQT1NFUyBPTkxZMSQwIlgYDVQDEtQRVBTQ0wQUdRNTIFBPSU5UIFRFU1QgQ0EwHhcNMTCwMjA4MDAwMDAw
WWhcNMTkwMjA4MjM1OTU5WjA3MQswCQYDVQQGEwJFZUwEPA0GA1UECgwGRWRpY29tMRcwFQYDVQDDA5BUFBfMTAwMDAwMDMwMTCCASlWdQYJKoZIhvcNAQEBBQAD
ggEPADCCAQoCggEBAMLVLTsaaa7KV414guD/xShChO8SzfAP64Plv8kCr3cmIHUxMlWb7nbd/92cr4QgDA1qvhxlULjBPv3Pp/eW6Mpe6YBVT/2om3N4TsuHkK2KickQHizrDVI9n8
1cgPvmjxD+ff0Egfmk4+oGkYEjSPuXOVHcasKPwnjNzPX9fZ7ihZ6xDzKGNQIBq7U/yj0nudsMm4bDqyhtdFRZE+Xjong5WrSBnAXv1laXo4xPZ0EzPFDrZBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50cEowHRIATCnOXk6ggLzpwPYOBncCvbpAcQUUgyFEoJIA5BKBC9YLHO7EspuhcCAwEAaOCASUwggEhMAKGA1UdEwQCAAAwCwYDVROPAQADAgO4MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6L1y9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnbi5jb20vRGlnaXRhbGZlZXJpbmdzc3R5cmVsc2VUUGlsb3R3PCVUUEVQUE9MQUNDRVNTUE9JTIRDS9
MYXRic3RDUkwyY3JsMB8GA1UdlwQYMBaAFPeWixIMruJWlQC+hv16R6dydygV1MB0GA1UdDgQWBWRNqsvP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQQuMwCwwKgYIKW
YBBQUHMAAGGhmh0dHA6L1y9waWxvdC1vY3NwLnZicmlzaWduLmNvbTATBGNVHSUEDDAKBGgrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59fjKxQEIqZ9NjM
HvuFLQ+N3PAIHBU5Evq1q382R7ZpQ8hxogQy94nASP5vrklzDbzdSoWoeVfaal2nvlP8e4fCSBEJ40M0GQyqB6y+txMxbh+g00YmYmo70i0XDCSIWFjqpAyzEuK0yFKMuU7zyIRP
H4FeTxRkleDnoSb+ptwYtmLKZSSqVJeeLGYTWmWu97i1dxtwZkqr/xZJHf2j7Jfuo/Xr9ongBnJuxq6fd3xLrDNj2oPc+esE0EZ7z7oBxgnjdLAAGRtxcmpFg+mCkuLsux/sYYUHGucuW
0t9Y2uLLC+8stZuDakReQoPETgJ0bQ==
2018-04-16 10:58:02,898: INFO - > Initialize the Adapters
2018-04-16 10:58:02,903: INFO - Call start test on NULLWRAPPER
2018-04-16 10:58:02,908: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:58:02,913: INFO - > RUN RIVET 0
2018-04-16 10:58:02,918: DEBUG - Assign free vars
2018-04-16 10:58:02,929: INFO - GET command: http://212.49.145.16/iso6523-case-insensitive%3a%3ausuariominder/services/case-insensitive%3a%3adocumentoMinder
2018-04-16 10:58:03,124: INFO - <?xml version="1.0" encoding="UTF-8"?>
<bdx:SignedServiceMetadata xmlns:bdx="http://docs.oasis-open.org/bdx/ns/SMP2016/05"
xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
<bdx:ServiceMetadata>
<bdx:ServiceInformation>
<bdx:ParticipantIdentifier scheme="iso6523-case-insensitive">usuariominder</bdx:ParticipantIdentifier>
<bdx:DocumentIdentifier scheme="case-insensitive">documentoMinder</bdx:DocumentIdentifier>
<bdx:ProcessList>
<bdx:Process>
<bdx:ProcessIdentifier scheme="cenbii-procid-ubl">urn:www.cenbii.eu:profile:bii03:ver2.0</bdx:ProcessIdentifier>
<bdx:ServiceEndpointList>
<bdx:Endpoint transportProfile="busdox-transport-as2-ver1p0">
<bdx:EndpointURI>https://eastest.sedeb2b.com:9014/AS2SERVER</bdx:EndpointURI>
<bdx:RequireBusinessLevelSignature>false</bdx:RequireBusinessLevelSignature>
<bdx:MinimumAuthenticationLevel>1</bdx:MinimumAuthenticationLevel>
<bdx:ServiceActivationDate>2017-02-08T00:34:57.000</bdx:ServiceActivationDate>
<bdx:ServiceExpirationDate>2019-02-08T00:34:57.000</bdx:ServiceExpirationDate>
<bdx:Certificates>MIIEZTCCA02gAwIBAgIQA5b3TNSKa7/94uocarI0WTANBqkqhkiG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeT�FUSU9OQUwqSVQgQU5EIFRFE
TEVDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IyVEVTVCBQVWVJQT1NFUyBPTkxZMSQwIlgYDVQDEtQRVBTQ0wQUdRNTIFBPSU5UIFRFU1QgQ0EwHhcNMTCwMjA4MDAwMDAw
AwWhcNMTkwMjA4MjM1OTU5WjA3MQswCQYDVQQGEwJFZUwEPA0GA1UECgwGRWRpY29tMRcwFQYDVQDDA5BUFBfMTAwMDAwMDMwMTCCASlWdQYJKoZIhvcNAQEBBQAD
DggEPADCCAQoCggEBAMLVLTsaaa7KV414guD/xShChO8SzfAP64Plv8kCr3cmIHUxMlWb7nbd/92cr4QgDA1qvhxlULjBPv3Pp/eW6Mpe6YBVT/2om3N4TsuHkK2KickQHizrDVI9n8
81cgPvmjxD+ff0Egfmk4+oGkYEjSPuXOVHcasKPwnjNzPX9fZ7ihZ6xDzKGNQIBq7U/yj0nudsMm4bDqyhtdFRZE+Xjong5WrSBnAXv1laXo4xPZ0EzPFDrZBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50cEowHRIATCnOXk6ggLzpwPYOBncCvbpAcQUUgyFEoJIA5BKBC9YLHO7EspuhcCAwEAaOCASUwggEhMAKGA1UdEwQCAAAwCwYDVROPAQADAgO4MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6L1y9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnbi5jb20vRGlnaXRhbGZlZXJpbmdzc3R5cmVsc2VUUGlsb3R3PCVUUEVQUE9MQUNDRVNTUE9JTIRDS9
MYXRic3RDUkwyY3JsMB8GA1UdlwQYMBaAFPeWixIMruJWlQC+hv16R6dydygV1MB0GA1UdDgQWBWRNqsvP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQQuMwCwwKgYIKW
YBBQUHMAAGGhmh0dHA6L1y9waWxvdC1vY3NwLnZicmlzaWduLmNvbTATBGNVHSUEDDAKBGgrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59fjKxQEIqZ9NjM
HvuFLQ+N3PAIHBU5Evq1q382R7ZpQ8hxogQy94nASP5vrklzDbzdSoWoeVfaal2nvlP8e4fCSBEJ40M0GQyqB6y+txMxbh+g00YmYmo70i0XDCSIWFjqpAyzEuK0yFKMuU7zyIRP
H4FeTxRkleDnoSb+ptwYtmLKZSSqVJeeLGYTWmWu97i1dxtwZkqr/xZJHf2j7Jfuo/Xr9ongBnJuxq6fd3xLrDNj2oPc+esE0EZ7z7oBxgnjdLAAGRtxcmpFg+mCkuLsux/sYYUHGucuW
0t9Y2uLLC+8stZuDakReQoPETgJ0bQ==</bdx:Certificate>
<bdx:ServiceDescription>Test ap</bdx:ServiceDescription>
<bdx:TechnicalContactUrl>Jose Escobar</bdx:TechnicalContactUrl>
<bdx:TechnicalInformationUrl>jescobar@edicomgroup.com</bdx:TechnicalInformationUrl>
</bdx:Endpoint>
</bdx:ServiceEndpointList>
</bdx:Process>
</bdx:ProcessList>
</bdx:ServiceInformation>
</bdx:ServiceMetadata>
<Signature xmlns="http://www.w3.org/2000/09/xmldsig#">
<SignedInfo>
<CanonicalizationMethod Algorithm="http://www.w3.org/TR/2001/REC-xml-c14n-20010315"/>
<SignatureMethod Algorithm="http://www.w3.org/2001/04/xmldsig-more#rsa-sha256"/>
<Reference URI="">
<Transforms>
<Transform Algorithm="http://www.w3.org/2000/09/xmldsig#enveloped-signature"/>
</Transforms>
<DigestMethod Algorithm="http://www.w3.org/2001/04/xmllenc#sha256"/>

```

<DigestValue>nzVryYZ1u8ExkG7MqRX6Fz2qsiyfuE/yhFIJQmu4hY=</DigestValue>
</Reference>
</SignedInfo>
<SignatureValue>IE4lzSvyhA/18IQEnoNlegTBvM6eoOnGrZXD+cYrd5LJaAuwgRB4gGSYKp4yHKy1jz/GIQKluEV
PCoICrdCl5mt7/7pJXTBhAWMwzqKb2r/6GZ5AbbVGSllW/yPTNVgS3DM7wPU80vJzyQmZM5rYeeH
Do1NNfKhZsJl7qkX2Z5+2JU2vcsgdbqEKMgyoJK6s7dB2ECyDxXofHrPEsmKA9c+OgPUsFY3Svf
YQKKTvDrLZCISMDVpEOn+.JV9BmY3D1hpyqwcsO7+oxDs+RsNboUx0c37JeqtDujvRnotY/BH7+
iafrWnbTl0Ehkk+plycG8LRzQkIKBsqPPtN04g==</SignatureValue>
<KeyInfo>
<X509Data>
<X509SubjectName>CN=SMP_2000000376,O=Edicom,C=ES</X509SubjectName>
<X509Certificate>MIIEgJCA2qgAwIBAgIQUzK/Avtm9kUXIDInC3blZDANBgkqhkiG9w0BAQsFADCBizELMAkGA1UE
BhMCRExsJzAIBGNVBAOThk5BVEIPTkFMIEIUIEFORCBURUx/FQ09NIEFHRU5DWTEfMB0GA1UECxMW
Rk9SIFRFRU1QgUUVFVSUe9TRVMGT05MWTEyMDAGA1UEAxMpUEVQUE9MIFNFUIZJQ0UgTUVUQUURBVVEg
UFVCTEITSEVSIFRFRU1QgQ0EWHhcNMTgwMjEzMDAwMDAwWhcNMTkwMjEzMTU5UWJhZjA3MQswCQYD
VQQTGGEwJFuzEPMA0GA1UECgwGRWRpY29tMRcwFQYDVQDDA5TTVBfMjAwMDAwMDM3NjCCASlwdQYJ
KoZlhvcNAQEBBQADggEPADCCAQoCggEBAOLxIYQwGtGxqLcV0I5Ro5538ySK7ALM1UxxjL0K7o
/HiggVburEMxVgWEGIP1QD0oLsZD0ldl7yOIC4MnZKxnmPK/7RcgmGrcE9pqfZUnSzV0ON28MxB
uPeCKmTWy5KuZvD/9z0+HPrxMVIWC245xP1SABgebj+IQJ+c8tK5ky+eUYZGXcXZhTYgx60MYw+Y
uS8A54YSX67JAjq7/bYOCCK/E52oXysk+iuQDmbipn7hoYfVYJ29hL6K8h+7OVbjwO2kfo/Scu96
48d+jxKRNQ0Sa/nifZhn8N8hndCxcJGJQC0NdhNu+8EP0gJxLJ6J7aVOGjDyo8Kqle/qcAWEA
AaOCATmwgEvMAKGA1UdEwQCAAwCwYDVR0PBAQDAgO4MIGDBGNVHR8EFDB6MHidqB0hnJodHRW
Oj8vcGlsb3RvbnNpdGVjcmwudmVyaXNpZ24uY29hL0RzZ2I0YWxpc2VyaW5nc3N0eXJlbHNibIBp
bG90T3BibIBFUFBUPTNFUIZJQ0VNRVRBREQUVVBVQkxJU0hFUKNBL0xhdGVzdENSTC5jcmwHwYD
VR0JBGwFoAU4MeFQDU6/Rzz9I7CHzDQ8mShAncwHQYDVR0OBBYEFJrFmUIE7chUSHU9QrmfVJS
p6S7MDoGCCsGAUUFBwEBBc4wLDAqBggrBgEFBQcwAYYeaHR0cDovL3BpbG90LW9jc3AudmVyaXNp
Z24uY29tMBMGA1UdJjQMMMAoGCCsGAUUFBwMCA0GCSqGSIb3DQEBwUAA4IBAQAQaPwfimWjGq4E
oNZQKfdJM/0+wL6shPTArNLioaqTzPxwyYLB0AWel/WP5NRO9FkOZ04vKM4+Y1XM0dUAfnzmCzp
Rqo6ngMVGChLaJvJxBzat9Hytd5tafcS/LI9LAUleCTnCAxUgwZbPSlaASndOETFe4cSUT1roa
EyatNy45Yabf0BGpdkilluPFWITPKdb07LBIUAUPAepTbsEExo1PX2KWYomeqiSDdBUumV8irs
fVitr7Gylc8ZJGMv6dx4vi+Kl3ZSiJUSICjFRWPPDesvQSTzx6xpEhY4ZP0o7qhXpyWnLPJYpyq
KUVQBQXyCTrC9HvCgS0wZgT3</X509Certificate>
</X509Data>
</KeyInfo>
</Signature>
</bdx:SignedServiceMetadata>

2018-04-16 10:58:03,135: INFO - ===== STATUS CODE =====
2018-04-16 10:58:03,274: INFO - statuscode: 200
2018-04-16 10:58:03,279: INFO - ===== STATUS CODE =====
2018-04-16 10:58:03,285: INFO - -----
2018-04-16 10:58:03,291: INFO - ----- Test Passed -----
2018-04-16 10:58:03,296: INFO - -----
2018-04-16 10:58:03,301: INFO - > CALL_SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:03,306: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:03,311: INFO - < Rivet finished sucessfully
2018-04-16 10:58:03,317: INFO - -----

2018-04-16 10:58:03,322: INFO - Test #20900 Finished

Test Report - eSENS_SMP_TA02

Overview

Test Group:	e-SENS SMP Test Assertions
Test Assertion:	eSENS_SMP_TA02
Test Case:	eSENS_SMP_TA02_TC01
User:	Jose Escobar
Date:	2018.04.16 10:58:04
System(s) Tested:	

Result:	Successful 
----------------	--

Test Assertion Details

TAID:	eSENS_SMP_TA02
Target:	SMP – Service Group
Normative Source:	[OASIS SMP 3.4] “If the sender client performs a service group request, he receives a response containing a ServiceGroup entity, which holds a list of references to the ServiceMetadata resources associated with it”
Prescription Level:	Mandatory
Prerequisite:	- the sender client sends a ServiceGroup request for a recipient to an SMP - the expected status code in the response is 200 - the URI is constructed like: <code>/{identifierscheme}::{id}</code>
Predicate:	the sender client receives a response from the SMP which contains a Service Group entity that holds the Participant Identifier of the recipient and a list of references to Service Metadata resources that are associated with that participant identifier
Variables:	
Tag:	SMP, Service Group

Log

2018-04-16 10:58:05,386: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:58:05,391: INFO - Start Test
2018-04-16 10:58:05,396: INFO - Initialize test case
2018-04-16 10:58:05,402: DEBUG - Parameters
2018-04-16 10:58:05,407: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:usuariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:usuariominderredirect
ID_MULTIPLE_ENDPOINTS:usuariominderendpoint
ID_IDENTIFIER:usuarioMinder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_SCHEME_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIbAglQA5b3TNSKa7/94uocarI0WTANBqkqhkiG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeTfFUSU9OQUwqSVQgQU5EIFRTE
VDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IgVEVTVCBQVJQVJQT1NFUyBPTkxZMSQwIlgYDVQQDEXRtRlVDT0wqQUdRNTIFBPSU5UFRFRU1QgQ0EwHhcNMjMwMDAwMDA
wWmcNMTkwMjA4MjM1OTUwJjA3MQswCQYDVQQGEwJFZUzEPMA0GA1UECmGWRWRpY29tMRcwFQYDVQDDA5BUFBMTAwMDAwMDMwMTCCASiWdDQYJKoZIhvcNAQEBBQAD
ggEPADCCAQoCggEBAMLVL Tsaav7KV414guD/xShChO8SzfAP64Plv8kCr3cmiHUXmLwB7nbd/92cr4QgDAd1qvhxlULjBPv3Pp/eW6MpE6YBVT/2om3N4TstuhKk2KickQHizrDVI9n8
1cgPvmjxD+f0EgfMk4+oGkYEjjsPuXOVHcasKPwnjNzPX9fZ7ilH2x6DzKGNQlBq7Ujy0nudsMm4bDqyhtdFRZE+Xjong5WrSbnAXv1laXo4xPZ0EzPFDzBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50cEowHRIATCnOXk6ggLzpwPYOBncCVbpfAcQUUgyFEoJIA5BKBC9YLHO7EspuhcCAwEAAoCASIUwqSVQgQU5EIFRTEVDT00gQUdRNTIFBPSU5UFRFRU1QgQ0EwHhcNMjMwMDAwMDA
dHwRvMG0wa6BpoGeGZWh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnbi5jb20vRGlnaXRhbGZlZXJpbmdzc3R5cmVsc2VvUjGlsb3R3PcGvUUEVQUE9MQUNDRVNTUE9JTIRDQ9S9
MYXRlc3RDUkwuY3J8MB8GA1UdIwQYMBaAFApEwixlMruJWlQC+hv16R6ydygV1MB0GA1UdDgQWBWRNqsvP8CpWtNE5X9BgWgJ2YR5E9DA6BgggBgEFBQcBAQQumCwwKgYIKw
YBBQUHMAAGGhmh0dHA6Ly9waWxvdC1vY3NwLnZicmlzaWduLmNvbTAtbG9uVHVSUUEDDAKBggrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCQAQEAprKnW95QA59fnjeKxQEIqZ9NjM
HvuFLQ+N3PAIhBU5Evq1q382R7ZpQ8hxogQy94nASP5vrklzDbzdSo0WoeVFaal2nVlP8e4fCSBEJ40M0GGyqBgy+txMXbh+g00YmYmo70i0XDCsIWFfjqpAyzEuK0yFKMuU7zyI
H4FeTXrkleDnoSb+ptwYTmLKZS5qVJeeLGYTWmWu97i1idxtwZkQr/xZJHf2j7JFuorX90ngBnJuxq6fd3xLTrDNj2oPc+esE0EZ7z7oBxgnjdLAAgRtxcmpFg+mCkuLsux/sVYUhGucuW
0t9Y2uLLC+8stZuDakReQoPETgJ0bQ==
2018-04-16 10:58:05,413: INFO - > Initialize the Adapters
2018-04-16 10:58:05,418: INFO - Call start test on NULLWRAPPER
2018-04-16 10:58:05,423: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:58:05,428: INFO - > RUN RIVET 0
2018-04-16 10:58:05,433: DEBUG - Assign free vars
2018-04-16 10:58:05,445: INFO - GET command: http://212.49.145.16/iso6523-case-insensitive%3a%3ausuariominder
2018-04-16 10:58:05,595: INFO - -----statuscode-----: 200
2018-04-16 10:58:05,750: INFO - <?xml version="1.0" encoding="UTF-8"?>
<ServiceGroup xmlns="http://docs.oasis-open.org/bdxr/ns/SMP/2016/05"
xmlns:ns2="http://www.w3.org/2000/09/xmldsig#">
<ParticipantIdentifier scheme="iso6523-case-insensitive">usuariominder</ParticipantIdentifier>
<ServiceMetadataReferenceCollection>
<ServiceMetadataReference href="http://212.49.145.16/iso6523-case-insensitive%3a%3ausuariominder/services/case-insensitive%3a%3AdocumentoMinder"/>
</ServiceMetadataReferenceCollection>
</ServiceGroup>

2018-04-16 10:58:05,758: INFO - -----
2018-04-16 10:58:05,763: INFO - ----- Test Passed -----
2018-04-16 10:58:05,769: INFO - -----
2018-04-16 10:58:05,774: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:05,779: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:05,784: INFO - < Rivet finished sucessfully
2018-04-16 10:58:05,789: INFO - -----

2018-04-16 10:58:05,795: INFO - Test #20901 Finished

Test Report - eSENS_SMP_TA03

Overview

Test Group:	e-SENS SMP Test Assertions
Test Assertion:	eSENS_SMP_TA03
Test Case:	eSENS_SMP_TA03_TC01
User:	Jose Escobar
Date:	2018.04.16 10:58:06
System(s) Tested:	

Result:	Successful 
----------------	--

Test Assertion Details

TAID: eSENS_SMP_TA03

Target: redirection

Normative Source: [OASIS SMP 3.4] "If the sender client performs a service metadata request and the owner of a Participant Identifier uses different Service Metadata Publishers for different document types or processes, he is redirected by the Service Metadata Publisher to a secondary, remote Service Metadata Publisher where the actual SignedServiceMetadata can be found. As a result, in the response, the SignedServiceMetadata resource contains a redirection URL to another Service Metadata Publisher. The sender client can use the redirection URL to retrieve the SignedServiceMetadata resource of the Recipient in another SMP"

Prescription Level: Mandatory

Prerequisite: - the sender client sends a ServiceMetadata request for a recipient to an SMP - the expected status code in the response is 200 - the URI is constructed like: `/{identifier scheme}::{id}/services/{docType}` - the SMP contains a redirect element

Predicate: the sender client receives a response from the SMP which contains a Service Metadata entity that holds a redirection URL to another Service Metadata Publisher

Variables:

Tag: redirect, Signed Service Metadata

Log

```
2018-04-16 10:58:07,852: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:58:07,857: INFO - Start Test
2018-04-16 10:58:07,862: INFO - Initialize test case
2018-04-16 10:58:07,868: DEBUG - Parameters
2018-04-16 10:58:07,873: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:usuariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:usuariominderredirect
ID_MULTIPLE_ENDPOINTS:usuariominderendpoint
ID_IDENTIFIER:usuariominder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_IDENTIFIER_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIbAglQA5b3TNSKa7/94uocarI0WTANBqkqhkiG9w0BAQsFADBC9MqswCQYDVQQGEwJESzEnMCUGA1UEChMeTfKUSU9OQUwgc2VzQGU5EiFRFTE
VDT00gQUdFtkNZMR8wHQYDVQQLExZGT1gVEVTVCBQVVJQT1NFUjBTPkxZMSQwIgdVQVQDEXRVBQQT0wgQUdRNDVNTIFBPSU5UIFRFU1QgQ0EwHhcNMjcwMjA4MDAwMDAw
wWbcNMTkwMjA4MjM1OTU5WjA3MzQwCQYDVQGEwJFUEPMA0GA1UECmGWRWRpY29tMRcwFQYDVQDDA5BUFBFMTAwdMDAwMDMwMTCCASiWdQYJKoZIhvcNAQEBBQAD
ggEPADCCAQoCggEBAMLVL Tsaaa7KV414guD/xShChO8SzfAP64Plv8kCr3cimiHUXmLwB7nbd/92cr4QgDAd1qvhxlULjBPv3Pp/eW6MpE6IYBVT/2om3N4TsuHkK2KickQHizrDVIIm9n8
1cgPvmjxD+f0Egfmk4+oGkyEjSPuXOVHcasKPwnjzPX9fZ7llhZ6xKzKGNlBq7Ujy0nudsMm4bDqyhtdFRZE+Xjong5WrSbnAXv1laXo4xPZ0EzPFDrZbnKaXweFHMIC067u/6FIBb
nkYOD169q50cEowHRIATCnOXk6ggLzpwPYOBncVbpfAcQUUgyFEoJIA5BKBC9YLHO7EspuhcAweEAaOCASUwggEhMAkGA1UEdWUwCMAAwCwYDVDR0PBAQDAGQ0MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6Lj9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnb5j20vRGlNaXRhbGlzZXJpbmdzc3R5cmVsc2VuUjlsb3R3PCVUUEVQUE9MQUdRNDVNTUE9JTRIRDQS9
MYXRlc3RDUkwuY3JsMB8GA1UdlwQYMBaAPeWixlMrUJWlQC+hv16R6dydgV1MB0GA1UdDgQWBWRBnQsV8PCPwTNE5X9BgWgJ2YR5E9DA6BgggBgEFBQcBAQUmCwwKgYIKW
YBBQUHMAAGHmh0dHA6Lj9waWxvdC1vY3NwLnZlcmZlZmVudWUuLmNvbTAtATBgnVNUEDDAKBgggBgEFBQcDAdJANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59fnjeKxQElqZ9Njm
HvuFLQ-N3PAIHBU5Evq1q382R7pZpQ8hxoqQy94nASP5vrklzDbzdSo0WoeVFaal2nvlP8e4fCSBEJ40M0GQyqBgy+txMxbh+g0YmYmo7Di0XDCsIWFfjqpAyzEuK0yFKMuU7yzyIRP
H4FeTxRkldDnoSb+ptwYTmlLKZS5qVJeeLGYTWmWu97i1idxwZkQr/xZJHf2j7Fu0/Xr90ngBnJuxq6fd3xLrTDNj2oPc+esE0EZ7z7oBxgnjdLAAgRtxcmpFg+mCkuLsuxsYVYUHgucuW
0t9ZuLLC+8stZuDakReQoPETgJ0bQ==
2018-04-16 10:58:07,879: INFO - > Initialize the Adapters
2018-04-16 10:58:07,884: INFO - Call start test on NULLWRAPPER
2018-04-16 10:58:07,889: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:58:07,894: INFO - > RUN RIVET 0
2018-04-16 10:58:07,899: DEBUG - Assign free vars
2018-04-16 10:58:07,910: INFO - GET command: http://212.49.145.16/iso6523-case-insensitive%3a%3ausuariominderredirect/services/case-
insensitive%3a%3adocumentoMinderRedirect
2018-04-16 10:58:08,080: INFO - statuscode: 200
2018-04-16 10:58:08,373: INFO - <?xml version="1.0" encoding="UTF-8"?>
<bdx:SignedServiceMetadata xmlns:bdx="http://docs.oasis-open.org/bdx/ns/SMP/2016/05"
xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
<bdx:ServiceMetadata>
<bdx:Redirect href="http://212.49.145.16/iso6523-case-insensitive:usuariominderredirect/services/case-insensitive::documentoMinderRedirect">
<bdx:CertificateUID>CN=APP_1000000301,O=Edicom,C=ES</bdx:CertificateUID>
</bdx:Redirect>
</bdx:ServiceMetadata>
<Signature xmlns="http://www.w3.org/2000/09/xmldsig#">
<SignedInfo>
<CanonicalizationMethod Algorithm="http://www.w3.org/TR/2001/REC-xm1-c14n-20010315"/>
<SignatureMethod Algorithm="http://www.w3.org/2001/04/xmldsig-more#rsa-sha256"/>
<Reference URI="">
<Transforms>
<Transform Algorithm="http://www.w3.org/2000/09/xmldsig#enveloped-signature"/>
</Transforms>
<DigestMethod Algorithm="http://www.w3.org/2001/04/xm1enc#sha256"/>
<DigestValue>tivW2WG0tWoh+Yj5kCRZKPse8KPPm+sOjwv/OmRHGA=</DigestValue>
</Reference>
</SignedInfo>
<SignatureValue>TCE8WjWhdJDRhg6umPNWj2S0G1Xq23pbX9eP4uLOmq5dNY4ar5LoB6dKJqUtqKJNScwlUF21IM7jqG4BEj1QXzEckL3JNsUWsy66Vkk3Setwg7dGvJHxVcrAbm
ZXhwNl7cIXyk7QEP0rjsqZ23gCg255YXZbRgJd8rqQ1FDky94rxwVSqpt2IOHUbJGmAZeWt9aE5OIB9h0/Ah6T7tXAKhvouvcbY0ejaFCUSXZq4IroLmhwqXV5LmRrJQ2s3JdgAmzRd1k
rPh2TPzbtU0r3L5e506emcs7x4F4U5fs+jbYsiQ8sw667BtYm1OmrWle+ftjLX94M3u6UA==</SignatureValue>
</KeyInfo>
<X509Data>
<X509SubjectName>CN=SMP_2000000376,O=Edicom,C=ES</X509SubjectName>
<X509Certificate>MIIEgJCCAQ2gAwIbAglQUzK/Avtm9kUXIDInC3bZDANBqkqhkiG9w0BAQsFADBCBIZELMAkGA1UEBhMCRESzJzAIBGNVBAoThk5BVEIPTkFMIUIEFORCBURUxYFQ
09NIEFHURU5DWFEMBOGA1UECmXWRk9SIFRU1QgUFVSUe9TRVMgT05MWTUEyMDAGA1UEAxMxUEVQUE9MIFNFUIZJQ0UgTUUVUURBVEEgUUVFTEITSEVSIFRU1QgQ0EwHhcNMjcwMjA4MDAwMDAw
NMTkwMjA4MjM1OTU5WjA3MzQwCQYDVQGEwJFUEPMA0GA1UECmGWRWRpY29tMRcwFQYDVQDDA5BUFBFMTAwdMDAwMDMwMTCCASiWdQYJKoZIhvcNAQEBBQAD
ggEPADCCAQoCggEBALxIYQwGtGxqLcV0i5R05538YSK7ALM1UxxjblL0K7o/HiggVBurEMxVGVGEGIP1QD0LsSZAQDldi7yOIC4MnZKxnmPK/7RcgmGrC9epqZ
UnSzV00N28MxBuPeCKmTWy5KuZvD/9z0+HPrxMVIWC245xP1SABgebj+IQJ+pc8tK5ky+eUZYGXcXZhtYg60MYw+YuS8A54YSX67JAjg7ybYOCK/E52oYXsk+iuQDmbipn7hoYfVjZ9
hL6K8h+70Vbjw2kfo/ScU9648d+jKRNQ0Sa/nifjzhnsNy8hndCXcJGJQC0ndhNu+8EP0gJxlJ6J7aV0Gjdyo8Kqleq/cAweEAaOCATMwggEhMAkGA1UEdWUwCMAAwCwYDVDR0PBAQDAGQ0MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6Lj9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnb5j20vRGlNaXRhbGlzZXJpbmdzc3R5cmVsc2VuUjlsb3R3PCVUUEVQUE9MQUdRNDVNTUE9JTRIRDQS9
MYXRlc3RDUkwuY3JsMB8GA1UdlwQYMBaAPeWixlMrUJWlQC+hv16R6dydgV1MB0GA1UdDgQWBWRBnQsV8PCPwTNE5X9BgWgJ2YR5E9DA6BgggBgEFBQcBAQUmCwwKgYIKW
YBBQUHMAAGHmh0dHA6Lj9waWxvdC1vY3NwLnZlcmZlZmVudWUuLmNvbTAtATBgnVNUEDDAKBgggBgEFBQcDAdJANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59fnjeKxQElqZ9Njm
HvuFLQ-N3PAIHBU5Evq1q382R7pZpQ8hxoqQy94nASP5vrklzDbzdSo0WoeVFaal2nvlP8e4fCSBEJ40M0GQyqBgy+txMxbh+g0YmYmo7Di0XDCsIWFfjqpAyzEuK0yFKMuU7yzyIRP
H4FeTxRkldDnoSb+ptwYTmlLKZS5qVJeeLGYTWmWu97i1idxwZkQr/xZJHf2j7Fu0/Xr90ngBnJuxq6fd3xLrTDNj2oPc+esE0EZ7z7oBxgnjdLAAgRtxcmpFg+mCkuLsuxsYVYUHgucuW
0t9ZuLLC+8stZuDakReQoPETgJ0bQ==
</X509Data>
</KeyInfo>
</Signature>
</bdx:SignedServiceMetadata>
2018-04-16 10:58:08,380: INFO - -----
2018-04-16 10:58:08,386: INFO - ----- Test Passed -----
```

2018-04-16 10:58:08,391: INFO - -----
2018-04-16 10:58:08,396: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:08,401: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:08,407: INFO - < Rivet finished sucessfully
2018-04-16 10:58:08,412: INFO - -----
2018-04-16 10:58:08,417: INFO - Test #20902 Finished

Test Report - eSENS_SMP_TA04

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA04
Test Case: eSENS_SMP_TA04_TC01
User: Jose Escobar
Date: 2018.04.16 10:58:09
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA04
Target: redirection
Normative Source: [OASIS SMP 2.3.4.1] "In the case where a client encounters a redirection element, the client MUST follow the first redirect reference to the alternative SMP."
Prescription Level: Mandatory
Prerequisite: - the client makes a request for a specific doctype - the requested metadata is located in another SMP
Predicate: the response contains a redirect element with the URL of another SMP
Variables:
Tag: redirect

Log

```
2018-04-16 10:58:10,579: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:58:10,584: INFO - Start Test
2018-04-16 10:58:10,589: INFO - Initialize test case
2018-04-16 10:58:10,595: DEBUG - Parameters
2018-04-16 10:58:10,600: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:uariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:uariominderredirect
ID_MULTIPLE_ENDPOINTS:uariominderendpoint
ID_IDENTIFIER:uarioMinder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_IDENTIFIER_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIBAgIQA5b3TNSKa7/94uocarI0WTANBqkqhkIG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeTkJFUSU9OQUwgSVQgQU5EIFRFRTE
VDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IgdVEVTVCBQVWVJQT1NFUyBPTkxZMSQwIlgYDVQDEExtRlVBT0w0gQUdRNTVFRBPSU5UFRFRU1QgQ0EwHhcNMTCwMjA4MDAwMDAw
wWhcNMTkwMjA4MjM1OTU5WjA3MQswCQYDVQGEwJFuzEPMA0GA1UECmGWRWRpY29tMRcwFQYDVQDDA5BUFBfMTAwMDAwMDMwMTCCASiWdQYJKoZihvcNAQEBBQAD
ggEPADCCAQoCggEBAMLVL Tsaaa7KV414guD/xShCHo8SzfAP64Plv8kCr3cmiHUXmLwB7nbd92cr4QgDAd1qvhxlULjBPv3Pp/eW6MpE6IYBVT/2om3N4TstuhKk2KickQHizrDVIIm9n8
1cgPvmjxD+ff0Egfmkb4+oGkYEjjsPUXOVHcasKPwnjNzPX9fZ7IhZ6xKzGnQlBq7U/yyn0udsMm4bDqyhtdFRZE+Xjong5WrSbnAXv1laXo4xPZ0EzPFDzBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50cEowHRIATCnOXk6ggLzpwPYOBncCVbpfAcQUUgyFEoJIA5BKBC9YLHO7EspuhcCAwEAaOCASUwggEhMAkGA1UdEwQCMAAwCwYDVR0PBAQDAGQ0MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnb2V0vRGlNaXRhbGZlZXJpbmdzc3R5cmVsc2VvUGl3b3R3cG9uUEVQUE9MQUdRNTVUE9JTIRDQs9
MYXRlc3RDUkwuY3JsMB8GA1UdIwQYMBaAFPeWixIMruJWlQC+hv16R6ydygV1MB0GA1UdDgQWBWRNqsvP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQQumCwwKgYIKw
YBBQUHMAAGGhmh0dHA6Ly9waWxvdC1vY3NwLnZlcmllzaWduLmNvbTAtATBGNVHSUEDDAKBggrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59fjeKxQEIqZ9NjM
HvuFLQ+N3PAIHBU5Evq1q382Rp7ZpQ8hxogQy94nASP5vrklzWDbzdSo0WoeVfaal2nvlP8e4fCSBEJ40M0GgyqB6y+txMXbh+g00YmYmo70i0XDcSIWFfjgpAyzEuK0yFKMuU7zyIRP
H4FeTXrkleDnoSb+ptwYtmLKZS5qVJeeLGYTWmWu97i1idxtwZkQr/xZJHf2j7JFu0Xr9ongBnJuxq6fdS3xLTrDNj2oPc+esE0EZ7z7oBXgnjdLAAgRtxcmpFg+mCkuLsux/sVYUhgucuW
0t9Y2uLLC+8stZuDakREQoPETgJ0bQ==
2018-04-16 10:58:10,605: INFO - > Initialize the Adapters
2018-04-16 10:58:10,611: INFO - Call start test on NULLWRAPPER
2018-04-16 10:58:10,616: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:58:10,621: INFO - > RUN RIVET 0
2018-04-16 10:58:10,626: DEBUG - Assign free vars
2018-04-16 10:58:10,638: INFO - GET command: http://212.49.145.16/iso6523-case-insensitive%3a%3ausuariominderredirect/services/case-
insensitive%3a%3adocumentoMinderRedirect
2018-04-16 10:58:10,757: INFO - statuscode: 200
2018-04-16 10:58:10,988: INFO - -----
2018-04-16 10:58:10,993: INFO - ----- Test Passed -----
2018-04-16 10:58:10,998: INFO - -----
2018-04-16 10:58:11,003: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:11,009: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:11,014: INFO - < Rivet finished successfully
2018-04-16 10:58:11,019: INFO - -----
2018-04-16 10:58:11,024: INFO - Test #20903 Finished
```

Test Report - eSENS_SMP_TA05

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA05
Test Case: eSENS_SMP_TA05_TC01
User: Jose Escobar
Date: 2018.04.16 10:58:12
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA05
Target: SMP signing certificate
Normative Source: [OASIS SMP 2.3.3.3] "References MUST refer to SignedServiceMetadata records that are signed by the certificate of the SMP. It must not point to SignedServiceMetadata resources published by external SMPs"
Prescription Level: Mandatory
Prerequisite: eSENS_SMP_TA02
Predicate: All referenced records should be using the signing certificate from the SMP.
Variables:
Tag: service metadata reference, signed service metadata, signing certificate

bG90T3BibBFUBPPTNFUIZJQ0VNRVRBREFUQVBVQkxJU0hFUKNBL0xhdGVzdENSTC5jcmwwHwYD
VR0jBBgwFoAU4MeFQDU6/Rzz9I7CHzDQ8mShAncwHQYDVR0OBBYEFJrFmUIE7chUSHU9QrmfVJS
p6S7MDoGCCsGAQUFBwEBBC4wLDAqBggrBgEFBQcwAYYeaHR0cDovL3BpbG90LW9jc3AudmVyaXNp
Z24uY29tMBMGA1UdJQMMMAoGCCsGAQUFBwMCMA0GCSqGSIb3DQEBCwUAA4IBAQAQaPwifmWjGq4E
oNZQKfdJM/0+wL6shPTArNLioaqTzPxwyYLBOWel/WP5NROY9FkOZo4vKM4+Y1XM0dUAFnzmCzp
Rqo6ngMVGChLaJvJxBzat9HytBD5tafcS/LI9ILAuleCTnCAxUgwZbPSIaASndOETFe4cSUT1roa
EyatNy45hYabf0BGPdkilluPFWITPKdb07LbiAUPAepTbsEfExo1PX2KWyOmeqiSDdBUumV8irs
fVitr7Gylc8ZJGMv6dx4vi+KI3ZSiJUSiCjFRWppDesvQSTzx6xpEhY4ZPo07qhlXpyWnLPJYpyq
KUvQBQXyCTrC9HvCgS0wZgT3</X509Certificate>
</X509Data>
</KeyInfo>
</Signature>
</bdx:SignedServiceMetadata>

2018-04-16 10:58:13,443: INFO - -----
2018-04-16 10:58:13,448: INFO - ----- Test Passed -----
2018-04-16 10:58:13,453: INFO - -----
2018-04-16 10:58:13,458: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:13,464: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:13,469: INFO - < Rivet finished sucessfully
2018-04-16 10:58:13,474: INFO - -----

2018-04-16 10:58:13,479: INFO - Test #20904 Finished

Test Report - eSENS_SMP_TA06

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA06
Test Case: eSENS_SMP_TA06_TC01
User: Jose Escobar
Date: 2018.04.16 10:58:14
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA06

Target: redirection

Normative Source: [OASIS SMP 2.3.4.3] “The REQUIRED «href» attribute of the Redirect element contains the full address of the destination SMP record that the client is redirected to”

Prescription Level: Mandatory

Prerequisite: - the sender client constructs a URL based on participant identifier and doctype - the SMP returns a Signed Service Metadata resource with a redirect child element

Predicate: The redirect element contains a “href” attribute with the full address that points to a secondary SMP record. Compare the url of the first SMP with the url that points to the second SMP (http://smp1/part1/part2/part3 vs http://smp2/part1/part2/part3)

Variables:

Tag: redirect

2018-04-16 10:58:15,937: INFO - ----- Test Passed -----
2018-04-16 10:58:15,942: INFO - -----
2018-04-16 10:58:15,947: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:15,952: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:15,958: INFO - < Rivet finished sucessfully
2018-04-16 10:58:15,963: INFO - -----
2018-04-16 10:58:15,968: INFO - Test #20905 Finished

Test Report - eSENS_SMP_TA07

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA07
Test Case: eSENS_SMP_TA07_TC01
User: Jose Escobar
Date: 2018.04.16 10:58:17
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA07
Target: ParticipantIdentifier
Normative Source: [OASIS SMP 2.3.4.4] “The participant identifier comprises the identifier, and an identifier scheme. This identifier MUST have the same value of the {id} part of the URI of the enclosing ServiceMetadata resource”
Prescription Level: Mandatory
Prerequisite: the sender client constructs a URL based on participant identifier and doctype
Predicate: the {id} part represented in the XML of the ServiceMetadata resource is the same as the {id} part in the composed URL
Variables:
Tag: participant identifier, service metadata

Test Report - eSENS_SMP_TA08

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA08
Test Case: eSENS_SMP_TA08_TC01
User: Jose Escobar
Date: 2018.04.16 10:59:00
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA08
Target: endpoints
Normative Source: [OASIS SMP 2.3.4.3] "For the list of endpoints under each 'Endpoint' element in the ServiceEndpointList, each endpoint MUST have different values of the transportProfile attribute, i.e. represent bindings to different transports"
Prescription Level: Mandatory
Prerequisite: - eSENS_SMP_TA01 - the returned metadata contains a Service Endpoint list with multiple Endpoints
Predicate: The 'Endpoint' elements in the Service Endpoint List contain different values for each transport Profile attribute
Variables:
Tag: endpoint, transport profile

FTEVD00gQuDFTkNZMR8wHQYDVQQLExZGT1gVEVTVCBQVJVQT1NFUYBPTKxZMSQwlgYDVQDEExtQRVBQ0wgQUNDRVNTIFBPSU5UIFRFU1QgQ0EwHhcNMTUxMTI2MDAwM
DAwWWhcNMTcxMTI1MjM1OTU5WjA9MQswCQYDVQQGEwJkVDEVMWMBGA1UECgwwMSW50ZjZjZW50LUVSMRcwfQYDVQDDA5BUFBMTAwMDAwMDE3NjCCASlwdQYJKoZIhvcN
AQEBBQADggEPADCCAQoCggEBAMKPFuKJrUBn2cciV+01e6xtSc+JDh8yFMq7f8bZ2ahN2fdLtzouaTE6ttbq8LVdyHGnRzsJAHv7vT1XzF8HalDSXKBnRu42epiB2jwTlslWfnb5xfcKkju
u2crCmZTVsRVxiFleibAUJraD5QnBi3Sutl6awlsLam3w2E6UvI3otHnjeGoNq+MfC9f/blKfusPVXjtQ1FHhYIv0J2mW5rH1ax1NqZQb5JfYuiiXTiGh+7QpMkKv8tI2E7KvJ2rh2PzolzPz6v+
w2KPLoLpHz1/G1h8Mtv8KgVpW5mdWIKLAbS8wkDCsFepEk4solNeWEYKb7Nu4BjMbUN7gXLO9EUCawEAaOCASUwggEhMAKGA1UdEwQCMAAwCwYDVR0PBAQDAgO4MHYGA
1UdHwRvMG0wa6BpoGeGZWh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnbi5jb20vRGlnaXRhbGlzZXJpbmdzc3R5cmVsc2VuUGlsb3RlPcGVuUEVQUE9MQUNDRVNTUE9JTRDQ
S9MYXRlc3RDUkwuY3JsMB8GA1UdlwQYMBAAFPeWixImruJWIQC+hv16R6dydygV1MB0GA1UdDgQWBBSg4lw/8N11Ru5g8UKrM6ed0anAijA6BggRbgEFBQcBAQQuMCwwKgYIKwYB
BQUHMAAGGhmd0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnbi5jb20vRGlnaXRhbGlzZXJpbmdzc3R5cmVsc2VuUGlsb3RlPcGVuUEVQUE9MQUNDRVNTUE9JTRDQ
ecSK0oMuDhuBa6H9xWj2jxMKOlqn0F+cpEQC5Y44Kb3sTx5Iqh13ybH1V4xIjPI3pABRMtelcXYTakW5g1kq25lqu+0e6XGeo7yDPH0DpfqOJXOQMAOH4NNDWmHJVLtUmzG4Q6EN
v/4iqgn7TsxzvuXKX5ieOB3nXdpPyz8v6GD97roQFfzF1L6zHGCH90JMHaDDerLoucs27qIE/knQOYe2dT/LMQA+nsJnodQftrB9Bm8spc8Az5QdEQM6XBjYz7b2kFkGpwttd9ifcrN1Q
6lzGX88vtARMDQhKzRIRTXuA==</bdx:Certificate>
<bdx:ServiceDescription>Endpoint secundario para las pruebas de multiple endpoint</bdx:ServiceDescription>
<bdx:TechnicalContactUrl>rferer@edicom.es</bdx:TechnicalContactUrl>
<bdx:TechnicalInformationUrl>rferer@edicomgroup.com</bdx:TechnicalInformationUrl>
</bdx:Endpoint>
</bdx:ServiceEndpointList>
</bdx:Process>
</bdx:ProcessList>
</bdx:ServiceInformation>
</bdx:ServiceMetadata>
<Signature xmlns="http://www.w3.org/2000/09/xmldsig#">
<SignedInfo>
<CanonicalizationMethod Algorithm="http://www.w3.org/TR/2001/REC-xml-c14n-20010315"/>
<SignatureMethod Algorithm="http://www.w3.org/2001/04/xmldsig-more#rsa-sha256"/>
<Reference URI="">
<Transforms>
<Transform Algorithm="http://www.w3.org/2000/09/xmldsig#enveloped-signature"/>
</Transforms>
<DigestMethod Algorithm="http://www.w3.org/2001/04/xmenc#sha256"/>
<DigestValue>s1v6tNP/YXmTif+Gz6xP4RneM86WRGM1e3ZLmhtsSM=</DigestValue>
</Reference>
</SignedInfo>
<SignatureValues>z7JzxLZuVly6yHdHK6dCBxYJaKtjbr9o4iy8vWiztu8Rv2mR0FwNUC31b2nd2CtYJawfUqdZ2E6AGWzLmmUcT1zKigcRyJfzA7w8C6PlsHGyH9thmwBfsQeDgy3KLr
6KJyUmpFQ05LRs72Wj8QIDOLY+IEEhrGmQLZEYgYGNgOHYfdLxa4piC9d/mi+z3CM0Cqv0NhxLsm8Wv8XWB0DkU2n17Efh+1ebutbQLCPAXHIT7x6c3wJbRIT8orX6PnKJTL6wES
KEWl3e5RvY8FxrDRefMCM8Bwgs+wa5xayiceNMMZyJhZXRqsm7NpwwQuN3/QMGkTJbQ==</SignatureValue>
</KeyInfo>
<X509Data>
<X509SubjectName>CN=SMP_2000000376,O=Edicom,C=ES</X509SubjectName>
<X509Certificate>MIIEgJCA2qgAwIBAgIUZK/Avtm9kUXIDInC3biZDANBggqhkiG9w0BAQsFADCBizELMAKGA1UEBhMCRESxJzAIBGNVBAoThk5BVEIPTkFMIEUIEFORCBURUxFAQ
09NIEFHRU5DWFtEMBOGA1UECXMWRk9SIFRFRU1QgUUFVSUET9TRVMgT05MWTEyMDAGA1UEAxpUEVQUE9MIFNFUIZJQ0UgTUUVUURBVEEgUUVFCEITSEVSIFRFRU1QgQ0EwHhc
NMTgwMjEzMDAwMDAwWWhcNMTkxMjEzMTU1OTU5WjA3MQswCQYDVQQGEwJkVDEVMWMBGA1UECgwwMSW50ZjZjZW50LUVSMRcwfQYDVQDDA5BUFBMTAwMDAwMDE3NjCCASlwdQYJK
oZIhvcNAQEBBQADggEPADCCAQoCggEBAAOLxiYQWgtGxqLcV0I5R0e5538YK7ALM1UxxjblL0K7o/HiggVBurEMxVWGEgIP1QD0oLsSZD0ldi7yOIC4MnZKxnmPK7RcgmGrcE9pqfZ
UnSzV0ON28MxBuPeCKmTWy5KuZvD/9z0+HPrxMVIWC245xP1SABgebj+IQJ-c8tK5ky+eUYZGXcXZhtYgX60MYw+YuS8A54YSX67JAjq7bYOCKK/E52oXYsk+iuQDmbipn7hoYfVYJZ9
hL6K8h+70VbjwQ2kfo/ScU9648d+jxKRN00Sa/nifjZhsNy8hndCXcJGJQc0NdhNu+8EP0gJxI6J7aV0GjDyo8Kqle/qcCAwEAaOCATMwggEVMKGA1UdEwQCMAAwCwYDVR0PBA
QDAgO4MIGDBgNVHR8EFDBMhigdB0hJodHRwOi8vcGlz3RvbnNpdG9jcmwudmVyaXNpZ224uY29tL0RrPz2l0YwXpc2VyaW5nc3N0eXJlbnNlbiBpbG90T3BibjBFUFBTFFNUIZJQ0
VNRVRBREUFVQVBUQkxJU0hFUkNBL0xhdGVzdENSTC5jcmwWHwYDVR0JBjBggwFoAU4MeFQDU6/Rzz9I7CHzDQ8mShAncwHQYDVR0OBBYEFJrFmUIE7chUSHU9QrmfVJsp6S7MD0
GCCsGAQUFBwEBBC4wLDAqBggRbgEFBQcwwAaHR0cDovL3BpbG90LW9j3AudmVyaXNpZ224uY29tLW9j3AudmVyaXNpZ224uY29tLW9j3AudmVyaXNpZ224uY29tLW9j3AudmVyaXNpZ224
AAQAQaPwifmWjGq4EoNZQKfdJM/0+wL6shPTArNLioaqTzPxywYLB0AWel/WP5NROY9fK0Zo4vK4+Y1XM0dUAFnzmCzPrQo6ngMVGChLaJvJxBzat9HytBD5tfcS/L9ILAuleCTnCA
XUgwzBPSlaASndOETFfe4SUT1roaEyatNy45hYabf0BGPdkilluPFWITPKdb07LBIaUPAepTbsEfxo1PX2KWYomeqISDDBUumV8irsfVir7Gylc8ZJGMv6dx4vi+Kl3ZSIZUSICJFRWPPDe
svQSTz6xphEY4ZP007qhiXpyWnLPJYpyqKUVQBXCYctR9HvcG50wZgT3</X509Certificate>
</X509Data>
</KeyInfo>
</Signature>
</bdx:SignedServiceMetadata>

2018-04-16 10:59:02,092: INFO - -----
2018-04-16 10:59:02,097: INFO - ----- Test Passed -----
2018-04-16 10:59:02,102: INFO - -----
2018-04-16 10:59:02,107: INFO - > CALL_SLOT_NULLWRAPPER.NULL_SLOT
2018-04-16 10:59:02,112: INFO - < SLOT CALLED_NULLWRAPPER.NULL_SLOT
2018-04-16 10:59:02,118: INFO - < Rivet finished successfully
2018-04-16 10:59:02,123: INFO - -----

2018-04-16 10:59:02,128: INFO - Test #20922 Finished

Test Report - eSENS_SMP_TA09a

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA09a
Test Case: eSENS_SMP_TA09a_TC01
User: Jose Escobar
Date: 2018.04.16 10:58:19
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA09a
Target: URL with participant identifier and scheme identifier
Normative Source: [OASIS SMP 2.4.5] "Participant identifiers SHOULD consist of a scheme identifier in addition to the participant identifier itself. Here the scheme identifier indicates the specification of the participant identifier format, i.e. its representation and meaning."
Prescription Level: Preferred
Prerequisite: the sender constructs a URL containing a participant identifier and a scheme identifier in order to interrogate the SMP
Predicate: status code 200 gets returned by the SMP
Variables:
Tag: participant identifier, scheme identifier

Log

```
2018-04-16 10:58:20,457: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:58:20,462: INFO - Start Test
2018-04-16 10:58:20,467: INFO - Initialize test case
2018-04-16 10:58:20,473: DEBUG - Parameters
2018-04-16 10:58:20,478: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:uariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:uariominderredirect
ID_MULTIPLE_ENDPOINTS:uariominderendpoint
ID_IDENTIFIER:uarioMinder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_SCHEME_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIBAgIQA5b3TNSKa7/94uocarI0WTANBqkqhkIG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeTkJFUSU9OQUwgSVQgQU5EIFRTE
VDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IjVEVTVCBQVWVJQT1NFUyBPTkxZMSQwIlgYDVQDExtQRVBQ0wQUNDRVNTIFBPSU5UIFRFU1QgQ0EwHhcNMjMwMDAwMDAw
wWhcNMTkwMjA4MjM1OTU5WjA3MQswCQYDVQQGEwJFZUzEPMA0GA1UECgwGRWRpY29tMRcwFQYDVQQDDA5BUFBfMTAwMDAwMDMwMTCCASiWdQYJKoZIhvcNAQEBBQAD
ggEPADCCAQoCggEBAMLVL Tsaaa7KV414guD/xShCHo8SzfAP64Plv8kCr3cmiHUXmLwB7nbd/92cr4QgDAd1qvhxlULjBPv3Pp/eW6MpE6IYBVT/2om3N4TuhKk2KickQHizrDVIIm9n8
1cgPvmjxD+ff0Egfmkb4+oGkYEjjsPUXOVHcasKPwnjNzPX9fZ7iIhZ6xZKGNQlBq7U/yyn0udsMm4bDqyhtdFRZE+Xjong5WrSbnAXv1laXo4xPZ0EzPFDzBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50cEowHRIATCnOXk6ggLzpwPYOBncCVbpfAcQUUgyFEoJIA5BKBC9YLHO7EspuhcCAwEAaOCASUwggEhMAkGA1UdEwQCMAAwCwYDVR0PBAQDAGQ0MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnbi5jb20vRGlnaXRhbGZlZXJpbmdzc3R5cmVsc2VuUGlsb3R3PCVUUEVQUE9MQUNDRVNTUE9JTIRDQS9
MYXRlc3RDUkwuY3JsMB8GA1UdIwQYMBaAFPeWixIMruJWlQC+hv16R6ydygV1MB0GA1UdDgQWBWRNqsVP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQQUMCwwKgYIKw
YBBQUHMAAGGhmh0dHA6Ly9waWxvdC1vY3NwLnZlcmllzaWduLmNvbTAtATBGNVHSUEDDAKBggrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59fjeKxQEIQZ9NjM
HvuFLQ+N3PAIHBU5Evq1q382R7ZpQ8hxogQy94nASP5vrklzWDbzdSo0WoeVFaal2nvlP8e4fCSBEJ40M0GgyqB6y+txMXbh+g00YmYmo70i0XDCsIWFfjgpAyzEuK0yFKMuU7zyIRP
H4FeTXrkleDnoSb+ptwYtmLKZS5qVJeeLGYTWmWu97i1idxtwZkQr/xZJHf2j7Fu0Xr9ongBnJuxq6fdS3xLTrDNj2oPc+esE0EZ7z7oBXgnjdLAAgRtxcmpFg+mCkuLsux/sVYUhgucuW
0i9Y2uLLC+8stZuDakREQoPETgJ0bQ==
2018-04-16 10:58:20,484: INFO - > Initialize the Adapters
2018-04-16 10:58:20,489: INFO - Call start test on NULLWRAPPER
2018-04-16 10:58:20,494: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:58:20,499: INFO - > RUN RIVET 0
2018-04-16 10:58:20,505: DEBUG - Assign free vars
2018-04-16 10:58:20,516: INFO - getCommand: http://212.49.145.16/iso6523-case-insensitive::uarioMinder2
2018-04-16 10:58:20,671: INFO - statusCode: 200
2018-04-16 10:58:20,821: INFO - -----
2018-04-16 10:58:20,826: INFO - ----- Test Passed -----
2018-04-16 10:58:20,831: INFO - -----
2018-04-16 10:58:20,836: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:20,842: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:20,847: INFO - < Rivet finished sucessfully
2018-04-16 10:58:20,852: INFO - -----
2018-04-16 10:58:20,857: INFO - Test #20907 Finished
```

Test Report - eSENS_SMP_TA09b

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA09b
Test Case: eSENS_SMP_TA09b_TC01
User: Jose Escobar
Date: 2018.04.16 10:58:21
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA09b
Target: URL with participant identifier without scheme identifier
Normative Source: [OASIS SMP 2.4.5] "Participant identifiers SHOULD consist of a scheme identifier in addition to the participant identifier itself. Here the scheme identifier indicates the specification of the participant identifier format, i.e. its representation and meaning."
Prescription Level: Preferred
Prerequisite: the sender constructs a URL containing a participant identifier without a scheme identifier in order to interrogate the SMP
Predicate: status code 200 gets returned by the SMP
Variables:
Tag: participant identifier, scheme identifier

Log

```
2018-04-16 10:58:22,917: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:58:22,923: INFO - Start Test
2018-04-16 10:58:22,928: INFO - Initialize test case
2018-04-16 10:58:22,934: DEBUG - Parameters
2018-04-16 10:58:22,939: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:uariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:uariominderredirect
ID_MULTIPLE_ENDPOINTS:uariominderendpoint
ID_IDENTIFIER:uarioMinder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_IDENTIFIER_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIBAgIQA5b3TNSKa7/94uocarI0WTANBqkqhkIG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeTkJFUSU9OQUwgSVQgQU5EIFRTE
VDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IgdVEVTVCBQVWVJQT1NFUyBPTkxZMSQwIlgYDVQDEExtQRVBQ0T0wGQUINDRVNTIFBPSU5UIFRFU1QgQ0EwHhcNMjA0MDAwMDA
wWhcNMTkwMjA0MjM1OTU5WjA3MQswCQYDVQQGEwJFZUzEPMA0GA1UECgwGRWRpY29tMRcwFQYDVQQDDA5BUFBfMTAwMDAwMDMwMTCCASiWdQYJKoZIhvcNAQEBBQAD
ggEPADCCAQoCggEBAMLVL Tsaaa7KV414gud/xShCHo8SzfAP64Plv8kCr3cmiHUXmLwB7nbd/92cr4QgDAd1qvhxlULjBPv3Pp/eW6MpE6IYBVT/2om3N4TuhKk2KickQHizrDVIIm9n8
1cgPvmjxD+ff0Egfmkb4+oGkYEjSPuXOVHcasKPwnjNzPX9fZ7IhZ6xZKGNQlBq7U/yyn0udsMm4bDqyhtdFRZE+Xjong5WrSbnAXv1laXo4xPZ0EzPFDzBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50cEowHRIATCnOXk6ggLzpwPYOBncCVbpfAcQUUgyFEoJIA5BKBC9YLHO7EspuhcCAwEAaOCASUwggEhMAkGA1UdEwQCMAAwCwYDVR0PBAQDAGQ0MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnb5jb20vRGlnaXRhbGZlZXJpbmdzc3R5cmVsc2VuUGlsb3R3PCVUUEVQUE9MQUNDRVNTUE9JTIRDQS9
MYXRlc3RDUkwuY3JsMB8GA1UdIwQYMBaAFPeWixlMruJWlQC+hv16R6ydygV1MB0GA1UdDgQWBWRNqsVP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQQUMCwwKgYIKw
YBBQUHMAAGGhmh0dHA6Ly9waWxvdC1vY3NwLnZlcmllzaWduLmNvbTATBGNVHSUEDDAKBggrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59fjeKxQEIQZ9NjM
HvuFLQ+N3PAIHBU5Evq1q382R7ZpQ8hxogQy94nASP5vrklzWDbzdSo0WoeVfaal2nvlP8e4fCSBEJ40M0GgyqB6y+txMXbh+g00YmYmo70i0XDcSIWFfjgpAyzEuK0yFKMuU7yziRP
H4FeTXrkleDnoSb+ptwYtmLKZS5qVJeeLGYTWmWu97i1idxtwZkQr/xZJHf2j7JFuo/Xr9ongBnJuxq6fdS3xLTrDNj2oPc+esE0EZ7z7oBXgnjdLAAgRtxcmpFg+mCkuLsux/sVYUhGucuW
0i9Y2uLLC+8stZuDakREQoPETgJ0bQ==
2018-04-16 10:58:22,944: INFO - > Initialize the Adapters
2018-04-16 10:58:22,950: INFO - Call start test on NULLWRAPPER
2018-04-16 10:58:22,955: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:58:22,960: INFO - > RUN RIVET 0
2018-04-16 10:58:22,965: DEBUG - Assign free vars
2018-04-16 10:58:22,976: INFO - getCommand: http://212.49.145.16::iso6523-case-sensitive
2018-04-16 10:58:23,073: INFO - statusCode: 200
2018-04-16 10:58:23,237: INFO - -----
2018-04-16 10:58:23,243: INFO - ----- Test Passed -----
2018-04-16 10:58:23,248: INFO - -----
2018-04-16 10:58:23,253: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:23,258: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:23,263: INFO - < Rivet finished sucessfully
2018-04-16 10:58:23,269: INFO - -----
2018-04-16 10:58:23,274: INFO - Test #20908 Finished
```

Test Report - eSENS_SMP_TA10

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA10
Test Case: eSENS_SMP_TA10_TC02
User: Jose Escobar
Date: 2018.04.16 10:59:24
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA10
Target: participant identifier in XML format
Normative Source: [OASIS SMP 2.4.5.2] "When processing a participant identifier in XML format, it MUST be treated as case insensitive."
Prescription Level: Mandatory
Prerequisite: the SMP contains a participant identifier in XML format (check: [XML 1.0] specification: <http://www.w3.org/TR/xml/>)
Predicate: the processing of the participant identifier is treated as case insensitive
Variables:
Tag: participant identifier, XML format

Test Report - eSENS_SMP_TA10

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA10
Test Case: eSENS_SMP_TA10_TC01
User: Jose Escobar
Date: 2018.04.16 10:58:24
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA10
Target: participant identifier in XML format
Normative Source: [OASIS SMP 2.4.5.2] "When processing a participant identifier in XML format, it MUST be treated as case insensitive."
Prescription Level: Mandatory
Prerequisite: the SMP contains a participant identifier in XML format (check: [XML 1.0] specification: <http://www.w3.org/TR/xml/>)
Predicate: the processing of the participant identifier is treated as case insensitive
Variables:
Tag: participant identifier, XML format

Test Report - eSENS_SMP_TA11

Overview

Test Group:	e-SENS SMP Test Assertions
Test Assertion:	eSENS_SMP_TA11
Test Case:	eSENS_SMP_TA11_TC02
User:	Jose Escobar
Date:	2018.04.16 10:59:39
System(s) Tested:	

Result:	Successful 
----------------	--

Test Assertion Details

TAID:	eSENS_SMP_TA11
Target:	participant identifier scheme percentage encoding URL
Normative Source:	[OASIS SMP 2.4.5.3] “In a URL, the string represented by «{identifier scheme}::{id}» MUST be percent encoded following and the guidelines given above.”
Prescription Level:	Mandatory
Prerequisite:	the sender constructs a URL containing a string: {identifier scheme}::{id} that is percent encoded (replace “:” separator by “%3a” and “#” by “%23”)
Predicate:	the SMP returns the requested information
Variables:	
Tag:	participant identifier scheme, percentage encoding

Log

```
2018-04-16 10:59:40,032: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:59:40,037: INFO - Start Test
2018-04-16 10:59:40,043: INFO - Initialize test case
2018-04-16 10:59:40,049: DEBUG - Parameters
2018-04-16 10:59:40,054: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:uariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:uariominderredirect
ID_MULTIPLE_ENDPOINTS:uariominderendpoint
ID_IDENTIFIER:uarioMinder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_IDENTIFIER_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIBAgIQA5b3TNSKa7/94uocarI0WTANBqkqhkiG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeTkJFUSU9OQUwgSVQgQU5EIFRTE
VDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IjVEVTVCBQVVJQTT1NFUyBPTkxZMSQwIlgYDVQDEExtRlVBTQ0wGQUONDRVNTIFBPSU5UIFRFU1QgQ0EwHhcNMTCwMjA4MDAwMDA
wWhcNMTkwMjA4MjM1OTU5WjA3MQswCQYDVQQGEwJFZUzEPMA0GA1UECmVGRWRpY29tMRcwFQYDVQDDA5BUFBMTAwMDAwMDMwMTCCASiwdQYJKoZihvcNAQEBBQAD
ggEPADCCAQoCggEBAMLVL Tsaaa7KV414guD/xShChO8SzfAP64Plv8kCr3cmiHUXmLwB7nbd/92cr4QgDAd1qvhxlULjBPv3Pp/eW6MpE6IYBVT/2om3N4TuhKk2KickQHizrDVIIm9n8
1cgPvmjxD+ff0Egfmkb4+oGkYEjjsPuXOVHcasKPwnjNzPX9fZ7IhZ6xZdKGNlBq7U/yj0nudsMm4bDqyhtdFRZE+Xjong5WrSbnAXv1laXo4xPZ0EzPFDzBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50cEowHRIATCnOXk6ggLzpwPYOBncCVbpfAcQUUgyFEoJIA5BKBC9YLHO7EspuhcCAwEAaOCASUwggEhMAkGA1UdEwQCMAAwCwYDVR0PBAQDAGQ0MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnbi5jb20vRGlnaXRhbGZlZXJpbmdzc3R5cmVsc2VvUGlsb3R3PCVvUEVQUE9MQUONDRVNTUE9JTIRDQS9
MYXRlc3RDUkwuY3JsMB8GA1UdIwQYMBaAFPeWixlMruJWlQC+hv16R6ydygV1MB0GA1UdDgQWBRRNqsVP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQQQuMwwKgYIKw
YBBQUHMAAGGhmh0dHA6Ly9waWxvdC1vY3NwLnZlcmllzaWduLmNvbTATBGNVHSUEDDAKBggrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59njeKxQEIQZ9NjM
HvuFLQ+N3PAIHBU5Evq1q382Rp7ZpQ8hxoqQy94nASP5vrklzWDbzdSo0WoeVfaal2nvlP8e4fCSBEJ4M0M0GgyqB6y+txMXbh+g00YmYmo70i0XDcSIWFfjgpAyzEuK0yFKMuU7zyIRP
H4FeTXrkleDnoSb+ptwYtmLKZSSqVJeeLGYTWmWu97i1idxtwZkQr/xZJHf2j7JFuo/Xr9ongBnJuxq6fdS3xLTrDNj2oPc+esE0EZ7z7oBXgnjdLAAgRtxcmpFg+mCkuLsux/sVYUhGucuW
0i9Y2uLLC+8stZuDakREQoPETgJ0bQ==
2018-04-16 10:59:40,059: INFO - > Initialize the Adapters
2018-04-16 10:59:40,065: INFO - Call start test on NULLWRAPPER
2018-04-16 10:59:40,070: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:59:40,075: INFO - > RUN RIVET 0
2018-04-16 10:59:40,080: DEBUG - Assign free vars
2018-04-16 10:59:40,090: INFO - GET command: http://212.49.145.16/iso6523-case-insensitive::uariominder
2018-04-16 10:59:40,184: INFO - ----- Check one: URL is of correct format-----
2018-04-16 10:59:40,189: INFO - ----- Check two: URL is of correct format-----
2018-04-16 10:59:40,194: INFO - -----
2018-04-16 10:59:40,199: INFO - ----- Test Passed -----
2018-04-16 10:59:40,205: INFO - -----
2018-04-16 10:59:40,210: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:59:40,215: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:59:40,220: INFO - < Rivet finished successfully
2018-04-16 10:59:40,225: INFO - -----
2018-04-16 10:59:40,231: INFO - Test #20930 Finished
```

Test Report - eSENS_SMP_TA11

Overview

Test Group:	e-SENS SMP Test Assertions
Test Assertion:	eSENS_SMP_TA11
Test Case:	eSENS_SMP_TA11_TC01
User:	Jose Escobar
Date:	2018.04.16 10:58:58
System(s) Tested:	

Result:	Successful 
----------------	--

Test Assertion Details

TAID:	eSENS_SMP_TA11
Target:	participant identifier scheme percentage encoding URL
Normative Source:	[OASIS SMP 2.4.5.3] "In a URL, the string represented by «{identifier scheme}::{id}» MUST be percent encoded following and the guidelines given above."
Prescription Level:	Mandatory
Prerequisite:	the sender constructs a URL containing a string: {identifier scheme}::{id} that is percent encoded (replace ":" separator by "%3a" and "#" by "%23")
Predicate:	the SMP returns the requested information
Variables:	
Tag:	participant identifier scheme, percentage encoding

Log

```
2018-04-16 10:58:59,170: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:58:59,176: INFO - Start Test
2018-04-16 10:58:59,181: INFO - Initialize test case
2018-04-16 10:58:59,187: DEBUG - Parameters
2018-04-16 10:58:59,192: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:uariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:uariominderredirect
ID_MULTIPLE_ENDPOINTS:uariominderendpoint
ID_IDENTIFIER:uarioMinder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_SCHEME_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIBAgIQA5b3TNSKa7/94uocarI0WTANBgkqhkiG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeTkFUSU9OQUwgSVQgQU5EIFRTE
VDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IjVEVTVCBQVWVJQT1NFUyBPTkxZMSQwIlgYDVQDExtQRVBTQ0wgQUINDRVNTIFBPSU5UIFRFU1QgQ0EwHhcNMjcwMjA4MjA4MjA4
wWhcNMTkwMjA4MjA4MjA4OTU5WjA3MQswCQYDVQQGEwJFUzEPMA0GA1UECgwGRWRpY29tMRcwFQYDVQQDDA5BUFBfMTAwMDAwMDMwMTCCASiWdQYJKoZIhvcNAQEBBQAD
ggEPADCCAQoCggEBAMLVL Tsaaa7KV414guD/xShCHo8SzfAP64Plv8kCr3cmlHUxmLwB7nbd/92cr4QgDAd1qvhxlULjBPv3Pp/eW6MpE6IYBVT/2om3N4TsuHkK2KickQHizrDVI9n8
1cgPvmjxD+ff0EgfMkb4+oGkYEjSPuXOVHcasKPwnjNzPX9fZ7ilHz6xDzKGNqIBq7U/yj0nudsMm4bDqyhtdFRZE+Xjong5WrSbnAXv1laXo4xPZ0EzPFDrZbnKaXweFHMIC067u/6FIXb
nkYOD1G9q50cEowHRIATCnOXk6ggLzpwPYOBncCVbpfAcQUUgyFEoJIA5BKBC9YLHO7EspuhcCAwEAaOCASUwggEhMAkGA1UdEwQCMAAwCwYDVR0PBAQDAGQ0MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnb2V2vRGlNaXRhbGZlZXJpbmdzc3R5cmVsc2VvUjUjS3R3PCVUUEVQUE9MQUINDRVNTUE9JTIRDQS9
MYXRlc3RDUkwuY3JsMB8GA1UdIwQYMBaAFPeWixlMrUJWlQC+hv16R6ydygV1MB0GA1UdDgQWBWRNqsVP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQQumCwwKgYIKw
YBBQUHMAAGGhmh0dHA6Ly9waWxvdC1vY3NwLnZlcmllzaWduLmNvbTAtATBGNVHSUEDDAKBggrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59fjeKxQEIqZ9NjM
HvuFLQ+N3PAIHBU5Evq1q382R7ZpQ8hxogQy94nASP5vrklzWDbzdSo0WoeVfaal2nvlP8e4fCSBEJ40M0GgyqB6y+txMxbh+g00YmYmo70i0XDcSIWFfjgpAyzEuK0yFKMuU7zyIRP
H4FeTXrkleDnoSb+ptwYtmLKZS5qVJeeLGYTWmWu97i1idxtwZkQr/xZJHf2j7Fuo/Xr9ongBnJuxq6dfS3xLTrDNj2oPc+esE0EZ7z7oBXgnjdLAAgRtxcmpFg+mCkuLsux/sVYUhGucuW
0i9Y2uLLC+8stZuDakREQoPETgJ0bQ==
2018-04-16 10:58:59,197: INFO - > Initialize the Adapters
2018-04-16 10:58:59,203: INFO - Call start test on NULLWRAPPER
2018-04-16 10:58:59,208: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:58:59,213: INFO - > RUN RIVET 0
2018-04-16 10:58:59,218: DEBUG - Assign free vars
2018-04-16 10:58:59,228: INFO - GET command: http://212.49.145.16/iso6523-case-insensitive::uariominder
2018-04-16 10:58:59,318: INFO - statuscode: 200
2018-04-16 10:58:59,464: INFO - -----
2018-04-16 10:58:59,469: INFO - ----- Test Passed -----
2018-04-16 10:58:59,474: INFO - -----
2018-04-16 10:58:59,480: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:59,485: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:59,490: INFO - < Rivet finished sucessfully
2018-04-16 10:58:59,495: INFO - -----
2018-04-16 10:58:59,501: INFO - Test #20921 Finished
```

Test Report - eSENS_SMP_TA12

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA12
Test Case: eSENS_SMP_TA12_TC01
User: Jose Escobar
Date: 2018.04.16 10:58:27
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA12
Target: participant identifier processing
Normative Source: [OASIS SMP 2.4.5.3] "When processing a participant identifier in an URL, it MUST be treated as case insensitive."
Prescription Level: Mandatory
Prerequisite: the sender constructs a URL containing a participant identifier
Predicate: the processing of the participant identifier is treated as case insensitive
Variables:
Tag: participant identifier

Log

```
2018-04-16 10:58:28,629: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:58:28,634: INFO - Start Test
2018-04-16 10:58:28,639: INFO - Initialize test case
2018-04-16 10:58:28,645: DEBUG - Parameters
2018-04-16 10:58:28,650: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:uariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:uariominderredirect
ID_MULTIPLE_ENDPOINTS:uariominderendpoint
ID_IDENTIFIER:uarioMinder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_SCHEME_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIBAgIQA5b3TNSKa7/94uocarI0WTANBqkqhkIG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeTkJFUSU9OQUwgSVQgQU5EIFRTE
VDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IjVEVTVCBQVWVJQT1NFUyBPTkxZMSQwIGYDVQQDEXRVBQ0T0wGQUINDRVNTIFBPSU5UIFRFU1QgQ0EwHhcNMjcwMjA4MDAwMDA
wWhcNMTkwMjA4MjM1OTU5WjA3MQswCQYDVQQGEwJFZUzEPMA0GA1UECmGWRWRpY29tMRcwFQYDVQQDDA5BUFBMTAwMDAwMDMwMTCCASiWdQYJKoZIhvcNAQEBBQAD
ggEPADCCAQoCggEBAMLVL Tsaaa7KV414guD/xShCHo8SzfAP64Plv8kCr3cmiHUXmLwB7nbd/92cr4QgDAd1qvhxlULjBPv3Pp/eW6MpE6IYBVT/2om3N4TsuHkK2KickQHizrDVI9n8
1cgPvmjD+ff0EgfmKb4+oGkYEjjsPUXOVHcasKPwnjNzPX9fZ7IhZ6xZKGNQlBq7U/y0nudsMm4bDqyhtdFRZE+XJong5WrSBnAXv1laXo4xPZ0EzPFDzBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50cEowHRIATCnOXk6ggLzpwPYOBncCVbpfAcUUGyFEoJIA5BKBC9YLHO7EspuhcCAwEAaOCASUwggEhMAKGA1UdEwQCAAwCwYDVR0PBAQDAGQ0MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnb5jb20vRGlnaXRhbGZlZXJpbmdzc3R5cmVsc2VuUGlsb3R3PCVUUEVQUE9MQUNDRVNTUE9JTIRDQS9
MYXRlc3RDUkwuY3JsMB8GA1UdIwQYMBaAFPeWixlMrUJWlQC+hv16R6ydygV1MB0GA1UdDgQWBWRNqsVP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQQuMkwYIKw
YBBQUHMAAGHmh0dHA6Ly9waWxvdC1vY3NwLnZlcmllZaWduLmNvbTAtATBGNVHSUEDDAKBggrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59fjeKxQEIqZ9NjM
HvuFLQ+N3PAIHBU5Evq1q382Rp7ZpQ8hxoqQy94nASP5vrklzWDbzdSo0WoeVfaal2nvlP8e4fCSBEJ40M0GQyqB6y+txMXbh+g00YmYmo70i0XDcSIWFfjgpAyzEuK0yFKMuU7yziRP
H4FeTXrkleDnoSb+ptwYtmLKZS5qVJeeLGYTWmWu97i1idxtwZkQr/xZJHf2j7JFuoXr9ongBnJuxq6fd3xLTrDNj2oPc+esE0EZ7z7oBXgnjdLAAgRtxcmpFg+mCkuLsux/sVYUhGucuW
0i9Y2uLLC+8stZuDakREQoPETgJ0bQ==
2018-04-16 10:58:28,655: INFO - > Initialize the Adapters
2018-04-16 10:58:28,661: INFO - Call start test on NULLWRAPPER
2018-04-16 10:58:28,666: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:58:28,671: INFO - > RUN RIVET 0
2018-04-16 10:58:28,676: DEBUG - Assign free vars
2018-04-16 10:58:28,686: INFO - Creating command: http://212.49.145.16/iso6523-case-insensitive%3a%3auarioMinder2
2018-04-16 10:58:28,785: INFO - statuscode: 200
2018-04-16 10:58:28,790: INFO - Creating command: http://212.49.145.16/iso6523-case-insensitive%3a%3aUSUARIOMINDER2
2018-04-16 10:58:28,959: INFO - statuscode: 200
2018-04-16 10:58:28,964: INFO - Creating command: http://212.49.145.16/iso6523-case-insensitive%3a%3aUSUARIOMINDER2
2018-04-16 10:58:29,114: INFO - statuscode: 200
2018-04-16 10:58:29,557: INFO - -----
2018-04-16 10:58:29,563: INFO - ----- Test Passed -----
2018-04-16 10:58:29,568: INFO - -----
2018-04-16 10:58:29,573: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:29,578: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:29,584: INFO - < Rivet finished sucessfully
2018-04-16 10:58:29,589: INFO - -----
2018-04-16 10:58:29,594: INFO - Test #20910 Finished
```

Test Report - eSENS_SMP_TA13

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA13
Test Case: eSENS_SMP_TA13_TC01
User: Jose Escobar
Date: 2018.04.16 10:58:30
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA13
Target: document identifier scheme format
Normative Source: [OASIS SMP 2.4.6] "The scheme of the document identifier MUST be in the form of a URI."
Prescription Level: Mandatory
Prerequisite: the sender constructs a URL containing a document identifier
Predicate: the scheme of the document identifier is in the form of a URI
Variables:
Tag: document identifier scheme, URI

Test Report - eSENS_SMP_TA14

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA14
Test Case: eSENS_SMP_TA14_TC01
User: Jose Escobar
Date: 2018.04.16 10:58:33
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA14
Target: document identifier in XML format
Normative Source: [OASIS SMP 2.4.6] "When processing a document identifier in XML format, it MUST be treated as case insensitive."
Prescription Level: Mandatory
Prerequisite: the sender constructs a URL containing a document identifier in XML format
Predicate: the server processes the request regardless of the case formatting of the doc id
Variables:
Tag: document identifier, XML format

Log

```
2018-04-16 10:58:34,186: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:58:34,191: INFO - Start Test
2018-04-16 10:58:34,196: INFO - Initialize test case
2018-04-16 10:58:34,202: DEBUG - Parameters
2018-04-16 10:58:34,208: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:uariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:uariominderredirect
ID_MULTIPLE_ENDPOINTS:uariominderendpoint
ID_IDENTIFIER:uarioMinder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_SCHEME_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIBAgIQA5b3TNSKa7/94uocarI0WTANBqkqkhiG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeTfFUSU9OQUwgSVQgQU5EIFRFRTE
VDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IjVEVTVCBQVWVJQVJQNTNFUyBPTkxZMSQwIGYDVQQDEXRVRBQ0w0wGQUNDRVNTIFBPSU5UIFRFRU1QgQ0EwHhcNMjcwMjA4MDAwMDA
wWhcNMTkwMjA4MjM1OTU5WjA3MQswCQYDVQQGEwJFZUzEPMA0GA1UECmGWRWRpY29tMRcwFQYDVQQDDA5BUFBfMTAwMDAwMDMwMTCCASiWdQYJKoZIhvcNAQEBBQAD
ggEPADCCAQoCggEBAMLVL Tsaaa7KV414guD/xShCHo8SzfAP64Plv8kCr3cmiHUXmLwB7nbd92cr4QgDAd1qvhxlULjBPv3Pp/eW6MpE6IYBVT/2om3N4TsuHkK2KickQHizrDVI9n8
1cgPvmjD+ff0EgfmKb4+oGkYEjjsPUXOVHcasKPwnjNzPX9fZ7ilhZ6xZKGNQlBq7U/y0nudsMm4bDqyhtdFRZE+Xjong5WrSBnAXv1laXo4xPZ0EzPFDzBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50EowHRIATCnOXk6ggLzpwPYOBncCVbpfAcUUgyFEoJIA5BKBC9YLHO7EspuhcCAwEAaOCASUwggEhMAkGA1UdEwQCMAAwCwYDVR0PBADAgO4MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnbi5jb20vRGlnaXRhbGZlZXJpbmdzc3R5cmVsc2VuUGlsb3R3PCVUUEVQUE9MQUNDRVNTUE9JTIRDQS9
MYXRlc3RDUkwuY3JsMB8GA1UdlwQYMBaAFPeWixlMrUJWlQC+hv16R6ydygV1MB0GA1UdDgQWBWRNqsvP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQUmCwwKgYIKw
YBBQUHMAAGGhmh0dHA6Ly9waWxvdC1vY3NwLnZlcmlzaWduLmNvbTAtATBGNVHSUEDDAKBggrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59fjeKxQEIQZ9NjM
HvuFLQ+N3PAIHBU5Evq1q382Rp7ZpQ8hxoqQy94nASP5vrklzwDbzdSo0WoeVfaal2nvlP8e4fCSBEJ40M0GQyqB6y+txMXbh+g00YmYmo70i0XDCsIWFfjgpAyzEuK0yFKMuU7zyIRP
H4FeTXrkleDnoSb+ptwYtmLKZS5qVJeeLGYTWmWu97i1idxtwZkQr/xZJHf2j7JFuoXr9ongBnJuxq6fdS3xLTrDNj2oPc+esE0EZ7z7oBXgnjdLAAgRtxcmpFg+mCkuLsux/sVYUhgucuW
0i9Y2uLLC+8stZuDakREQoPETgJ0bQ==
2018-04-16 10:58:34,213: INFO - > Initialize the Adapters
2018-04-16 10:58:34,218: INFO - Call start test on NULLWRAPPER
2018-04-16 10:58:34,223: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:58:34,228: INFO - > RUN RIVET 0
2018-04-16 10:58:34,234: DEBUG - Assign free vars
2018-04-16 10:58:34,244: INFO - Creating command: http://212.49.145.16/iso6523-case-insensitive%3a%3ausuariominder/services/case-insensitive%3a%3adocumentoMinder
2018-04-16 10:58:34,373: INFO - statuscode: 200
2018-04-16 10:58:34,378: INFO - Creating command: http://212.49.145.16/iso6523-case-insensitive%3a%3ausuariominder/services/case-insensitive%3a%3adOCUMENTOMINDER
2018-04-16 10:58:34,654: INFO - statuscode: 200
2018-04-16 10:58:34,659: INFO - Creating command: http://212.49.145.16/iso6523-case-insensitive%3a%3ausuariominder/services/case-insensitive%3a%3adocumentominder
2018-04-16 10:58:34,851: INFO - statuscode: 200
2018-04-16 10:58:35,498: INFO - -----
2018-04-16 10:58:35,503: INFO - ----- Test Passed -----
2018-04-16 10:58:35,508: INFO - -----
2018-04-16 10:58:35,513: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:35,519: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:35,524: INFO - < Rivet finished sucessfully
2018-04-16 10:58:35,529: INFO - -----
2018-04-16 10:58:35,534: INFO - Test #20912 Finished
```

Test Report - eSENS_SMP_TA15

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA15
Test Case: eSENS_SMP_TA15_TC01
User: Jose Escobar
Date: 2018.04.16 10:58:36
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA15
Target: HTTP 1.1 support
Normative Source: [OASIS SMP section 3.2] "A service implementing the REST binding MUST support [HTTP 1.1], and MUST set the HTTP "content-type" header and give it a value of "text/xml"."
Prescription Level: Mandatory
Prerequisite: - SMP uses REST as a binding - the client executes a request for info available in the SMP using HTTP 1.1
- the client receives the requested data (check [HTTP 1.1] specification: <http://www.w3.org/Protocols/rfc2616/rfc2616.html>) - the HTTP content-type header is set to "text/xml" in the requested Metadata
Predicate:
Variables:
Tag: REST binding, HTTP1.1

Test Report - eSENS_SMP_TA16

Overview

Test Group:	e-SENS SMP Test Assertions
Test Assertion:	eSENS_SMP_TA16
Test Case:	eSENS_SMP_TA16_TC01
User:	Jose Escobar
Date:	2018.04.16 10:58:39
System(s) Tested:	

Result:	Successful 
----------------	--

Test Assertion Details

TAID:	eSENS_SMP_TA16
Target:	HTTP GET - Service Group
Normative Source:	[OASIS SMP section 3] "HTTP GET operations MUST return the status code 200 if the resource is retrieved correctly."
Prescription Level:	Mandatory
Prerequisite:	<ul style="list-style-type: none">- SMP uses REST as a binding - the ServiceGroup exists on the SMP - the URI is constructed like: <code>://{hostname}/{identifier scheme}:::id</code> - the sender requests the ServiceGroup from the SMP and the resource is retrieved correctly- HTTP GET returns status code 200 - The returned content holds the Participant Identifier of the recipient, and a list of references to individual ServiceMetadata resources that are associated with that participant identifier
Predicate:	
Variables:	
Tag:	REST binding, HTTP GET, Service Group, URI

Log

```
2018-04-16 10:58:40,599: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:58:40,604: INFO - Start Test
2018-04-16 10:58:40,610: INFO - Initialize test case
2018-04-16 10:58:40,615: DEBUG - Parameters
2018-04-16 10:58:40,621: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:uariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:uariominderredirect
ID_MULTIPLE_ENDPOINTS:uariominderendpoint
ID_IDENTIFIER:uarioMinder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_SCHEME_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIBAgIQA5b3TNSKa7/94uocarI0WTANBqkqhkiG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeTkJFUSU9OQUwgSVQgQU5EIFRTE
VDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IjVEVTVCBQVWVJQT1NFUyBPTkxZMSQwIlgYDVQDEExtQVRVBQ0wQUNDRVNTIFBPSU5UIFRFU1QgQ0EwHhcNMjc0MDAwMDAw
wWhcNMTkwMjA4MjM1OTU5WjA3MzQswCQYDVQQGEwJFZUzEPMA0GA1UECgwGRWRpY29tMRcwFQYDVQDDA5BUFBfMTAwMDAwMDMwMTCCASiWdQYJKoZIhvcNAQEBBQAD
ggEPADCCAQoCggEBAMLVL Tsaaa7KV414guD/xShCHo8SzfAP64Plv8kCr3cmiHUXmLwB7nbd/92cr4QgDAd1qvhxlULjBPv3Pp/eW6MpE6IYBVT/2om3N4TsuHkK2KickQHizrDVI9n8
1cgPvmjxD+ff0EgfMkb4+oGkYEjSPuXOVHcasKPwnjNzPX9fZ7ilhZ6xKzKGNQlBq7U/yj0nudsMm4bDqyhtdFRZE+Xjong5WrSbnAXv1laXo4xPZ0EzPFDzBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50cEowHRIATCnOXk6ggLzpwPYOBncCVbpfAcQUUgyFEoJIA5BKBC9YLHO7EspuhcCAwEAaOCASUwggEhMAkGA1UdEwQCMAAwCwYDVR0PBAQDAGQ0MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnb5jb20vRGlnaXRhbGlzZXJpbmdzc3R5cmVsc2VuUGlsb3R3PcGvUUEVQUE9MQUNDRVNTUE9JTIRDQS9
MYXRlc3RDUkwuY3JsMB8GA1UdlwQYMBaAFPeWixIMruJWlQC+hv16R6ydygV1MB0GA1UdDgQWBWRNqsvP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQQQuMwwKgYIKw
YBBQUHMAAGGhmh0dHA6Ly9waWxvdC1vY3NwLnZlcmllzaWduLmNvbTATBgNVHSUEDDAKBggrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59fjeKxQElqZ9NjM
HvuFLQ+N3PAIHBU5Evq1q382R7ZpQ8hxoqQy94nASP5vrklzWDbzdSo0WoeVfaal2nvlP8e4fCSBEJ40M0GgyqB6y+txMXbh+g00YmYmo70i0XDCsIWFfjgpAyzEuK0yFKMuU7yziRP
H4FeTXrkleDnoSb+ptwYtmLKZS5qVJeeLGYTWmWu97i1idxtwZkQr/xZJHf2j7JFu0Xr9ongBnJuxq6fdS3xLTrDNj2oPc+esE0EZ7z7oBXgnjdLAAgRtxcmpFg+mCkuLsux/sVYUhgucuW
0t9Y2uLLC+8stZuDakREQoPETgJ0bQ==
2018-04-16 10:58:40,626: INFO - > Initialize the Adapters
2018-04-16 10:58:40,631: INFO - Call start test on NULLWRAPPER
2018-04-16 10:58:40,636: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:58:40,642: INFO - > RUN RIVET 0
2018-04-16 10:58:40,647: DEBUG - Assign free vars
2018-04-16 10:58:40,656: INFO - GET command: http://212.49.145.16/iso6523-case-insensitive%3a%3auariominder
2018-04-16 10:58:40,816: INFO - ===== STATUS CODE =====
2018-04-16 10:58:40,821: INFO - statuscode: 200
2018-04-16 10:58:40,826: INFO - ===== STATUS CODE =====
2018-04-16 10:58:40,832: INFO - -----
2018-04-16 10:58:40,837: INFO - ----- Test Passed -----
2018-04-16 10:58:40,842: INFO - -----
2018-04-16 10:58:40,847: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:40,852: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:40,858: INFO - < Rivet finished successfully
2018-04-16 10:58:40,863: INFO - -----
2018-04-16 10:58:40,868: INFO - Test #20914 Finished
```

Test Report - eSENS_SMP_TA17

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA17
Test Case: eSENS_SMP_TA17_TC01
User: Jose Escobar
Date: 2018.04.16 10:58:42
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA17
Target: HTTP GET - Signed Service Metadata
Normative Source: [OASIS SMP section 3] "HTTP GET operations MUST return the status code 200 if the resource is retrieved correctly."
Prescription Level: Mandatory
Prerequisite:
- SMP uses REST as a binding - the SignedServiceMetadata exists on the SMP - the URI is constructed like:://{hostname}/{identifier scheme}::{id} - the sender requests metadata from the SMP and the resource is retrieved correctly
Predicate:
- HTTP GET returns status code 200 - The returned content holds all of the metadata about a Service, or a redirection URL to another Service Metadata Publisher holding this information
Variables:
Tag: REST binding, HTTP GET, Signed Service Metadata, URI

Log

```
2018-04-16 10:58:43,163: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:58:43,168: INFO - Start Test
2018-04-16 10:58:43,173: INFO - Initialize test case
2018-04-16 10:58:43,179: DEBUG - Parameters
2018-04-16 10:58:43,184: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:usuariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:usuariominderredirect
ID_MULTIPLE_ENDPOINTS:usuariominderendpoint
ID_IDENTIFIER:usuariominder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_IDENTIFIER_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIBAgIQ5b3TNSKa7/94uocarI0WTANBgkqhkiG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeT�FUSU9OQUwqSVQgQU5EIFRFE
VDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IgdGVVTVCBQVJQJ1NFUyBPTkxZMSQwIlgYDVQDEExtQRVBQT0wqQUINDRVNTIFBPSU5UIFRFU1QgQ0EwHhcNMTCwMjA4MDAwMDA
wWbcNMTkwMjA4MjM1OTU5WjA3MzQwCQYDVQGEwJFJUEPMA0GA1UECgwGRWRpY29tMRcwFQYDVQDDA5BUFBfMTAwMDAwMDMwMTCCASiWdQYJKoZIhvcNAQEBBQAD
ggEPADCCAQoCggEBAMLVLTsaaa7KV414guD/xShChO8SzfAP64Plv8kCr3cmIHUxLwB7nbd/92cr4QgDA1d1qvhxlULjBPv3Pp/eW6Mpe6YBVT/2om3N4TsuHkK2KickQHizrDVI9n8
1cgPvmjxD+ff0Egfmk4+oGkYEjSPuXOVHcasKPwnjNzPX9fZ7ihZ6xDzKGNQIBq7U/yj0nudsMm4bDqyhtdFRZE+Xjong5WrSBnAXv1laXo4XPZ0EzPFDrZBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50cEowHRIATCnOXk6ggLzpwPYOBncCvbpAcQUUgyFEoJIA5BKBC9YLHO7EspuhcAweEAaOCASUwggEhMAKGA1UdEwQCAAAwCwYDVROPAQADAgO4MHYGA1U
dHwRwMG0a6BpoGeGZWh0dHA6L1y9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnbi5jb20vRGlnaXRhbGZlZXJpbmdzc3R5cmVsc2VUUGlsb3R3PCVUUEVQUE9MQUNDRVNTUE9JTIRDS9
MYXRic3RDUkwyY3JsMB8GA1UdlwQYMBaAFPeWixIMruJWlQC+hv16R6ydygV1MB0GA1UdDgQWBWRNqsvP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQQuMwCwKgYIKW
YBBQUHMAAGGhmh0dHA6L1y9waWxvdC1vY3NwLnZicmlzaWduLmNvbTATBGNVHSUEDDAKBGgrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59fjKxQEIqZ9NjM
HvuFLQ+N3PAIHBU5Evq1q382R7ZpQ8hxogQy94nASP5vrklzDbzdSoWoeVfaal2nvlP8e4fCSBEJ40M0GQyqB6y+txMxbh+g00YmYmo70i0XDCSIWFfjqpAyzEuK0yFKMuU7zyIRP
H4FeTxRkleDnoSb+ptwYtmLKZSSqVJeeLGYTWmWu97i1dxtwZkqr/xZJHf2j7Jfuo/Xr9ongBnJuxq6df3xLrDNj2oPc+esE0EZ7z7oBxgnjdLAAgRtxcmpFg+mCkuLsux/sYYUHgucuW
0t9Y2uLLC+8stZuDakReQoPETgJ0bQ==
2018-04-16 10:58:43,190: INFO - > Initialize the Adapters
2018-04-16 10:58:43,195: INFO - Call start test on NULLWRAPPER
2018-04-16 10:58:43,200: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:58:43,205: INFO - > RUN RIVET 0
2018-04-16 10:58:43,211: DEBUG - Assign free vars
2018-04-16 10:58:43,221: INFO - GET command: http://212.49.145.16/iso6523-case-insensitive%3a%3ausuariominder/services/case-insensitive%3a%3adocumentoMinder
2018-04-16 10:58:43,353: INFO - <?xml version="1.0" encoding="UTF-8"?>
<bdx:SignedServiceMetadata xmlns:bdx="http://docs.oasis-open.org/bdx/ns/SMP2016/05"
xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
<bdx:ServiceMetadata>
<bdx:ServiceInformation>
<bdx:ParticipantIdentifier scheme="iso6523-case-insensitive">usuariominder</bdx:ParticipantIdentifier>
<bdx:DocumentIdentifier scheme="case-insensitive">documentoMinder</bdx:DocumentIdentifier>
<bdx:ProcessList>
<bdx:Process>
<bdx:ProcessIdentifier scheme="cenbii-procid-ubl">urn:www.cenbii.eu:profile:bii03:ver2.0</bdx:ProcessIdentifier>
<bdx:ServiceEndpointList>
<bdx:Endpoint transportProfile="busdox-transport-as2-ver1p0">
<bdx:EndpointURI>https://eastest.sedeb2b.com:9014/AS2SERVER</bdx:EndpointURI>
<bdx:RequireBusinessLevelSignature>false</bdx:RequireBusinessLevelSignature>
<bdx:MinimumAuthenticationLevel>1</bdx:MinimumAuthenticationLevel>
<bdx:ServiceActivationDate>2017-02-08T00:34:57.000</bdx:ServiceActivationDate>
<bdx:ServiceExpirationDate>2019-02-08T00:34:57.000</bdx:ServiceExpirationDate>
<bdx:Certificates>MIIEZTCCA02gAwIBAgIQ5b3TNSKa7/94uocarI0WTANBgkqhkiG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeT�FUSU9OQUwqSVQgQU5EIFRFE
TEVD00gQUdFTkNZMR8wHQYDVQQLExZGT1IgdGVVTVCBQVJQJ1NFUyBPTkxZMSQwIlgYDVQDEExtQRVBQT0wqQUINDRVNTIFBPSU5UIFRFU1QgQ0EwHhcNMTCwMjA4MDAwMDA
AwWbcNMTkwMjA4MjM1OTU5WjA3MzQwCQYDVQGEwJFJUEPMA0GA1UECgwGRWRpY29tMRcwFQYDVQDDA5BUFBfMTAwMDAwMDMwMTCCASiWdQYJKoZIhvcNAQEBBQAD
DggEPADCCAQoCggEBAMLVLTsaaa7KV414guD/xShChO8SzfAP64Plv8kCr3cmIHUxLwB7nbd/92cr4QgDA1d1qvhxlULjBPv3Pp/eW6Mpe6YBVT/2om3N4TsuHkK2KickQHizrDVI9n8
81cgPvmjxD+ff0Egfmk4+oGkYEjSPuXOVHcasKPwnjNzPX9fZ7ihZ6xDzKGNQIBq7U/yj0nudsMm4bDqyhtdFRZE+Xjong5WrSBnAXv1laXo4XPZ0EzPFDrZBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50cEowHRIATCnOXk6ggLzpwPYOBncCvbpAcQUUgyFEoJIA5BKBC9YLHO7EspuhcAweEAaOCASUwggEhMAKGA1UdEwQCAAAwCwYDVROPAQADAgO4MHYGA1U
dHwRwMG0a6BpoGeGZWh0dHA6L1y9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnbi5jb20vRGlnaXRhbGZlZXJpbmdzc3R5cmVsc2VUUGlsb3R3PCVUUEVQUE9MQUNDRVNTUE9JTIRDS9
MYXRic3RDUkwyY3JsMB8GA1UdlwQYMBaAFPeWixIMruJWlQC+hv16R6ydygV1MB0GA1UdDgQWBWRNqsvP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQQuMwCwKgYIKW
YBBQUHMAAGGhmh0dHA6L1y9waWxvdC1vY3NwLnZicmlzaWduLmNvbTATBGNVHSUEDDAKBGgrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59fjKxQEIqZ9NjM
HvuFLQ+N3PAIHBU5Evq1q382R7ZpQ8hxogQy94nASP5vrklzDbzdSoWoeVfaal2nvlP8e4fCSBEJ40M0GQyqB6y+txMxbh+g00YmYmo70i0XDCSIWFfjqpAyzEuK0yFKMuU7zyIRP
H4FeTxRkleDnoSb+ptwYtmLKZSSqVJeeLGYTWmWu97i1dxtwZkqr/xZJHf2j7Jfuo/Xr9ongBnJuxq6df3xLrDNj2oPc+esE0EZ7z7oBxgnjdLAAgRtxcmpFg+mCkuLsux/sYYUHgucuW
0t9Y2uLLC+8stZuDakReQoPETgJ0bQ==</bdx:Certificate>
<bdx:ServiceDescription>Test ap</bdx:ServiceDescription>
<bdx:TechnicalContactUrl>Jose Escobar</bdx:TechnicalContactUrl>
<bdx:TechnicalInformationUrl>jescobar@edicomgroup.com</bdx:TechnicalInformationUrl>
</bdx:Endpoint>
</bdx:ServiceEndpointList>
</bdx:Process>
</bdx:ProcessList>
</bdx:ServiceInformation>
</bdx:ServiceMetadata>
<Signature xmlns="http://www.w3.org/2000/09/xmldsig#">
<SignedInfo>
<CanonicalizationMethod Algorithm="http://www.w3.org/TR/2001/REC-xml-c14n-20010315"/>
<SignatureMethod Algorithm="http://www.w3.org/2001/04/xmldsig-more#rsa-sha256"/>
<Reference URI="">
<Transforms>
<Transform Algorithm="http://www.w3.org/2000/09/xmldsig#enveloped-signature"/>
</Transforms>
<DigestMethod Algorithm="http://www.w3.org/2001/04/xmllenc#sha256"/>

```

<DigestValue>nzVryYzZ1u8ExkG7MqRX6Fz2qsiyfuE/yhFIJQmu4hY=</DigestValue>
</Reference>
</SignedInfo>
<SignatureValue>IE4lzSvyhA/18IQEnoNlegTBvM6eoOnGrZXD+cYrd5LJaUwgrRB4gGSYKp4yHKyf1jz/GIQKluEVPcolCrdCI5mt77pJXTBhAWMwzqKb2r/6GZ5AbbVgsIIW/yPTNVgS3DM7wPU80vJzyQmZM5rYeeHDo1NNfKhZSJ7qkX2Z5+2JU2vcsqdbqEKMgYojK6s7d2ECyDxXofHrpESmKA9c+OgPUsFY3SvfYQQKTvDrLZCISMDVpEOnN+JV9BmY3D1hpyqwcsO7+oxDs+RsNboUx0o37JEqtDuJvRnotY/BH7+iafrWNbTi0Ehkk+plycG8LRzQkIKBsqPPtN04g==</SignatureValue>
<KeyInfo>
<X509Data>
<X509SubjectName>CN=SMP_2000000376,O=Edicom,C=ES</X509SubjectName>
<X509Certificate>MIIEGjCCA2qgAwIBAgIUzK/Avtm9kUXIDInC3blZDANBgkqhkiG9w0BAQsFADCBizELMAkGA1UEBhMCRESxJzAIBGNVBAoThk5BVEIPTkMIEIUIEFORCBURUxwFQ09NIEFHRU5DWTEfMB0GA1UECzMWRk9SIFRFRU1QgUFVSUe9MIFNFUIZJQ0UgTUUVUURBVEEgUFVCTEITSEVSIFRFRU1QgQ0EwHhcNMTgwMjEzMDAwMDAwWhcNMTkwMjEzMTU1OTU5WjA3MQswCQYDVQGEwJFuzEPMA0GA1UECgwGRWRpY29tMRcwFQYDVQDDA5TTVBfMjAwMDAwMDM3NjCCASiWdQYJKoZIhvcNAQEBBQADggEPADCCAQoCggEBAOLxiYQwGtGxqLcV0i5R05538ySK7ALM1UxxjblL0K7o/HiggVBurEMxVGWEGiP1QD0oLsSZD0ldi7yOIC4MnZKxnmPK7RcgmGrcE9pqfZUnSzV00N28MxBuPeCKmTWy5KuZvD/9z0+HPrxMVIWC245xP1SABgebj+IQJ+c8tK5ky+eUYZGxcXZhtYgx60MYw+YuS8A54YSX67JAjq7bYOcKK/E52oXYsk+iuQDmbipn7hoYfVYJZ9hL6K8h+7OVbjwO2kfO/ScU9648d+jxKRNQ0Sa/nifjZhsNy8hndCXcJGJQc0NdhNu+8EP0gJxIj6J7aVOGjDyo8Kqle/qcCAwEAAaOCATMwggEVMakGA1UdEwQCMAAwCwYDVRO0PBAQDAgO4MIGDBgNVHR8EFDB6MHidgdB0hnJodHRwOi8vcGlzb3RvbnpdGVjcmwudmVyaXNpZ24uY29tL0R0p2Zl0YWxpc2VyaW5nc3N0eXJlbHNlbiBpbG90T3Bib1BfUFBPTnFUIZJQ0VNRVRBREUFQVVBQkxJU0hFUkNBL0xhdGVzdENSTC5jcmwvHwYDVRO0BBGwFoAU4MeFQDU6/Rzz9l7CHzDQ8mShAncwHQYDVRO0BBYEFJrFmUIE7chUSHU9QrmIfVJSp6S7MDoGCCsGAQUFBwEBBC4wLDAqBggrBgEFBQcwAYYeaHR0cDovL3BpbG90LW9jc3AudmVyaXNpZ24uY29tMBMGA1UdJQMMAoGCCsGAQUFBwMCA0GCSqGSIb3DQEBChUAA4IBAQAAQaPwifmWjGq4EoNZQKfdJM/0+wL6shPTArNLioaqTzPxyYLB0AWel/WP5NROY9FK0Z04vKM4+Y1XM0dUAFnmZcpRqo6ngMVGChLaJvJxBzat9HytBD5tafCS/LI9ILAUleCtnCA XUgwZbPslaaSndOETFe4cSUT1roaEyatNy45hYabf0BGPdklilluPFWITPKdb07LBIaUPAepTbsEfxo1PX2KWyOmeqiSDdBUumV8irsfVitr7Gylc8ZJGMV6dx4vi+K13ZSiJUSiCjFRWPPDesvQSTzx6xpEhY4ZP007qhlXpyWnLPJYpyqKUvQBQXyCtR9HvCgS0wZgT3</X509Certificate>
</X509Data>
</KeyInfo>
</Signature>
</bdx:SignedServiceMetadata>

2018-04-16 10:58:43,363: INFO - ===== STATUS CODE =====
2018-04-16 10:58:43,500: INFO - statuscode: 200
2018-04-16 10:58:43,505: INFO - ===== STATUS CODE =====
2018-04-16 10:58:43,512: INFO - -----
2018-04-16 10:58:43,517: INFO - ----- Test Passed -----
2018-04-16 10:58:43,522: INFO - -----
2018-04-16 10:58:43,527: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:43,533: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:43,538: INFO - < Rivet finished sucessfully
2018-04-16 10:58:43,543: INFO - -----

2018-04-16 10:58:43,548: INFO - Test #20915 Finished

Test Report - eSENS_SMP_TA18

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA18
Test Case: eSENS_SMP_TA18_TC01
User: Jose Escobar
Date: 2018.04.16 10:58:44
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA18
Target: unexisting resource
Normative Source: [OASIS SMP section 3.2] "HTTP GET operations MUST return the status code 404 if a specific resource could not be found. This could for example be the result of a request containing a Participant Identifier that does not exist."
Prescription Level: Mandatory
Prerequisite: - SMP uses REST as a binding - the URI is constructed like: `://{hostname}/{identifier scheme}::{id}` - the sender requests metadata from the SMP but the resource does not exist or is unknown
Predicate: HTTP GET returns status code 404
Variables:
Tag: REST binding, HTTP GET, Servicegroup

Log

```
2018-04-16 10:58:45,616: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:58:45,621: INFO - Start Test
2018-04-16 10:58:45,626: INFO - Initialize test case
2018-04-16 10:58:45,632: DEBUG - Parameters
2018-04-16 10:58:45,637: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:uariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:uariominderredirect
ID_MULTIPLE_ENDPOINTS:uariominderendpoint
ID_IDENTIFIER:uarioMinder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_IDENTIFIER_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIBAgIQA5b3TNSKa7/94uocarI0WTANBqkqkhiG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeTfFUSU9OQUwgSVQgQU5EIFRTE
VDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IgeVEVTVCBQVJQTT1NFUyBPTkxZMSQwIlgYDVQDEExtRQVBTQ0wQUNDRVNTIFBPSU5UIFRFU1QgQ0EwHhcNMjcwMjA4MDAwMDA
wWhcNMTkwMjA4MjM1OTU5WjA3MQswCQYDVQQGEwJFZUzEPMA0GA1UECgWRWRpY29tMRcwFQYDVQQDDA5BUFBfMTAwMDAwMDMwMTCCASiWdQYJKoZIhvcNAQEBBQAD
ggEPADCCAQoCggEBAMLVL Tsaaa7KV414guD/xShCHo8SzfAP64Plv8kCr3cmiHUXmLwB7nbd/92cr4QgDAd1qvhxlULjBPv3Pp/eW6MpE6IYBVT/2om3N4TsuHkK2KickQHizrDVIIm9n8
1cgPvmjxD+ff0EgfMkb4+oGkYEjjsPUXOVHcasKPwnjNzPX9fZ7IhZ6xZKGNQlBq7U/yyn0udsMm4bDqyhtdFRZE+Xjong5WrSbnAXv1laXo4xPZ0EzPFDzBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50cEowHRIATCnOXk6ggLzpwPYOBncCVbpfAcQUUgyFEoJIA5BKBC9YLHO7EspuhcCAwEAaOCASUwggEhMAkGA1UdEwQCMAAwCwYDVR0PBAAQDAG04MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnb2VrGlnaXRhbGZlZXJpbmdzc3R5cmVsc2VuUGlsb3R3PCVUUEVQUE9MQUNDRVNTUE9JTIRDQS9
MYXRlc3RDUkwuY3JsMB8GA1UdIwQYMBaAFPeWixIMruJWlQC+hv16R6ydygV1MB0GA1UdDgQWBWRNqsVP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQQQuMwwKgYIKw
YBBQUHMAAGGhmh0dHA6Ly9waWxvdC1vY3NwLnZicmlzaWduLmNvbTATBGNVHSUEDDAKBggrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59fjeKxQEIQZ9NjM
HvuFLQ+N3PAIHBU5Evq1q382R7ZpQ8hxogQy94nASP5vrklzWDbzdSo0WoeVfaal2nvlP8e4fCSBEJ40M0GgyqB6y+txMxbh+g00YmYmo70i0XDCsIWFfjgpAyzEuK0yFKMuU7zyIRP
H4FeTXrkleDnoSb+ptwYtmLKZS5qVJeeLGYTWmWu97i1idxtwZkQr/xZJHf2j7Fu0Xr9ongBnJuxq6fdS3xLTrDNj2oPc+esE0EZ7z7oBXgnjdLAAgRtxcmpFg+mCkuLsux/sVYUhgucuW
0i9Y2uLLC+8stZuDakREQoPETgJ0bQ==
2018-04-16 10:58:45,642: INFO - > Initialize the Adapters
2018-04-16 10:58:45,647: INFO - Call start test on NULLWRAPPER
2018-04-16 10:58:45,653: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:58:45,658: INFO - > RUN RIVET 0
2018-04-16 10:58:45,663: DEBUG - Assign free vars
2018-04-16 10:58:45,673: INFO - GET command: http://212.49.145.16/iso6523-case-insensitive%3a%3aiso6523-x-x
2018-04-16 10:58:45,807: INFO - statuscode: 404
2018-04-16 10:58:45,812: INFO - -----
2018-04-16 10:58:45,817: INFO - ----- Test Passed -----
2018-04-16 10:58:45,822: INFO - -----
2018-04-16 10:58:45,828: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:45,833: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:45,838: INFO - < Rivet finished successfully
2018-04-16 10:58:45,843: INFO - -----
2018-04-16 10:58:45,849: INFO - Test #20916 Finished
```

Test Report - eSENS_SMP_TA19

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA19
Test Case: eSENS_SMP_TA19_TC01
User: Jose Escobar
Date: 2018.04.16 10:58:46
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA19
Target: redirection HTTP 3xx codes
Normative Source: [OASIS SMP section 3.2] "The service SHOULD NOT use redirection in the manner indicated by the HTTP 3xx codes. Clients are not required to support active redirection."
Prescription Level: Preferred
Prerequisite: - The SMP contains a redirect element for the participant identifier for which the request has been made - SMP uses REST as a binding
- the sender requests metadata from the SMP
Predicate: HTTP GET returns status code 200
Variables:
Tag: REST binding, HTTP GET

Log

```
2018-04-16 10:58:47,906: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:58:47,911: INFO - Start Test
2018-04-16 10:58:47,916: INFO - Initialize test case
2018-04-16 10:58:47,922: DEBUG - Parameters
2018-04-16 10:58:47,927: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:uariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:uariominderredirect
ID_MULTIPLE_ENDPOINTS:uariominderendpoint
ID_IDENTIFIER:uarioMinder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_IDENTIFIER_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIBAgIQA5b3TNSKa7/94uocarI0WTANBqkqhkiG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeTfFUSU9OQUwqSVQgQU5EIFRTE
VDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IjVEVTVCBQVWVJQT1NFUyBPTkxZMSQwIjYDVQQDEXRVBQ0wQgQUNDRVNTIFBPSU5UIFRFU1QgQ0EwHhcNMTCwMjA4MDAwMDAw
wWhcNMTkwMjA4MDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAw
ggEPADCCAQoCggEBAMLVL Tsaaa7KV414guD/xShCHo8SzfAP64Plv8kCr3cmiHUXmLwB7nbd/92cr4QgDAd1qvhxlULjBPv3Pp/eW6MpE6IYBVT/2om3N4TuhKk2KickQHizrDVIIm9n8
1cgPvmjxD+ff0EgfmKb4+oGkYEjjsPUXOVHcasKPwnjNzPX9fZ7ilhZ6xZkKGNlBq7U/yj0nudsMm4bDqyhtdFRZE+Xjong5WrSbnAXv1laXo4xPZ0EzPFDrZBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50cEowHRIATCnOXk6ggLzpwPYOBncCVbpfAcQUUgyFEoJIA5BKBC9YLHO7EspuhcCAwEAaOCASUwggEhMAkGA1UdEwQCAwEwYDVR0PBAQDAGQ0MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnb5jb20vRGlnaXRhbGZlZXJpbmdzc3R5cmVsc2VuUGl3b3R3PCVUUEVQUE9MQUNDRVNTUE9JTIRDQS9
MYXRlc3RDUkwuY3JsMB8GA1UdIwQYMBaAFPeWixlMrUJWlQC+hv16R6ydygV1MB0GA1UdDgQWBWRNqsvP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQQQuMwwKgYIKw
YBBQUHMAAGGHmh0dHA6Ly9waWxvdC1vY3NwLnZicmlzaWduLmNvbTAtATBGNVHSUEDDAKBggrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59fjeKxQEIQZ9NjM
HvuFLQ+N3PAIHBU5Evq1q382R7ZpQ8hxogQy94nASP5vrklzWDbzdSo0WoeVfaal2nvlP8e4fCSBEJ40M0GQyqB6y+txMXbh+g00YmYmo70i0XDCsIWFfjgpAyzEuK0yFKMuU7zyIRP
H4FeTXrkleDnoSb+ptwYtmLKZS5qVJeeLGYTWmWu97i1idxtwZkQr/xZJHf2j7JFuo/Xr9ongBnJuxq6fdS3xLTrDNj2oPc+esE0EZ7z7oBXgnjdLAAgRtxcmpFg+mCkuLsux/sVYUhgucuW
0i9Y2uLLC+8stZuDakREQoPETgJ0bQ==
2018-04-16 10:58:47,933: INFO - > Initialize the Adapters
2018-04-16 10:58:47,938: INFO - Call start test on NULLWRAPPER
2018-04-16 10:58:47,943: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:58:47,948: INFO - > RUN RIVET 0
2018-04-16 10:58:47,953: DEBUG - Assign free vars
2018-04-16 10:58:47,963: INFO - GET command: http://212.49.145.16/iso6523-case-insensitive%3a%3ausuariominderredirect/services/case-
insensitive%3a%3adocumentoMinderRedirect
2018-04-16 10:58:47,968: INFO - ===== STATUS CODE =====
2018-04-16 10:58:48,101: INFO - statuscode: 200
2018-04-16 10:58:48,106: INFO - ===== STATUS CODE =====
2018-04-16 10:58:48,111: INFO - -----
2018-04-16 10:58:48,116: INFO - ----- Test Passed -----
2018-04-16 10:58:48,121: INFO - -----
2018-04-16 10:58:48,127: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:48,132: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:48,137: INFO - < Rivet finished sucessfully
2018-04-16 10:58:48,142: INFO - -----
2018-04-16 10:58:48,147: INFO - Test #20917 Finished
```

Test Report - eSENS_SMP_TA20

Overview

Test Group:	e-SENS SMP Test Assertions
Test Assertion:	eSENS_SMP_TA20
Test Case:	eSENS_SMP_TA20_TC01
User:	Jose Escobar
Date:	2018.04.16 10:58:49
System(s) Tested:	

Result:	Successful 
----------------	--

Test Assertion Details

TAID:	eSENS_SMP_TA20
Target:	XML 1.0 formatting
Normative Source:	[OASIS SMP section 3.3] "XML documents returned by HTTP GET MUST be well-formed according to [XML 1.0] and MUST be UTF-8 encoded ([Unicode])." "They MUST contain a document type declaration starting with '?xml'" which includes the 'encoding' attribute set to "UTF-8"
Prescription Level:	Mandatory
Prerequisite:	- SMP uses REST as a binding - the recipient receives a business document returned by HTTP GET containing the requested Metadata in XML format
Predicate:	- the document type declaration starts with '?xml' - version 1.0 is of XML is used in the document - the XML is well-formed according to the [XML 1.0] specification: http://www.w3.org/TR/xml/
Variables:	
Tag:	REST binding, HTTP GET, XML format

Log

```
2018-04-16 10:58:50,205: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:58:50,210: INFO - Start Test
2018-04-16 10:58:50,215: INFO - Initialize test case
2018-04-16 10:58:50,221: DEBUG - Parameters
2018-04-16 10:58:50,226: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:uariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:uariominderredirect
ID_MULTIPLE_ENDPOINTS:uariominderendpoint
ID_IDENTIFIER:uarioMinder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_SCHEME_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIBAgIQA5b3TNSKa7/94uocarI0WTANBqkqkhiG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeTkJFUSU9OQUwgSVQgQU5EIFRFRTE
VDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IgdVEVTVCBQVWVJQT1NFUyBPTkxZMSQwIGYDVQQDEXRVRBQ0w0wGQUNDRVNTIFBPSU5UIFRFRU1QgQ0EwHhcNMTCwMjA4MDAwMDAw
wWhcNMTkwMjA4MjM1OTU5WjA3MQswCQYDVQQGEwJFZUzEPMA0GA1UECmGWRWRpY29tMRcwFQYDVQQDDA5BUFBMTAwMDAwMDMwMTCCASiWdQYJKoZIhvcNAQEBBQAD
ggEPADCCAQoCggEBAMLVL Tsaaa7KV414guD/xShChO8SzfAP64Plv8kCr3cmiHUXmLwB7nbd/92cr4QgDAd1qvhxlULjBPv3Pp/eW6MpE6IYBVT/2om3N4TsuHkK2KickQHizrDVI9n8
1cgPvmjD+ff0EgfmKb4+oGkYEjjsPUXOVHcasKPwnjNzPX9fZ7ihZ6xKzGnQlBq7U/yyn0udsMm4bDqyhtdFRZE+Xjong5WrSBnAXv1laXo4xPZ0EzPFDzBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50eEowHRIATCnOXk6ggLzpwPYOBncCVbpfAcQUUgyFEoJIA5BKBC9YLHO7EspuhcCAwEAaOCASUwggEhMAkGA1UdEwQCAAwCwYDVR0PBAQDAGQ0MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnb2Vj20vRGlnaXRhbGlzZXJpbmdzc3R5cmVsc2VuUjV0Glsb3R3PCVUUEVQUE9MQUNDRVNTUE9JTIRDQS9
MYXRlc3RDUkwuY3JsMB8GA1UdIwQYMBaAFPeWixlMruJWlQC+hv16R6ydygV1MB0GA1UdDgQWBBRNqsVP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQQumCwwKgYIKw
YBBQUHMAAGHmh0dHA6Ly9waWxvdC1vY3NwLnZicmlzaWduLmNvbTAtATBGNVHSUEDDAKBggrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59fjeKxQElqZ9NjM
HvuFLQ+N3PAIHBU5Evq1q382R7ZpQ8hxoqQy94nASP5vrklzWDbzdSo0WoeVfaal2nvlP8e4fCSBEJ40M0GgyqB6y+txMXbh+g00YmYmo70i0XDCsIWFfjgpAyzEuK0yFKMuU7zyIRP
H4FeTXrkleDnoSb+ptwYtmLKZS5qVJeeLGYTWmWu97i1idxtwZkQr/xZJHf2j7Fu0Xr9ngBnJuxq6fd3xLTrDNj2oPc+esE0EZ7z7oBXgnjdLAAgRtxcmpFg+mCkuLsux/sVYUhgucuW
0i9Y2uLLC+8stZuDakREQoPETgJ0bQ==
2018-04-16 10:58:50,231: INFO - > Initialize the Adapters
2018-04-16 10:58:50,237: INFO - Call start test on NULLWRAPPER
2018-04-16 10:58:50,242: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:58:50,247: INFO - > RUN RIVET 0
2018-04-16 10:58:50,252: DEBUG - Assign free vars
2018-04-16 10:58:50,262: INFO - GET command1: http://212.49.145.16/iso6523-case-insensitive%3a%3ausuariominder
2018-04-16 10:58:50,267: INFO - GET command2: http://212.49.145.16/iso6523-case-insensitive%3a%3ausuariominder/services/case-insensitive%3a%3adocumentoMinder
2018-04-16 10:58:50,925: INFO - ===== Response format =====
2018-04-16 10:58:50,930: INFO - Response body starts with "<?xml"
2018-04-16 10:58:50,935: INFO - XML version = 1.0
2018-04-16 10:58:50,940: INFO - ===== Response format =====
2018-04-16 10:58:50,945: INFO - -----
2018-04-16 10:58:50,951: INFO - ----- Test Passed -----
2018-04-16 10:58:50,956: INFO - -----
2018-04-16 10:58:50,961: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:50,966: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:50,971: INFO - < Rivet finished sucessfully
2018-04-16 10:58:50,977: INFO - -----
2018-04-16 10:58:50,982: INFO - Test #20918 Finished
```


Test Report - eSENS_SMP_TA21

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA21
Test Case: eSENS_SMP_TA21_TC01
User: Jose Escobar
Date: 2018.04.16 10:58:52
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA21
Target: XML documents UTF-8 encoding
Normative Source: [OASIS SMP section 3.3] "XML documents returned by HTTP GET MUST be well-formed according to [XML 1.0] and MUST be UTF-8 encoded ([Unicode])."
Prescription Level: Mandatory
Prerequisite: - SMP uses REST as a binding - the recipient receives a business document returned by HTTP GET containing the requested Metadata in XML format
Predicate: The XML document is UTF-8 encoded (case sensitive) check for [Unicode] specification:
<http://www.unicode.org/versions/Unicode7.0.0/>
Variables:
Tag: REST binding, HTTP GET, UTF-8 encoding

I3ZSiJUSICjFRWPPDesvQSTzx6xpEhY4ZPo07qhIXpyWnLPJYpyqKUvQBQXyCTRc9HvCgS0wZgT3</X509Certificate></X509Data></KeyInfo></Signature></bdx:SignedServiceMetadata>

2018-04-16 10:58:54,517: INFO - ===== Response encoding =====
2018-04-16 10:58:54,523: INFO - Encoding = "UTF-8"
2018-04-16 10:58:54,528: INFO - ===== Response encoding =====
2018-04-16 10:58:54,533: INFO - -----
2018-04-16 10:58:54,538: INFO - ----- Test Passed -----
2018-04-16 10:58:54,543: INFO - -----
2018-04-16 10:58:54,548: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:54,553: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:54,559: INFO - < Rivet finished successfully
2018-04-16 10:58:54,564: INFO - -----

2018-04-16 10:58:54,569: INFO - Test #20919 Finished

Test Report - eSENS_SMP_TA22

Overview

Test Group:	e-SENS SMP Test Assertions
Test Assertion:	eSENS_SMP_TA22
Test Case:	eSENS_SMP_TA22_TC01
User:	Jose Escobar
Date:	2018.04.16 10:59:28
System(s) Tested:	

Result:	Successful 
----------------	--

Test Assertion Details

TAID:	eSENS_SMP_TA22
Target:	Signed Service Metadata - Signature element
Normative Source:	[OASIS SMP section 3.6] "The message returned by the service is signed by the Service Metadata Publisher with XML-Signature [XML-DSIGv1.1]. The signature MUST be an enveloped XML signature represented via an 'ds:Signature' element embedded in the 'SignedServiceMetadata' element."
Prescription Level:	Mandatory
Prerequisite:	- SMP uses REST as a binding - The Sender requests signed Metadata from the SMP
Predicate:	- The Metadata returned by the SMP contains a 'ds:Signature' element embedded in the 'SignedServiceMetadata' element
Variables:	
Tag:	REST binding, Signed Service Metadata, XML-Signature

Test Report - eSENS_SMP_TA23

Overview

Test Group:	e-SENS SMP Test Assertions
Test Assertion:	eSENS_SMP_TA23
Test Case:	eSENS_SMP_TA23_TC01
User:	Jose Escobar
Date:	2018.04.16 10:58:55
System(s) Tested:	

Result:	Successful 
----------------	--

Test Assertion Details

TAID:	eSENS_SMP_TA23
Target:	Signed Service Metadata - Signature element
Normative Source:	[OASIS SMP section 3.6] “The 'ds:Signature' element MUST be constructed according to the following rules: • The 'Reference' MUST use exactly one Transform http://www.w3.org/2000/09/xmlsig#enveloped-signature • The 'ds:KeyInfo' element MUST contain an 'ds:X509Data' element with an 'ds:X509Certificate' sub-element containing the signer's X.509 certificate as PEM base 64 encoded X509 DER value • The canonicalization algorithm MUST be http://www.w3.org/TR/2001/REC-xml-c14n-20010315 • The SignatureMethod MUST be http://www.w3.org/2001/04/xmlsigmore#rsa-sha256 • The DigestMethod MUST be http://www.w3.org/2001/04/xmlenc#sha256 ”
Prescription Level:	Mandatory
Prerequisite:	- SMP uses REST as a binding - The Sender requests signed Metadata from the SMP
Predicate:	The 'ds:Signature' element is constructed according to the following rules: • The 'Reference' uses exactly one Transform: http://www.w3.org/2000/09/xmlsig#enveloped-signature • The 'ds:KeyInfo' element contains an 'ds:X509Data' element with an 'ds:X509Certificate' sub-element containing the signer's X.509 certificate as PEM base 64 encoded X509 DER value • The

canonicalization algorithm is: <http://www.w3.org/TR/2001/REC-xml-c14n-20010315> • The SignatureMethod is: <http://www.w3.org/2001/04/xmldsigmore#rsa-sha256> • The DigestMethod is: <http://www.w3.org/2001/04/xmlenc#sha256>

Variables:

Tag: REST binding, Signed Service Metadata, XML-Signature

Log

```
2018-04-16 10:58:56,632: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:58:56,637: INFO - Start Test
2018-04-16 10:58:56,643: INFO - Initialize test case
2018-04-16 10:58:56,649: DEBUG - Parameters
2018-04-16 10:58:56,654: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:uariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:uariominderredirect
ID_MULTIPLE_ENDPOINTS:uariominderendpoint
ID_IDENTIFIER:uarioMinder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_SCHEME_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIBAgIQA5b3TNSKa7/94uocarI0WTANBqkqhkiG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeTkFUSU9OQUwgSVQgQU5EIFRTE
VDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IjVEVTVCBQVJQJQ1NFUyBPTkxZMSQwIlgYDVQDEExtQVRVBQ0wQUNDRVNTIFBPSU5UIFRFRU1QgQ0EwHhcNMjcwMjA4MDAwMDA
wWhcNMTkwMjA4MDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAw
ggEPADCCAQoCggEBAMLVLTsaaa7KV414guD/xShChO8SzfAP64Plv8kCr3cmiHUXmLwB7nbd/92cr4QgDAd1qvhxlULjBPv3Pp/eW6MpE6IYBVT/2om3N4TuhKk2KickQHizrDVIIm9n8
1cgPvmjxD+ff0EgfMkb4+oGkYEjSPuXOVHcasKPwnjNzPX9fZ7iIhZ6xDzKGNQIBq7U/yyn0udsMm4bDqyhtdFRZE+Xjong5WrSBnAXv1laXo4xPZ0EzPFDzBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50cEowHRIATCnOXk6ggLzpwPYOBncCVbpfAcQUUgyFEoJIA5BKBC9YLHO7EspuhcCAwEAaOCASUwgGhMAkGA1UdEwQCMAAwCwYDVR0PBAQDAGQ0MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnbi5jb2vRGlnaXRhbGlzZXJpbmdzc3R5cmVsc2VuUGlsb3R3PCVvUEVQUE9MQUNDRVNTUE9JTIRDQS9
MYXRlc3RDUkwuY3JsMB8GA1UdIwQYMBaAFPeWixIMruJWlQC+hv16R6ydygV1MB0GA1UdDgQWBWRNqsVP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQQQuMCwwKgYIKw
YBBQUHMAAGGhmh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnbi5jb2vRGlnaXRhbGlzZXJpbmdzc3R5cmVsc2VuUGlsb3R3PCVvUEVQUE9MQUNDRVNTUE9JTIRDQS9
HvuFLQ+N3PAIHBU5Evq1q382R7ZpQ8hxogQy94nASP5vrklzWDbzdSo0WoeVFaal2nVlP8e4fCSBEJ40M0GgyqB6y+txMXbh+g00YmYmo70i0XDcSIWFjqpAyzEuK0yFKMuU7yziRP
H4FeTXrkleDnoSb+ptwYtmLKZS5qVJeeLGYTWmwu97i1idxtwZkQr/xZJHf2j7FuoXr9ongBnJuxq6fdS3xLTrDNj2oPc+esE0EZ7z7oBXgnjdLAAgRtxcmpFg+mCkuLsux/sVYUHgucuW
0i9Y2uLLC+8stZuDakREQoPETgJ0bQ==
2018-04-16 10:58:56,659: INFO - > Initialize the Adapters
2018-04-16 10:58:56,664: INFO - Call start test on NULLWRAPPER
2018-04-16 10:58:56,670: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:58:56,675: INFO - > RUN RIVET 0
2018-04-16 10:58:56,680: DEBUG - Assign free vars
2018-04-16 10:58:56,690: INFO - GET command: http://212.49.145.16/iso6523-case-insensitive%3a%3ausuariominder/services/case-insensitive%3a%3adocumentoMinder
2018-04-16 10:58:56,852: INFO - statuscode: 200
2018-04-16 10:58:57,052: INFO - -----
2018-04-16 10:58:57,058: INFO - ----- Test Passed -----
2018-04-16 10:58:57,063: INFO - -----
2018-04-16 10:58:57,068: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:58:57,073: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:58:57,079: INFO - < Rivet finished sucessfully
2018-04-16 10:58:57,084: INFO - -----
2018-04-16 10:58:57,089: INFO - Test #20920 Finished
```


Test Report - eSENS_SMP_TA24

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA24
Test Case: eSENS_SMP_TA24_TC01
User: Jose Escobar
Date: 2018.04.16 10:59:30
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA24
Target: participant identifiers
Normative Source: [OASIS SMP 2.4.5.2] "A participant identifier scheme MAY define its own requirements for case sensitivity handling. Unless defined differently by the participant identifier scheme, a participant identifier in XML format MUST be treated as case insensitive."
Prescription Level: Preferred
Prerequisite: - the SMP contains a participant identifier in XML format (check: [XML 1.0] specification: <http://www.w3.org/TR/xml/>) - the participant identifier scheme is defined to be treated as case sensitive
Predicate: the processing of the participant identifier is treated as case sensitive
Variables:
Tag: participant identifier, XML format, case sensitivity handling

Test Report - eSENS_SMP_TA25

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA25
Test Case: eSENS_SMP_TA25_TC01
User: Jose Escobar
Date: 2018.04.16 10:59:33
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA25
Target: participant identifiers
Normative Source: [OASIS SMP 2.4.5.3] "A participant identifier scheme MAY define its own requirements for case sensitivity handling. Unless defined differently by the participant identifier scheme, a participant identifier in a URL MUST be treated as case insensitive."
Prescription Level: Preferred
Prerequisite: - the participant identifier scheme is defined to be treated as case sensitive - the sender constructs a URL containing a participant identifier and scheme
Predicate: the processing of the participant identifier is treated as case sensitive
Variables:
Tag: participant identifier, case sensitivity

Log

```
2018-04-16 10:59:34,845: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:59:34,851: INFO - Start Test
2018-04-16 10:59:34,856: INFO - Initialize test case
2018-04-16 10:59:34,862: DEBUG - Parameters
2018-04-16 10:59:34,867: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:usuariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:usuariominderredirect
ID_MULTIPLE_ENDPOINTS:usuariominderendpoint
ID_IDENTIFIER:usuarioMinder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_IDENTIFIER_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIBAgIQA5b3TNSKa7/94uocarI0WTANBqkqhkIG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeTkJFUSU9OQUwgSVQgQU5EIFRFRTE
VDT00gUdFTkNZMR8wHQYDVQQLExZGT1IjVEVTVCBQVWVJQT1NFUyBPTkxZMSQwIGYDVQQDEXRVRVBQ0wQUNDRVNTIFBPSU5UIFRFRU1QgQ0EwHhcNMjcwMjA4MDAwMDA
wWhcNMTkwMjA4MDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAwMDAw
ggEPADCCAQoCggEBAMLVL Tsaaa7KV414guD/xShChO8SzfAP64Plv8kCr3cmiHUXmLwB7nbd92cr4QgDAd1qvhxlULjBPv3Pp/eW6MpE6IYBVT/2om3N4TsuHkK2KickQHizrDVIIm9n8
1cgPvmjxD+ff0EgfmKb4+oGkYEjjsPUXOVHcasKPwnjNzPX9fZ7IhZ6xZdKGNQlBq7U/yyn0udsMm4bDqyhtdFRZE+Xjong5WrSbnAXv1laXo4xPZ0EzPFDzBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50EowHRIATCnOXk6ggLzpwPYOBncCVbpfAcUUgyFEoJIA5BKBC9YLHO7EspuhcCAwEAaOCASUwgGehMAkGA1UdEwQCMAAwCwYDVDR0PBAQDAG04MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnb5jb20vRGlnaXRhbGlzZXJpbmdzc3R5cmVsc2VuUGlsb3RRPcGVuUEVQUE9MQUNDRVNTUE9JTIRDQS9
MYXRlc3RDUDkuY3JsMB8GA1UdlwQYMBaAFPeWixlMrUJWIQC+hv16R6ydygV1MB0GA1UdDgQWBWRNqsVP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQUuMkwKqYIKw
YBBQUHMAGGHmh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnb5jb20vRGlnaXRhbGlzZXJpbmdzc3R5cmVsc2VuUGlsb3RRPcGVuUEVQUE9MQUNDRVNTUE9JTIRDQS9
HvuFLQ+N3PAIHBU5Evq1q382Rr7ZpQ8hxoqQy94nASP5vrklzwDbzdSo0WoeVfaal2nvlP8e4fCSBEJ40M0GQyqB6y+txMXbh+g00YmYmo70i0XDcSIWFfjgpAyzEuK0yFKMuU7zyIRP
H4FeTXrkleDnoSb+ptwYtmLKZSSqVJeeLGYTWmwu97i1idxtwZkQr/xZJHf2j7JFu0/Xr9ongBnJuxq6dfS3xLTrDNj2oPc+esE0EZ7z7oBXgnjdLAAgRtxcmpFg+mCkuLsux/sVYUhgucuW
0i9Y2uLLC+8stZuDakREQoPETgJ0bQ==
2018-04-16 10:59:34,872: INFO - > Initialize the Adapters
2018-04-16 10:59:34,878: INFO - Call start test on NULLWRAPPER
2018-04-16 10:59:34,883: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:59:34,888: INFO - > RUN RIVET 0
2018-04-16 10:59:34,893: DEBUG - Assign free vars
2018-04-16 10:59:34,903: INFO - Creating command: http://212.49.145.16/iso6523-case-sensitive%3a%3ausuarioMinder2
2018-04-16 10:59:34,999: INFO - statuscode: 200
2018-04-16 10:59:35,004: INFO - Creating command: http://212.49.145.16/iso6523-case-sensitive%3a%3ausuariominder2
2018-04-16 10:59:35,135: INFO - statuscode: 404
2018-04-16 10:59:35,140: INFO - Creating command: http://212.49.145.16/iso6523-case-sensitive%3a%3ausuariominder2
2018-04-16 10:59:35,214: INFO - statuscode: 404
2018-04-16 10:59:35,220: INFO - -----
2018-04-16 10:59:35,225: INFO - ----- Test Passed -----
2018-04-16 10:59:35,230: INFO - -----
2018-04-16 10:59:35,235: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:59:35,241: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:59:35,246: INFO - < Rivet finished sucessfully
2018-04-16 10:59:35,251: INFO - -----
2018-04-16 10:59:35,256: INFO - Test #20928 Finished
```

Test Report - eSENS_SMP_TA26

Overview

Test Group: e-SENS SMP Test Assertions
Test Assertion: eSENS_SMP_TA26
Test Case: eSENS_SMP_TA26_TC01
User: Jose Escobar
Date: 2018.04.16 10:59:36
System(s) Tested:

Result: Successful 

Test Assertion Details

TAID: eSENS_SMP_TA26
Target: document identifiers
Normative Source: [OASIS SMP 2.4.6.2] "A document identifier scheme MAY define its own requirements for case sensitivity handling. Unless defined differently by the document identifier scheme, a document identifier in XML format MUST be treated as case insensitive."
Prescription Level: Preferred
Prerequisite: - the document identifier scheme is defined to be treated as case sensitive - the sender constructs a URL containing a document identifier in XML format
Predicate: the processing of the document identifier is treated as case sensitive
Variables:
Tag: document identifier, XML format

Log

```
2018-04-16 10:59:37,316: INFO - Minder version V2.2.5-Sirius
2018-04-16 10:59:37,322: INFO - Start Test
2018-04-16 10:59:37,327: INFO - Initialize test case
2018-04-16 10:59:37,333: DEBUG - Parameters
2018-04-16 10:59:37,338: DEBUG - KEY_STORE_NAME:edicom.jks
KEY_STORE_PASSWORD:123456
CERTIFICATE_ALIAS:smp_2000000376
ID_SCHEME:iso6523-case-insensitive
ID:usuariominder
SMP_SERVER_URL:http://212.49.145.16
ID_REDIRECT:usuariominderredirect
ID_MULTIPLE_ENDPOINTS:usuariominderendpoint
ID_IDENTIFIER:usuarioMinder2
ID_NONEXISTING:iso6523-x-x
ID_NO_SCHEME:iso6523-case-sensitive
ID_SCHEME_CASE_SENSITIVE:iso6523-case-sensitive
DOCUMENT_SCHEME:case-insensitive
DOCUMENT_ID:documentoMinder
DOCUMENT_ID_REDIRECT:documentoMinderRedirect
DOCUMENT_ID_MULTIPLE_ENDPOINTS:documentoMinderEndpoint
DOCUMENT_ID_IDENTIFIER:documentoMinder
DOCUMENT_ID_IDENTIFIER_CASE_SENSITIVE:case-sensitive
EXTENSION:<xml><a>xxx</a></xml>
PROCESS_IDENTIFIER_TYPE:cenbii-procid-ubl
PROCESS_IDENTIFIER:urn:www.cenbii.eu:profile:bii03:ver2.0
TRANSPORT_PROFILE:busdox-transport-as2-ver1p0
ENDPOINT_REFERENCE:https://eastest.sedeb2b.com:9014/AS2SERVER
REQUIRE_BUSINESSLEVEL_SIGNATURE:false
SERVICE_ACTIVATION_DATE:2017-02-08T00:34:57.000
SERVICE_EXPIRATION_DATE:2019-02-08T00:34:57.000
SERVICE_DESCRIPTION:Test ap
TECHNICAL_CONTACT_URL:Jose Escobar
SMP_SERVER_URL_REDIRECT:http://212.49.145.16
CERTIFICATE_UID_REDIRECT:CN=APP_1000000301,O=Edicom,C=ES
CERTIFICATE:MIIEZTCCA02gAwIBAgIQA5b3TNSKa7/94uocarI0WTANBqkqhkIG9w0BAQsFADB9MQswCQYDVQQGEwJESzEnMCUGA1UEChMeTkJFUSU9OQUwqSVQgQU5EIFRTE
VDT00gQUdFTkNZMR8wHQYDVQQLExZGT1IjVEVTVCBQVWVJQT1NFUyBPTkxZMSQwIGYDVQQDEXRVBQ0T0wgQUNDRVNTIFBPSU5UIFRFRU1QgQ0EwHhcNMTCwMjA4MDAwMDA
wWHcNMTCwMjA4MjM1OTU5WjA3MQswCQYDVQQGEwJFZUzEPMA0GA1UECmGWRWRpY29tMRcwFQYDVQQDDA5BUFBfMTAwMDAwMDMwMTCCASiWdQYJKoZIhvcNAQEBBQAD
ggEPADCCAQoCggEBAMLVL Tsaaa7KV414guD/xShCHo8SzfAP64Plv8kCr3cmiHUXmLwB7nbd92cr4QgDAd1qvhxlULjBPv3Pp/eW6MpE6IYBVT/2om3N4TsuHkK2KickQHizrDVI9n8
1cgPvmjxD+ff0EgfmKb4+oGkYEjjsPUXOVHcasKPwnjNzPX9fZ7IhZ6xZKGNQlBq7U/y0nudsMm4bDqyhtdFRZE+XJong5WrSBnAXv1laXo4xPZ0EzPFDzBnKaXweFHMIC067u/6FIXb
nkYOD1G9q50eEowHRIATCnOXk6ggLzpwPYOBncCVbpfAcUUUgyFEoJIA5BKBC9YLHO7EspuhcCAwEAaOCASUwggEhMAkGA1UdEwQCAAAwCwYDVR0PBAQDAGQ0MHYGA1U
dHwRvMG0wa6BpoGeGZWh0dHA6Ly9waWxvdG9uc2l0ZWNYbC52ZXJpc2lnbi5jb20vRGlnaXRhbGZlZXJpbmdzc3R5cmVsc2VuUGlsb3R3PCVUUEVQUE9MQUNDRVNTUE9JTIRDQS9
MYXRlc3RDUkwuY3JsMB8GA1UdIwQYMBaAFPeWixIMruJWlQC+hv16R6ydygV1MB0GA1UdDgQWBWRNqsvP8CPwTNE5X9BgWgJ2YR5E9DA6BggrBgEFBQcBAQUuMwCwwKgYIKw
YBBQUHMAQGhMh0dHA6Ly9waWxvdC1vY3NwLnZicmlzaWduLmNvbTAtATBGNVHSUEDDAKBggrBgEFBQcDAjANBgkqhkiG9w0BAQsFAAOCAQEAprKnW95QA59njeKxQEIqZ9NjM
HvuFLQ+N3PAIHBU5Evq1q382Rp7ZpQ8hxoqQy94nASP5vrklzwDbzdSo0WoeVfaal2nvlP8e4fCSBEJ40M0GQyqB6y+txMXbh+g00YmYmo70i0XDCsIWFfjgpAyzEuK0yFKMuU7zyIRP
H4FeTXrkleDnoSb+ptwYtmLKZSSqVJeeLGYTWmWu97i1idxtwZkQr/xZJHf2j7JFuoXr9ongBnJuxq6fdS3xLTrDNj2oPc+esE0EZ7z7oBXgnjdLAAgRtxcmpFg+mCkuLsux/sVYUhgucuW
0t9Y2uLLC+8stZuDakREQoPETgJ0bQ==
2018-04-16 10:59:37,344: INFO - > Initialize the Adapters
2018-04-16 10:59:37,349: INFO - Call start test on NULLWRAPPER
2018-04-16 10:59:37,354: INFO - Obtain SUT Identifiers from NULLWRAPPER
2018-04-16 10:59:37,359: INFO - > RUN RIVET 0
2018-04-16 10:59:37,365: DEBUG - Assign free vars
2018-04-16 10:59:37,375: INFO - Creating command: http://212.49.145.16/iso6523-case-sensitive%3a%3ausuarioMinder2/services/case-sensitive%3a%3adocumentoMinder
2018-04-16 10:59:37,543: INFO - statuscode: 200
2018-04-16 10:59:37,548: INFO - Creating command: http://212.49.145.16/iso6523-case-sensitive%3a%3ausuarioMinder2/services/case-sensitive%3a%3adOCUMENTOMINDER
2018-04-16 10:59:37,692: INFO - statuscode: 404
2018-04-16 10:59:37,697: INFO - Creating command: http://212.49.145.16/iso6523-case-sensitive%3a%3ausuarioMinder2/services/case-sensitive%3a%3adocumentominder
2018-04-16 10:59:37,786: INFO - statuscode: 404
2018-04-16 10:59:37,923: INFO - -----
2018-04-16 10:59:37,928: INFO - ----- Test Passed -----
2018-04-16 10:59:37,933: INFO - -----
2018-04-16 10:59:37,938: INFO - > CALL SLOT NULLWRAPPER.NULLSLOT
2018-04-16 10:59:37,943: INFO - < SLOT CALLED NULLWRAPPER.NULLSLOT
2018-04-16 10:59:37,949: INFO - < Rivet finished sucessfully
2018-04-16 10:59:37,954: INFO - -----
2018-04-16 10:59:37,959: INFO - Test #20929 Finished
```