

EBSI Conformance Test Report

CERTH-ITI - CERTH-ITI 2.0

28/09/2023

DID

did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbnwrK1Ssc1bNxyu1eWfNE2XC8VkGYsf jJZjPyK5FKBp1YW6G9UCJY2nkuE3mD6dh1VXuyfuEi739jKJAkCaXK7kk1oigtSc4hk17ZYTbbmryEgjdB6jqn TKh2j13UN4kbue

The terms and conditions applicable to this report are described in the Service Offering Description document available here.



1.Summary of the report

This report certifies the conformance of CERTH-ITI 2.0 distributed by CERTH-ITI to the EBSI specifications vV3.0.0 on 28/09/2023. The results and details of the tests can be found hereunder:

Test ID	Timestamp	Results
CT_WALLET_CROSS_IN_TIME	1695884793891	Successful
CT_WALLET_CROSS_DEFERRED	1695884813540	Successful
CT_WALLET_CROSS_PRE_AUTHORISED	1695884832180	Successful
CT_WALLET_SAME_IN_TIME	1695884871942	Successful
CT_WALLET_SAME_DEFERRED	1695884896132	Successful
CT_WALLET_SAME_PRE_AUTHORISED	1695884907482	Successful
REQUEST_CT_WALLET_QUALIFICATION_CREDENTIAL	1695884942393	Successful



CT_WALLET_CROSS_DEFERRED

Deferred Credential

As an issuer, I want to enforce the deferred flow for the deferred credential from the issuer side. This means that when a participant requests the deferred credential, it will go through a specific deferred processing flow, resulting in a delay of 5 seconds from the first Credential Request. By implementing the deferred flow, the issuer can introduce a deliberate delay in providing the deferred credential.

9/28/2023, 9:06:53 AM

[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 9/28/2023, 7:06:53 AM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_cross_deferred", "data": {"did":"did:key:z2dm zD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbnwrK1Ssc1bNxyu1eWfNE2XC8VkGYsfjJZjPyK5FKBp1YW6G 9UCJY2nkuE3mD6dh1VXuyfuEi739jKJAkCaXK7kk1oigtSc4hk17ZYTbbmryEgjdB6jqnTKh2j13UN4kbue","credential __offer_endpoint":"openid-credential-offer://"}, "result": {"success":true} } End Test Data [39m - {}



CT_WALLET_CROSS_IN_TIME

Initiate Cross-Device Credential Issuance

As an issuer, I want to ensure that the in-Time credential goes through the in-time flow from the issuer side. This means that when a participant requests the in-Time credential, it will be processed and made available synchronously, without any delays. By implementing this in-time flow, participants can seamlessly obtain the in-Time credential without experiencing any significant wait times or processing delays. The synchronous availability of the credential ensures a smooth and efficient user experience.

9/28/2023, 9:06:33 AM

[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 9/28/2023, 7:06:33 AM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_cross_in_time", "data": {"did":"did:key:z2dmz D81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbnwrK1Ssc1bNxyu1eWfNE2XC8VkGYsfjJZjPyK5FKBp1YW6G9 UCJY2nkuE3mD6dh1VXuyfuEi739jKJAkCaXK7kk1oigtSc4hk17ZYTbbmryEgjdB6jqnTKh2j13UN4kbue","credential_offer_endpoint":"openid-credential-offer://"}, "result": {"success":true} } End Test Data [39m - {}



CT_WALLET_CROSS_PRE_AUTHORISED

Pre-authorised Credential

As an issuer, I want to enforce the pre-authorised flow for the Pre-Authorised credential from the issuer side. This means that the credential can only be issued if the participant has gained access through a pre-authorised code. By implementing the pre-authorised flow, the issuer ensures that participants can only obtain the Pre-Authorised credential if they have successfully authenticated and gained access through a pre-authorised code. This pre-authorised code serves as a secure and controlled mechanism to verify the participant's eligibility for the credential.

9/28/2023, 9:07:12 AM

[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 9/28/2023, 7:07:12 AM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_cross_pre_authorised", "data": {"did":"did:key :z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbnwrK1Ssc1bNxyu1eWfNE2XC8VkGYsfjJZjPyK5FKBp1 YW6G9UCJY2nkuE3mD6dh1VXuyfuEi739jKJAkCaXK7kk1oigtSc4hk17ZYTbbmryEgjdB6jqnTKh2j13UN4kbue","cred ential_offer_endpoint":"openid-credential-offer://"}, "result": {"success":true} } End Test Data [39m - {}



CT_WALLET_SAME_DEFERRED

Deferred Credential

As an issuer, I want to enforce the deferred flow for the deferred credential from the issuer side. This means that when a participant requests the deferred credential, it will go through a specific deferred processing flow, resulting in a delay of 5 seconds from the first Credential Request.

9/28/2023, 9:08:16 AM

[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 9/28/2023, 7:08:16 AM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_same_deferred", "data": {"did":"did:key:z2dm zD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbnwrK1Ssc1bNxyu1eWfNE2XC8VkGYsfjJZjPyK5FKBp1YW6G 9UCJY2nkuE3mD6dh1VXuyfuEi739jKJAkCaXK7kk1oigtSc4hk17ZYTbbmryEgjdB6jqnTKh2j13UN4kbue","credential __offer_endpoint":"openid-credential-offer://"}, "result": {"success":true} } End Test Data [39m - {}



CT_WALLET_SAME_IN_TIME

In-Time Credential

As an issuer, I want to ensure that the in-Time credential goes through the in-time flow from the issuer side. This means that when a participant requests the in-Time credential, it will be processed and made available synchronously, without any delays.

9/28/2023, 9:07:51 AM

[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 9/28/2023, 7:07:51 AM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_same_in_time", "data": {"did": "did:key:z2dmz D81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbnwrK1Ssc1bNxyu1eWfNE2XC8VkGYsfjJZjPyK5FKBp1YW6G9 UCJY2nkuE3mD6dh1VXuyfuEi739jKJAkCaXK7kk1oigtSc4hk17ZYTbbmryEgjdB6jqnTKh2j13UN4kbue", "credential_offer_endpoint": "openid-credential-offer://"}, "result": {"success":true} } End Test Data [39m - {}



CT_WALLET_SAME_PRE_AUTHORISED

Pre-authorised Credential

As an issuer, I want to enforce the pre-authorised flow for the Pre-Authorised credential from the issuer side. This means that the credential can only be issued if the participant has gained access through a pre-authorised code. By implementing the pre-authorised flow, the issuer ensures that participants can only obtain the Pre-Authorised credential if they have successfully authenticated and gained access through a pre-authorised code.

9/28/2023, 9:08:27 AM

[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 9/28/2023, 7:08:27 AM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_same_pre_authorised", "data": {"did":"did:key :z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbnwrK1Ssc1bNxyu1eWfNE2XC8VkGYsfjJZjPyK5FKBp1 YW6G9UCJY2nkuE3mD6dh1VXuyfuEi739jKJAkCaXK7kk1oigtSc4hk17ZYTbbmryEgjdB6jqnTKh2j13UN4kbue","cred ential_offer_endpoint":"openid-credential-offer://"}, "result": {"success":true} } End Test Data [39m - {}



REQUEST_CT_WALLET_QUALIFICATION_CREDENTIAL

CT Qualification through VP Exchange

As an issuer, I want to offer a CT Qualification Credential, which requires a Verifiable Presentation exchange. This exchange will involve receiving credentials from the same-device and/or cross-device test suites. By engaging in this Verifiable Presentation exchange, I can ensure that the exchanged credentials meet the necessary criteria. The received credentials from the same-device and cross-device test suites will collectively contribute to the CT Qualification Credential, enhancing the overall compliance and qualification of the issuer's offerings.

9/28/2023, 9:09:02 AM

[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 9/28/2023, 7:09:02 AM [33m[CheckService] [39m [32mTest Data {"intent": "request_ct_wallet_qualification_credential", "data": {"didd:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbnwrK1Ssc1bNxyu1eWfNE2XC8VkGYsfjJZjPyK5FKBp1YW6G9UCJY2nkuE3mD6dh1VXuyfuEi739jKJAkCaXK7kk1oigtSc4hk17ZYTbbmryEgjdB6jqnTKh2j13UN4kbue","credential_offer_endpoint":"openid-credential-offer://"}, "result": {"success":true} } End Test Data [39m - {}



REQUEST_CT_WALLET_QUALIFICATION_CREDENTIAL

CT Qualification through VP Exchange

As an issuer, I want to offer a CT Qualification Credential, which requires a Verifiable Presentation exchange. This exchange will involve receiving credentials from the same-device and/or cross-device test suites. By engaging in this Verifiable Presentation exchange, I can ensure that the exchanged credentials meet the necessary criteria. The received credentials from the same-device and cross-device test suites will collectively contribute to the CT Qualification Credential, enhancing the overall compliance and qualification of the issuer's offerings.

9/28/2023, 9:09:13 AM

[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 9/28/2023, 7:09:13 AM [33m[CheckService] [39m [32mTest Data {"intent": "request_ct_wallet_qualification_credential", "data": {"didd:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbnwrK1Ssc1bNxyu1eWfNE2XC8VkGYsfjJZjPyK5FKBp1YW6G9UCJY2nkuE3mD6dh1VXuyfuEi739jKJAkCaXK7kk1oigtSc4hk17ZYTbbmryEgjdB6jqnTKh2j13UN4kbue","credential_offer_endpoint":"openid-credential-offer://"}, "result": {"success":true} } End Test Data [39m - {}