



# EBSI Conformance Test Report

**PwC - PwC-ID 1.0**

**07/08/2023**

**DID**

z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9Kbq7jBjM2PJKyMb6hEnkwagfwBkF8Tz86B7zpgo  
zDmEKQ8iATkF8MFQ8TKrXm958cMWtFRJZSzT9pAHygL7NGvT8VommGR4eEYy8hT6qrxfD6tJX2qGUhfP  
bSjtacgvqfb2

The terms and conditions applicable to this report are described in the Service Offering Description document available [here](#).

## 1.Summary of the report

This report certifies the conformance of PwC-ID 1.0 distributed by PwC to the EBSI specifications v3.0.0 on 07/08/2023.

The results and details of the tests can be found hereunder:

[illegible]

## CT\_WALLET\_CROSS\_DEFERRED

### Deferred Credential

As an issuer, I want to enforce the deferred flow for the deferred credential from the issuer side. This means that when a participant requests the deferred credential, it will go through a specific deferred processing flow, resulting in a delay of 5 seconds from the first Credential Request. By implementing the deferred flow, the issuer can introduce a deliberate delay in providing the deferred credential.

**03/08/2023, 13:36:25**

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m      8/3/2023, 11:36:25
AM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_cross_deferred", "data": {"did": "did:key:z2dm
zD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9Kbq7jBjM2PJKyMb6hEnkwagfwBkF8Tz86B7zpgozDmEKQ8iATk
F8MFQ8TKrXm958cMWtFRJZSzT9pAHygL7NGvT8VommGR4eEYy8hT6qrxfD6tJX2qGUhfPbSjtacgvqfb2", "credenti
al_offer_endpoint": "openid-credential-offer://", "result": {"success": true} } End Test Data [39m - {}
```

## CT\_WALLET\_CROSS\_IN\_TIME

### Initiate Cross-Device Credential Issuance

As an issuer, I want to ensure that the in-Time credential goes through the in-time flow from the issuer side. This means that when a participant requests the in-Time credential, it will be processed and made available synchronously, without any delays. By implementing this in-time flow, participants can seamlessly obtain the in-Time credential without experiencing any significant wait times or processing delays. The synchronous availability of the credential ensures a smooth and efficient user experience.

**03/08/2023, 13:35:43**

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m      8/3/2023, 11:35:43
AM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_cross_in_time", "data": {"did": "did:key:z2dmz
D81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9Kbq7jBjM2PJKyMb6hEnkwagfwBkF8Tz86B7zpgozDmEKQ8iATkF
8MFQ8TKrXm958cMWtFRJZSzt9pAHygL7NGvT8VommGR4eEYy8hT6qrxefD6tJX2qGUhfPbSjtacgvqfb2", "credentia
l_offer_endpoint": "openid-credential-offer://", "result": {"success": true} } End Test Data [39m - {}
```

## CT\_WALLET\_CROSS\_PRE\_AUTHORISED

### Pre-authorised Credential

As an issuer, I want to enforce the pre-authorised flow for the Pre-Authorised credential from the issuer side. This means that the credential can only be issued if the participant has gained access through a pre-authorised code. By implementing the pre-authorised flow, the issuer ensures that participants can only obtain the Pre-Authorised credential if they have successfully authenticated and gained access through a pre-authorised code. This pre-authorised code serves as a secure and controlled mechanism to verify the participant's eligibility for the credential.

**03/08/2023, 13:37:10**

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m      8/3/2023, 11:37:10
AM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_cross_pre_authorised", "data": {"did": "did:key
:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9Kbq7jBjM2PJKyMb6hEnkwagfwBkF8Tz86B7zpgozDmEK
Q8iATkF8MFQ8TKrXm958cMWtFRJZSzT9pAHygL7NGvT8VommGR4eEYy8hT6qrxfD6tJX2qGUhfPbSjtacgvqfb2", "c
redential_offer_endpoint": "openid-credential-offer://"}, "result": {"success": true} } End Test Data [39m - {}
```

## CT\_WALLET\_SAME\_DEFERRED

### Deferred Credential

As an issuer, I want to enforce the deferred flow for the deferred credential from the issuer side. This means that when a participant requests the deferred credential, it will go through a specific deferred processing flow, resulting in a delay of 5 seconds from the first Credential Request.

**03/08/2023, 13:38:34**

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m      8/3/2023, 11:38:34
AM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_same_deferred", "data": {"did": "did:key:z2dm
zD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9Kbq7jBjM2PJKyMb6hEnkwagfwBkF8Tz86B7zpgozDmEKQ8iATk
F8MFQ8TKrXm958cMWtFRJZSzt9pAHygL7NGvT8VommGR4eEYy8hT6qrxefD6tJX2qGUhfPbSjtacgvqfb2", "credenti
al_offer_endpoint": "openid-credential-offer://"}, "result": {"success": true} } End Test Data [39m - {}
```

## CT\_WALLET\_SAME\_IN\_TIME

### In-Time Credential

As an issuer, I want to ensure that the in-Time credential goes through the in-time flow from the issuer side. This means that when a participant requests the in-Time credential, it will be processed and made available synchronously, without any delays.

**03/08/2023, 13:38:16**

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m      8/3/2023, 11:38:16
AM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_same_in_time", "data": {"did": "did:key:z2dmz
D81cgPx8Vki7JbuuMmFYrWPgYoytykUJ3eyqht1j9Kbq7jBjM2PJkYmb6hEnkwagfwBkF8Tz86B7zpgozDmEKQ8iATkF
8MFQ8TKrXm958cMWtFRJZSzt9pAHygl7NGvT8VommGR4eEYy8hT6qrxfD6tJX2qGUhfPbSjtacgvqfb2", "credential
l_offer_endpoint": "openid-credential-offer://"}, "result": {"success": true} } End Test Data [39m - {}
```

## CT\_WALLET\_SAME\_PRE\_AUTHORIZED

### Pre-authorized Credential

As an issuer, I want to enforce the pre-authorized flow for the Pre-Authorised credential from the issuer side. This means that the credential can only be issued if the participant has gained access through a pre-authorized code. By implementing the pre-authorized flow, the issuer ensures that participants can only obtain the Pre-Authorised credential if they have successfully authenticated and gained access through a pre-authorized code.

**03/08/2023, 13:38:46**

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m      8/3/2023, 11:38:46
AM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_same_pre_authorized", "data": {"did": "did:key
:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9Kbq7jBjM2PJKyMb6hEnkwagfwBkF8Tz86B7zpgozDmEK
Q8iATkF8MFQ8TKrXm958cMWtFRJZSzT9pAHygL7NGvT8VommGR4eEYy8hT6qrxfD6tJX2qGUhfPbSjtacgvqfb2", "c
redential_offer_endpoint": "openid-credential-offer://"}, "result": {"success": true} } End Test Data [39m - {}
```



## REQUEST\_CT\_WALLET\_QUALIFICATION\_CREDENTIAL

### CT Qualification through VP Exchange

As an issuer, I want to offer a CT Qualification Credential, which requires a Verifiable Presentation exchange. This exchange will involve receiving credentials from the same-device and/or cross-device test suites. By engaging in this Verifiable Presentation exchange, I can ensure that the exchanged credentials meet the necessary criteria. The received credentials from the same-device and cross-device test suites will collectively contribute to the CT Qualification Credential, enhancing the overall compliance and qualification of the issuer's offerings.

**03/08/2023, 13:39:01**

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m      8/3/2023, 11:39:01
AM [33m[CheckService] [39m [32mTest Data {"intent": "request_ct_wallet_qualification_credential", "data": {"di
d":"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPGYoytykUZ3eyqht1j9Kbq7jBjM2PJKyMb6hEnkwagfwBkF8Tz86B7z
pgozDmEKQ8iATkF8MFQ8TKrXm958cMWtFRJZSzT9pAHygl7NGvT8VommGR4eEYy8hT6qrxefD6tJX2qGUhfPbSjta
cgvqfb2", "credential_offer_endpoint": "openid-credential-offer://"}, "result": {"success": true} } End Test Data [39m
- {}
```