



EBSI Conformance Test Report

e-Origin - Customs Proof Wallet v1.0

22/03/2024

DID

did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbqHUJh7UWcdGs9FUkHLjRH27x675Rg
4bZwmMqgkpnnd6zcu2LHX8eHYAKdfUhrmfCzSTtiLBuUaZUD4GGeVAJT4VkWEwBLLuXY4AhoXhCj4rx14Z
a1U6Chkoitk3h7ARmhn

The terms and conditions applicable to this report are described in the Service Offering Description document available [here](#).

CT_WALLET_CROSS_AUTHORISED_DEFERRED

Deferred Credential

As an issuer, I want to enforce the deferred flow for the deferred credential from the issuer side. This means that when a participant requests the deferred credential, it will go through a specific deferred processing flow, resulting in a delay of 5 seconds from the first Credential Request. By implementing the deferred flow, the issuer can introduce a deliberate delay in providing the deferred credential.

3/13/2024, 3:28:28 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 3/13/2024, 2:28:28
PM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_cross_authorized_deferred", "data": {"did": "di
d:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbqHUJh7UWcdGs9FUkHLjRH27x675Rg4bZwmMqg
kpnnd6zcu2LHX8eHYAKdfUhrmfCzSTiLBuUaZUD4GGeVAJT4VkWEwBLLuXY4AhoxhCj4rx14Za1U6Chkoitk3h7AR
mhn", "credential_offer_endpoint": "https://toad-advanced-kid.ngrok-free.app/wallets/conformance-28feb"}, "result":
{"success": true} } End Test Data [39m
```

CT_WALLET_CROSS_AUTHORISED_IN_TIME

Initiate Cross-Device Credential Issuance

As an issuer, I want to ensure that the in-Time credential goes through the in-time flow from the issuer side. This means that when a participant requests the in-Time credential, it will be processed and made available synchronously, without any delays. By implementing this in-time flow, participants can seamlessly obtain the in-Time credential without experiencing any significant wait times or processing delays. The synchronous availability of the credential ensures a smooth and efficient user experience.

3/13/2024, 3:28:09 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 3/13/2024, 2:28:09
PM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_cross_authorised_in_time", "data": {"did": "did
:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbqHUJh7UWcdGs9FUkHLjRH27x675Rg4bZwmMqgk
pnnd6zcu2LHX8eHYAKdfUhrmfCzSTiLBUaZUD4GGeVAJT4VkWEwBLLuXY4AhoXhCj4rx14Za1U6Chkoitk3h7ARm
hn", "credential_offer_endpoint": "https://toad-advanced-kid.ngrok-free.app/wallets/conformance-28feb"}, "result":
{"success": true} } End Test Data [39m
```

CT_WALLET_CROSS_PRE_AUTHORIZED_DEFERRED

Initiate Pre-Authorized Deferred Credential Issuance

As an issuer, I aim to facilitate the issuance of pre-authorized deferred credentials, enabling a streamlined process for participants who have been pre-approved. This approach involves processing the credential issuance at a later time, rather than immediately upon request. The pre-authorized deferred method allows for flexible and efficient management of credential issuance

3/13/2024, 3:29:00 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 3/13/2024, 2:29:00
PM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_cross_pre_authorized_deferred", "data": {"did
": "did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUJZ3eyqht1j9KbqHUJh7UWcdGs9FUKHLjRH27x675Rg4bZw
mMqgkpnnd6zcu2LHX8eHYAKdfUhrmfCzSTiLBuUaZUD4GGeVAJT4VkWEwBLLuXY4AhoxhCj4rx14Za1U6Chkoitk3
h7ARmhn", "credential_offer_endpoint": "https://toad-advanced-kid.ngrok-free.app/wallets/conformance-28feb"},
"result": {"success": true} } End Test Data [39m
```

CT_WALLET_CROSS_PRE_AUTHORIZED_IN_TIME

Initiate Pre-Authorized In-Time Credential Issuance

As an issuer, I am committed to enabling the issuance of pre-authorized, in-time credentials, ensuring that participants who have already been approved can receive their credentials immediately and synchronously. This process underscores the importance of efficiency and immediacy in credential issuance for pre-approved participants, allowing them to access their credentials without any delays.

3/13/2024, 3:28:42 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 3/13/2024, 2:28:42
PM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_cross_pre_authorized_in_time", "data": {"did"
:"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbqHUJh7UWcdGs9FUkHLjRH27x675Rg4bZwm
Mqgkpnnd6zcu2LHX8eHYAKdfUhrmfCzSTiLBuUaZUD4GGeVAJT4VkwEwBLLuXY4AhoxhCj4rx14Za1U6Chkoitk3h7
ARmhn","credential_offer_endpoint":"https://toad-advanced-kid.ngrok-free.app/wallets/conformance-28feb"},
"result": {"success":true} } End Test Data [39m
```

CT_WALLET_SAME_AUTHORISED_DEFERRED

Deferred Credential

As an issuer, I want to enforce the deferred flow for the deferred credential from the issuer side. This means that when a participant requests the deferred credential, it will go through a specific deferred processing flow, resulting in a delay of 5 seconds from the first Credential Request.

3/13/2024, 3:29:31 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 3/13/2024, 2:29:31
PM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_same_authorized_deferred", "data": {"did": "di
d:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbqHUJh7UWcdGs9FUkHLjRH27x675Rg4bZwmMqg
kpnnd6zcu2LHX8eHYAKdfUhrmfCzSTiLBUaZUD4GGeVAJT4VkWEwBLLuXY4AhoXhCj4rx14Za1U6Chkoitk3h7AR
mhn", "credential_offer_endpoint": "https://toad-advanced-kid.ngrok-free.app/wallets/conformance-28feb"}, "result":
{"success": true} } End Test Data [39m
```

CT_WALLET_SAME_AUTHORISED_IN_TIME

In-Time Credential

As an issuer, I want to ensure that the in-Time credential goes through the in-time flow from the issuer side. This means that when a participant requests the in-Time credential, it will be processed and made available synchronously, without any delays.

3/13/2024, 3:29:18 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 3/13/2024, 2:29:18
PM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_same_authorized_in_time", "data": {"did": "did
:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPGYoytykUZ3eyqht1j9KbqHUJh7UWcdGs9FUkHLjRH27x675Rg4bZwmMqgk
pnnd6zcu2LHX8eHYAKdfUhrmfCzSTiLBUaZUD4GGeVAJT4VkWEwBLLuXY4AhoXhCj4rx14Za1U6Chkoitk3h7ARm
hn", "credential_offer_endpoint": "https://toad-advanced-kid.ngrok-free.app/wallets/conformance-28feb"}, "result":
{"success": true} } End Test Data [39m
```


CT_WALLET_SAME_PRE_AUTHORIZED_DEFERRED

Deferred Pre-authorized Credential

As an issuer, I want to enforce the pre-authorized flow for the Pre-Authorised credential from the issuer side. This means that the credential can only be issued if the participant has gained access through a pre-authorized code. By implementing the pre-authorized flow, the issuer ensures that participants can only obtain the Pre-Authorised credential if they have successfully authenticated and gained access through a pre-authorized code. When a participant requests the deferred credential, it will go through a specific deferred processing flow, resulting in a delay of 5 seconds from the first Credential Request.

3/13/2024, 3:29:50 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 3/13/2024, 2:29:50
PM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_same_pre_authorized_deferred", "data": {"did
":"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPGYoytykUJZ3eyqht1j9KbqHUJh7UWcdGs9FUkHLjRH27x675Rg4bZw
mMqgkpnnd6zcu2LHX8eHYAKdfUhrmfCzSTiLBuUaZUD4GGeVAJT4VkwEwBLLuXY4AhoXhCj4rx14Za1U6Chkoitk3
h7ARmhn", "credential_offer_endpoint": "https://toad-advanced-kid.ngrok-free.app/wallets/conformance-28feb"},
"result": {"success": true} } End Test Data [39m
```

CT_WALLET_SAME_PRE_AUTHORIZED_IN_TIME

In-Time Pre-authorized Credential

As an issuer, I want to enforce the pre-authorized flow for the Pre-Authorised credential from the issuer side. This means that the credential can only be issued if the participant has gained access through a pre-authorized code. By implementing the pre-authorized flow, the issuer ensures that participants can only obtain the Pre-Authorised credential if they have successfully authenticated and gained access through a pre-authorized code. When a participant requests the in-Time credential, it will be processed and made available synchronously, without any delays.

3/13/2024, 3:29:38 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 3/13/2024, 2:29:38
PM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_same_pre_authorized_in_time", "data": {"did":
"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWpGYoytykUJZ3eyqht1j9KbqHUJh7UWcdGs9FUkHLjRH27x675Rg4bZwm
Mqgkpnnd6zcu2LHX8eHYAKdfUhrmfCzSTiLBuUaZUD4GGeVAJT4VkwEwBLLuXY4AhoxhCj4rx14Za1U6Chkoitk3h7
ARmhn", "credential_offer_endpoint": "https://toad-advanced-kid.ngrok-free.app/wallets/conformance-28feb"},
"result": {"success": true} } End Test Data [39m
```

REQUEST_CT_WALLET_QUALIFICATION_CREDENTIAL

CT Qualification through VP Exchange

As an issuer, I want to offer a CT Qualification Credential, which requires a Verifiable Presentation exchange. This exchange will involve receiving credentials from the same-device and/or cross-device test suites. By engaging in this Verifiable Presentation exchange, I can ensure that the exchanged credentials meet the necessary criteria. The received credentials from the same-device and cross-device test suites will collectively contribute to the CT Qualification Credential, enhancing the overall compliance and qualification of the issuer's offerings.

3/13/2024, 3:29:58 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 3/13/2024, 2:29:58
PM [33m[CheckService] [39m [32mTest Data {"intent": "request_ct_wallet_qualification_credential", "data": {"di
d":"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbqHUJh7UWcdGs9FUkHLjRH27x675Rg4bZw
mMqgkpnnd6zcu2LHX8eHYAKdfUhrmfCzSTtiLBUaZUD4GGeVAJT4VkwEwBLLuXY4AhoXhCj4rx14Za1U6Chkoitk3
h7ARmhn", "credential_offer_endpoint": "https://toad-advanced-kid.ngrok-free.app/wallets/conformance-28feb"},
"result": {"success":true} } End Test Data [39m
```