



# EBSI Conformance Test Report

**walt.id - walt.id v1.2311141710.0**

**16/11/2023**

## **DID**

did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbrvNZGYo92og84YugxANd6yfYsq43i85  
BTx7KDWzNwVVrNiuNmgSSrC11kbg9qg1sm6TJh7soF5vDAgGRBF3wScih9gUCcH7H8Nxd9GAG8hN4Am  
JnoEtkeUrFU18eb6wNpc

The terms and conditions applicable to this report are described in the Service Offering Description document available [here](#).

## 1.Summary of the report

This report certifies the conformance of walt.id v1.2311141710.0 distributed by walt.id to the EBSI specifications vV3.0.0 on 16/11/2023.

The results and details of the tests can be found hereunder:

[illegible]

## CT\_WALLET\_CROSS\_DEFERRED

### Deferred Credential

As an issuer, I want to enforce the deferred flow for the deferred credential from the issuer side. This means that when a participant requests the deferred credential, it will go through a specific deferred processing flow, resulting in a delay of 5 seconds from the first Credential Request. By implementing the deferred flow, the issuer can introduce a deliberate delay in providing the deferred credential.

**11/9/2023, 2:17:29 PM**

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m      11/9/2023, 1:17:29
PM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_cross_deferred", "data": {"did":"did:key:z2dm
zD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbrvNZGYo92og84YugxAND6yfYsq43i85BTx7KDWzNwVrNiuN
mgSSrC11kg9qg1sm6TJh7soF5vDAgGRBF3wScih9gUCcH7H8Nxd9GAG8hN4AmJnoEtkeUrFU18eb6wNpc"},"cred
ential_offer_endpoint":"openid-credential-offer://"}, "result": {"success":true} } End Test Data [39m - {}
```

## CT\_WALLET\_CROSS\_IN\_TIME

### Initiate Cross-Device Credential Issuance

As an issuer, I want to ensure that the in-Time credential goes through the in-time flow from the issuer side. This means that when a participant requests the in-Time credential, it will be processed and made available synchronously, without any delays. By implementing this in-time flow, participants can seamlessly obtain the in-Time credential without experiencing any significant wait times or processing delays. The synchronous availability of the credential ensures a smooth and efficient user experience.

**11/9/2023, 2:17:28 PM**

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m      11/9/2023, 1:17:28
PM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_cross_in_time", "data": {"did": "did:key:z2dmz
D81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbrvNZGYo92og84YugxANd6yfYsq43i85BTx7KDWzNwVVrNiuNm
gSSrC11kbg9qg1sm6TJh7soF5vDAgGRBF3wScih9gUCcH7H8Nxd9GAG8hN4AmJnoEtkeUrFU18eb6wNpc", " creden
tial_offer_endpoint": "openid-credential-offer://"}, "result": {"success": true} } End Test Data [39m - {}
```

## CT\_WALLET\_CROSS\_PRE\_AUTHORISED

### Pre-authorised Credential

As an issuer, I want to enforce the pre-authorised flow for the Pre-Authorised credential from the issuer side. This means that the credential can only be issued if the participant has gained access through a pre-authorised code. By implementing the pre-authorised flow, the issuer ensures that participants can only obtain the Pre-Authorised credential if they have successfully authenticated and gained access through a pre-authorised code. This pre-authorised code serves as a secure and controlled mechanism to verify the participant's eligibility for the credential.

**11/9/2023, 2:17:31 PM**

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 11/9/2023, 1:17:31
PM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_cross_pre_authorised", "data": {"did": "did:key
:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbrvNZGYo92og84YugxANd6yfYsq43i85BTx7KDWzNwVV
rNiuNmgSSrC11kbg9qg1sm6TJh7soF5vDAgGRBF3wScih9gUCcH7H8Nxd9GAG8hN4AmJnoEtkeUrFU18eb6wNpc",
"credential_offer_endpoint": "openid-credential-offer://"}, "result": {"success": true} } End Test Data [39m - {}
```

## CT\_WALLET\_SAME\_DEFERRED

### Deferred Credential

As an issuer, I want to enforce the deferred flow for the deferred credential from the issuer side. This means that when a participant requests the deferred credential, it will go through a specific deferred processing flow, resulting in a delay of 5 seconds from the first Credential Request.

**11/9/2023, 2:17:36 PM**

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m      11/9/2023, 1:17:36
PM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_same_deferred", "data": {"did": "did:key:z2dmz
D81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbrvNZGYo92og84YugxANd6yfYsq43i85BTx7KDWzNwVVrNiuNm
gSSrC11kbq9qg1sm6TJh7soF5vDAgGRBF3wScih9gUCcH7H8Nxd9GAG8hN4AmJnoEtkeUrFU18eb6wNpc", " creden
tial_offer_endpoint": "openid-credential-offer://"}, "result": {"success": true} } End Test Data [39m - {}
```

## CT\_WALLET\_SAME\_IN\_TIME

### In-Time Credential

As an issuer, I want to ensure that the in-Time credential goes through the in-time flow from the issuer side. This means that when a participant requests the in-Time credential, it will be processed and made available synchronously, without any delays.

**11/9/2023, 2:17:35 PM**

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m      11/9/2023, 1:17:35
PM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_same_in_time", "data": {"did":"did:key:z2dmz
D81cgPx8Vki7JbuuMmFYrWPgYoytykUJZ3eyqht1j9KbrvNZGYo92og84YugxANd6yfYsq43i85BTx7KDWzNwVVrNiuNm
gSSrC11kbg9qg1sm6TJh7soF5vDAgGRBF3wScih9gUCcH7H8Nxd9GAG8hN4AmJnoEtkeUrFU18eb6wNpc"}," creden
tial_offer_endpoint":"openid-credential-offer://"}, "result": {"success":true} } End Test Data [39m - {}
```

## CT\_WALLET\_SAME\_PRE\_AUTHORISED

### Pre-authorised Credential

As an issuer, I want to enforce the pre-authorised flow for the Pre-Authorised credential from the issuer side. This means that the credential can only be issued if the participant has gained access through a pre-authorised code. By implementing the pre-authorised flow, the issuer ensures that participants can only obtain the Pre-Authorised credential if they have successfully authenticated and gained access through a pre-authorised code.

**11/9/2023, 2:17:39 PM**

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m      11/9/2023, 1:17:39
PM [33m[CheckService] [39m [32mTest Data {"intent": "ct_wallet_same_pre_authorised", "data": {"did": "did:key
:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbrvNZGYo92og84YugxANd6yfYsq43i85BTx7KDWzNwVV
rNiuNmgSSrC11kg9qg1sm6TJh7soF5vDAgGRBF3wScih9gUCcH7H8Nxd9GAG8hN4AmJnoEtkeUrFU18eb6wNpc",
"credential_offer_endpoint": "openid-credential-offer://"}, "result": {"success": true} } End Test Data [39m - {}
```



## REQUEST\_CT\_WALLET\_QUALIFICATION\_CREDENTIAL

### CT Qualification through VP Exchange

As an issuer, I want to offer a CT Qualification Credential, which requires a Verifiable Presentation exchange. This exchange will involve receiving credentials from the same-device and/or cross-device test suites. By engaging in this Verifiable Presentation exchange, I can ensure that the exchanged credentials meet the necessary criteria. The received credentials from the same-device and cross-device test suites will collectively contribute to the CT Qualification Credential, enhancing the overall compliance and qualification of the issuer's offerings.

**11/9/2023, 2:18:19 PM**

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m      11/9/2023, 1:18:19
PM [33m[CheckService] [39m [32mTest Data {"intent": "request_ct_wallet_qualification_credential", "data": {"di
d":"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbrvNZGYo92og84YugxANd6yfYsq43i85BTx7
KDWzNwVVrNiuNmgSSrC11kbg9qg1sm6TJh7soF5vDAGRBF3wScih9gUCcH7H8Nxd9GAG8hN4AmJnoEtkeUrFU1
8eb6wNpc","credential_offer_endpoint":"openid-credential-offer://"}, "result": {"success":true} } End Test
Data [39m - {}
```