



EBSI Conformance Test Report

walt.id - walt.id v0.3.0

15/04/2024

DID

did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEoMmJ
VSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXE
UeoKayqCbX4aJLfW

The terms and conditions applicable to this report are described in the Service Offering Description document available [here](#).

ISSUE_TO_HOLDER_INITIATE_CT_WALLET_SAME_AUTHORIZED_DEFERRED

Implementing Pre-Authorised Flow for Credential Issuance

As an issuer, I want to enforce the pre-authorized flow for issuing Pre-Authorised credentials. This approach dictates that the credentials can only be issued to participants who have been authenticated via a pre-authorized code. The main objective is to ensure that only authenticated and authorized participants are able to receive the Pre-Authorised credentials, thereby enhancing the security and integrity of the credential issuance process.

4/12/2024, 3:33:00 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 4/12/2024, 1:33:00
PM [33m[CheckService] [39m [32mTest Data {"intent":
"issue_to_holder_initiate_ct_wallet_same_authorized_deferred", "data": {"clientId":"https://issuer.portal.walt-test.c
loud","did":"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEo
MmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEUeo
KayqCbX4aJLfw","credentialIssuer":"https://issuer.portal.walt-test.cloud","credentialIssuerDid":"did:key:z2dmzD8
1cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8susD83j
xL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEUeoKayqCbX4aJLfw","issuerState"
:"f0acb3de-d18f-4c5d-88f1-5bddb8848273"}, "result": {"success":true} } End Test Data [39m
```

ISSUE_TO_HOLDER_INITIATE_CT_WALLET_SAME_AUTHORIZED_IN_TIME

Immediate Issuance of Pre-Authorised Credentials

As an issuer, I aim to implement a system where Pre-Authorised credentials are issued instantly to participants who have authenticated themselves using a pre-authorized code. This process ensures that the issuance of credentials is both secure and immediate, facilitating a smooth and efficient user experience for eligible participants.

4/12/2024, 3:32:59 PM

[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 4/12/2024, 1:32:59 PM [33m[CheckService] [39m [32mTest Data {"intent":

```
"issue_to_holder_initiate_ct_wallet_same_authorized_in_time", "data": {"clientId":"https://issuer.portal.walt-test.cloud", "did":"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEUeoKayqCbX4aJLfw", "credentialIssuer":"https://issuer.portal.walt-test.cloud", "credentialIssuerDid":"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEUeoKayqCbX4aJLfw", "issuerState":"662c312d-9796-4e57-8fe3-9a395ba13b2d"}, "result": {"success":true} } End Test Data [39m
```

ISSUE_TO_HOLDER_INITIATE_CT_WALLET_SAME_AUTHORIZED_IN_TIME

Immediate Issuance of Pre-Authorised Credentials

As an issuer, I aim to implement a system where Pre-Authorised credentials are issued instantly to participants who have authenticated themselves using a pre-authorized code. This process ensures that the issuance of credentials is both secure and immediate, facilitating a smooth and efficient user experience for eligible participants.

4/12/2024, 3:23:17 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 4/12/2024, 1:23:17
PM [33m[CheckService] [39m [32mTest Data {"intent":
"issue_to_holder_initiate_ct_wallet_same_authorized_in_time", "data": {"credentialIssuer":"https://issuer.portal.w
alt-test.cloud","credentialIssuerDid":"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJ
yVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89ue
zUUUc13ssTPkncXEuoKayqCbX4aJLfw","issuerState":"88a17a79-6d27-4089-8598-c49fdebcbf8d6"}, "result":
{"success":true} } End Test Data [39m
```

ISSUE_TO_HOLDER_INITIATE_CT_WALLET_SAME_PRE_AUTHORIZED_DEFERRED

Deferred Issuance of Pre-Authorised Credentials

As an issuer, my goal is to establish a pre-authorization requirement for participants to receive specific credentials, with a deferred issuance process. This means that after participants are authenticated through a pre-authorized code, the issuance of the Pre-Authorised credential is scheduled for a later time, rather than being immediate. This approach ensures that the system verifies eligibility before issuance and provides flexibility in the timing of credential distribution.

4/12/2024, 3:32:10 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 4/12/2024, 1:32:10 PM [33m[CheckService] [39m [32mTest Data {"intent": "issue_to_holder_initiate_ct_wallet_same_pre_authorized_deferred", "data": {"clientId": "https://issuer.portal.walt-test.cloud", "did": "did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEuoKayqCbX4aJLfw", "credentialIssuer": "https://issuer.portal.walt-test.cloud", "credentialIssuerDid": "did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEuoKayqCbX4aJLfw", "issuerState": "d1039851-1d3c-4f19-b7a8-e0804be6b7a9", "preAuthorizedCode": "eyJhbGciOiJIJZERTQSI9.eyJzdWIiOiJKMTAzOTg1MS0xZDNjLTRmMTktYjdhOC1lMDgwNGJINmI3YTkiLCJpc3MiOiJodHRwczovL2lzc3Vlci5wb3J0YWwud2FsdC10ZXN0LmNsb3VklwiYXVkljoiVE9LRU4ifQ.geTgDlncRhcSTu2ofDXGKEWmL4s5juhdQevF8KqzGW0u7vg4Vch2U-25U0UadVckGAVSq4Hjfl3yKgwpOlwtCA", "userPin": "1234"}, "result": {"success": true} } End Test Data [39m
```

ISSUE_TO_HOLDER_INITIATE_CT_WALLET_SAME_PRE_AUTHORIZED_DEFERRED

Deferred Issuance of Pre-Authorised Credentials

As an issuer, my goal is to establish a pre-authorization requirement for participants to receive specific credentials, with a deferred issuance process. This means that after participants are authenticated through a pre-authorized code, the issuance of the Pre-Authorised credential is scheduled for a later time, rather than being immediate. This approach ensures that the system verifies eligibility before issuance and provides flexibility in the timing of credential distribution.

4/12/2024, 3:30:24 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 4/12/2024, 1:30:24
PM [33m[CheckService] [39m [32mTest Data {"intent":
"issue_to_holder_initiate_ct_wallet_same_pre_authorized_deferred", "data": {"clientId":"https://issuer.portal.walt-t
est.cloud","did":"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcH
bEoMmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXE
UeoKayqCbX4aJLFW","credentialIssuer":"https://issuer.portal.walt-test.cloud","credentialIssuerDid":"did:key:z2dm
zD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8sus
D83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEUeoKayqCbX4aJLFW","issuerSt
ate":"edf9c1e1-710b-4ffb-bd98-637f8606145b","preAuthorizedCode":"eyJhbGciOiJIJZERTQSI9.eyJzdWIiOiJIZGY5Y
zFIMS03MTBiLTRmZmltYmQ5OC02MzdmODYwNjE0NWliLCJpc3MiOiJodHRwczovL2lzc3Vlci5wb3J0YWwud2FsdC1
0ZXN0LmNsb3VklwiYXVkljoiVE9LRU4ifQ.r9x6Did37Msg94E1suwZbmlevH1iv_DGfRgPUAMA-dkGrdrSpq7pmAc3m
TiAzbhvqUKOsW8jh_d19YrFYZWqDQ","userPin":"1234"}, "result": {"success":true} } End Test Data [39m
```

ISSUE_TO_HOLDER_INITIATE_CT_WALLET_SAME_PRE_AUTHORIZED_DEFERRED

Deferred Issuance of Pre-Authorised Credentials

As an issuer, my goal is to establish a pre-authorisation requirement for participants to receive specific credentials, with a deferred issuance process. This means that after participants are authenticated through a pre-authorized code, the issuance of the Pre-Authorised credential is scheduled for a later time, rather than being immediate. This approach ensures that the system verifies eligibility before issuance and provides flexibility in the timing of credential distribution.

4/12/2024, 3:25:06 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 4/12/2024, 1:25:06 PM [33m[CheckService] [39m [32mTest Data {"intent": "issue_to_holder_initiate_ct_wallet_same_pre_authorized_deferred", "data": {"credentialIssuer": "https://issuer.portal.walt-test.cloud", "credentialIssuerDid": "did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUJ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEUeoKayqCbX4aJLfw", "userPin": "8888", "preAuthorizedCode": "eyJhbGciOiJFZERTQSJ9.eyJzdWliOilwNjU1ZjhiNy1jMzRhLTQwMGYtOTIxMC0zODM1ZTZkMzUxOTkiLCJpc3MiOiJodHRwczovL2lzc3Vlci5wb3J0YWwud2FsdC10ZXN0LmNsb3VklwiYXVkljoiVE9LRU4ifQ.fplHeP83_FsMc0y41PCslu-srh4L_YsUk1zFMEmmPR1IM4JQsbatbT3c3Aa6l5ikHfpMYRuwr4jAsalXfhl_AA"}, "result": {"success": true} } End Test Data [39m
```


ISSUE_TO HOLDER_INITIATE_CT_WALLET_SAME_PRE_AUTHORIZED_IN_TIME

Immediate Issuance of Pre-Authorised Credentials

As an issuer, I wish to streamline the process for issuing Pre-Authorised credentials by enabling an immediate issuance mechanism for participants who have been authenticated via a pre-authorized code. This ensures a swift and efficient delivery of credentials to eligible participants, enhancing their experience by eliminating unnecessary delays.

4/12/2024, 3:30:23 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 4/12/2024, 1:30:23 PM [33m[CheckService] [39m [32mTest Data {"intent": "issue_to_holder_initiate_ct_wallet_same_pre_authorized_in_time", "data": {"clientId":"https://issuer.portal.walt-test.cloud", "did":"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEUeoKayqCbX4aJLfw", "credentialIssuer":"https://issuer.portal.walt-test.cloud", "credentialIssuerDid":"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEUeoKayqCbX4aJLfw", "issuerState":"93781277-a4c2-4e55-92ff-4dbe00299419", "preAuthorizedCode":"eyJhbGciOiJIJZERTQSI9.eyJzdWIiOiI1Mzc4MTI3Ny1hNGMyLTRlNTU0OTJmZi00ZGJlM0M0MTk0L0Jpc3MiOiJodHRwczovL2lzc3Vlci5wb3J0YWwud2FsdC10ZXN0LmNsb3VkliwiYXVkljoiVE9LRU4ifQ.4zeXNldjHulGL8SuhgBeY2GgUlgUBKfkBw1okeYHRsLBKs6jFO9EzDRt5t2mk_bQft6_SPyUSty4suAfRpsjCw", "userPin":"1234"}, "result": {"success":true} } End Test Data [39m
```

ISSUE_TO_HOLDER_VALIDATE_CT_WALLET_SAME_AUTHORISED_DEFERRED

Deferred and Validated Issuance of Authorised Credentials

The system is required to authenticate participants and then validate their compliance with predefined authorisation criteria. Only upon successful validation does the participant become eligible for the credential issuance, which is scheduled for a later time rather than occurring immediately. This deferred issuance approach allows for precise control over the credential distribution process.

4/12/2024, 3:33:01 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 4/12/2024, 1:33:01
PM [33m[CheckService] [39m [32mTest Data {"intent":
"issue_to_holder_validate_ct_wallet_same_authorised_deferred", "data": {"clientId":"https://issuer.portal.walt-test.
cloud", "did":"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEo
MmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEUeo
KayqCbX4aJLfw", "credentialIssuer":"https://issuer.portal.walt-test.cloud", "credentialIssuerDid":"did:key:z2dmzD8
1cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8susD83j
xL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEUeoKayqCbX4aJLfw", "issuerState"
:"f0acb3de-d18f-4c5d-88f1-5bddb8848273"}, "result": {"success":true} } End Test Data [39m
```

ISSUE_TO_HOLDER_VALIDATE_CT_WALLET_SAME_AUTHORIZED_IN_TIME

Immediate and Validated Issuance of Authorised Credentials

As an issuer, my objective is to ensure a streamlined and secure issuance of authorised credentials, where participants must first be authenticated and meet specific authorisation criteria. Following this validation, the credential is issued immediately, enhancing efficiency and participant satisfaction by eliminating waiting times.

4/12/2024, 3:32:59 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 4/12/2024, 1:32:59
PM [33m[CheckService] [39m [32mTest Data {"intent":
"issue_to_holder_validate_ct_wallet_same_authorized_in_time", "data": {"clientId":"https://issuer.portal.walt-test.c
loud","did":"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEo
MmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEUeo
KayqCbX4aJLfw","credentialIssuer":"https://issuer.portal.walt-test.cloud","credentialIssuerDid":"did:key:z2dmzD8
1cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8susD83j
xL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEUeoKayqCbX4aJLfw","issuerState"
:"662c312d-9796-4e57-8fe3-9a395ba13b2d"}, "result": {"success":true} } End Test Data [39m
```

ISSUE_TO_HOLDER_VALIDATE_CT_WALLET_SAME_PRE_AUTHORIZED_DEFERRED

Deferred and Validated Issuance of Pre-Authorised Credentials

As an issuer, I want to ensure that the process of issuing pre-authorized credentials is not only secure but also meticulously validated. My aim is to establish a system where participants are authenticated and meet specific pre-authorization criteria before their credential issuance is scheduled for a later time. This approach ensures a thorough validation process while also allowing for a flexible and controlled distribution of credentials.

4/12/2024, 3:32:10 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 4/12/2024, 1:32:10
PM [33m[CheckService] [39m [32mTest Data {"intent":
"issue_to_holder_validate_ct_wallet_same_pre_authorized_deferred", "data": {"clientId":"https://issuer.portal.walt-
test.cloud", "did":"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMc
HbEoMmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diiK4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncX
EUeoKayqCbX4aJLfw", "credentialIssuer":"https://issuer.portal.walt-test.cloud", "credentialIssuerDid":"did:key:z2d
mzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8su
sD83jxL3jZJ4VbNcq3diiK4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEUeoKayqCbX4aJLfw", "issuer
State":"d1039851-1d3c-4f19-b7a8-e0804be6b7a9", "preAuthorizedCode":"eyJhbGciOiJIJZERTQSI9.eyJzdWIiOiJkMT
AzOTg1MS0xZDNjLTRmMTktYjdhOC1IMDgwNGJINmI3YTkiLCJpc3MiOiJodHRwczovL2lzc3Vlci5wb3J0YWwud2Fsd
C10ZXN0LmNsb3VklwiYXVkljoiVE9LRU4ifQ.geTgDlncRhcSTu2ofDXGKEWmL4s5juhdQevF8KqzGW0u7vg4Vch2U-2
5U0UadVcKGAVSq4Hjfi3yKgwpOlwtCA", "userPin":"1234"}, "result": {"success":true} } End Test Data [39m
```

ISSUE_TO_HOLDER_VALIDATE_CT_WALLET_SAME_PRE_AUTHORIZED_DEFERRED

Deferred and Validated Issuance of Pre-Authorised Credentials

As an issuer, I want to ensure that the process of issuing pre-authorized credentials is not only secure but also meticulously validated. My aim is to establish a system where participants are authenticated and meet specific pre-authorization criteria before their credential issuance is scheduled for a later time. This approach ensures a thorough validation process while also allowing for a flexible and controlled distribution of credentials.

4/12/2024, 3:30:24 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 4/12/2024, 1:30:24
PM [33m[CheckService] [39m [32mTest Data {"intent":
"issue_to_holder_validate_ct_wallet_same_pre_authorized_deferred", "data": {"clientId":"https://issuer.portal.walt-
test.cloud", "did":"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMc
HbEoMmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncX
EUeoKayqCbX4aJLfw", "credentialIssuer":"https://issuer.portal.walt-test.cloud", "credentialIssuerDid":"did:key:z2d
mzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8su
sD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEUeoKayqCbX4aJLfw", "issuer
State":"edf9c1e1-710b-4ffb-bd98-637f8606145b", "preAuthorizedCode":"eyJhbGciOiJIJZERTQSI9.eyJzdWIiOiJIZGY
5YzFIMS03MTBiLTRmZmltYmQ5OC02MzdmODYwNjE0NWliLCJpc3MiOiJodHRwczovL2lzc3Vlci5wb3J0YWVwud2Fsd
C10ZXN0LmNsb3VklwiYXVkljoiVE9LRU4ifQ.r9x6Did37Msg94E1suwZbmlevH1iv_DGfRgPUAMA-dkGrdrSpq7pmAc3
mTiAzbhvqUKOsW8jh_d19YrFYZWqDQ", "userPin":"1234"}, "result": {"success":true} } End Test Data [39m
```

ISSUE_TO_HOLDER_VALIDATE_CT_WALLET_SAME_PRE_AUTHORIZED_DEFERRED

Deferred and Validated Issuance of Pre-Authorised Credentials

As an issuer, I want to ensure that the process of issuing pre-authorized credentials is not only secure but also meticulously validated. My aim is to establish a system where participants are authenticated and meet specific pre-authorization criteria before their credential issuance is scheduled for a later time. This approach ensures a thorough validation process while also allowing for a flexible and controlled distribution of credentials.

4/12/2024, 3:25:18 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 4/12/2024, 1:25:18
PM [33m[CheckService] [39m [32mTest Data {"intent":
"issue_to_holder_validate_ct_wallet_same_pre_authorized_deferred", "data": {"credentialIssuer":"https://issuer.po
rtal.walt-test.cloud", "credentialIssuerDid":"did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtAN
USeJyVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z
89uezUUUc13ssTPkncXEUeoKayqCbX4aJLfw", "userPin":"8888", "preAuthorizedCode":"eyJhbGciOiJIJZERTQSI9.e
yJzdWliOilwNjU1ZjhiNy1jMzRhLTQwMGYtOTIxMC0zODM1ZTZkMzUxOTkiLCJpc3MiOiJodHRwczovL2lzc3Vici5wb3J
0YWwud2FsdC10ZXN0LmNsb3VklwiYXVkljoiVE9LRU4ifQ.fplHeP83_FsMc0y41PCslu-srh4L_YSUk1zFMEmmPR1IM
4JQSbatbT3c3Aa6I5ikHfpMYRuwr4jAsaIXfhl_AA"}, "result": {"success":true} } End Test Data [39m
```

ISSUE_TO_HOLDER_VALIDATE_CT_WALLET_SAME_PRE_AUTHORIZED_IN_TIME

Immediate and Validated Issuance of Pre-Authorised Credentials

As an issuer, I wish to implement a streamlined process that ensures the secure and immediate issuance of pre-authorized credentials to participants. This process involves participants being authenticated and meeting specific pre-authorization criteria before the credential is issued instantly, enhancing the efficiency and satisfaction of the participant experience by providing immediate access to credentials.

4/12/2024, 3:30:23 PM

```
[conformance-v3]/conformance-v3(stdout) [32m[Conformance API v3] [39m [33mInfo [39m 4/12/2024, 1:30:23 PM [33m[CheckService] [39m [32mTest Data {"intent": "issue_to_holder_validate_ct_wallet_same_pre_authorized_in_time", "data": {"clientId": "https://issuer.portal.walt-test.cloud", "did": "did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEuoKayqCbX4aJLfw", "credentialIssuer": "https://issuer.portal.walt-test.cloud", "credentialIssuerDid": "did:key:z2dmzD81cgPx8Vki7JbuuMmFYrWPgYoytykUZ3eyqht1j9KbtANUSeJyVFB45Gh1at2EMcHbEoMmJVSpaGEu4xGk8b8susD83jxL3jZJ4VbNcq3diik4RVCi3ea6VPfjNNCEyESEWK4w5z89uezUUUc13ssTPkncXEuoKayqCbX4aJLfw", "issuerState": "93781277-a4c2-4e55-92ff-4dbe00299419", "preAuthorizedCode": "eyJhbGciOiJIJZERTQSi9.eyJzdWIiOiI1Mzc4MTI3Ny1hNGMyLTRlNTU0OTJmZi00ZGJlMDEyOTk0MTkiLCJpc3MiOiJodHRwczovL2lzc3Vlci5wb3J0YWwud2FsdC10ZXN0LmNsb3VklwiYXVkljoiVE9LRU4ifQ.4zeXNldjHulGL8SuhgBeY2GgUlgUBKfkBw1okeYHRsLBKs6jFO9EzDRt5t2mk_bQft6_SPyUSty4suAfrpsjCw", "userPin": "1234"}, "result": {"success": true} } End Test Data [39m
```