



Loss in life expectancy attributable to exposure to fine particulate matter - 2000



Loss in statistical life expectancy that can be attributed to the identified anthropogenic contribution to PM_{2.5} (months), for the emissions of the year 2000. Calculation results for the meteorological conditions of 1997.

Source: IIASA


Loss in life expectancy attributable to exposure to fine particulate matter – Baseline 2020



Loss in statistical life expectancy that can be attributed to the identified anthropogenic contribution to PM_{2.5} (months), for the emissions of the current legislation case of the “Climate policy” scenario in 2020. Calculation results for the meteorological conditions of 1997.


Source: IIASA

Loss in life expectancy attributable to exposure to fine particulate matter – Scenario A



Loss in statistical life expectancy that can be attributed to the identified anthropogenic contribution to PM_{2.5} (months), for the emissions of the D23 (A) scenario in 2020. Calculation results for the meteorological conditions of 1997.
Source: IIASA


Loss in life expectancy attributable to exposure to fine particulate matter – Scenario B



Loss in statistical life expectancy that can be attributed to the identified anthropogenic contribution to PM_{2.5} (months), for the emissions of the D23 (B) scenario in 2020. Calculation results for the meteorological conditions of 1997.

Source: IIASA


Loss in life expectancy attributable to exposure to fine particulate matter – Scenario C



Loss in statistical life expectancy that can be attributed to the identified anthropogenic contribution to PM2.5 (months), for the emissions of the D23 (C) scenario in 2020. Calculation results for the meteorological conditions of 1997.

Source: IIASA

Loss in life expectancy attributable to exposure to fine particulate matter – Thematic Strategy 2020



Loss in statistical life expectancy that can be attributed to the identified anthropogenic contribution to PM2.5 (months), for the emissions of the Thematic Strategy on Air Pollution in 2020. Calculation results for the meteorological conditions of 1997.

Source: IIASA