Table of contents

| Preface | | 5 |
|-------------|--|--------------|
| Introductio | n | 6 |
| Purpose o | of the manual | 6 |
| - | is | |
| • | ptual guidelines and translation and interview instructions | |
| 1.1 | General guidelines and instructions | 7 |
| 1.1.1 | Translation protocol | 7 |
| 1.1.2 | The order of the questions | 8 |
| 1.1.3 | A list of showcards | 9 |
| 1.1.4 | Structure of the specific guidelines for the health modules and variables | 10 |
| 1.2 | European Health Status Module (EHSM) | 12 |
| 1.2.1 | Health Status (HS) - Minimum European Health Module | |
| | HS1: Self-perceived general health: how a person perceives his/her health in general HS2: Long-standing health problem: Suffer from any illness or health problem of a duration of at least six months | ıl13 14 |
| | health problems for at least the past six months | |
| 1.2.2 | Diseases and chronic conditions (CD) | |
| | CD1: Suffering from [specific disease] in the past 12 months | |
| 1.2.3 | Accidents and injuries (AC) | |
| | AC1: Occurrence of [type of accident] in the past 12 months | st 12 |
| 1.2.4 | Absence from work due to health problems (AW) | 28 |
| | AW1: Absent from work due to personal health problems in the past 12 months AW2: Number of days of absence from work due to personal health problems in the 12 months | 28 e past |
| 1.2.5 | Physical and sensory functional limitations (PL) | 30 |
| | PL1: Wearing glasses or contact lenses | |
| | PL2: Difficulty in seeing, even when wearing glasses or contact lenses PL3: Use of a hearing aid | |
| | PL4: Difficulty in hearing what is said in a conversation with one other person in a | |
| | room even when using a hearing aid | |
| | PL5: Difficulty in hearing what is said in a conversation with one other person in a | 26 |
| | noisier room even when using a hearing aid | 38 |
| 1.2.6 | Personal care activities (PC) | 40 |
| | PC1: Difficulty in [kind of personal care activity] | thing |

| | PC3: Need to receive help or more help with one or more self-care activities: feeding yourself, getting in and out of a bed or chair, dressing and undressing, using toilets, bathing or showering | |
|-------|--|------|
| 1.2.7 | Household activities (HA) | |
| | HA1: Difficulty in doing [kind of household activity] | |
| | HA2: Usually receiving help with one or more domestic activities: preparing meals, using the telephone, shopping, managing medication, light or occasional heavy | |
| | housework, taking care of finances and everyday administrative tasks | als, |
| | housework, taking care of finances and everyday administrative tasks | |
| 1.2.8 | Pain (PN) | |
| | PN1: Intensity of bodily pain during the past 4 weeks | 5 |
| | both work outside the home and housework) | 50 |
| 1.2.9 | Mental health (MH) | |
| | MH1: Extent of [problem related to mental health] over the last 2 weeks | 51 |
| 1.3 | European Health Care Module (EHCM) | . 54 |
| 1.3.1 | Use of inpatient and day care (HO) | |
| 1.5.1 | HO1: Admission as an inpatient in a hospital in the past 12 months | |
| | HO2: Number of nights spent as a patient in a hospital in the past 12 months | |
| | HO3: Admission as a day patient in a hospital in the past 12 months | |
| | HO4: Number of times admitted as a day patient in a hospital in the past 12 months | 59 |
| 1.3.2 | Use of ambulatory and home care (AM) | 60 |
| | AM1: Last time of a visit to a dentist or orthodontist (for personal treatment) | 61 |
| | AM2: Last time of a consultation of a general practitioner or family doctor (for person | |
| | treatment) | |
| | AM3: Number of consultations of a general practitioner or family doctor during the p | |
| | four weeks (for personal treatment) | 64 |
| | treatment) | 66 |
| | AM5: Number of consultations of a medical or surgical specialist during the past four weeks (for personal treatment) | r |
| | AM6: Consultation of a [type of profession] in the past 12 months | |
| | AM7: Use of any home care services for personal needs during the past 12 months | |
| 1.3.3 | Medicine use (MD) | 72 |
| | MD1: Use of any medicines prescribed by a doctor during the past two weeks (exclude contraception) | ding |
| | MD2: Use of any medicines, herbal medicines or vitamins not prescribed by a doctor during the past two weeks | |
| 1.3.4 | Preventive services (PA) | 75 |
| | PA1: Last time of vaccination against flu | |
| | PA2: Last time of blood pressure measurement by a health professional | |
| | PA3: Last time of blood cholesterol measurement by a health professional | |
| | PA4: Last time of blood sugar measurement by a health professional | |
| | PA5: Last time of a faecal occult blood test | |
| | PA6: Last time of a colonoscopy | 18 |
| | PA7: Last time of a mammography (breast X-ray) | |
| 1.3.5 | Unmet needs for health care (UN) | |
| 1.3.3 | UN1A: Unmet need for health care in the past 12 months due to long waiting list(s) | |
| | UN1A: Unmet need for health care in the past 12 months due to long waiting list(s) UN1B: Unmet need for health care in the past 12 months due to distance or | 03 |
| | transportation problems | 86 |
| | | |

| | UN2: Could not afford [kind of care] in the past 12 months | 8/ |
|-------|---|---------------|
| 1.4 | European Health Determinants Module (EHDM) | 89 |
| 1.4.1 | Weight and height (BM) | |
| | BM1: Height without shoes | 90 |
| | BM2: Weight without clothes and shoes | 91 |
| 1.4.2 | Physical activity / exercise (PE) | 92 |
| | PE1: Physical effort of working tasks (both paid and unpaid work activities include PE2: Number of days in a typical week walking to get to and from places at least 1 minutes continuously | 0 |
| | PE3: Time spent on walking to get to and from places on a typical day | |
| | PE4: Number of days in a typical week bicycling to get to and from places at least minutes continuously | 10 |
| | PE5: Time spent on bicycling to get to and from places on a typical day | 102 |
| | PE6: Number of days in a typical week doing sports, fitness or recreational (leisure physical activities that cause at least a small increase in breathing or heart ra at least 10 minutes continuously | ite for |
| | PE7: Time spent on doing sports, fitness or recreational (leisure) physical activities typical week | s in a 105 |
| | PE8: Number of days in a typical week doing muscle-strengthening activities | 106 |
| 1.4.3 | Consumption of fruit and vegetables (FV) | 107 |
| | FV1: Frequency of eating fruit, excluding juice | 107 |
| | FV2: Number of portions of fruit a day, excluding juice | |
| | FV3: Frequency of eating vegetables or salad, excluding juice and potatoes | |
| | FV4: Number of portions of vegetables or salad, excluding juice and potatoes a day | |
| 1.4.4 | Smoking (SK) | 111 |
| | SK1: Type of smoking behaviour | 111 |
| | SK2: Kind of tobacco product consumed | |
| | SK3: Average number of cigarettes a day | |
| | SK4: Frequency of exposure to tobacco smoke indoors | 114 |
| 1.4.5 | Alcohol consumption (AL) | 115 |
| | AL1: Frequency of consumption of an alcoholic drink of any kind (beer, wine, cide spirits, cocktails, premixes, liqueurs, homemade alcohol) in the past 12 m | onths |
| | AL2: Frequency of consumption of an alcoholic drink for Monday-Thursday | 118 |
| | AL3: Number of alcoholic (standard) drinks on average on one of the days (Monda Thursday) | ay to 119 |
| | AL4: Frequency of consumption of an alcoholic drink for Friday-Sunday | |
| | AL5: Number of alcoholic (standard) drinks on average on one of the days (Friday Sunday) | 122 |
| 1.4.6 | AL6: Frequency of risky single-occasion drinking (equivalent of 60g of pure ethan more) during the past 12 months | 124 |
| 1.4.6 | Social support (SS) | |
| | SS1: Number of close people to count on in case of serious personal problems SS2: Degree of concern shown by other people in what the person is doing | 127 |
| 1.4.7 | Provision of informal care or assistance (IC) | 129 |
| | IC1: Providing care or assistance to one or more persons suffering from some age problem, chronic health condition or infirmity, at least once a week (profess activities excluded) | |
| | IC2: Prevailing relationship of the person(s) suffering from any chronic condition of | or |
| | infirmity or due to old age being provided with care or assistance at least on week from the respondent | |

| | IC3: Number of hours per week the respondent provides care or assistation person(s) suffering from any chronic condition or infirmity or d | |
|-------------|--|-----|
| 1.5 | Core social variables | 132 |
| 2 Statistic | cal survey guidelines | 139 |
| 2.1 | General definitions | 139 |
| 2.2 | Target population | 140 |
| 2.3 | Data collection period | 140 |
| 2.4 | Data collection mode | 141 |
| 2.5 | Sampling frame | 143 |
| 2.6 | Sampling design and sampling method | 145 |
| 2.6.1 | Probability sampling methods | |
| 2.6.2 | Stratification | 147 |
| 2.6.3 | Selection of individuals in selected households | 148 |
| 2.7 | Sample size | 149 |
| 2.7.1 | Minimum effective sample sizes | 149 |
| 2.7.2 | Calculation method | 150 |
| 2.8 | Participation and non-participation | 152 |
| 2.8.1 | Response rate | 153 |
| 2.8.2 | Proxy interviews | 153 |
| 2.8.3 | Substitution | 154 |
| 2.9 | Weighting | 156 |
| 2.9.1 | Use of auxiliary information at the estimation stage | 156 |
| 2.9.2 | Reweighting to adjust for unit non-response | 157 |
| 2.9.3 | Calculation of weighting factors | 157 |
| 2.10 | Imputation | 161 |
| 2.11 | Technical survey variables | 163 |
| References | | 167 |
| Annex: EHIS | S wave 2 model questionnaire | 168 |