

Tutorial: Wikitext basics

Statistics Explained

Statistics Explained Markup codes

Description	You type	You get
Italic text	<code>"italic"</code> (note: type twice ', not " !)	<i>italic</i>
Bold text	<code>"bold"</code>	bold
Bold and italic	<code>""bold & italic""</code>	bold & italic
Internal link (within <i>Statistics Explained</i>)	<code>[[Name of page]]</code> <code>[[Glossary:Name page Text to display]]</code> of	Name of page Text to display
External link (to other website, for instance <i>www.example.org</i>)	<code>[http://www.example.org</code> Text to display <code>http://www.example.org]</code> <code>http://www.example.org</code>	Text to display [1] http://www.example.org
Redirect to another page (usually in 'Glossary' namespace)	<code>#REDIRECT [[Glossary:Target page]]</code>	Glossary:Target page
Redirect to other section with a header within the same page	<code>[[#Target_header Target header]]</code>	Target header
Creating a footnote (reference)	<i>To create a footnote (reference), use this format: Article text<ref>Text of the footnote (including any links, for instance [http://www.example.org Link text]).</ref></i>	2*Article text ¹
	<i>To reuse the same note, reuse the name with a trailing slash: Article text.<ref name="test" /></i>	
	<i>To display notes, add either of these lines to the References section<references/></i> Template:Tl	
Section headings ² <i>A table of contents will automatically be generated when four headings are added to an article. Avoid levels 4-5, this might overload table of contents; use instead bold normal text line with blank line before and after.</i>	<code>==Level 1==</code> <code>===Level 2===</code> <code>====Level 3====</code> <code>=====Level 4=====</code> <code>====Level 5=====</code>	Level 1 Level 2 Level 3 Level 4 Level 5
	Tutorial:Wikitext basics	2
Bulleted list ³ Empty lines between list items ad-		