



Brussels, 15.07.2016

**COMMISSION DATABASE OF HOST PLANTS FOUND TO BE SUSCEPTIBLE TO
XYLELLA FASTIDIOSA IN THE UNION TERRITORY – UPDATE 6**

List of host plants referred to in Article 1(b) of Commission Implementing Decision (EU) 2015/2417 of 17 December 2015, which have been found to be susceptible to *Xylella fastidiosa* in the Union territory, or, where a Member State has demarcated an area with regard to only one or more subspecies of *Xylella fastidiosa* pursuant to the second subparagraph of Article 4(1) of that Decision, as having been found to be susceptible to that or those subspecies.

Host plant found to be susceptible to *Xylella fastidiosa* subsp. *fastidiosa*

Nerium oleander L.

Host plants found to be susceptible to *Xylella fastidiosa* subsp. *multiplex*

Acer pseudoplatanus L.

Artemisia arborescens L.

Asparagus acutifolius L.

Calicotome villosa (Poiret) Link

Cistus monspeliensis L.

Cistus salviifolius L.

Coronilla valentina L.

Cytisus scoparius (L.) Link

Genista x spachiana (syn. *Cytisus racemosus* Broom)

Genista corsica (Loisel.) DC.

Genista ephedroides DC.

Hebe

Helichrysum italicum (Roth) G. Don

Lavandula angustifolia Mill.

Lavandula dentata L.

Lavandula stoechas L.
Lavandula x *allardii* (syn. *Lavandula* x *heterophylla*)
Metrosideros excelsa Sol. ex Gaertn.
Myrtus communis L.
Pelargonium graveolens L'Hér
Phagnalon saxatile (L.) Cass.
Polygala myrtifolia L.
Prunus cerasifera Ehrh.
Quercus suber L.
Rosa x *floribunda*
Rosmarinus officinalis L.
Spartium junceum L.

Host plants found to be susceptible to *Xylella fastidiosa* subsp. *pauca*

Acacia saligna (Labill.) Wendl.
Asparagus acutifolius L.
Catharanthus
Cistus creticus L.
Dodonaea viscosa Jacq.
Eremophila maculata F. Muell.
Euphorbia terracina L.
Grevillea juniperina L.
Laurus nobilis L.
Lavandula angustifolia Mill.
Lavandula stoechas L.
Myrtus communis L.
Myoporum insulare R. Br.
Nerium oleander L.
Olea europaea L.
Phillyrea latifolia L.
Polygala myrtifolia L.
Prunus avium (L.) L.
Prunus dulcis (Mill.) D.A. Webb
Rhamnus alaternus L.

Rosmarinus officinalis L.

Spartium junceum L.

Vinca

Westringia fruticosa (Willd.) Druce

Westringia glabra L.

Host plants found to be susceptible to several subspecies of *Xylella fastidiosa*

Coffea