

## ARGENTINA

### Table of information provided by non-EU countries on phytosanitary import requirements

Information provided by countries of origin and National Plant Protection Organisms concerning Annex VII of Commission Implementing Regulation (EU) 2019/2072 establishing uniform conditions for the implementation of Regulation (EU) 2016/2031 of the European Parliament and the Council, as regards protective measures against pests of plants, and repealing Commission Regulation (EC) No 690/2008 and amending Commission Implementing Regulation (EU) 2018/2019 "

✓ : information communicated to European Commission  
 x: information not provided  
 n.a. not applicable

		<i>Agrilus planipennis</i> Fairmaire		
			36 - pest free areas	Date of latest communication
36	<p><b>* Banned from 14 December 2019 onwards, under Regulation (EU) 2018/2019. Countries that would like to resume exports have to submit a technical dossier according to Regulation (EU) 2018/2018 for EFSA to perform the risk assessment. The EU will decide if and under which conditions the country can export the specified plant, after EFSA has carried out the risk assessment</b></p>	Plants of <i>Fraxinus</i> L.*, <i>Juglans ailantifolia</i> Carr.*, <i>Juglans mandshurica</i> Maxim.*, <i>Ulmus davidiana</i> Planch.* and <i>Pterocarya rhoifolia</i> Siebold & Zucc., other than fruit and seeds originating in <span style="color: red;">Canada, China, Democratic People's Republic of Korea, Japan, Mongolia, Republic of Korea, Russia, Taiwan, and United States</span>	<i>Fraxinus</i> L.*	n.a.
		<i>Juglans ailantifolia</i> Carr.*	n.a.	
		<i>Juglans mandshurica</i> Maxim.*	n.a.	
		<i>Ulmus davidiana</i> Planch.*	n.a.	
		<i>Pterocarya rhoifolia</i> Siebold & Zucc.	n.a.	

<i>Grapholita packardi</i> Zeller				
			43 (a) - pest free areas	Date of latest communication
43	Plants for planting, other than plants in tissue culture and seeds, of <i>Crataegus</i> L.*, <i>Cydonia</i> Mill., <i>Malus</i> Mill.*, <i>Prunus</i> L.*, <i>Pyrus</i> L. and <i>Vaccinium</i> L. originating in <b>Canada, Mexico and United States</b>	<i>Crataegus</i> L.*	n.a	
		<i>Cydonia</i> Mill.	n.a	
		<i>Malus</i> Mill.*	n.a	
		<i>Prunus</i> L.*	n.a	
		<i>Pyrus</i> L.	n.a	
		<i>Vaccinium</i> L.	n.a	
	<b>* Banned from 14 December 2019 onwards, under Regulation (EU) 2018/2019. Countries that would like to resume exports have to submit a technical dossier according to Regulation (EU) 2018/2018 for EFSA to perform the risk assessment. The EU will decide if and under which conditions the country can export the specified plant, after EFSA has carried out the risk assessment</b>			

<i>Candidatus Liberibacter africanus</i>				
		Plant species	51 - country freedom	Date of latest communication
51	Plants of <i>Aegle</i> Corrêa, <i>Aeglopsis</i> Swingle, <i>Afraegle</i> Engl, <i>Atalantia</i> Corrêa, <i>Balsamocitrus</i> Stapf, <i>Burkillanthus</i> Swingle, <i>Calodendrum</i> Thunb., <i>Choisya</i> Kunth, <i>Clausena</i> Burm. f., <i>Limonia</i> L., <i>Microcitrus</i> Swingle., <i>Murraya</i> J. Koenig ex L., <i>Pamburus</i> Swingle, <i>Severinia</i> Ten., <i>Swinglea</i> Merr., <i>Triphasia</i> Lour. and <i>Vepris</i> Comm., other than fruit (but including seeds); and seeds of <i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf., and their hybrids originating in third countries		X	

<i>Candidatus</i> Liberibacter americanus				
		Plant species	51 - country freedom	Date of latest communication
51	Plants of <i>Aegle</i> Corrêa, <i>Aeglopsis</i> Swingle, <i>Afraegle</i> Engl, <i>Atalantia</i> Corrêa, <i>Balsamocitrus</i> Stapf, <i>Burkillanthus</i> Swingle, <i>Calodendrum</i> Thunb., <i>Choisya</i> Kunth, <i>Clausena</i> Burm. f., <i>Limonia</i> L., <i>Microcitrus</i> Swingle., <i>Murraya</i> J. Koenig ex L., <i>Pamburus</i> Swingle, <i>Severinia</i> Ten., <i>Swinglea</i> Merr., <i>Triphasia</i> Lour. and <i>Vepris</i> Comm., other than fruit (but including seeds); and seeds of <i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf., and their hybrids originating in third countries		X	

<i>Candidatus</i> Liberibacter asiaticus				
		Plant species	51 - country freedom	Date of latest communication
51	Plants of <i>Aegle</i> Corrêa, <i>Aeglopsis</i> Swingle, <i>Afraegle</i> Engl, <i>Atalantia</i> Corrêa, <i>Balsamocitrus</i> Stapf, <i>Burkillanthus</i> Swingle, <i>Calodendrum</i> Thunb., <i>Choisya</i> Kunth, <i>Clausena</i> Burm. f., <i>Limonia</i> L., <i>Microcitrus</i> Swingle., <i>Murraya</i> J. Koenig ex L., <i>Pamburus</i> Swingle, <i>Severinia</i> Ten., <i>Swinglea</i> Merr., <i>Triphasia</i> Lour. and <i>Vepris</i> Comm., other than fruit (but including seeds); and seeds of <i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf., and their hybrids originating in third countries		X	

<i>Xanthomonas citri</i> pv. <i>aurantifolia</i> (Schaad <i>et al.</i> ) Constantin <i>et al.</i>				
		54(a) - country freedom	54(b) - pest free areas	Date of latest communication
54	Plants of <i>Microcitrus</i> Swingle, <i>Naringi</i> Adans. and <i>Swinglea</i> Merr., other than fruits and seeds, originating in third countries	✓	n.a.	Dec-2017

<i>Xanthomonas citri</i> pv. <i>citri</i> (Hase) Constantin <i>et al.</i>				
		54(a) - country freedom	54(b) - pest free areas	Date of latest communication
54	Plants of <i>Microcitrus</i> Swingle, <i>Naringi</i> Adans. and <i>Swinglea</i> Merr., other than fruits and seeds, originating in third countries	n.a.	n.a.	Dec-2017

<i>Xanthomonas citri</i> pv. <i>aurantifolii</i> (Schaad <i>et al.</i> ) Constantin <i>et al.</i>					
		58 (a) - country freedom	58 (b) - pest free areas	58 (d) - post harvest treatment	Date of latest communication
58	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., <i>Microcitrus</i> Swingle, <i>Naringi</i> Adans., <i>Swinglea</i> Merr., and their hybrids, originating in third countries	✓	n.a.	n.a.	Dec-2017

<i>Xanthomonas citri</i> pv. <i>citri</i> (Hasse) Constantin <i>et al.</i>					
		58 (a) - country freedom	58 (b) - pest free areas	58 (d) - post harvest treatment	Date of latest communication
58	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., <i>Microcitrus</i> Swingle, <i>Naringi</i> Adans., <i>Swinglea</i> Merr., and their hybrids, originating in third countries	n.a.	n.a.	Sodium orthophenylphenate (2% for 30 sec)	Dec-2017
				sodium hypochlorite (200 ppm for 2 min)	
				chlorine dioxide (3 ppm for 2 min)	

<i>Pseudocercospora angolensis</i> (T. Carvalho & O. Mendes) Crous & U. Braun				
		59 (a) - country freedom	59 (b) - pest free areas	Date of latest communication
59	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, originating in third countries	✓	n.a.	Dec-2017

<i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa				
		60 (a) - country freedom	60 (b) - pest free areas	Date of latest communication
60	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruits of <i>Citrus aurantium</i> L. and <i>Citrus latifolia</i> Tanaka, originating in third countries	n.a.	n.a.	Dec-2017

Tephritidae (non- European), to which fruits of 61 are known to be susceptible							
		61 (a) - country freedom	61 (b) - pest free areas	61 (d)-systems approach	61(d)-post harvest treatment	Date of latest communication	
61	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, <i>Mangifera</i> L. and <i>Prunus</i> L., originating in third countries	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrid other than <i>Citrus limon</i>	X	X	X	X	April 2020
		<i>Citrus limon</i>	✓	n.a.	n.a.	n.a.	April 2020
		<i>Mangifera</i> L.	X	X	X	X	
		<i>Prunus</i> L.	n.a.	1. Patagonia Region; 2. Centre Oasis ("Oasis Centro"; Departments of Tupungato, Tunuyan and San Carlos, collectively referred to as "Valle de Uco") of the Province of Mendoza; 3. Southern Oasis ("Oasis Sur"; Departments of Malargue, San Rafael and General Alvear) of the Province of Mendoza	X	X	Sept. 2019

<i>Thaumatotibia leucotreta</i> (Meyrick)							
		62 (a) - country freedom	62 (b) - pest free areas	62(d)-systems approach + documentary evidence of effectiveness	62 (d)-post harvest treatment + documentary evidence of effectiveness	Date of latest communication	
62	Fruits of <i>Capsicum</i> (L.), <i>Citrus</i> L., other than <i>Citrus limon</i> (L.) Osbeck. and <i>Citrus aurantiifolia</i> (Christm.) Swingle, <i>Prunus persica</i> (L.) Batsch and <i>Punica granatum</i> L. originating in countries of the African continent, Cape Verde, Saint Helena, Madagascar, La Reunion, Mauritius and Israel	<i>Capsicum</i> (L.)	n.a.	n.a.	n.a.	n.a.	
		<i>Citrus</i> L., other than <i>Citrus limon</i> (L.) Osbeck. and <i>Citrus aurantiifolia</i> (Christm.) Swingle	n.a.	n.a.	n.a.	n.a.	
		<i>Prunus persica</i> (L.) Batsch	n.a.	n.a.	n.a.	n.a.	
		<i>Punica granatum</i> L.	n.a.	n.a.	n.a.	n.a.	

		<i>Grapholita packardi</i> Zeller				
		63 (a) - pest free areas	63 (c)-systems approach	63 (c)-post-harvest treatment	Date of latest communication	
63	Fruits of <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L. and <i>Vaccinium</i> L., originating in <b>Canada, Mexico and the United States</b>	<i>Malus</i> Mill.	n.a.	n.a.	n.a.	
		<i>Prunus</i> L.	n.a.	n.a.	n.a.	
		<i>Pyrus</i> L.	n.a.	n.a.	n.a.	
		<i>Vaccinium</i> L.	n.a.	n.a.	n.a.	

		<i>Botryosphaeria kuwatsukai</i> (Hara) G.Y. Sun and E. Tanaka					
		64 (a)-country freedom	64 (b) - pest free areas	64 (d)-systems approach	64 (d)-post-harvest treatment	Date of latest communication	
64	Fruits of <i>Malus</i> Mill. and <i>Pyrus</i> L., originating in third countries	<i>Malus</i> Mill.	✓	X	X	X	February 2020
		<i>Pyrus</i> L.	✓	X	X	X	February 2020

		<i>Anthonomus quadrigibbus</i> Say					
		65 (a) - country freedom	65 (b) - pest free areas	65 (d)-post-harvest treatment	65 (d)- systems approach	Date of latest communication	
65	Fruits of <i>Malus</i> Mill. and <i>Pyrus</i> L., originating in third countries	<i>Malus</i> Mill.	✓	X	X	X	February 2020
		<i>Pyrus</i> L.	✓	X	X	X	February 2020

		<i>Grapholita prunivora</i> (Walsh)				
		66 (a) - country freedom	66 (b) - pest free areas	66 (d)-systems approach	66 (d)- post-harvest treatment	Date of latest communication
66	Fruits of <i>Malus</i> Mill. originating in third countries	✓	X	X	X	February 2020

		<i>Grapholita inopinata</i> (Heinrich)				
		66 (a) - country freedom	66 (b) - pest free areas	66 (d)-systems approach	66 (d)-post-harvest treatment	Date of latest communication
66	Fruits of <i>Malus</i> Mill. originating in third countries	✓	X	X	X	February 2020

		<i>Rhagoletis pomonella</i> (Walsh)				
		66 (a) - country freedom	66 (b) - pest free areas	66 (d)-systems approach	66 (d)-post-harvest treatment	Date of latest communication
66	Fruits of <i>Malus</i> Mill. originating in third countries	✓	X	X	X	February 2020

	Solanaceae species	<i>Bactericera cockerelli</i> (Sulc.)		
		67 (a) - country freedom	67 (b) - pest free areas	Date of latest communication
67	Fruits of <i>Solanaceae</i> originating in <b>Australia, the Americas and New Zealand</b>	X	X	

	Solanaceae species	<i>Neoleucinodes elegantalis</i> (Guenée)			
		68 (a) - country freedom	68 (b) - pest free areas	Date of latest communication	
68	Fruits of <i>Capsicum annuum</i> L., <i>Solanum aethiopicum</i> L., <i>Solanum lycopersicum</i> L. and <i>Solanum melongena</i> L., originating in third countries	<i>Capsicum annuum</i> L.	X	X	
		<i>Solanum aethiopicum</i> L.	X	X	
		<i>Solanum lycopersicum</i> L.	X	X	
		<i>Solanum melongena</i> L.	X	X	

	Solanaceae species	<i>Agrilus planipennis</i> Fairmaire		
		87 (a) - pest free areas	Date of latest communication	
87	Wood of <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. and <i>Pterocarya rhoifolia</i> Siebold & Zucc., other than in the form of — chips, particles, sawdust, shavings, wood waste and scrap, obtained in whole or part from these trees, — wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment, but including wood which has not kept its natural round surface, and furniture and other objects made of untreated wood, originating in <b>Canada, China, Democratic People's Republic of Korea, Japan, Mongolia, Republic of Korea, Russia, Taiwan, and United States</b>	<i>Fraxinus</i> L.	n.a.	
		<i>Juglans ailantifolia</i> Carr.	n.a.	
		<i>Juglans mandshurica</i> Maxim.	n.a.	
		<i>Ulmus davidiana</i> Planch.	n.a.	
		<i>Pterocarya rhoifolia</i> Siebold & Zucc.	n.a.	

		<i>Agrilus planipennis</i> Fairmaire		
			88 - pest free areas	Date of latest communication
88	Wood in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or in part from <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. and <i>Pterocarya rhoifolia</i> Siebold & Zucc., originating in <b>Canada, China, Democratic People's Republic of Korea, Japan, Mongolia, Republic of Korea, Russia, Taiwan, and United States</b>	<i>Fraxinus</i> L.	n.a.	
		<i>Juglans ailantifolia</i> Carr.	n.a.	
		<i>Juglans mandshurica</i> Maxim.	n.a.	
		<i>Ulmus davidiana</i> Planch.	n.a.	
		<i>Pterocarya rhoifolia</i> Siebold & Zucc.	n.a.	
		<i>Agrilus planipennis</i> Fairmaire		
			89 - pest free areas	Date of latest communication
89	Isolated bark and objects made of bark of <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. and <i>Pterocarya rhoifolia</i> Siebold & Zucc. originating in <b>Canada, China, Democratic People's Republic of Korea, Japan, Mongolia, Republic of Korea, Russia, Taiwan, and United States</b>	<i>Fraxinus</i> L.	n.a.	
		<i>Juglans ailantifolia</i> Carr.	n.a.	
		<i>Juglans mandshurica</i> Maxim.	n.a.	
		<i>Ulmus davidiana</i> Planch.	n.a.	
		<i>Pterocarya rhoifolia</i> Siebold & Zucc.	n.a.	