

# Notification of a Body pursuant to article 10 of the Construction Products Directive 89/106/EEC

**From :** SWEDAC - Swedish Board for Accreditation and Conformity Assessment  
Box 878, SE-501 15 Borås  
Österlånggatan 5, SE-503 31  
Borås  
Sweden

**To :** **European Commission**  
GROWTH Directorate-General  
200 Rue de la Loi,  
B-1049 Brussels.  
**Other Member States**

**Reference :**

Legislation : 89/106/EEC Construction products

**Body name, address, telephone, fax, email, website :**

RISE Research Institutes of Sweden AB  
Box 857  
501 15 BORAS  
Sweden  
Phone : +46 (0) 10 516 50 00  
Fax : +46 (0) 33 13 55 02  
Email : info@ri.se  
Website : www.ri.se

**Body :**

**NB 0402**

**Created :** Unknown (Notifications pre-dating 2006 are not available in these lists) | **Last update :** 04/03/2020

**The body is formally accredited against :**

- EN ISO/IEC 17020 - Inspection
- EN ISO/IEC 17021 - Certification of management systems
- EN ISO/IEC 17025 - Testing and calibration laboratories
- EN ISO/IEC 17065 - Product certification

**Name of National Accreditation Body (NAB) :** SWEDAC - Swedish Board for Accreditation and Conformity Assessment

## Tasks performed by the Body :

Created : 18/01/2011 | Last update : 18/01/2011

| Decision  | Product family, product/Intended use  | AoC and body function  | Technical specification  |
|-----------|---|--|--|
| 95/467/EC | Chimneys, flues and specific products (1/1) : - Prefabricated chimneys (storey height elements), flue liners (elements or blocks), multi-shell chimney (elements or blocks), single walled chimneys and attached chimneys (chimneys).   | FPC Certification Body (System 2+)   | EN 1856-1:2003<br>EN 1856-1:2003/A1:2006<br>EN 1856-1:2009<br>EN 1856-2:2004<br>EN 1856-2:2009<br>EN 1858:2008 |
| 95/467/EC | Gypsum products (1/4) : - Plasterboards and ceiling elements with thin laminations, fibrous gypsum boards, fibrous gypsum plaster casts, and composite panels (laminates), in which the incorporated material is placed on a face susceptible to be exposed to fire, including relevant ancillary products (in walls, partitions or ceilings (or lining thereof) subject to reaction to fire requirements). | Testing Laboratory (System 3)  | EN 14190:2005<br>EN 520:2004+A1:2009   |
| 95/467/EC | Structural bearings (1/1) : - Structural bearings (in buildings and civil engineering works where requirements on individual bearings are not critical).  | Testing Laboratory (System 3)  | EN 1337-5:2005   |
| 95/467/EC | Structural bearings (1/1) : - Structural bearings (in buildings and civil engineering works where requirements on individual bearings are critical).  | Product Certification Body (System 1)  | EN 1337-5:2005   |
| 96/577/EC | Fire alarm/detection, fixed fire-fighting, fire and smoke control and explosion suppression products (1/1) : - Smoke curtains (fire safety).  | Inspection Body<br>Testing Laboratory<br>Product Certification Body (System 1) | EN 12101-1:2005<br>EN 12101-1:2005/A1:2006   |
| 96/577/EC | Fire alarm/detection, fixed fire-fighting, fire and smoke control and explosion suppression products (1/1) : - First aid hose systems-kits (fire safety).   | Product Certification Body (System 1)  | EN 671-1:2001<br>EN 671-1:2001/AC:2002   |
| 96/577/EC | Fire alarm/detection, fixed fire-fighting, fire and smoke control and explosion suppression products (1/1) : - Control and indicating devices (fire safety).  | Inspection Body<br>Testing Laboratory<br>Product Certification Body (System 1) | EN 54-2:1997<br>EN 54-2:1997/A1:2006<br>EN 54-2:1997/AC:1999   |
| 96/577/EC | Fire alarm/detection, fixed fire-fighting, fire and smoke control and explosion suppression products (1/1) : - Smoke and heat exhaust ventilation systems-kits (fire safety).   | Product Certification Body<br>Inspection Body<br>Testing Laboratory (System 1) | EN 12101-2:2003<br>EN 12101-3:2002<br>EN 12101-3:2002/AC:2005  |
| 96/577/EC | Fire alarm/detection, fixed fire-fighting, fire and smoke control and explosion suppression products (1/1) : - Power supplies (fire detection/alarm components) (fire safety).  | Inspection Body<br>Testing Laboratory<br>Product Certification Body (System 1) | EN 54-4:1997<br>EN 54-4:1997/A1:2002<br>EN 54-4:1997/A2:2006<br>EN 54-4:1997/AC:1999                           |
| 96/577/EC | Fire alarm/detection, fixed fire-fighting, fire and smoke control and explosion suppression products (1/1) : - Power supplies (fire control components) (fire safety).  | Inspection Body<br>Testing Laboratory<br>Product Certification Body (System 1) | EN 12101-10:2005<br>EN 12101-10:2005/AC:2007   |
| 96/579/EC | Circulation fixtures (1/2) : - Vehicle restraint systems: parapets (for circulation areas).   | Testing Laboratory<br>Product Certification Body                               | EN 1317-5:2007+A1:2008   |

| Decision  | Product family, product/Intended use   | AoC and body function  | Technical specification  |
|-----------|--|--|--|
|           |  | Inspection Body (System 1)   |  |
| 96/579/EC | Circulation fixtures (1/2) : - Vehicle restraint systems: cables (for circulation areas), Vehicle restraint barriers: transition barriers (for circulation areas), Vehicle restraint systems: crash cushions (for circulation areas).  | Product Certification Body<br>Testing Laboratory<br>Inspection Body (System 1)                           | EN 1317-5:2007+A1:2008   |
| 96/579/EC | Circulation fixtures (1/2) : - Road lighting columns (for circulation areas).  | Product Certification Body<br>Inspection Body<br>Testing Laboratory (System 1)                           | EN 40-5:2002<br>EN 40-6:2002<br>EN 40-7:2002   |
| 96/579/EC | Circulation fixtures (1/2) : - Road traffic signs and traffic control devices installed permanently for vehicular and pedestrian uses: permanent traffic signs (for circulation areas).  | Product Certification Body<br>Testing Laboratory<br>Inspection Body (System 1)                           | EN 12899-1:2007  |
| 96/579/EC | Circulation fixtures (1/2) : - Road traffic signs and traffic control devices installed permanently for vehicular and pedestrian uses: variable message traffic signs (for circulation areas).   | Product Certification Body<br>Testing Laboratory<br>Inspection Body (System 1)                           | EN 12966-1:2005+A1:2009  |
| 96/579/EC | Circulation fixtures (1/2) : - Road traffic signs and traffic control devices installed permanently for vehicular and pedestrian uses: permanent warning devices and delineators (for circulation areas).  | Product Certification Body<br>Testing Laboratory<br>Inspection Body (System 1)                           | EN 12352:2006<br>EN 12899-3:2007   |
| 96/580/EC | Curtain wallings (1/1) : - Curtain wall kits (as external walls not subject to reaction to fire requirements), Curtain wall kits (as external walls subject to reaction to fire requirements).   | Testing Laboratory (System 3)  | EN 13830:2003  |
| 96/580/EC | Curtain wallings (1/1) : - Curtain wall kits (as external walls subject to reaction to fire requirements).   | FPC Certification Body<br>Inspection Body<br>Testing Laboratory<br>Product Certification Body (System 1) | EN 13830:2003  |
| 96/581/EC | Geotextiles (1/2) : - Geosynthetics (membranes and textiles), geotextiles, geocomposites, geogrids, geomembranes and geonets used: as protective layer (in roads, railways, foundations and walls, drainage systems, erosion control, reservoirs and dams, canals, tunnels and underground structures, liquid waste disposal or containment, for solid waste storage or waste disposal). | Inspection Body<br>FPC Certification Body (System 2+)  | EN 13252:2000<br>EN 13252:2000/A1:2005<br>EN 13361:2004<br>EN 13361:2004/A1:2006<br>EN 13362:2005<br>EN 13491:2004<br>EN 13491:2004/A1:2006<br>EN 13492:2004<br>EN 13492:2004/A1:2006<br>EN 13493:2005 |
| 96/581/EC | Geotextiles (1/2) : - Geosynthetics (membranes and textiles), geotextiles, geocomposites, geogrids, geomembranes and geonets used: as fluid or gas barriers (in roads, railways, foundations and walls, drainage systems, erosion control, reservoirs and dams, canals, tunnels and underground structures, liquid waste disposal or containment, for solid                              | FPC Certification Body<br>Inspection Body (System 2+)  | EN 13361:2004<br>EN 13361:2004/A1:2006<br>EN 13362:2005<br>EN 13491:2004   |

| Decision  | Product family, product/Intended use  | AoC and body function  | Technical specification  |
|-----------|---|--|--|
|           | waste storage or waste disposal).   |  | EN 13491:2004/A1:2006<br>EN 13492:2004<br>EN 13492:2004/A1:2006<br>EN 13493:2005   |
| 96/581/EC | Geotextiles (1/2) : - Geosynthetics (membranes and textiles), geotextiles, geocomposites, geogrids, geomembranes and geonets used: for reinforcement (in roads, railways, foundations and walls, drainage systems, erosion control, reservoirs and dams, canals, tunnels and underground structures, liquid waste disposal or containment, for solid waste storage or waste disposal).              | FPC Certification Body<br>Inspection Body (System 2+)  | EN 13361:2004<br>EN 13361:2004/A1:2006<br>EN 13362:2005<br>EN 13491:2004<br>EN 13491:2004/A1:2006<br>EN 13492:2004<br>EN 13492:2004/A1:2006<br>EN 13493:2005   |
| 96/581/EC | Geotextiles (1/2) : - Geosynthetics (membranes and textiles), geotextiles, geocomposites, geogrids, geomembranes and geonets used: for drainage and/or filtration (in roads, railways, foundations and walls, drainage systems, erosion control, reservoirs and dams, canals, tunnels and underground structures, liquid waste disposal or containment, for solid waste storage or waste disposal). | FPC Certification Body<br>Inspection Body (System 2+)  | EN 13252:2000<br>EN 13252:2000/A1:2005<br>EN 13361:2004<br>EN 13361:2004/A1:2006<br>EN 13362:2005<br>EN 13491:2004<br>EN 13491:2004/A1:2006<br>EN 13492:2004<br>EN 13492:2004/A1:2006<br>EN 13493:2005 |
| 96/582/EC | Metal anchors for use in concrete (mechanical fasteners) : - Metal anchors for use in concrete (heavy-duty type) (for fixing and/or supporting concrete structural elements or heavy units such as cladding and suspended ceilings).  | Product Certification Body (System 1)  | ETAG 001 - 1<br>ETAG 001 - 2<br>ETAG 001 - 3<br>ETAG 001 - 3<br>Amendment<br>ETAG 001 - 4<br>ETAG 001 - 5<br>ETAG 001 - 6<br>ETAG 001 - 6<br>Amendment   |
| 97/161/EC | Metal anchors for use in concrete for fixing lightweight systems (1/1) : - Metal anchors for use in concrete (light-duty type) (for use in redundant systems for fixing and/or supporting to concrete elements such as lightweight suspended ceilings, as well as installations).   | FPC Certification Body (System 2+)   | ETAG 001 - 5   |
| 97/176/EC | Structural timber products (1/3) : - Solid structural timber products; Kits (trusses, floors, walls, roofs, frames) (bridges, railtracks and buildings).  | FPC Certification Body (System 2+)   | EN 14250:2010  |
| 97/176/EC | Structural timber products (1/3) : - Solid structural timber products: Elements (bridge elements, truss elements, sleepers, floor elements, wall elements, roof elements such as beams, arches, joists, rafters, columns, poles, piles) (bridges, railtracks and buildings).  | FPC Certification Body (System 2+)   | EN 14081-1:2005  |
| 97/176/EC | Structural timber products (2/3) : - Structural glued laminated products and other glued timber products: Elements (bridge elements, truss elements, floor elements, wall elements, roof elements such as beams, arches, joists, rafters, columns, poles, piles) (for bridges and buildings).   | Product Certification Body<br>Testing Laboratory<br>Inspection Body<br>FPC Certification Body (System 1) | EN 14080:2005  |

| Decision  | Product family, product/Intended use   | AoC and body function  | Technical specification  |
|-----------|--|--|--|
| 97/176/EC | Structural timber products (2/3) : - Structural glued laminated products and other glued timber products: Kits (trusses, floors, walls, roofs, frames) (for bridges and buildings).  | Inspection Body<br>FPC Certification Body<br>Product Certification Body<br>Testing Laboratory (System 1) | EN 14080:2005  |
| 97/176/EC | Structural timber products (3/3) : - Fasteners for structural timber products (connectors for timber, split ring connectors, cylindrical steel and wood dowels, wood screws, threaded bolts, wood nails) (for structural timber products).   | Testing Laboratory (System 3)  | EN 14545:2008<br>EN 14592:2008                                   |
| 97/462/EC | Wood-based panels (1/2) : - Unfaced overlaid and veneered or coated wood-based panels (for structural elements in internal or external applications).  | FPC Certification Body (System 2+)   | EN 13986:2004  |
| 97/462/EC | Wood-based panels (1/2) : - Unfaced overlaid and veneered or coated wood-based panels (for structural elements in internal or external application).   | Product Certification Body (System 1)  | EN 13986:2004  |
| 97/462/EC | Wood-based panels (2/2) : - Unfaced, overlaid and veneered or coated wood-based panels (for non structural elements in internal or external applications).   | Product Certification Body (System 1)  | EN 13986:2004  |
| 97/462/EC | Wood-based panels (2/2) : - Unfaced, overlaid and veneered or coated wood-based panels (for non structural elements in internal or external applications).   | Testing Laboratory (System 3)  | EN 13986:2004  |
| 97/464/EC | Waste water engineering products outside buildings (1/3) : - Kits and elements for waste water treatment plants and on-site treatment equipment -Septic tanks (to be used outside buildings, for rain water, faecal and organic effluents).  | Testing Laboratory (System 3)  | EN 12566-1:2000/A1:2003<br>EN 12566-3:2005+A1:2009               |
| 97/555/EC | Cements, building limes and other hydraulic binders : - Masonry cements (preparation of concrete, mortar, grout and other mixes for construction and for the manufacture of construction products).  | Product Certification Body (System 1+)   | EN 413-1:2004  |
| 97/555/EC | Cements, building limes and other hydraulic binders : - Common cements, including: -Portland cement, -Portland composite cements: Portland-slag cement, Portland-silica fume cement, Portland-pozzolana cement, Portland-fly ash cement, Portland-burnt shale cement, Portland-limestone cement, Portland composite cement, -Blastfurnace cements, -Pozzolanic cements, -Composite cements (preparation of concrete, mortar, grout and other mixes for construction and for the manufacture of construction products). | Product Certification Body (System 1+)   | EN 197-1:2000<br>EN 197-1:2000/ A1:2004<br>EN 197-1:2000/A3:2007 |
| 97/555/EC | Cements, building limes and other hydraulic binders : - Building limes, including: -Calcium limes, -Dolomitic limes, -Hydraulic limes (preparation of concrete, mortar, grout and other mixes for construction and for the manufacture of construction products).  | FPC Certification Body (System 2)  | EN 459-1:2001<br>EN 459-1:2001/AC:2002<br>EN 459-1:2010          |
| 97/556/EC | External thermal insulation composite systems/kits with rendering (ETICS)(1/1) : - External thermal insulation composite systems/kits with rendering (ETICS) (in external wall subject to fire regulations), External thermal insulation composite systems/kits with rendering (ETICS) (in external wall not subject to fire regulations).   | FPC Certification Body (System 2+)   | ETAG 004   |
| 97/556/EC | External thermal insulation composite systems/kits with rendering (ETICS)(1/1) : - External thermal insulation composite systems/kits with rendering (ETICS) (in external wall subject to fire regulations).   | Product Certification Body<br>FPC Certification Body (System 1)  | ETAG 004   |
| 97/638/EC | Fasteners for structural timber products (1/1) : - Punched nail plates (for structural timber products), Toothed-plate connectors (for structural timber products), Shear plates (for structural timber products).   | Inspection Body<br>FPC Certification Body (System 2+)  | EN 14545:2008  |
| 97/638/EC | Fasteners for structural timber products (1/1) : - Nailing plates  | Inspection Body  | ETAG 015   |

| Decision  | Product family, product/Intended use  | AoC and body function                                       | Technical specification   |
|-----------|---|---|---|
|           | (for structural timber products).   | FPC Certification Body (System 2+)                          |   |
| 97/740/EC | Masonry and related products (1/3) : - Masonry units category I (in walls, columns and partitions).   | FPC Certification Body (System 2+)                          | EN 771-1:2003<br>EN 771-1:2003/A1:2005<br>EN 771-2:2003<br>EN 771-2:2003/A1:2005<br>EN 771-3:2003<br>EN 771-3:2003/A1:2005<br>EN 771-4:2003<br>EN 771-4:2003/A1:2005<br>EN 771-6:2005 |
| 97/740/EC | Masonry and related products (1/3) : - Factory-made, designed masonry mortars (in walls, columns and partitions).   | FPC Certification Body (System 2+)                          | EN 998-2:2003<br>EN 998-2:2010  |
| 97/740/EC | Masonry and related products (2/3) : - Bed joint reinforcement (in walls and partitions).   | Testing Laboratory (System 3)                               | EN 845-3:2003+A1:2008   |
| 97/808/EC | Floorings (2/2) : - Rigid flooring products (a) Components: paving units, tiles, mosaics, parquet, decking of mesh or sheet, floor gratings, rigid laminated floorings, wood based products (for internal uses including enclosed public transport premises).   | Testing Laboratory (System 3)                               | EN 12057:2004<br>EN 12058:2004<br>EN 14342:2005+A1:2008   |
| 97/808/EC | Floorings (2/2) : - Floor screed materials (for internal uses).   | Testing Laboratory (System 3)                               | EN 13813:2002   |
| 97/808/EC | Floorings (2/2) : - Floor screed materials (for internal uses).   | Product Certification Body<br>Testing Laboratory (System 1) | EN 13813:2002   |
| 97/808/EC | Floorings (2/2) : - Resilient and textile floorings - homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings) (for internal uses).  | Testing Laboratory (System 3)                               | EN 14041:2004<br>EN 14041:2004/AC:2006  |
| 97/808/EC | Floorings (2/2) : - Resilient and textile floorings - homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings) (for internal uses).  | Testing Laboratory (System 3)                               | EN 14041:2004<br>EN 14041:2004/AC:2006<br>EN 14904:2006   |
| 97/808/EC | Floorings (2/2) : - Resilient and textile floorings - homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings) (for internal uses).  | Product Certification Body<br>Testing Laboratory (System 1) | EN 14041:2004<br>EN 14041:2004/AC:2006<br>EN 14904:2006   |
| 98/214/EC | Structural metallic products and ancillaries (1/4) : - Structural metallic sections/profiles: hot rolled, cold formed or otherwise produced sections/profiles with various shapes (T, L, H, U, Z, I, channels, angle, hollow, tubes), flat products (plate, sheet, strip), bars, castings, forgings made of various metallic materials, unprotected or protected against corrosion by coating (to be used in metal structures or in composite metal and concrete structures). | FPC Certification Body<br>Inspection Body (System 2+)       | EN 15088:2005   |
| 98/214/EC | Structural metallic products and ancillaries (4/4) : - Structural connectors: metallic rivets, bolts (nuts and washers) and H.R. bolts (high strength friction grip bolts), studs, screws, railway fasteners (for uses in structural metallic works).   | FPC Certification Body<br>Inspection Body                   | EN 14399-1:2005   |

| Decision  | Product family, product/Intended use   | AoC and body function                                       | Technical specification   |
|-----------|--|---|---|
|           |  | (System 2+)   |   |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (1/6) : - Factory-bonded composite or sandwich panels (for uses subject to resistance to fire regulations (e.g. fire compartmentation)).   | Testing Laboratory (System 3)                               | EN 14509:2006<br>EN 14509:2006/AC:2008                                    |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (1/6) : - Rooflights (for uses subject to resistance to fire regulations (e.g. fire compartmentation)).                                    | Testing Laboratory (System 3)                               | EN 1873:2005  |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Flat and profiled sheets (for uses subject to reaction to fire regulations).   | Testing Laboratory (System 3)                               | EN 14782:2006   |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Rooflights (for uses subject to reaction to fire regulations).   | Testing Laboratory (System 3)                               | EN 1873:2005  |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Factory-bonded composite or sandwich panels (for uses subject to reaction to fire regulations).                                  | Product Certification Body<br>Testing Laboratory (System 1) | EN 14509:2006<br>EN 14509:2006/AC:2008                                    |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (2/6) : - Factory-bonded composite or sandwich panels (for uses subject to reaction to fire regulations).                                  | Testing Laboratory (System 3)                               | EN 14509:2006<br>EN 14509:2006/AC:2008                                    |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (3/6) : - Flat and profiled sheets (for uses subject to external fire performance regulations).  | Testing Laboratory (System 3)                               | EN 14782:2006<br>EN 14783:2006  |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (3/6) : - Rooflights (for uses subject to external fire performance regulations).  | Testing Laboratory (System 3)                               | EN 1873:2005  |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (3/6) : - Factory-bonded composite or sandwich panels (for uses subject to external fire performance regulations).                         | Testing Laboratory (System 3)                               | EN 14509:2006<br>EN 14509:2006/AC:2008                                    |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (5/6) : - All roof coverings, rooflights, roof windows and ancillary products (for uses subject to regulations on dangerous substances).   | Testing Laboratory (System 3)                               | EN 12326-1:2014<br>EN 14509:2006<br>EN 14509:2006/AC:2008<br>EN 1873:2005 |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (6/6) : - Roof access systems, walkways and footholds (for uses other than those specified in families (1/6), (2/6), (3/6), (4/6), (5/6)). | Testing Laboratory (System 3)                               | EN 12951:2004<br>EN 516:2006  |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (6/6) : - Roof safety hooks and anchorages (for uses other than those specified in families (1/6), (2/6), (3/6), (4/6), (5/6)).            | Testing Laboratory (System 3)                               | EN 517:2006   |
| 98/436/EC | Roof coverings, rooflights, roof windows and ancillary products (6/6) : - Rooflights (for uses other than those specified in families (1/6), (2/6), (3/6), (4/6), (5/6)).                                  | Testing Laboratory (System 3)                               | EN 1873:2005  |
| 98/437/EC | Internal and external wall and ceiling finishes (1/5) : - Panels (as internal or external finishes, as complete elements, used for fire protection of walls or ceilings).                                  | Testing Laboratory (System 3)                               | EN 438-7:2005   |
| 98/437/EC | Internal and external wall and ceiling finishes (1/5) : - Suspended ceilings (kits) (as internal or external finishes used for fire protection of ceilings).   | Testing Laboratory (System 3)                               | EN 13964:2004<br>EN 13964:2004/A1:2006                                    |
| 98/437/EC | Internal and external wall and ceiling finishes (2/5) : - Suspended ceilings (kits) (as internal or external finish in ceilings subject to safety in use requirements).                                    | Testing Laboratory (System 3)                               | EN 13964:2004<br>EN 13964:2004/A1:2006                                    |
| 98/437/EC | Internal and external wall and ceiling finishes (2/5) : - Panels (as internal or external stiffening elements in walls or ceilings).   | Testing Laboratory (System 3)                               | EN 438-7:2005   |

| Decision  | Product family, product/Intended use   | AoC and body function  | Technical specification  |
|-----------|--|--|--|
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Panels (as internal or external finishes in walls or ceilings subject to reaction to fire regulations).  | Product Certification Body<br>Testing Laboratory (System 1)                    | EN 15102:2007<br>EN 438-7:2005   |
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Panels (as internal or external finishes in walls or ceilings subject to reaction to fire regulations).  | Testing Laboratory (System 3)  | EN 15102:2007<br>EN 438-7:2005   |
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Cladding slabs (as external finishes in walls or ceilings subject to reaction to fire regulations).  | Testing Laboratory (System 3)  | EN 1469:2004   |
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Sidings (as internal or external finishes in walls or ceilings subject to reaction to fire regulations).   | Product Certification Body<br>Inspection Body (System 1)                       | EN 14915:2006<br>EN 14915:2006/AC:2007   |
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Sidings (as internal or external finishes in walls or ceilings subject to reaction to fire regulations).   | Testing Laboratory (System 3)  | EN 14915:2006<br>EN 14915:2006/AC:2007   |
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Coverings in roll form (as internal finishes in walls or ceilings subject to reaction to fire regulations).  | Testing Laboratory (System 3)  | EN 15102:2007  |
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Coverings in roll form (as internal finishes in walls or ceilings subject to reaction to fire regulations).  | Testing Laboratory<br>Product Certification Body (System 1)                    | EN 15102:2007  |
| 98/437/EC | Internal and external wall and ceiling finishes (3/5) : - Suspended ceilings (kits) (as internal or external finishes in ceilings subject to reaction to fire regulations).  | Testing Laboratory<br>Product Certification Body<br>Inspection Body (System 1) | EN 13964:2004<br>EN 13964:2004/A1:2006   |
| 98/437/EC | Internal and external wall and ceiling finishes (4/5) : - Cladding slabs (as internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances).   | Testing Laboratory (System 3)  | EN 1469:2004<br>EN 14783:2006  |
| 98/437/EC | Internal and external wall and ceiling finishes (4/5) : - Suspended ceilings (kits) (as internal or external finishes in walls or ceilings subject to regulations on dangerous substances).  | Testing Laboratory (System 3)  | EN 13964:2004<br>EN 13964:2004/A1:2006   |
| 98/437/EC | Internal and external wall and ceiling finishes (4/5) : - Panels (as internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances).   | Testing Laboratory (System 3)  | EN 438-7:2005  |
| 98/598/EC | Aggregates for uses with high safety requirements (2/2) : - Fillers for bituminous mixtures and surface treatments (for roads and other civil engineering works), Aggregates for bituminous mixtures and surface treatments (for roads and other civil engineering works). | FPC Certification Body (System 2+)   | EN 13043:2002<br>EN 13043:2002/AC:2004<br>EN 13055-2:2004                          |
| 98/598/EC | Aggregates for uses with high safety requirements (2/2) : - Aggregates and fillers for concrete, mortar and grout (in buildings, roads and other civil engineering work).  | FPC Certification Body (System 2+)   | EN 12620:2002+A1:2008<br>EN 13055-2:2004<br>EN 13139:2002<br>EN 13139:2002/AC:2004 |
| 98/598/EC | Aggregates for uses with high safety requirements (2/2) : - Aggregates for unbound and hydraulically bound mixtures (for roads and other civil engineering works).   | FPC Certification Body (System 2+)   | EN 13055-2:2004<br>EN 13242:2002+A1:2007   |
| 98/598/EC | Aggregates for uses with high safety requirements (2/2) : - Armourstones (for hydraulic structures and other civil engineering works).   | FPC Certification Body (System 2+)   | EN 13383-1:2002<br>EN 13383-1:2002/AC:2004   |
| 98/598/EC | Aggregates for uses with high safety requirements (2/2) : - Railway ballast (for railway works).   | FPC Certification Body (System 2+)   | EN 13450:2002  |



| Decision  | Product family, product/Intended use   | AoC and body function                           | Technical specification  |
|-----------|--|---|--|
|           |  |   | EN 13450:2002/AC:2004  |
| 98/601/EC | Road construction products (1/2) : - Bituminous mixtures (for road construction and surface treatment of roads). | FPC Certification Body (System 2+)              | EN 13108-1:2006<br>EN 13108-1:2006/AC:2008<br>EN 13108-2:2006<br>EN 13108-2:2006/AC:2008<br>EN 13108-3:2006<br>EN 13108-3:2006/AC:2008<br>EN 13108-4:2006<br>EN 13108-4:2006/AC:2008<br>EN 13108-5:2006<br>EN 13108-5:2006/AC:2008<br>EN 13108-6:2006<br>EN 13108-6:2006/AC:2008<br>EN 13108-7:2006<br>EN 13108-7:2006/AC:2008 |
| 98/601/EC | Road construction products (1/2) : - Bridge deck waterproofing products and kits (for bridge decks).             | FPC Certification Body (System 2+)              | EN 14695:2010  |
| 98/601/EC | Road construction products (1/2) : - Surface treatments (for surface treatments of roads).                       | FPC Certification Body (System 2+)              | EN 12271:2006  |
| 99/90/EC  | Membranes (1/3) : - Damp proof courses (in buildings).   | Testing Laboratory (System 3)                   | EN 14967:2006  |
| 99/90/EC  | Membranes (1/3) : - Damp proofing sheets (in buildings).   | FPC Certification Body (System 2+)              | EN 13967:2004<br>EN 13967:2004/A1:2006<br>EN 13969:2004<br>EN 13969:2004/A1:2006   |
| 99/90/EC  | Membranes (1/3) : - Roof sheets (in buildings).  | FPC Certification Body (System 2+)              | EN 13707:2004+A2:2009<br>EN 13956:2005<br>EN 13956:2005/AC:2006  |
| 99/90/EC  | Membranes (1/3) : - Roof underlays (in buildings).   | Testing Laboratory (System 3)                   | EN 13859-1:2005+A1:2008  |
| 99/90/EC  | Membranes (1/3) : - Water vapour control layers (in buildings).  | Testing Laboratory (System 3)                   | EN 13859-1:2005+A1:2008<br>EN 13859-2:2004+A1:2008<br>EN 13859-2:2010<br>EN 13970:2004<br>EN 13970:2004/A1:2006<br>EN 13984:2004<br>EN 13984:2004/A1:2006  |
| 99/90/EC  | Membranes (2/3) : - Damp proof courses (for uses subject to reaction to fire regulations).                       | Testing Laboratory (System 3)                   | EN 14909:2006<br>EN 14967:2006   |
| 99/90/EC  | Membranes (2/3) : - Roof underlays (for uses subject to reaction to fire regulations).                           | Product Certification Body<br>FPC Certification | EN 13859-1:2005+A1:2008  |

| Decision | Product family, product/Intended use  | AoC and body function  | Technical specification  |
|----------|---|--|--|
|          |   | Body<br>Testing Laboratory<br>(System 1)   |  |
| 99/90/EC | Membranes (2/3) : - Roof underlays (for uses subject to reaction to fire regulations).  | Testing Laboratory<br>(System 3)   | EN<br>13859-1:2005+A1:2008   |
| 99/90/EC | Membranes (2/3) : - Roof sheets (for uses subject to reaction to fire regulations).   | Product<br>Certification Body<br>FPC Certification<br>Body<br>Testing Laboratory<br>(System 1) | EN 13707:2004+A2:2009<br>EN 13956:2005<br>EN 13956:2005/AC:2006  |
| 99/90/EC | Membranes (2/3) : - Damp proofing sheets (for uses subject to reaction to fire regulations).  | Product<br>Certification Body<br>FPC Certification<br>Body<br>Testing Laboratory<br>(System 1) | EN 13967:2004<br>EN 13967:2004/A1:2006<br>EN 13969:2004<br>EN 13969:2004/A1:2006   |
| 99/90/EC | Membranes (2/3) : - Damp proofing sheets (for uses subject to reaction to fire regulations).  | Testing Laboratory<br>(System 3)   | EN 13967:2004<br>EN 13967:2004/A1:2006<br>EN 13969:2004<br>EN 13969:2004/A1:2006   |
| 99/90/EC | Membranes (3/3) : - Roof sheets (for uses subject to external fire performance regulations).  | Testing Laboratory<br>(System 3)   | EN 13707:2004+A2:2009  |
| 99/91/EC | Thermal insulating products (2/2) : - Thermal insulating products (factory-made products and products intended to be formed in-situ) (for uses subject to regulations on reaction to fire). | Testing Laboratory<br>(System 3)   | EN 13162:2008<br>EN 13163:2008<br>EN 13164:2008<br>EN 13165:2008<br>EN 13166:2008<br>EN 13167:2008<br>EN 13168:2008<br>EN 13169:2008<br>EN 13170:2008<br>EN 13171:2008<br>EN 14063-1:2004<br>EN<br>14063-1:2004/AC:2006<br>EN 14303:2009<br>EN 14304:2009<br>EN 14313:2009 |
| 99/91/EC | Thermal insulating products (2/2) : - Thermal insulating products (factory-made products and products intended to be formed in-situ) (for uses subject to regulations on reaction to fire). | Product<br>Certification Body<br>Testing Laboratory<br>(System 1)                              | EN 13162:2008<br>EN 13163:2008<br>EN 13164:2008<br>EN 13165:2008<br>EN 13166:2008<br>EN 13167:2008<br>EN 13168:2008<br>EN 13169:2008<br>EN 13170:2008<br>EN 13171:2008   |

| Decision  | Product family, product/Intended use  | AoC and body function                                       | Technical specification   |
|-----------|---|---|---|
|           |   |   | EN 14063-1:2004<br>EN 14063-1:2004/AC:2006<br>EN 14303:2009<br>EN 14304:2009<br>EN 14313:2009                 |
| 99/92/EC  | Light composite wood-based beams and columns (1/1) : - Light composite wood-based beams and columns (including T-beams, i.e. beam/slab combinations) (in buildings).  | Product Certification Body (System 1)                       | ETAG 011  |
| 99/93/EC  | Doors, windows, shutters, blinds, gates and related building hardware (1/1) : - Doors and gates (with or without related hardware) (other declared specific uses and/or uses subject to other specific requirements, in particular noise, energy, tightness and safety-in-use (i.e. NOT for fire/smoke compartmentation, NOT for escape routes)). | Testing Laboratory (System 3)                               | EN 13241-1:2003<br>EN 14351-1:2006+A1:2010  |
| 99/93/EC  | Doors, windows, shutters, blinds, gates and related building hardware (1/1) : - Doors and gates (with or without related hardware) (fire/smoke compartmentation and on escape routes).  | Testing Laboratory<br>Product Certification Body (System 1) | EN 14351-1:2006+A1:2010   |
| 99/93/EC  | Doors, windows, shutters, blinds, gates and related building hardware (1/1) : - Windows (with or without related hardware) (any other).   | Testing Laboratory (System 3)                               | EN 14351-1:2006+A1:2010   |
| 99/93/EC  | Doors, windows, shutters, blinds, gates and related building hardware (1/1) : - Building hardware related to doors, gates and windows (fire/smoke compartmentation and on escape routes).   | Testing Laboratory<br>Product Certification Body (System 1) | EN 1125:2008<br>EN 12209:2003<br>EN 12209:2003/AC:2005<br>EN 179:2008<br>EN 1935:2002<br>EN 1935:2002/AC:2003 |
| 99/94/EC  | Precast normal/lightweight/autoclaved aerated concrete products (1/1) : - Precast normal/lightweight/autoclaved aerated concrete products (for structural use).   | FPC Certification Body (System 2+)                          | EN 14991:2007<br>EN 1520:2002<br>EN 1520:2002/AC:2003   |
| 99/454/EC | Fire stopping, fire sealing and fire protection products (1/2) : - Fire protective products (including coatings) (for fire compartmentation and/or fire protection or fire performance).  | Product Certification Body (System 1)                       | ETAG 018 - 1<br>ETAG 018 - 4  |
| 99/454/EC | Fire stopping, fire sealing and fire protection products (1/2) : - Fire stopping, fire sealing products (for fire compartmentation and/or fire protection or fire performance).   | Product Certification Body<br>Testing Laboratory (System 1) | ETAG 018 - 1<br>ETAG 018 - 4<br>ETAG 026 - 1<br>ETAG 026 - 2<br>ETAG 026 - 3                                  |
| 99/454/EC | Fire stopping, fire sealing and fire protective products (2/2) : - Fire protective products (including coatings) (for uses subject to reaction to fire regulations).  | Product Certification Body (System 1)                       | ETAG 018 - 1<br>ETAG 018 - 4  |
| 99/454/EC | Fire stopping, fire sealing and fire protective products (2/2) : - Fire stopping and fire sealing products (for uses subject to reaction to fire regulations).  | Product Certification Body (System 1)                       | ETAG 018 - 1<br>ETAG 018 - 4<br>ETAG 026 - 1<br>ETAG 026 - 2<br>ETAG 026 - 3                                  |
| 99/454/EC | Fire stopping, fire sealing and fire protective products (2/2) : - Fire protective products (including coatings) (for uses subject to reaction to fire regulations), Fire stopping and fire sealing products (for uses subject to reaction to fire regulations).  | Testing Laboratory (System 3)                               | ETAG 018 - 1<br>ETAG 018 - 4  |
| 99/455/EC | Timber frame and log prefabricated building kits (1/1) : - Timber frame and log prefabricated building kits (as defined   | Product Certification Body                                  | ETAG 007  |

| Decision  | Product family, product/Intended use  | AoC and body function   | Technical specification   |
|-----------|---|---|---|
|           | in Annex I) (in building works).  | FPC Certification Body (System 1)                               | ETAG 012  |
| 99/469/EC | Products related to concrete, mortar and grout (1/2) : - Additions (type I) (for concrete, mortar and grout).   | FPC Certification Body<br>Inspection Body (System 2+)           | EN 12878:2005<br>EN 12878:2005/AC:2006  |
| 99/469/EC | Products related to concrete, mortar and grout (1/2) : - Admixtures (for concrete, mortar and grout).   | FPC Certification Body<br>Inspection Body (System 2+)           | EN 934-2:2001<br>EN 934-2:2001/A1:2004<br>EN 934-2:2001/A2:2005<br>EN 934-2:2009<br>EN 934-4:2001<br>EN 934-4:2009  |
| 99/469/EC | Products related to concrete, mortar and grout (1/2) : - Additions (Type II) (for concrete, mortar and grout).  | Product Certification Body (System 1+)                          | EN 13263-1:2005+A1:2009<br>EN 15167-1:2006  |
| 99/469/EC | Products related to concrete, mortar and grout (1/2) : - Concrete protection and repair products (for other uses in buildings and civil engineering works). | FPC Certification Body (System 2+)                              | EN 1504-2:2004<br>EN 1504-3:2005<br>EN 1504-4:2004<br>EN 1504-5:2004<br>EN 1504-6:2006  |
| 99/469/EC | Products related to concrete, mortar and grout (2/2) : - Concrete protection and repair products (for uses subject to reaction to fire regulations).        | Product Certification Body<br>FPC Certification Body (System 1) | EN 1504-2:2004<br>EN 1504-3:2005<br>EN 1504-4:2004<br>EN 1504-6:2006  |
| 99/469/EC | Products related to concrete, mortar and grout (2/2) : - Concrete protection and repair products (for uses subject to reaction to fire regulations).        | Testing Laboratory (System 3)                                   | EN 1504-2:2004<br>EN 1504-3:2005<br>EN 1504-4:2004<br>EN 1504-6:2006  |
| 99/470/EC | Construction adhesives (1/2) : - Adhesives for tiles (for internal and external uses in buildings and other civil engineering works).                       | Testing Laboratory (System 3)                                   | EN 12004:2007   |
| 99/471/EC | Space heating appliances (1/2) : - Space heating appliances burning solid and liquid fuels (in buildings).  | Testing Laboratory (System 3)                                   | EN 12809:2001<br>EN 12809:2001/A1:2004<br>EN 12809:2001/A1:2004/AC:2007<br>EN 12809:2001/AC:2006<br>EN 12815:2001<br>EN 12815:2001/A1:2004<br>EN 12815:2001/A1:2004/AC:2007<br>EN 12815:2001/AC:2006<br>EN 13229:2001<br>EN 13229:2001/A1:2003<br>EN 13229:2001/A2:2004<br>EN 13229:2001/A2:2004/AC:2007<br>EN 13229:2001/AC:2006<br>EN 13240:2001<br>EN 13240:2001/A2:2004 |

| Decision    | Product family, product/Intended use  | AoC and body function  | Technical specification   |
|-------------|---|--|---|
|             |   |  | EN<br>13240:2001/A2:2004/AC:2007<br>EN 13240:2001/AC:2006<br>EN 14785:2006<br>EN 15250:2007<br>EN 1:1998<br>EN 1:1998/A1:2007   |
| 99/472/EC   | Pipes, tanks and ancillaries not in contact with water intended for human consumption (4/5) : - Pipes (in installations in areas subject to reaction to fire regulations, used for the transport/disposal/storage of water not intended for human consumption). | Testing Laboratory (System 3)  | EN 877:1999<br>EN 877:1999/A1:2006<br>EN<br>877:1999/A1:2006/AC:2008  |
| 2000/245/EC | Flat glass, profiled glass and glass-block products (1/6) : - Insulating glass units (for use in a glazed assembly intended specifically to provide fire resistance).   | FPC Certification Body<br>Inspection Body<br>Testing Laboratory<br>Product Certification Body (System 1) | EN 1279-5:2005+A1:2008<br>EN 1279-5:2005+A2:2010  |
| 2000/245/EC | Flat glass, profiled glass and glass-block products (1/6) : - Flat or curved glass panels (for use in a glazed assembly intended specifically to provide fire resistance).  | FPC Certification Body<br>Inspection Body<br>Testing Laboratory<br>Product Certification Body (System 1) | EN 12150-2:2004<br>EN 1279-5:2005+A1:2008<br>EN 1279-5:2005+A2:2010<br>EN 1863-2:2004   |
| 2000/245/EC | Flat glass, profiled glass and glass-block products (2/6) : - Insulating glass units (for uses subject to reaction to fire regulations).  | Testing Laboratory (System 3)  | EN 1279-5:2005+A1:2008<br>EN 1279-5:2005+A2:2010  |
| 2000/245/EC | Flat glass, profiled glass and glass-block products (2/6) : - Flat or curved glass panels (for uses subject to reaction to fire regulations).   | Testing Laboratory (System 3)  | EN 12150-2:2004<br>EN 1279-5:2005+A1:2008<br>EN 1279-5:2005+A2:2010<br>EN 1863-2:2004   |
| 2000/245/EC | Flat glass, profiled glass and glass-block products (3/6) : - Insulating glass units (for uses subject to external fire performance regulations).   | Testing Laboratory (System 3)  | EN 1279-5:2005+A1:2008<br>EN 1279-5:2005+A2:2010  |
| 2000/245/EC | Flat glass, profiled glass and glass-block products (3/6) : - Flat or curved glass panels (for uses subject to external fire performance regulations).  | Testing Laboratory (System 3)  | EN 12150-2:2004<br>EN 1279-5:2005+A1:2008<br>EN 1279-5:2005+A2:2010<br>EN 14449:2005<br>EN 14449:2005/AC:2005<br>EN 1863-2:2004 |
| 2000/245/EC | Flat glass, profiled glass and glass-block products (4/6) : - Flat or curved glass panels (for use as anti-bullet, or anti-explosion glazing).  | FPC Certification Body<br>Inspection Body<br>Testing Laboratory<br>Product Certification Body (System 1) | EN 12150-2:2004<br>EN 1279-5:2005+A1:2008<br>EN 1279-5:2005+A2:2010<br>EN 14449:2005<br>EN 14449:2005/AC:2005<br>EN 1863-2:2004 |
| 2000/245/EC | Flat glass, profiled glass and glass-block products (4/6) : - Insulating glass units (for other uses liable to present "safety-in-use" risks and subject to such regulations).  | Testing Laboratory (System 3)  | EN 1279-5:2005+A1:2008<br>EN 1279-5:2005+A2:2010  |
| 2000/245/EC | Flat glass, profiled glass and glass-block products (4/6) : -   | Testing Laboratory   | EN 12150-2:2004   |

| Decision    | Product family, product/Intended use   | AoC and body function  | Technical specification   |
|-------------|--|--|---|
|             | Flat or curved glass panels (for other uses liable to present "safety-in-use" risks and subject to such regulations).  | (System 3)   | EN 1279-5:2005+A1:2008<br>EN 1279-5:2005+A2:2010<br>EN 14449:2005<br>EN 14449:2005/AC:2005<br>EN 1863-2:2004                    |
| 2000/245/EC | Flat glass, profiled glass and glass-block products (4/6) : - Insulating glass units (for use as anti-bullet, or anti-explosion glazing).  | FPC Certification Body<br>Inspection Body<br>Testing Laboratory<br>Product Certification Body (System 1) | EN 1279-5:2005+A1:2008<br>EN 1279-5:2005+A2:2010  |
| 2000/245/EC | Flat glass, profiled glass and glass-block products (5/6) : - Flat or curved glass panels (specially treated) (for uses relating to energy conservation and/or noise reduction). | Testing Laboratory (System 3)  | EN 12150-2:2004<br>EN 1279-5:2005+A1:2008<br>EN 1279-5:2005+A2:2010<br>EN 14449:2005<br>EN 14449:2005/AC:2005<br>EN 1863-2:2004 |
| 2000/245/EC | Flat glass, profiled glass and glass-block products (5/6) : - Insulating glass units (for uses relating to energy conservation and/or noise reduction).                          | Testing Laboratory (System 3)  | EN 1279-5:2005+A1:2008<br>EN 1279-5:2005+A2:2010  |
| 2003/655/EC | Watertight coverings kits for wetroom floors and walls (1/2) : - Watertight covering kits for wetroom floors and walls (for building works).                                     | FPC Certification Body (System 2+)   | ETAG 022 - 1  |