
Annex 2-1 – Questionnaire – Short list (All regions)

Name of the country

		ISARE I answers					ISARE I answers					Comments
		availability of data at this unit level					if necessary, please note here your corrections					
		Yes for all the units	Yes for some units	No	Latest year available	Update frequency	Yes for all the units	Yes for some units	No	Latest year available	Update frequency	
Health care professionals	Number of physicians	*			1999	yearly						
	Number of nurses (including midwives)											
	Number of nurses (excluding midwives)	*			1999	yearly						
	Number of midwives	*			1999	yearly						
Health care structures	Number of acute care hospitals beds	*			1999	yearly						
	Number of hospital in-patients admission / year : acute care	*			1998	yearly						
Demographic and socio economic data	Mid-year population estimate	*			1999	yearly						
	Number of live births	*			1999	yearly						
	Number of deaths	*			1999	yearly						
	% of unemployed persons (15 to 64 years old)	*			1999	yearly						
Mortality data	Number of perinatal deaths	*			1997	yearly						
	Number of stillbirths											
	Age/sex breakdown of deaths by cause	*			1997	yearly						
Data on morbidity	AIDS incidence	*			1997	yearly						
Biological factors and health habits	Distribution of BMI in the population			*								
	% of regular daily smokers aged 15 years or more			*								
Living and working conditions	Number of persons injured or killed in road traffic accidents	*			1999	yearly						

ISARE 2
Repertory of data sources
Country : Name of the country
National institutions

Please report here the complete addresses of all the intitutions
listed in the data quality questionnaires

Institution's name, division - departement

Address

Tel.

Fax

e-mail

web-site

Institution's name, division - departement

Address

Tel.

Fax

e-mail

web-site

Institution's name, division - departement

Address

Tel.

Fax

e-mail

web-site

Institution's name, division - departement

Address

Tel.

Fax

e-mail

web-site

Name of the country

NUMBER OF PHYSICIANS	Value of the data				Comments
	For the indicated year		If not available, note the nearest available year		
	Year	Value	Year	Value	
Region A	1998				
Region B	1998				
Region C	1998				
....	1998				
Region N	1998				

Name of the country

NUMBER OF NURSES (including midwives)	Value of the data				Comments
	For the indicated year		If not available, note the nearest available year		
	Year	Value	Year	Value	
Region A	1998				
Region B	1998				
Region C	1998				
....	1998				
Region N	1998				

Name of the country

NUMBER OF NURSES (excluding midwives)	Value of the data				Comments
	For the indicated year		If not available, note the nearest available year		
	Year	Value	Year	Value	
Region A	1998				
Region B	1998				
Region C	1998				
....	1998				
Region N	1998				

Name of the country

NUMBER OF MIDWIVES	Value of the data				Comments
	For the indicated year		If not available, note the nearest available year		
	Year	Value	Year	Value	
Region A	1998				
Region B	1998				
Region C	1998				
....	1998				
Region N	1998				

Name of the country

NUMBER OF ACUTE CARE HOSPITAL BEDS	Value of the data				Comments
	For the indicated year		If not available, note the nearest available year		
	Year	Value	Year	Value	
Region A	1998				
Region B	1998				
Region C	1998				
....	1998				
Region N	1998				

Name of the country

NUMBER OF HOSPITAL IN-PATIENTS ADMISSION / YEAR : ACUTE CARE	Value of the data				Comments
	For the indicated year		If not available, note the nearest available year		
	Year	Value	Year	Value	
Region A	1998				
Region B	1998				
Region C	1998				
....	1998				
Region N	1998				

Name of the country

MID-YEAR POPULATION ESTIMATE			Value of the data				Comments
			For the indicated year		If not available, note the nearest available year		
			Year	Value	Year	Value	
Region N	Males	<1 year	1999				
		1-4 years	1999				
		5-9 years	1999				
		10-14 years	1999				
		15-19 years	1999				
		20-24 years	1999				
		25-29 years	1999				
		30-34 years	1999				
		35-39 years	1999				
		40-44 years	1999				
		45-49 years	1999				
		50-54 years	1999				
		55-59 years	1999				
		60-64 years	1999				
		65-69 years	1999				
		75-74 years	1999				
		75-79 years	1999				
	80-84years	1999					
	85 years and over	1999					
	Females	<1 year	1999				
		1-4 years	1999				
		5-9 years	1999				
		10-14 years	1999				
		15-19 years	1999				
		20-24 years	1999				
		25-29 years	1999				
		30-34 years	1999				
		35-39 years	1999				
		40-44 years	1999				
		45-49 years	1999				
		50-54 years	1999				
		55-59 years	1999				
		60-64 years	1999				
		65-69 years	1999				
75-74 years		1999					
75-79 years		1999					
80-84years	1999						
85 years and over	1999						

Name of the country

NUMBER OF LIVE BIRTHS	Value of the data				Comments
	For the indicated year		If not available, note the nearest available year		
	Year	Value	Year	Value	
Region A	1998				
Region B	1998				
Region C	1998				
....	1998				
Region N	1998				

Name of the country

NUMBER OF DEATHS	Value of the data				Comments
	For the indicated year		If not available, note the nearest available year		
	Year	Value	Year	Value	
Region A	1998				
Region B	1998				
Region C	1998				
....	1998				
Region N	1998				

Name of the country

PERCENTAGE OF UNEMPLOYED PERSONS (15 to 64 years old)	Value of the data				Comments
	For the indicated year		If not available, note the nearest available year		
	Year	Value	Year	Value	
Region A	1998				
Region B	1998				
Region C	1998				
....	1998				
Region N	1998				

Name of the country

NUMBER OF PERINATAL DEATHS	Value of the data				Comments
	For the indicated year		If not available, note the nearest available year		
	Year	Value	Year	Value	
Region A	1998				
Region B	1998				
Region C	1998				
....	1998				
Region N	1998				

Name of the country

NUMBER OF STILLBIRTHS	Value of the data				Comments
	For the indicated year		If not available, note the nearest available year		
	Year	Value	Year	Value	
Region A	1998				
Region B	1998				
Region C	1998				
....	1998				
Region N	1998				

Name of the country

AGE/SEX BREAKDOWN OF DEATHS : ALL CAUSES <i>ICD 9 : 001-E999</i> <i>ICD 10 : A00 - Y89</i>			Value of the data				Comments
			For the indicated year		If not available, note the nearest available year		
			Year	Value	Year	Value	
Region N	Males	<1 year	1999				
		1-4 years	1999				
		5-9 years	1999				
		10-14 years	1999				
		15-19 years	1999				
		20-24 years	1999				
		25-29 years	1999				
		30-34 years	1999				
		35-39 years	1999				
		40-44 years	1999				
		45-49 years	1999				
		50-54 years	1999				
		55-59 years	1999				
		60-64 years	1999				
		65-69 years	1999				
		75-74 years	1999				
	75-79 years	1999					
	80-84years	1999					
	85 years and over	1999					
	Females	<1 year	1999				
		1-4 years	1999				
		5-9 years	1999				
		10-14 years	1999				
		15-19 years	1999				
		20-24 years	1999				
		25-29 years	1999				
		30-34 years	1999				
		35-39 years	1999				
		40-44 years	1999				
		45-49 years	1999				
		50-54 years	1999				
		55-59 years	1999				
		60-64 years	1999				
		65-69 years	1999				
75-74 years		1999					
75-79 years		1999					
80-84years		1999					
85 years and over	1999						

Name of the country

AGE/SEX BREAKDOWN OF DEATHS : MALIGNANT NEOPLASMS <i>ICD 9 : 140 - 239</i> <i>ICD 10 : C00 - D48</i>			Value of the data				Comments
			For the indicated year		If not available, note the nearest available year		
			Year	Value	Year	Value	
Region N	Males	<1 year	1999				
		1-4 years	1999				
		5-9 years	1999				
		10-14 years	1999				
		15-19 years	1999				
		20-24 years	1999				
		25-29 years	1999				
		30-34 years	1999				
		35-39 years	1999				
		40-44 years	1999				
		45-49 years	1999				
		50-54 years	1999				
		55-59 years	1999				
		60-64 years	1999				
		65-69 years	1999				
		75-74 years	1999				
	75-79 years	1999					
	80-84years	1999					
	85 years and over	1999					
	Females	<1 year	1999				
		1-4 years	1999				
		5-9 years	1999				
		10-14 years	1999				
		15-19 years	1999				
		20-24 years	1999				
		25-29 years	1999				
		30-34 years	1999				
		35-39 years	1999				
		40-44 years	1999				
		45-49 years	1999				
		50-54 years	1999				
		55-59 years	1999				
		60-64 years	1999				
		65-69 years	1999				
75-74 years		1999					
75-79 years		1999					
80-84years		1999					
85 years and over	1999						

Name of the country

AGE/SEX BREAKDOWN OF DEATHS : DISEASES OF THE CIRCULATORY SYSTEM <i>ICD 9 : 390 - 459</i> <i>ICD 10 : I00 - I99</i>			Value of the data				Comments
			For the indicated year		If not available, note the nearest available year		
			Year	Value	Year	Value	
Region N	Males	<1 year	1999				
		1-4 years	1999				
		5-9 years	1999				
		10-14 years	1999				
		15-19 years	1999				
		20-24 years	1999				
		25-29 years	1999				
		30-34 years	1999				
		35-39 years	1999				
		40-44 years	1999				
		45-49 years	1999				
		50-54 years	1999				
		55-59 years	1999				
		60-64 years	1999				
		65-69 years	1999				
		75-74 years	1999				
	75-79 years	1999					
	80-84years	1999					
	85 years and over	1999					
	Females	<1 year	1999				
		1-4 years	1999				
		5-9 years	1999				
		10-14 years	1999				
		15-19 years	1999				
		20-24 years	1999				
		25-29 years	1999				
		30-34 years	1999				
		35-39 years	1999				
		40-44 years	1999				
		45-49 years	1999				
		50-54 years	1999				
		55-59 years	1999				
60-64 years		1999					
65-69 years		1999					
75-74 years		1999					
75-79 years	1999						
80-84years	1999						
85 years and over	1999						

Name of the country

AGE/SEX BREAKDOWN OF DEATHS : EXTERNAL CAUSES OF INJURY AND POISONING <i>ICD 9 : E800 - E999</i> <i>ICD 10 : V01 - Y89</i>			Value of the data				Comments
			For the indicated year		If not available, note the nearest available year		
			Year	Value	Year	Value	
Region N	Males	<1 year	1999				
		1-4 years	1999				
		5-9 years	1999				
		10-14 years	1999				
		15-19 years	1999				
		20-24 years	1999				
		25-29 years	1999				
		30-34 years	1999				
		35-39 years	1999				
		40-44 years	1999				
		45-49 years	1999				
		50-54 years	1999				
		55-59 years	1999				
		60-64 years	1999				
		65-69 years	1999				
		75-74 years	1999				
	75-79 years	1999					
	80-84years	1999					
	85 years and over	1999					
	Females	<1 year	1999				
		1-4 years	1999				
		5-9 years	1999				
		10-14 years	1999				
		15-19 years	1999				
		20-24 years	1999				
		25-29 years	1999				
		30-34 years	1999				
		35-39 years	1999				
		40-44 years	1999				
		45-49 years	1999				
		50-54 years	1999				
		55-59 years	1999				
		60-64 years	1999				
		65-69 years	1999				
75-74 years		1999					
75-79 years		1999					
80-84years		1999					
85 years and over	1999						

Name of the country

AIDS INCIDENCE	Value of the data				Comments
	For the indicated year		If not available, note the nearest available year		
	Year	Value	Year	Value	
Region A	1998				
Region B	1998				
Region C	1998				
....	1998				
Region N	1998				

Name of the country

DISTRIBUTION OF BMI IN THE POPULATION		Value of the data				Comments
		For the indicated year		If not available, note the nearest available year		
		Year	Value	Year	Value	
Region N	Underweight	1998				
	Normal	1998				
	Overweight	1998				
	Obesity	1998				

Name of the country

% OF REGULAR DAILY SMOKERS AGED 15 YEARS OR MORE	Value of the data				Comments
	For the indicated year		If not available, note the nearest available year		
	Year	Value	Year	Value	
Region A	1998				
Region B	1998				
Region C	1998				
....	1998				
Region N	1998				

Name of the country

NUMBER OF PERSONS INJURED OR KILLED IN ROAD TRAFFIC ACCIDENTS	Value of the data				Comments
	For the indicated year		If not available, note the nearest available year		
	Year	Value	Year	Value	
Region A	1998				
Region B	1998				
Region C	1998				
....	1998				
Region N	1998				

This report was produced by a contractor for Health & Consumer Protection Directorate General and represents the views of the contractor or author. These views have not been adopted or in any way approved by the Commission and do not necessarily represent the view of the Commission or the Directorate General for Health and Consumer Protection. The European Commission does not guarantee the accuracy of the data included in this study, nor does it accept responsibility for any use made thereof.