

Policy Objective 3 ERDF/CF Indicators

#CohesionPolicy #EUinmyRegion #ESIFOpendata





	3.i Enhancing digital connectivity	access of very high capacity	RCR 53 - Households with broadband subscriptions to a very high capacity network RCR 54 - Enterprises with broadband subscriptions to a very high capacity network
resili	3.ii Developing a sustainable, climate resilient, intelligent, secure and intermodal TEN-T	RCO 43 - Length of new roads supported - TEN-T RCO 45 - Length of roads reconstructed or upgraded - TEN-T RCO 47 - Length of new rail supported - TEN-T RCO 49 - Length of rail reconstructed or upgraded - TEN-T RCO 51 - Length of new or upgraded inland waterways - TEN-T	RCR 55 - Users of newly built, reconstructed or upgraded roads RCR 56 - Time savings due to improved road infrastructure
mobility and regional ICT	3.iii Developing sustainable, climate resilient, intelligent and intermodal national, regional and local mobility, including improved access to TEN-T and cross-border mobility	RCO 44 - Length of new roads supported - other RCO 46 - Length of roads reconstructed or upgraded - other RCO 48 - Length of new rail supported - other RCO 50 - Length of rail reconstructed or upgraded - other RCO 52 - Length of new or upgraded inland waterways - other RCO 53 - Railways stations and facilities - new or upgraded RCO 54 - Intermodal connections - new or upgraded RCO 100 - Number of ports supported	RCR101 - Time savings due to improved rail infrastructure RCR 57 - Length of European Rail Traffic Management System equipped railways in operation RCR 58 - Annual number of passengers on supported railways RCR 59 - Freight transport on rail RCR 60 - Freight transport on inland waterways
multimodal urban mob	3.iv Promoting sustainable multimodal urban mobility (proposed to be moved to PO2 in Council)	RCO 55 - Length of tram and metro lines- new RCO 56 - Length of tram and metro lines- reconstructed/ upgraded RCO 57 - Environmentally friendly rolling stock for public tansport RCO 58 - Dedicated cycling infrastructure RCO 59 - Alternative fuels infrastructure (refuelling/ recharging points) supported RCO 60 - Cities and towns with new or upgraded digitised urban transport systems	RCR 62 - Annual passengers of public transport RCR 63 - Annual users of new/ upgraded tram and metro lines RCR 64 - Annual users of dedicated cycling infrastructure







## RCO 41- Additional households with broadband access of very high capacity

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
79%	79%	86%	86%	79%
Number MS: 14				

- Output or result?
- ☐ Very high capacity definition; at least 100 Mbps?
- Measurement unit:
  - Households or dwellings ?
- □ Alternative: length of VHC networks constructed
- Name: additional?
- ☐ Link to CO10 in 14-20?
- □ Time of measurement



## RCO 42- Additional enterprises with broadband access of very high capacity

RCO42				
RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	<b>ROBUST (3,4)</b>
79%	71%	86%	79%	71%
Number MS: 14				

- Similar comments as for RCO41
- ☐ Scope:
  - small numbers?
  - local units of enterprises?
- ☐ Measurement: *difficult to verify?*
- Source of data



# RCR 53- Households with broadband subscriptions to a very high capacity network

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
71%	64%	64%	29%	64%
Number MS: 14				

# RCR 54- Enterprises with broadband subscriptions to a very high capacity network

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
80%	73%	73%	47%	67%
Number MS: 15				

- Measurement unit
- Source of data
- Demand oriented

- □ Scope
- □ Target setting
- ☐ Time of measurement

Furonear

#### **New indicators proposed by Member States**

- Output indicator:
  - Public buildings with broadband access of very high capacity



#### **Specific Objective 3.ii**

Developing a sustainable, climate resilient, intelligent, secure and intermodal TEN-T

#### **Specific Objective 3.iii**

Developing sustainable, climate resilient, intelligent and intermodal national, regional and local mobility, including improved access to TEN-T and cross-border mobility



#### RCO 43- Length of new roads supported - TEN-T (SO 3.ii)

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
88%	100%	100%	100%	94%
Number MS: 16				

### RCO 44- Length of new roads supported - other (SO 3.iii)

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
94%	100%	100%	100%	94%
Number MS: 16				



#### Comments for RCO 43 and RCO 44

- Name:
  - "length" necessary?
  - "supported" necessary?
  - change word order?
  - new and upgraded?
  - non-TENT instead of Other?
- Definition
- Target setting
- □ Time of measurement



## RCO 45- Length of roads reconstructed or upgraded - TEN-T (SO 3.ii)

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
88%	100%	100%	100%	94%
Number MS: 16				

## RCO 46- Length of roads reconstructed or upgraded - other (SO 3.iii)

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
94%	100%	100%	100%	94%
Number MS: 16				



#### Comments for RCO 45 and RCO 46

- Name:
  - "length" necessary?
  - upgraded?
- □ Definition: *upgraded or improved?*
- Method of calculation
- Scope
- ☐ Time of measurement



### RCO 47- Length of new rail supported - TEN-T (SO 3.ii)

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
87%	100%	100%	100%	93%
Number MS: 15				

## RCO 48- Length of new rail supported - other (SO 3.iii)

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
88%	100%	94%	100%	88%
Number MS: 16				



#### Comments for RCO 47 and RCO 48

- Name:
  - "length" necessary?
  - "supported" necessary?
- Method of calculation: *route or track length?*
- ☐ Scope:
  - new TEN-T?
  - realignment with improved performance?



## RCO 49- Length of rail reconstructed or upgraded - TEN-T (SO 3.ii)

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
87%	100%	100%	100%	93%
Number MS: 15				

## RCO 50- Length of rail reconstructed or upgraded - other (SO 3.iii)

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	<b>ROBUST (3,4)</b>
80%	100%	100%	100%	87%
Number MS: 15				



#### Comments for RCO 49 and RCO 50

- Name:
  - "length" necessary?
  - upgraded?
- Overlap with indicators for new rail
- ☐ Scope: *urban/ suburban?*
- □ Double counting: *rule needed*



### RCO 51- Length of new or upgraded inland waterways - TEN-T (SO 3.ii)

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
71%	100%	100%	100%	92%
Number MS: 13-14				

### RCO 52- Length of new or upgraded inland waterways - other (SO 3.iii)

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
71%	100%	100%	100%	92%
Number MS: 13-14				



#### **Comments for RCO 51 and RCO 52**

- Name:
  - "length" necessary?
- Scope
- Definition



### RCO 53- Railways stations and facilities - new or upgraded

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
94%	100%	88%	88%	81%
Number MS: 16				

- □ Name: Railways stations with new or upgraded facilities?
- Measurement unit:
  - infrastructure units?
  - common metric assets?
- Definition:
  - maintenance not covered
- □ Scope: demarcation with intermodal connections (parking areas?)
- Examples?



### RCO 54- Intermodal connections - new or upgraded

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
88%	81%	69%	69%	75%
Number MS: 16				

- □ Name: New or upgraded intermodal connections
- Definition:
  - railway stations not included?
- Method of calculation
  - 400 P(ark) and R(ride) vs 1 rail-bus platform?
  - pedestrian access?



#### **RCO 100 - Number of ports supported**

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
88%	87%	80%	80%	80%
Number MS: 15				

- □ Name: *number of ? supported?*
- Definition:
  - inland ports? sea ports?
  - passenger, freight, both?
  - TEN-T or non-TEN-T?
- Small values?
- □ Scope



#### **New indicators proposed by Member States**

- Output indicator for roads: Number vehicles on newly built roads
- ☐ Indicators for new railways:
  - Length of platform constructed
  - Length of track assembly
- □ Output indicator for railways: Number of terminals newly developed, reconstructed or expanded (terminals)
- □ Output for railways: New/ Modernised environmentally friendly railway rolling stock (vehicles)



#### RESULT INDICATORS FOR SPECIFIC OBJECTIVES 3.ii and 3.iii





## RCR 55 – Users of newly built, reconstructed or upgraded roads

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
63%	80%	50%	27%	38%
Number MS: 16				

- Measurement unit
- Definition of users? Passengers, drivers, cargo?
- Interpretation
- Baseline
- ☐ Time measurement: calendar year? two years later?
- □ Double counting: within and across periods?
- Data source



#### RCR 56 – Time savings due to improved road infrastructure

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
69%	73%	63%	60%	n.a.
Number MS: 15-16				
Note: only 8 scores (values 1-2) for ROBUST				

- Calculation method
- Measurement unit: days/ years? person-year? %?
- Aggregation
- ☐ Use of the indicator
- Result or impact?
- Data source
- □ Time of measurement



#### RCR 101 – Time savings due to improved rail infrastructure

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
67%	71%	53%	20%	21%
Number MS: 14-15				

- Calculation method
- Use of the indicator
- ☐ Similar comments as for RCR56



# RCR 57 – Length of European Rail Traffic Management System equipped railways in operation

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
75%	75%	81%	88%	88%
Number MS: 16				

- Output or result?
- ☐ Baseline: *necessary?*
- Measurement: length of tracks?
- ☐ Time of measurement



## RCR 58 - Annual number of passengers on supported railways

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
75%	80%	69%	53%	63%
Number MS: 15-16				

- □ Definition: additional passengers?
- Data availability
- □ Alternative: *passenger-km/year?*
- Double counting
- Calculation method
- Data source
- ☐ Time measurement



#### RCR 59 - Freight transport on rail

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
75%	87%	75%	53%	69%
Number MS: 15-16				

## RCR 60 - Freight transport on inland waterways

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
60%	79%	64%	50%	57%
Number MS: 14-15				

- Measurement
   Data source
- Use of indicator
   Time measurement



#### **New indicators proposed by Member States**

- □ Result indicator for railways: Annual operational work in passenger transport (train-km / year)
- Result indicator for railways: Annual operational work in freight transport (gross-tonnes-km/year)
- Number of rail service interruptions per year
- Indicators for ports
  - Passenger/ freight traffic
  - Length or surface of improved docks
  - Increase of berth capacity







#### RCO 55 - Length of tram and metro lines - new

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
88%	100%	100%	94%	94%
Number MS: 16				

### RCO 56 - Length of tram and metro lines - reconstructed, upgraded

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
88%	100%	100%	94%	94%
Number MS: 16				

#### ☐ Scope:

- buss dedicated lanes?
- merge new with upgraded?
- urban/ suburban lines

Measurement



### RCO 57 – Environmentally friendly rolling stock for public transport

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
94%	88%	100%	100%	94%
Number MS: 16				

- ☐ Use in other specific objectives
- Definition
- Measurement
- □ Scope: *new or upgraded?*



## RCO 58 – Dedicated cycling infrastructure supported

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
100%	93%	93%	93%	93%
Number MS: 15				

- ☐ Scope: *pedestrian paths?* cycling paths?
- Measurement



## RCO 59 - Alternative fuels infrastructure (refueling/recharging points) supported

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
87%	86%	87%	93%	80%
Number MS: 14-15				

- ☐ Use in other specific objectives
- Measurement unit
- Definition:
  - clean vehicles?
  - alternative fuels?



# RCO 60 – Cities and towns with new or upgraded digitised urban transport system

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
73%	73%	73%	73%	60%
Number MS: 15				

- Measurement unit
- Scope
- Definition



# RCR 62 - Annual passengers of public transport

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
80%	86%	60%	47%	60%
Number MS: 14-15				

- Name
- ☐ Scope
- Measurement
- Methodology
- Use of the indicator
- Source of data



### RCR 63 – Annual users of new/ upgraded tram and metro lines

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
64%	62%	50%	36%	43%
Number MS: 13-14				

- □ Relationship with RCO62
- ☐ Scope: *urban/ suburban lines?*



# RCR 64 – Annual users of dedicated cycling infrastructure

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
87%	73%	53%	60%	40%
Number MS: 15				

- Measurement
- Methodology
- Data sources



#### **New indicators proposed by Member States**

- Reductions in CO2/NO2/ PM10 due to construction/ reconstruction (for road and rail transport)
- Number of ICT systems/ facilities for ICT





Policy Objective 4 ERDF/CF Indicators

#CohesionPolicy #EUinmyRegion #ESIFOpendata





	4.i Enhancing the effectiveness of labour markets and access to quality employment through developing social innovation and infrastructure	RCO 61 - Annual unemployed persons served by enhanced facilities for employment services (capacity)	RCR 65 - Job seekers using annually the services of the employment services supported
	4.ii Improving access to inclusive and qualiy services in education, training and lifelong learning through developing infrastructure	RCO 66 - Classroom capacity of supported chilcare infrastructure (new or upgraded) RCO 67 - Classroom capacity of supported education infrastructure (new or upgraded)	RCR 70 - Annual number of children using childcare infrastructure supported RCR 71 - Annual number of students using education infrastructure supported
implementing the European Pillar of Social Rights	4.iii Increasing the socio-economic integration of marginalised communities, migrants and disadvantaged groups, through integrated measures including housing and social services	RCO 63 - Capacity of temporary reception infrastructure created RCO 64 - Capacity of rehabilitated housing - migrants, refugees and persons under or applying for international protection RCO 65 - Capacity of rehabilitated housing - other	RCR 66 - Occupancy of temporary reception infrastructure built or rennovated RCR 67 - Occupancy of rehabilitated housing - migrants, refugees and persons under or applying for international protection RCR 68 - Occupancy of rehabilitated housing - other
	4.iv Ensuring equal access to health care through developing infrastructure, including pimary care	RCO 69 - Capacity of suppported health care infrastructure RCO 70 - Capacity of suppported social infrastructure (other than housing)	RCR 72 - People with access to improved health care sevices RCR 73 - Annual number of persons using the health care facilities supported RCR 74 - Annual number of persons using the social care facilities supported RCR 75 - Average response time for medical emergencies in the area supported







# RCO 61- Annual unemployed persons served by enhanced facilities for employment services (capacity)

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
58%	58%	58%	67%	67%
Number MS: 12				

- Measurement
- □ Alternatives:
  - square metres?
  - number of facilities ?
- Which users (unemployed, jobseekers) ?
- ☐ Scope:
  - energy efficiency?
  - enhanced?



# RCR 65 – Job seekers using annually the services of the employment services supported

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
67%	75%	75%	75%	75%
Number MS: 12				

- Which users (unemployed, jobseekers) ?
- Double counting
- Sources of data
- Interpretation
- Definition aligned with RCO61







# RCO 66 - Classroom capacity of supported childcare infrastructure (new or upgraded)

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	<b>ROBUST (3,4)</b>
92%	92%	92%	92%	85%
Number MS: 13				

- Measurement
- Scope
- Measurement unit
- ☐ Time of measurement



# RCO 67 - Classroom capacity of supported education infrastructure (new or upgraded)

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
79%	79%	79%	79%	71%
Number MS: 14				

#### ☐ Scope:

- vocational training?
- PhD students?
- gyms, libraries, reading rooms?



# RCR 70 – Annual number of children using childcare infrastructure supported

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
71%	79%	79%	79%	86%
Number MS: 14				

#### ■ Name:

- remove "annual number of" ?
- supported?
- childcare and child protection?
- ☐ Measurement unit: *children/ year?*
- Definition
  - replace "taken care of" by "attend" ?
  - one year after project physical completion?
- □ Baseline
- ☐ Interpretation
- Aggregation



# RCR 71 – Annual number of students using education infrastructure supported

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
71%	79%	79%	79%	86%
Number MS: 14				

- Measurement
- ☐ Scope: *include participants?*
- Double counting







### RCO 63 – Capacity of temporary reception infrastructure created

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
77%	92%	77%	69%	69%
Number MS: 13				

- ☐ Scope:
  - new or renovated?
- Definition: maximum? national definitions?
- Measurement unit: persons? places?



# RCO 64 – Capacity of rehabilitated housing migrants, refugees and persons under or applying for international protection

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
85%	92%	92%	85%	77%
Number MS: 13				

### RCO 65 - Capacity of rehabilitated housing - other

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
85%	100%	92%	85%	85%
Number MS: 13				

- Measurement unit: households? dwellings? surface?
- ☐ Scope ☐ Baseline



### RCR 66 – Occupancy of temporary reception infrastructure built or renovated

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
85%	85%	77%	77%	77%
Number MS: 13				

- □ Name: *occupancy?*
- ☐ Scope: *new or renovated?*
- Measurement
- ☐ Measurement unit: *users instead of persons?*
- Baseline
- Interpretation



# RCR 67 – Occupancy of rehabilitated housing migrants, refugees and persons under or applying for international protection

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
92%	77%	77%	77%	77%
Number MS: 13				

### RCR 68 – Occupancy of rehabilitated housing - other

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
69%	85%	77%	69%	69%
Number MS: 13				

☐ Similar comments as for RCR66







### RCO 69 - Capacity of supported health care infrastructure

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
86%	86%	71%	79%	71%
Number MS: 14				

- ☐ Terminology:
  - health care providers?
  - health care centres?
- Measurement unit:
  - number of healthcare centres
  - number of persons served at the same time
  - square metres
- Overlap with RCO70
- Interpretation
- Double counting



# RCO 70 - Capacity of supported social infrastructure (other than housing)

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
79%	71%	64%	79%	71%
Number MS: 14				

- ☐ Scope: *other than housing?*
- ☐ Measurement unit: *persons? places?*
- Definition



### RCR 72 – People with access to improved health care services

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
80%	67%	73%	53%	67%
Number MS: 15				

- ☐ Overlap with RCR73
- Name
- Baseline
- □ Target setting
- Definition:
  - improved?
  - gravitational area for target population?
  - e-services?
- Double counting
- ☐ Time measurement



## RCR 73 – Annual number of persons using the health care facilities supported

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
93%	79%	93%	71%	86%
Number MS: 14				

- Measurement unit
- Baseline
- Measurement
- Double counting



## RCR 74 – Annual number of persons using the social care facilities supported

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
92%	85%	85%	62%	77%
Number MS: 13				

- ☐ Measurement unit: *users?*
- Method of calculation
- Double counting




## RCR 75 – Average response time for medical emergencies in the area supported

RELEVANT (3,4)	ACCEPTED (3,4)	CREDIBLE (3,4)	EASY (3,4)	ROBUST (3,4)
57%	57%	50%	57%	50%
Number MS: 14				

■ Measurability at aggregate level



# NEXT: Indicators PO5 and Horizontal + categories of expenditure + reporting + guidance (May)





#### **Topics next meeting**

- ☐ Indicators (PO5 + Horizontal)
- □ Annex II ERDF changes implied
- □ Annex I ETC indicators changes implied
- □ Annex I CPR (Categorisation) changes implied by alignment
- ☐ Indicator fiche template
- □ Reporting templates
- □ Guidance

☐ Anything else?

THANK YOU!

