





APPLICATIONS AND A LOOK AT THE WORK SITE

Supported by:



Table of contents

CHAPTER

I. Dangers for enterprises

Dangers on the work site

Dangers during maintenance work

II. The design of projects and workstations

Workers, ideas, equipment and processes

III. Organisation and prevention on the work site


Successive risk and taking time to protect oneself

IV. Informing workers and increasing their awareness

Being prepared - taking the time to protect oneself


V. A look at the work site

I. DANGERS FOR ENTREPRISES Dangers of the work site



I. DANGERS FOR ENTREPRISES

Dangers during maintenance work.



Assessing the risks during maintenance and transformation of the work.


II. THE DESIGN OF PROJECTS AND WORKSTATIONS




CFE



cnac



Integrated barriers SEFMEP




A.Gerard


The protection against falls is integrated in the architectural elements.

At every level, it precedes the prefabricated floor.

II. THE DESIGN OF PROJECTS AND WORKSTATIONS











Barriers and suspension of the cradles.


II. THE DESIGN OF PROJECTS AND WORKSTATIONS




















Sefmep

Prevention of falls at a height on the work site and during maintenance work.

II. THE DESIGN OF PROJECTS AND WORKSTATIONS





Protection against blocks of snow falling. And men falling?





Attachments and rails for maintenance ladders.

II. THE DESIGN OF PROJECTS AND WORKSTATIONS












Emergency evacuation and maintenance workstations.

II. THE DESIGN OF PROJECTS AND WORKSTATIONS





Sefmep





Ensuring the safety of access and movements on roofs.

II. THE DESIGN OF PROJECTS AND WORKSTATIONS





The lifeline is placed in front of the roof work. Coordination of protection measures against falls during work on the site, during maintenance.





A place reserved for barriers under the tiles: "work site" safety and "maintenance" safety.


II. THE DESIGN OF PROJECTS AND WORKSTATIONS





Protection against falls during inspection and maintenance work supports are provided from the project gesign stage.







Use of a telescopic craddle for the installation of protection against falls before laying concrete slabs.










The temporary railings set back from the edge provide protection during the installation of the definitive protection structure.






What is recommended in the Safety and Health Plan and the File Adapted to the Characteristics of the Project?





Safety harnesses and prefabrication.























Sefmep (L)

Protection and installation before the risk.





Successive risks?






The risks of jobs being carried out simultaneously?





Sefmep (E)

Sécuribat (F)









Sefmep (E)

The risks of jobs being carried out simultaneously?




Adapting and improving the performance of work tools.



Protection against falls (1) is placed in front of the work floor (2).









Using work site equipment as a protection?





Above all do not improvise.











Stability of the equipment used and protection against falls.
















DO NOT LEAN OV...


Serre

Living and working on flat roofs.









and the maintenance of the project.

